


Page: 60 of 231

802.11n HT40, 5470~5725 MHz Maximum Power Spectral Density Data Plot (CH Low 5510 MHz)



Maximum Power Spectral Density Data Plot (CH Mid 5550 MHz)



Maximum Power Spectral Density Data Plot (CH High 5670 MHz)



Maximum Power Spectral Density Data Plot (CH **High 5710 MHz)**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipei Industrial Park, WukuDistrict, NewTaipei City, Taiwan 24803 新北市五股區新北產業園區五工路 134 號



Page: 61 of 231


802.11n HT40, 5725~5850 MHz Maximum Power Spectral Density Data Plot (CH Low 5755 MHz)



Maximum Power Spectral Density Data Plot (CH High 5795 MHz)



802.11ac VHT80, 5150~5250 MHz Maximum Power Spectral Density Data Plot (CH Mid 5210 MHz)



802.11ac VHT80, 5250~5350 MHz Maximum Power Spectral Density Data Plot (CH Mid 5290 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


f (886-2) 2298-0488

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipei Industrial Park, WukuDistrict, NewTaipei City, Taiwan 24803 新北市五股區新北產業園區五工路 134 號




Page: 62 of 231


802.11ac VHT80, 5470~5725 MHz Maximum Power Spectral Density Data Plot (CH Low 5530 MHz)



802.11ac VHT80, 5470~5725 MHz Maximum Power Spectral Density Data Plot (CH High 5610 MHz)



802.11ac VHT80, 5725~5850 MHz Maximum Power Spectral Density Data Plot (CH Mid 5775 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipei Industrial Park, WukuDistrict, NewTaipei City, Taiwan 24803 新北市五股區新北產業園區五工路 134 號



Page: 63 of 231

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LI	MIT	
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRE	ENGTH AT 3m	
	PK: 74 (dBμV/m)	AV 54 (dBµV/m)	
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m	
15.407(b)(1)			
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)	
15.407(b)(3)			
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4	

^{*1} beyond 75 MHz or more above of the bandedge.

 $EIRP = ((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 64 of 231

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 65 of 231

11.2 Measurement Equipment Used

	SGS SAC-III										
Name of Equip- ment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due						
Broadband An- tenna	TESEQ	CBL 6112D	35243	2017/11/10	2018/11/9						
Horn Antenna	Schwarzbeck	BBHA9120D	1187	2018/01/04	2019/1/3						
Loop Antenna	ETS.LINDGREN	6502	148045	2017/09/26	2018/9/25						
Horn Antenna	SCHWAZBECK	BBHA9170	184	2017/12/12	2018/12/11						
EMI Test Receiv- er	R&S	ESU 40	100363	2018/04/11	2019/4/10						
Pre-Amplifier	EMC Instruments	EMC330	980096	2017/12/26	2018/12/25						
Pre-Amplifier	EMC Instruments	EMC0011830	980199	2017/12/26	2018/12/25						
Pre-Amplifier	EMC Instruments	EMC184045B	980135	2017/10/27	2018/10/26						
Coaxial Cable	Huber Suhner	SUCOFLEX 104	MY17388/4	2017/12/26	2018/12/25						
Coaxial Cable	Huber Suhner	RG 214/U	W22.03	2017/12/26	2018/12/25						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 66 of 231

11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Page: 67 of 231

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT com-9. pliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS =	RA	+ /	ΔF	+ (CI	- /	ΔG
	-1	T /	~ I	т,	\smile		\neg

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual $FS(dB\mu V/m) = SPA$. Reading level(dB μV) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 68 of 231

11.7 Measurement Result

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data:

:802.11a / Band 1 **Operation Mode** Test Date :2018-07-22

:TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5220 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
38.73	Peak	38.25	-8.07	30.18	40.00	-9.82
68.80	Peak	46.65	-18.10	28.55	40.00	-11.45
96.93	Peak	41.56	-15.26	26.30	43.50	-17.20
298.69	Peak	34.79	-9.93	24.86	46.00	-21.14
935.01	Peak	29.60	1.79	31.39	46.00	-14.61
989.33	Peak	28.32	3.03	31.35	54.00	-22.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488



Page: 69 of 231

Operation Mode :802.11a / Band 1 Test Date :2018-07-22 :26/56 :TX CH MID Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5220 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
165.80	Peak	38.39	-13.67	24.72	43.50	-18.78
299.66	Peak	37.72	-9.90	27.82	46.00	-18.18
368.53	Peak	38.04	-7.24	30.80	46.00	-15.20
514.03	Peak	31.46	-3.90	27.56	46.00	-18.44
769.14	Peak	30.38	-0.96	29.42	46.00	-16.58
933.07	Peak	29.75	1.76	31.51	46.00	-14.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 70 of 231

Operation Mode :802.11a / Band 2 :TX CH MID Test Mode :H Plan **EUT Pol** :5300 MHz Test Channel

Test Date :2018-07-22 :26/56 Temp./Humi. Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
38.73	Peak	39.28	-8.07	31.21	40.00	-8.79
96.93	Peak	46.43	-15.26	31.17	43.50	-12.33
345.25	Peak	35.39	-8.13	27.26	46.00	-18.74
657.59	Peak	31.87	-2.23	29.64	46.00	-16.36
827.34	Peak	32.99	0.25	33.24	46.00	-12.76
967.02	Peak	29.48	2.49	31.97	54.00	-22.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 71 of 231

Operation Mode :802.11a / Band 2 Test Date :2018-07-22 :26/56 :TX CH MID Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5300 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
83.35	Peak	42.41	-16.70	25.71	40.00	-14.29
165.80	Peak	39.68	-13.67	26.01	43.50	-17.49
299.66	Peak	39.17	-9.90	29.27	46.00	-16.73
399.57	Peak	35.50	-6.03	29.47	46.00	-16.53
770.11	Peak	31.49	-0.95	30.54	46.00	-15.46
996.12	Peak	28.47	3.20	31.67	54.00	-22.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司


f (886-2) 2298-0488



Page: 72 of 231

Operation Mode :802.11a / Band 3 :TX CH MID Test Mode :H Plan **EUT Pol** :5580 MHz Test Channel

Test Date :2018-07-22 :26/56 Temp./Humi. Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
81.41	Peak	50.77	-16.79	33.98	40.00	-6.02
165.80	Peak	38.79	-13.67	25.12	43.50	-18.38
345.25	Peak	35.20	-8.13	27.07	46.00	-18.93
771.08	Peak	31.64	-0.93	30.71	46.00	-15.29
927.25	Peak	30.25	1.67	31.92	46.00	-14.08
969.93	Peak	28.44	2.55	30.99	54.00	-23.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 73 of 231

Operation Mode :802.11a / Band 3 Test Date :2018-07-22 :26/56 :TX CH MID Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5580 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
80.44	Peak	44.50	-16.84	27.66	40.00	-12.34
165.80	Peak	38.55	-13.67	24.88	43.50	-18.62
298.69	Peak	37.01	-9.93	27.08	46.00	-18.92
364.65	Peak	36.87	-7.41	29.46	46.00	-16.54
769.14	Peak	31.68	-0.96	30.72	46.00	-15.28
1000.00	Peak	28.41	3.30	31.71	54.00	-22.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 74 of 231

Operation Mode :802.11a / Band 4 :TX CH MID Test Mode :H Plan **EUT Pol** :5785 MHz Test Channel

Test Date :2018-07-22 :26/56 Temp./Humi. Antenna Pol. :VERTICAL :Enzo

Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						-
74.62	Peak	48.20	-17.41	30.79	40.00	-9.21
159.01	Peak	39.99	-13.18	26.81	43.50	-16.69
345.25	Peak	35.43	-8.13	27.30	46.00	-18.70
841.89	Peak	29.59	0.56	30.15	46.00	-15.85
935.01	Peak	31.17	1.79	32.96	46.00	-13.04
984.48	Peak	28.86	2.92	31.78	54.00	-22.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 75 of 231

Operation Mode :802.11a / Band 4 Test Date :2018-07-22 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5785 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
30.97	Peak	30.58	-4.16	26.42	40.00	-13.58
81.41	Peak	43.96	-16.79	27.17	40.00	-12.83
165.80	Peak	41.07	-13.67	27.40	43.50	-16.10
169.68	Peak	38.93	-13.95	24.98	43.50	-18.52
959.26	Peak	31.21	2.28	33.49	46.00	-12.51
991.27	Peak	28.63	3.09	31.72	54.00	-22.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488



Page: 76 of 231

:802.11ac80 / Band 1 **Operation Mode** Test Mode :TX CH LOW :H Plan **EUT Pol** :5210 MHz Test Channel

Test Date :2018-07-22 :26/56 Temp./Humi. Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
38.73	Peak	38.25	-8.07	30.18	40.00	-9.82
77.53	Peak	48.03	-17.11	30.92	40.00	-9.08
298.69	Peak	34.79	-9.93	24.86	46.00	-21.14
345.25	Peak	32.79	-8.13	24.66	46.00	-21.34
769.14	Peak	32.13	-0.96	31.17	46.00	-14.83
989.33	Peak	28.32	3.03	31.35	54.00	-22.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 77 of 231

Operation Mode :802.11ac80 / Band 1 **Test Date** :2018-07-22 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5210 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
30.97	Peak	29.76	-4.16	25.60	40.00	-14.40
165.80	Peak	38.39	-13.67	24.72	43.50	-18.78
299.66	Peak	37.72	-9.90	27.82	46.00	-18.18
400.54	Peak	33.54	-6.01	27.53	46.00	-18.47
933.07	Peak	29.75	1.76	31.51	46.00	-14.49
996.12	Peak	28.00	3.20	31.20	54.00	-22.80


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 78 of 231

Operation Mode :802.11ac80 / Band 2 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5290 MHz Test Channel

Test Date :2018-07-22 :26/56 Temp./Humi. Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
38.73	Peak	39.28	-8.07	31.21	40.00	-8.79
79.47	Peak	51.56	-16.93	34.63	40.00	-5.37
79.47	QP	43.27	-16.93	26.34	40.00	-13.66
101.78	Peak	41.10	-14.49	26.61	43.50	-16.89
163.86	Peak	37.71	-13.52	24.19	43.50	-19.31
827.34	Peak	32.99	0.25	33.24	46.00	-12.76
967.02	Peak	29.48	2.49	31.97	54.00	-22.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 79 of 231

Operation Mode :802.11ac80 / Band 2 Test Date :2018-07-22 :26/56 :TX CH HIGH Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5290 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
30.97	Peak	30.19	-4.16	26.03	40.00	-13.97
83.35	Peak	42.41	-16.70	25.71	40.00	-14.29
159.01	Peak	36.64	-13.18	23.46	43.50	-20.04
399.57	Peak	35.50	-6.03	29.47	46.00	-16.53
935.01	Peak	29.23	1.79	31.02	46.00	-14.98
996.12	Peak	28.47	3.20	31.67	54.00	-22.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 80 of 231

Operation Mode :802.11ac80 / Band 3 **Test Date** :2018-07-22 :TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5610 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
38.73	Peak	38.92	-8.07	30.85	40.00	-9.15
96.93	Peak	41.62	-15.26	26.36	43.50	-17.14
165.80	Peak	38.79	-13.67	25.12	43.50	-18.38
345.25	Peak	35.20	-8.13	27.07	46.00	-18.93
775.93	Peak	31.18	-0.82	30.36	46.00	-15.64
969.93	Peak	28.44	2.55	30.99	54.00	-23.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 81 of 231

Operation Mode :802.11ac80 / Band 3 **Test Date** :2018-07-22 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5610 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
39.70	Peak	34.25	-8.50	25.75	40.00	-14.25
298.69	Peak	37.01	-9.93	27.08	46.00	-18.92
364.65	Peak	36.87	-7.41	29.46	46.00	-16.54
400.54	Peak	34.40	-6.01	28.39	46.00	-17.61
769.14	Peak	31.68	-0.96	30.72	46.00	-15.28
999.03	Peak	28.15	3.28	31.43	54.00	-22.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 82 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11ac80 / Band 4

:TX CH HIGH

:H Plan :5775 MHz **Test Date** :2018-07-22

:26/56 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
38.73	Peak	39.23	-8.07	31.16	40.00	-8.84
82.38	Peak	50.13	-16.74	33.39	40.00	-6.61
159.01	Peak	39.99	-13.18	26.81	43.50	-16.69
345.25	Peak	35.43	-8.13	27.30	46.00	-18.70
935.01	Peak	31.17	1.79	32.96	46.00	-13.04
984.48	Peak	28.86	2.92	31.78	54.00	-22.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 83 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11ac80 / Band 4

:TX CH HIGH

:H Plan :5775 MHz **Test Date** :2018-07-22 :26/56

Temp./Humi. Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
81.41	Peak	43.96	-16.79	27.17	40.00	-12.83
165.80	Peak	41.07	-13.67	27.40	43.50	-16.10
400.54	Peak	35.09	-6.01	29.08	46.00	-16.92
517.91	Peak	32.43	-3.82	28.61	46.00	-17.39
959.26	Peak	31.21	2.28	33.49	46.00	-12.51
991.27	Peak	28.63	3.09	31.72	54.00	-22.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 84 of 231


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

:802.11a / Band 1 **Operation Mode Test Date** :2018-07-20

Test Mode :TX CH LOW Temp./Humi. :26/56 :H Plan **EUT Pol** :VERTICAL Antenna Pol.

:5180 MHz :Enzo **Test Channel** Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 85 of 231

Operation Mode :802.11a / Band 1 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5180 MHz :Enzo Engineer Test Channel




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279



Page: 86 of 231

Operation Mode :802.11a / Band 1 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5220 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 87 of 231

Operation Mode :802.11a / Band 1 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5220 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 88 of 231

Operation Mode :802.11a / Band 1 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :VERTICAL :5240 MHz :Enzo Engineer Test Channel




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 89 of 231

Operation Mode :802.11a / Band 1 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5240 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 90 of 231

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

:802.11a / Band 2 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL

:5260 MHz :Enzo Test Channel Engineer




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 91 of 231

Operation Mode :802.11a / Band 2 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5260 MHz :Enzo Engineer Test Channel




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 92 of 231

Operation Mode :802.11a / Band 2 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5300 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10600.00	Average	19.08	27.21	46.29	54.00	-7.71
10600.00	Peak	29.68	27.21	56.89	68.20	-11.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 93 of 231

Operation Mode :802.11a / Band 2 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5300 MHz :Enzo






Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10600.00	Average	19.02	27.21	46.23	54.00	-7.77
10600.00	Peak	29.61	27.21	56.82	68.20	-11.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 94 of 231

Operation Mode :802.11a / Band 2 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5320 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10640.00	Average	19.81	27.20	47.01	54.00	-6.99
10640.00	Peak	30.54	27.20	57.74	74.00	-16.26


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 95 of 231

Operation Mode :802.11a / Band 2 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5320 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10640.00	Average	19.85	27.20	47.05	54.00	-6.95
10640.00	Peak	29.51	27.20	56.71	74.00	-17.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 96 of 231

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

:802.11a / Band 3 **Operation Mode Test Date** :2018-07-20

:TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5500 MHz Test Channel Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11000.00	Average	19.82	27.09	46.91	54.00	-7.09
11000.00	Peak	30.32	27.09	57.41	74.00	-16.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 97 of 231

Operation Mode :802.11a / Band 3 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5500 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11000.00	Average	19.92	27.09	47.01	54.00	-6.99
11000.00	Peak	29.81	27.09	56.90	74.00	-17.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 98 of 231

Operation Mode :802.11a / Band 3 :TX CH MID Test Mode :H Plan **EUT Pol** :5580 MHz Test Channel

Test Date :2018-07-20 :26/56 Temp./Humi. Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11160.00	Average	19.81	26.67	46.48	54.00	-7.52
11160.00	Peak	30.63	26.67	57.30	74.00	-16.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 99 of 231

Operation Mode :802.11a / Band 3 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5580 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11160.00	Average	19.77	26.67	46.44	54.00	-7.56
11160.00	Peak	29.99	26.67	56.66	74.00	-17.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 100 of 231

Operation Mode :802.11a / Band 3 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5700 MHz Test Channel

Test Date :2018-07-20 :26/56 Temp./Humi. Antenna Pol. :VERTICAL

:Enzo Engineer



Freq	. Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
'						
11400.	00 Average	19.87	26.07	45.94	54.00	-8.06
11400.	00 Peak	30.35	26.07	56.42	74.00	-17.58


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 101 of 231

Operation Mode :802.11a / Band 3 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5700 MHz :Enzo Engineer Test Channel



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11400.00	Average	19.77	26.07	45.84	54.00	-8.16
	11400.00	Peak	29.67	26.07	55.74	74.00	-18.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 102 of 231

Radiated Spurious Emission Measurement Result 802.11a, 5720 MHz

:802.11a / Band 3/4 **Operation Mode Test Date** :2018-07-20 :TX CH 144 Temp./Humi. :26/56 Test Mode :H Plan **EUT Pol** Antenna Pol. :VERTICAL

:5720 MHz :Enzo Test Channel Engineer



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
	11440.00	Average	19.85	25.96	45.81	54.00	-8.19
	11440.00	Peak	30.50	25.96	56.46	74.00	-17.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 103 of 231

Operation Mode :802.11a / Band 3/4 **Test Date** :2018-07-20 :TX CH 144 :26/56 Test Mode

Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5720 MHz :Enzo Engineer Test Channel





	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
	11440.00	Average	19.71	25.96	45.67	54.00	-8.33
	11440.00	Peak	30.28	25.96	56.24	74.00	-17.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 104 of 231

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

:802.11a / Band 4 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56

Temp./Humi. Test Mode **EUT Pol** :H Plan Antenna Pol. :VERTICAL :5745 MHz Test Channel Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11490.00	Average	19.12	25.83	44.95	54.00	-9.05
11490.00	Peak	32.33	25.83	58.16	74.00	-15.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 105 of 231

Operation Mode :802.11a / Band 4 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5745 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11490.00	Average	21.13	25.83	46.96	54.00	-7.04
11490.00	Peak	33.86	25.83	59.69	74.00	-14.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 106 of 231

Operation Mode :802.11a / Band 4 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :VERTICAL :5785 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
11570.00	Average	20.25	25.87	46.12	54.00	-7.88
11570.00	Peak	32.24	25.87	58.11	74.00	-15.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 107 of 231

Operation Mode :802.11a / Band 4 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5785 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11570.00	Average	20.58	25.87	46.45	54.00	-7.55
11570.00	Peak	33.07	25.87	58.94	74.00	-15.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 108 of 231

Operation Mode :802.11a / Band 4 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5825 MHz Test Channel

Test Date :2018-07-20 :26/56 Temp./Humi.

Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11650.00	Average	20.40	25.94	46.34	54.00	-7.66
11650.00	Peak	32.69	25.94	58.63	74.00	-15.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 109 of 231

Operation Mode :802.11a / Band 4 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5825 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11650.00	Average	20.28	25.94	46.22	54.00	-7.78
11650.00	Peak	32.78	25.94	58.72	74.00	-15.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 110 of 231

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

:H Plan

:802.11n20 / Band 1 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

EUT Pol Antenna Pol. :VERTICAL :5180 MHz :Enzo Test Channel Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 111 of 231

Operation Mode :802.11n20 / Band 1 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5180 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 112 of 231

Operation Mode :802.11n20 / Band 1 **Test Date** :2018-07-20

:TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :VERTICAL :5220 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 113 of 231

:802.11n20 / Band 1 **Operation Mode Test Date** :2018-07-20

:TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5220 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 114 of 231

:802.11n20 / Band 1 **Operation Mode Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :VERTICAL :5240 MHz :Enzo Engineer Test Channel




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 115 of 231

Operation Mode :802.11n20 / Band 1 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5240 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 116 of 231

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

:802.11n20 / Band 2 **Operation Mode Test Date** :2018-07-20

:TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5260 MHz :Enzo Test Channel Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 117 of 231

Operation Mode :802.11n20 / Band 2 **Test Date** :2018-07-20 :TX CH LOW :26/56

Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5260 MHz :Enzo Test Channel Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 118 of 231

Operation Mode :802.11n20 / Band 2 **Test Date** :2018-07-20

:TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL

:5300 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10600.00	Average	19.87	27.21	47.08	54.00	-6.92
10600.00	Peak	30.48	27.21	57.69	68.20	-10.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 119 of 231

Operation Mode :802.11n20 / Band 2 **Test Date** :2018-07-20

:TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5300 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10600.00	Average	19.86	27.21	47.07	54.00	-6.93
10600.00	Peak	29.12	27.21	56.33	68.20	-11.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 120 of 231

Operation Mode :802.11n20 / Band 2 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL

:5320 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
10640.00	Average	19.76	27.20	46.96	54.00	-7.04
10640.00	Peak	30.42	27.20	57.62	74.00	-16.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 121 of 231

Operation Mode :802.11n20 / Band 2 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode

Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5320 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10640.00	Average	19.71	27.20	46.91	54.00	-7.09
10640.00	Peak	29.50	27.20	56.70	74.00	-17.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 122 of 231

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

:802.11n20 / Band 3 **Operation Mode Test Date** :2018-07-20

:TX CH LOW Temp./Humi. :26/56 Test Mode :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5500 MHz Test Channel Engineer :Enzo



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
	11000.00	Average	19.66	27.09	46.75	54.00	-7.25
	11000.00	Peak	30.13	27.09	57.22	74.00	-16.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 123 of 231

Operation Mode :802.11n20 / Band 3 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode

Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5500 MHz :Enzo Engineer Test Channel





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
11000.00	Average	19.69	27.09	46.78	54.00	-7.22
11000.00	Peak	29.68	27.09	56.77	74.00	-17.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 124 of 231

Operation Mode :802.11n20 / Band 3 **Test Date** :2018-07-20

:TX CH MID :26/56 Test Mode Temp./Humi. :H Plan

EUT Pol Antenna Pol. :VERTICAL :5580 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11160.00	Average	19.64	26.67	46.31	54.00	-7.69
11160.00	Peak	30.39	26.67	57.06	74.00	-16.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 125 of 231

Operation Mode :802.11n20 / Band 3 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5580 MHz :Enzo





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11160.00	Average	19.74	26.67	46.41	54.00	-7.59
11160.00	Peak	29.67	26.67	56.34	74.00	-17.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 126 of 231

Operation Mode :802.11n20 / Band 3 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5700 MHz Test Channel

Test Date :2018-07-20 :26/56 Temp./Humi. Antenna Pol. :VERTICAL

:Enzo Engineer



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
	11400.00	Average	19.59	26.07	45.66	54.00	-8.34
	11400.00	Peak	30.17	26.07	56.24	74.00	-17.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 127 of 231

Operation Mode :802.11n20 / Band 3 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode

Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5700 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11400.00	Average	19.60	26.07	45.67	54.00	-8.33
11400.00	Peak	29.45	26.07	55.52	74.00	-18.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 128 of 231

Radiated Spurious Emission Measurement Result 802.11n HT20, 5720MHz Operation Mode :802.11n20 / Band 3/4 Test Date

Operation Mode Test Date :2018-07-20

:TX CH 144 :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5720 MHz Test Channel Engineer :Enzo



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11440.00	Average	19.78	25.96	45.74	54.00	-8.26
11440.00	Peak	30.39	25.96	56.35	74.00	-17.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 129 of 231

Operation Mode :802.11n20 / Band 3/4 **Test Date** :2018-07-20 :TX CH 144 :26/56 Test Mode

Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5720 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11440.00	Average	19.75	25.96	45.71	54.00	-8.29
11440.00	Peak	30.20	25.96	56.16	74.00	-17.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 130 of 231

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850MHz

:802.11n20 / Band 4 **Operation Mode Test Date** :2018-07-20 :TX CH LOW Temp./Humi. :26/56 Test Mode :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5745 MHz Test Channel Engineer :Enzo



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11490.00	Average	20.34	25.83	46.17	54.00	-7.83
11490.00	Peak	32.00	25.83	57.83	74.00	-16.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 131 of 231

Operation Mode :802.11n20 / Band 4 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5745 MHz :Enzo





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11490.00	Average	20.27	25.83	46.10	54.00	-7.90
11490.00	Peak	32.19	25.83	58.02	74.00	-15.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 132 of 231

Operation Mode :802.11n20 / Band 4 **Test Date** :2018-07-20

:TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5785 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11570.00	Average	20.05	25.87	45.92	54.00	-8.08
11570.00	Peak	30.84	25.87	56.71	74.00	-17.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com




Page: 133 of 231

Operation Mode :802.11n20 / Band 4 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5785 MHz :Enzo





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11570.00	Average	20.12	25.87	45.99	54.00	-8.01
11570.00	Peak	32.18	25.87	58.05	74.00	-15.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 134 of 231

Operation Mode :802.11n20 / Band 4 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5825 MHz Test Channel

Test Date :2018-07-20 :26/56 Temp./Humi. Antenna Pol. :VERTICAL

:Enzo Engineer



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
	11650.00	Average	20.25	25.94	46.19	54.00	-7.81
	11650.00	Peak	32.86	25.94	58.80	74.00	-15.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 135 of 231

Operation Mode :802.11n20 / Band 4 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5825 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11650.00	Average	20.10	25.94	46.04	54.00	-7.96
11650.00	Peak	31.58	25.94	57.52	74.00	-16.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 136 of 231

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

:802.11n40 / Band 1 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :VERTICAL :5190 MHz :Enzo Test Channel Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 137 of 231

:802.11n40 / Band 1 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5190 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 138 of 231

Operation Mode :802.11n40 / Band 1 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :VERTICAL :5230 MHz :Enzo Engineer Test Channel




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 139 of 231

:802.11n40 / Band 1 **Operation Mode Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5230 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 140 of 231

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

:802.11n40 / Band 2 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL

:5270 MHz :Enzo Test Channel Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 141 of 231

Operation Mode :802.11n40 / Band 2 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5270 MHz :Enzo Engineer Test Channel



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 142 of 231

Operation Mode :802.11n40 / Band 2 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5310 MHz Test Channel

Test Date :2018-07-20 :26/56 Temp./Humi. Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10620.00	Average	19.61	27.20	46.81	54.00	-7.19
10620.00	Peak	31.05	27.20	58.25	74.00	-15.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 143 of 231

Operation Mode :802.11n40 / Band 2 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5310 MHz :Enzo Test Channel Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10620.00	Average	19.66	27.20	46.86	54.00	-7.14
10620.00	Peak	29.04	27.20	56.24	74.00	-17.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 144 of 231

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

:802.11n40 / Band 3 **Operation Mode Test Date** :2018-07-20

:TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5510 MHz Test Channel Engineer :Enzo



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11020.00	Average	19.91	27.04	46.95	54.00	-7.05
11020.00	Peak	31.41	27.04	58.45	74.00	-15.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 145 of 231

Operation Mode :802.11n40 / Band 3 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5510 MHz :Enzo





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11020.00	Average	19.88	27.04	46.92	54.00	-7.08
11020.00	Peak	29.88	27.04	56.92	74.00	-17.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 146 of 231

Operation Mode :802.11n40 / Band 3 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :VERTICAL :5550 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11100.00	Average	19.68	26.83	46.51	54.00	-7.49
11100.00	Peak	30.83	26.83	57.66	74.00	-16.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 147 of 231

Operation Mode :802.11n40 / Band 3 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5550 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11100.00	Average	19.69	26.83	46.52	54.00	-7.48
11100.00	Peak	29.70	26.83	56.53	74.00	-17.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



11340.00

11340.00

Report No.: E2/2018/70034

Page: 148 of 231

Operation Mode :802.11n40 / Band 3 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5670 MHz Test Channel


Test Date :2018-07-20 :26/56 Temp./Humi. Antenna Pol. :VERTICAL :Enzo Engineer

54.00

74.00

-8.03

-17.27



26.21

26.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

19.76

30.52

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

45.97

56.73

t (886-2) 2299-3279

f (886-2) 2298-0488

Average


Peak



Page: 149 of 231

Operation Mode :802.11n40 / Band 3 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5670 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11340.00	Average	19.71	26.21	45.92	54.00	-8.08
11340.00	Peak	29.83	26.21	56.04	74.00	-17.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 150 of 231

Radiated Spurious Emission Measurement Result 802.11n HT40, 5710MHz

:802.11n40 / Band 3/4 **Operation Mode Test Date** :2018-07-20 :TX CH 142 :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL

Test Channel :5710 MHz :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11420.00	Average	19.81	26.01	45.82	54.00	-8.18
11420.00	Peak	30.63	26.01	56.64	74.00	-17.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 151 of 231

Operation Mode :802.11n40 / Band 3/4 **Test Date** :2018-07-20 :TX CH 142 :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5710 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11420.00	Average	19.89	26.01	45.90	54.00	-8.10
11420.00	Peak	29.65	26.01	55.66	74.00	-18.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279



Page: 152 of 231

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850MHz

:802.11n40 / Band 4 **Operation Mode** Test Date :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5755 MHz :Enzo **Test Channel** Engineer



25.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

30.58

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

56.40

Peak

11510.00

74.00

-17.60




Page: 153 of 231

Operation Mode :802.11n40 / Band 4 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5755 MHz :Enzo





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11510.00	Average	19.95	25.82	45.77	54.00	-8.23
11510.00	Peak	30.97	25.82	56.79	74.00	-17.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




:Enzo

Page: 154 of 231

Operation Mode :802.11n40 / Band 4 :TX CH HIGH Test Mode :H Plan **EUT Pol** :5795 MHz Test Channel

Test Date :2018-07-20 :26/56 Temp./Humi. Antenna Pol. :VERTICAL

Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11590.00	Average	20.13	25.89	46.02	54.00	-7.98
11590.00	Peak	32.10	25.89	57.99	74.00	-16.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:2018-07-20

:HORIZONTAL

:26/56


Page: 155 of 231

Operation Mode :802.11n40 / Band 4 :TX CH HIGH Test Mode :H Plan **EUT Pol**

Temp./Humi. Antenna Pol.

Test Date

:5795 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11590.00	Average	20.08	25.89	45.97	54.00	-8.03
11590.00	Peak	32.17	25.89	58.06	74.00	-15.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 156 of 231

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

:802.11ac80 / Band 1 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5210 MHz Test Channel Engineer :Enzo



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 157 of 231

:802.11ac80 / Band 1 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5210 MHz :Enzo Engineer Test Channel




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 158 of 231

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

:802.11ac80 / Band 2 **Operation Mode Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5290 MHz Test Channel Engineer :Enzo



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page: 159 of 231

Operation Mode :802.11ac80 / Band 2 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode

Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL

:5290 MHz :Enzo Engineer Test Channel




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 160 of 231

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

:802.11ac80 / Band 3 **Operation Mode Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL :5530 MHz Test Channel Engineer :Enzo



F	req.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
N	ЛHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
110	060.00	Average	19.77	26.94	46.71	54.00	-7.29
110	00.00	Peak	30.92	26.94	57.86	74.00	-16.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 161 of 231

Operation Mode :802.11ac80 / Band 3 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode

Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5530 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
11060.00	Average	19.73	26.94	46.67	54.00	-7.33	
11060.00	Peak	29.97	26.94	56.91	74.00	-17.09	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 162 of 231

Operation Mode :802.11ac80 / Band 3 **Test Date** :2018-07-20

:TX CH MID :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11220.00	Average	19.87	26.52	46.39	54.00	-7.61
11220.00	Peak	31.36	26.52	57.88	74.00	-16.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 163 of 231

Operation Mode :802.11ac80 / Band 3 **Test Date** :2018-07-20 :TX CH MID :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5610 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
11220.00	Average	19.68	26.52	46.20	54.00	-7.80	
11220.00	Peak	30.04	26.52	56.56	74.00	-17.44	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Test Channel

Report No.: E2/2018/70034


Page: 164 of 231

Operation Mode :802.11ac80 / Band 3 **Test Date** :TX CH HIGH Test Mode Temp./Humi. :H Plan **EUT Pol** :5690 MHz

:2018-07-20 :26/56

Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
11380.00	Average	19.62	26.11	45.73	54.00	-8.27
11380.00	Peak	30.48	26.11	56.59	74.00	-17.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 165 of 231

Operation Mode :802.11ac80 / Band 3 **Test Date** :2018-07-20 :TX CH HIGH :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5690 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11380.00	Average	19.63	26.11	45.74	54.00	-8.26
11380.00	Peak	29.61	26.11	55.72	74.00	-18.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 166 of 231

Radiated Spurious Emission Measurement Result 802.11ac VHT80,

:802.11ac80 / Band 4 **Operation Mode** Test Date :2018-07-20

:TX CH LOW :26/56 Test Mode Temp./Humi. :H Plan **EUT Pol** Antenna Pol. :VERTICAL

:5775 MHz **Test Channel** :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBμV/m	dBµV/m	dB
11550.00	Average	20.17	25.85	46.02	54.00	-7.98
11550.00	Peak	32.66	25.85	58.51	74.00	-15.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


台灣檢驗科技股份有限公司



Page: 167 of 231

Operation Mode :802.11ac80 / Band 4 **Test Date** :2018-07-20 :TX CH LOW :26/56 Test Mode Temp./Humi.

:H Plan **EUT Pol** Antenna Pol. :HORIZONTAL :5775 MHz :Enzo Engineer Test Channel



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
11550.00	Average	19.97	25.85	45.82	54.00	-8.18
11550.00	Peak	31.31	25.85	57.16	74.00	-16.84

Frequency (MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:2018-07-19

:25/60


Page: 168 of 231

Band edge falling to restricted band 802.11a mode

:802.11a / Band 1 **Operation Mode Test Date** :BE CH LOW Test Mode Temp./Humi.

:H Plan **EUT Pol** :VERTICAL Antenna Pol.

:5180 MHz :Enzo **Test Channel** Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
5150.00	Average	37.40	13.65	51.05	54.00	-2.95
5150.00	Peak	55.91	13.65	69.56	74.00	-4.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 169 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11a / Band 1 :BE CH LOW

:H Plan :5180 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						_
5149.60	Average	32.33	13.64	45.97	54.00	-8.03
5149.60	Peak	47.04	13.64	60.68	74.00	-13.32
5150.00	Average	32.35	13.65	46.00	54.00	-8.00
5150.00	Peak	46.28	13.65	59.93	74.00	-14.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 170 of 231


Operation Mode Test Mode **EUT Pol** Test Channel

:802.11a / Band 2 :BE CH HIGH

:H Plan :5320 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						_
5350.00	Average	38.13	14.16	52.29	54.00	-1.71
5350.00	Peak	55.52	14.16	69.68	74.00	-4.32
5350.44	Average	37.08	14.17	51.25	54.00	-2.75
5350.44	Peak	58.53	14.17	72.70	74.00	-1.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 171 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11a / Band 2 :BE CH HIGH

:H Plan :5320 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	32.61	14.16	46.77	54.00	-7.23
5350.00	Peak	51.37	14.16	65.53	74.00	-8.47


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 172 of 231

Operation Mode :802.11a / Band 3 :BE CH LOW Test Mode :H Plan **EUT Pol** :5500 MHz Test Channel

Test Date :2018-07-19 :25/60 Temp./Humi. Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5458.28	Average	32.67	14.31	46.98	54.00	-7.02
5458.28	Peak	49.05	14.31	63.36	74.00	-10.64
5460.00	Average	33.21	14.31	47.52	54.00	-6.48
5460.00	Peak	46.07	14.31	60.38	74.00	-13.62
5468.96	Peak	52.80	14.32	67.12	68.20	-1.08
5470.04	Peak	51.67	14.31	65.98	68.20	-2.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 173 of 231

Operation Mode Test Mode EUT Pol


Test Channel

:802.11a / Band 3 :BE CH LOW

:H Plan :5500 MHz Test Date :2018-07-19 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						_
5458.88	Average	31.81	14.31	46.12	54.00	-7.88
5458.88	Peak	45.15	14.31	59.46	74.00	-14.54
5460.00	Average	31.84	14.31	46.15	54.00	-7.85
5460.00	Peak	44.58	14.31	58.89	74.00	-15.11
5470.00	Peak	47.70	14.31	62.01	68.20	-6.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document.

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 174 of 231


Operation Mode Test Mode **EUT Pol** Test Channel

:802.11a / Band 3 :BE CH HIGH

:H Plan :5700 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5725.00	Peak	50.89	14.50	65.39	68.20	-2.81
5728.16	Peak	51.64	14.50	66.14	68.20	-2.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 175 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11a / Band 3 :BE CH HIGH

:H Plan :5700 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5725.00	Peak	48.26	14.50	62.76	68.20	-5.44
5725.40	Peak	48.85	14.50	63.35	68.20	-4.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 176 of 231


Operation Mode Test Mode **EUT Pol** Test Channel

:802.11a / Band 4 :BE CH LOW

:H Plan :5745 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	42.74	14.42	57.16	68.20	-11.04
5700.00	Peak	55.46	14.47	69.93	105.20	-35.27
5720.00	Peak	73.64	14.49	88.13	110.80	-22.67
5725.00	Peak	80.79	14.50	95.29	122.20	-26.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 177 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11a / Band 4 :BE CH LOW

:H Plan :5745 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	41.48	14.42	55.90	68.20	-12.30
5700.00	Peak	49.71	14.47	64.18	105.20	-41.02
5720.00	Peak	67.58	14.49	82.07	110.80	-28.73
5725.00	Peak	73.59	14.50	88.09	122.20	-34.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 178 of 231

Operation Mode Test Mode **EUT Pol** Test Channel

:802.11a / Band 4 :BE CH HIGH

:H Plan :5825 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi. Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBμV/m	dBμV/m	dB
5850.00	Peak	66.29	14.72	81.01	122.20	-41.19
5855.00	Peak	61.66	14.73	76.39	110.80	-34.41
5875.00	Peak	47.61	14.78	62.39	105.20	-42.81
5925.00	Peak	40.97	14.91	55.88	68.20	-12.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 179 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11a / Band 4 :BE CH HIGH

:H Plan :5825 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						_
5850.00	Peak	66.65	14.72	81.37	122.20	-40.83
5855.00	Peak	60.88	14.73	75.61	110.80	-35.19
5875.00	Peak	48.77	14.78	63.55	105.20	-41.65
5925.00	Peak	40.59	14.91	55.50	68.20	-12.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 180 of 231

802.11n20 HT mode

:802.11n20 / Band 1 **Operation Mode** Test Mode :BE CH LOW :H Plan **EUT Pol** :5180 MHz Test Channel

Test Date :2018-07-19 :25/60 Temp./Humi. Antenna Pol. :VERTICAL :Enzo Engineer



	Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
	5150.00	Average	37.23	13.65	50.88	54.00	-3.12
	5150.00	Peak	58.47	13.65	72.12	74.00	-1.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 181 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n20 / Band 1

:BE CH LOW

:H Plan :5180 MHz **Test Date** :2018-07-19 :25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5148.52	Average	32.20	13.63	45.83	54.00	-8.17
5148.52	Peak	49.40	13.63	63.03	74.00	-10.97
5150.00	Average	32.34	13.65	45.99	54.00	-8.01
5150.00	Peak	48.96	13.65	62.61	74.00	-11.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 182 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11n20 / Band 2

:BE CH HIGH

:H Plan :5320 MHz **Test Date** :2018-07-20

:25/60 Temp./Humi. Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	36.28	14.16	50.44	54.00	-3.56
5350.00	Peak	56.09	14.16	70.25	74.00	-3.75
5350.44	Average	35.98	14.17	50.15	54.00	-3.85
5350.44	Peak	57.85	14.17	72.02	74.00	-1.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 183 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel

:802.11n20 / Band 2


:BE CH HIGH

:H Plan :5320 MHz **Test Date** :2018-07-20

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5350.00	Average	32.24	14.16	46.40	54.00	-7.60
5350.00	Peak	46.43	14.16	60.59	74.00	-13.41
5351.64	Average	32.19	14.17	46.36	54.00	-7.64
5351.64	Peak	49.20	14.17	63.37	74.00	-10.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 184 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n20 / Band 3

:BE CH LOW

:H Plan :5500 MHz **Test Date** :2018-07-20

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5459.36	Average	32.92	14.31	47.23	54.00	-6.77
5459.36	Peak	46.38	14.31	60.69	74.00	-13.31
5460.00	Average	32.94	14.31	47.25	54.00	-6.75
5460.00	Peak	45.11	14.31	59.42	74.00	-14.58
5469.32	Peak	52.59	14.31	66.90	68.20	-1.30
5470.00	Peak	50.38	14.31	64.69	68.20	-3.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 185 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel

:802.11n20 / Band 3


:BE CH LOW

:H Plan :5500 MHz **Test Date** :2018-07-20

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5455.76	Average	31.76	14.32	46.08	54.00	-7.92
5455.76	Peak	44.90	14.32	59.22	74.00	-14.78
5460.00	Average	31.82	14.31	46.13	54.00	-7.87
5460.00	Peak	43.42	14.31	57.73	74.00	-16.27
5469.56	Peak	49.51	14.31	63.82	68.20	-4.38
5470.00	Peak	46.87	14.31	61.18	68.20	-7.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 186 of 231

Operation Mode Test Mode **EUT Pol** Test Channel

:802.11n20 / Band 3


:BE CH HIGH

:H Plan :5700 MHz **Test Date** :2018-07-20

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL

:Enzo Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 187 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n20 / Band 3

:BE CH HIGH

:H Plan :5700 MHz **Test Date** :2018-07-20 :25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 188 of 231

Operation Mode Test Mode **EUT Pol** Test Channel

:802.11n20 / Band 4


:BE CH LOW

:H Plan :5745 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer





Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
						_
5650.00	Peak	44.18	14.42	58.60	68.20	-9.60
5700.00	Peak	54.75	14.47	69.22	105.20	-35.98
5720.00	Peak	70.47	14.49	84.96	110.80	-25.84
5725.00	Peak	78.52	14.50	93.02	122.20	-29.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 189 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n20 / Band 4

:BE CH LOW

:H Plan :5745 MHz **Test Date** :2018-07-19 :25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBμV/m	dBµV/m	dB
						_
5650.00	Peak	41.86	14.42	56.28	68.20	-11.92
5700.00	Peak	53.42	14.47	67.89	105.20	-37.31
5720.00	Peak	70.01	14.49	84.50	110.80	-26.30
5725.00	Peak	75.35	14.50	89.85	122.20	-32.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 190 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11n20 / Band 4

:BE CH HIGH

:H Plan :5825 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Peak	69.59	14.72	84.31	122.20	-37.89
5855.00	Peak	65.41	14.73	80.14	110.80	-30.66
5875.00	Peak	47.63	14.78	62.41	105.20	-42.79
5925.00	Peak	41.80	14.91	56.71	68.20	-11.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 191 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11n20 / Band 4

:BE CH HIGH

:H Plan :5825 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi. Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
						_
5850.00	Peak	67.89	14.72	82.61	122.20	-39.59
5855.00	Peak	65.56	14.73	80.29	110.80	-30.51
5875.00	Peak	50.30	14.78	65.08	105.20	-40.12
5925.00	Peak	41.23	14.91	56.14	68.20	-12.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:Ashton


Page: 192 of 231

802.11n40 HT mode

:802.11n40/Band 1 **Operation Mode** Test Mode :BE CH LOW **EUT Pol** :H Plan :5190 MHz Test Channel

Test Date :2018-07-12 :26/60 Temp./Humi. Antenna Pol. :VERTICAL

Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμ̈V	dB	dBμV/m	dBµV/m	dB
5149.48	Average	38.69	13.64	52.33	54.00	-1.67
5149.48	Peak	51.06	13.64	64.70	74.00	-9.30
5150.00	Average	39.04	13.65	52.69	54.00	-1.31
5150.00	Peak	49.01	13.65	62.66	74.00	-11.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 193 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11n40/Band 1 :BE CH LOW

:H Plan :5190 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5134.84	Average	36.15	13.59	49.74	54.00	-4.26
5134.84	Peak	48.04	13.59	61.63	74.00	-12.37
5149.96	Average	36.44	13.65	50.09	54.00	-3.91
5149.96	Peak	46.48	13.65	60.13	74.00	-13.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 194 of 231


Operation Mode Test Mode **EUT Pol** Test Channel

:802.11n40/Band 2 :BE CH HIGH

:H Plan :5310 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi.

Antenna Pol. :VERTICAL :Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5350.00	Average	38.19	14.16	52.35	54.00	-1.65
5350.00	Peak	54.23	14.16	68.39	74.00	-5.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 195 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n40/Band 2 :BE CH HIGH

:H Plan :5310 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Ashton Engineer



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
					_		
	5350.00	Average	36.76	14.16	50.92	54.00	-3.08
	5350.00	Peak	49.41	14.16	63.57	74.00	-10.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 196 of 231

Operation Mode Test Mode **EUT Pol** Test Channel

:802.11n40/Band 3 :BE CH LOW

:H Plan :5500 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi. Antenna Pol. :VERTICAL :Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5439.84	Average	36.76	14.30	51.06	54.00	-2.94
5439.84	Peak	48.52	14.30	62.82	74.00	-11.18
5460.00	Average	37.29	14.31	51.60	54.00	-2.40
5460.00	Peak	47.03	14.31	61.34	74.00	-12.66
5466.00	Peak	52.03	14.32	66.35	68.20	-1.85
5470.00	Peak	50.58	14.31	64.89	68.20	-3.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 197 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n40/Band 3 :BE CH LOW

:H Plan :5500 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5458.80	Average	36.80	14.31	51.11	54.00	-2.89
5458.80	Peak	48.14	14.31	62.45	74.00	-11.55
5460.00	Average	36.63	14.31	50.94	54.00	-3.06
5460.00	Peak	47.43	14.31	61.74	74.00	-12.26
5466.24	Peak	48.73	14.32	63.05	68.20	-5.15
5470.00	Peak	47.17	14.31	61.48	68.20	-6.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 198 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n40 / Band 4

:BE CH LOW

:H Plan :5755 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
						_
5647.40	Peak	52.58	14.41	66.99	68.20	-1.21
5650.00	Peak	51.22	14.42	65.64	68.20	-2.56
5700.00	Peak	65.20	14.47	79.67	105.20	-25.53
5720.00	Peak	78.39	14.49	92.88	110.80	-17.92
5725.00	Peak	80.52	14.50	95.02	122.20	-27.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 199 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11n40 / Band 4

:BE CH LOW

:H Plan :5755 MHz **Test Date** :2018-07-19 :25/60

Temp./Humi. Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5650.00	Peak	46.62	14.42	61.04	68.20	-7.16
5700.00	Peak	62.31	14.47	76.78	105.20	-28.42
5720.00	Peak	75.08	14.49	89.57	110.80	-21.23
5725.00	Peak	74.71	14.50	89.21	122.20	-32.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 200 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel

:802.11n40 / Band 4


:BE CH HIGH

:H Plan :5795 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
						_
5850.00	Peak	60.24	14.72	74.96	122.20	-47.24
5855.00	Peak	57.57	14.73	72.30	110.80	-38.50
5875.00	Peak	50.19	14.78	64.97	105.20	-40.23
5925.00	Peak	41.97	14.91	56.88	68.20	-11.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 201 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel

:802.11n40 / Band 4


:BE CH HIGH

:H Plan :5795 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						_
5850.00	Peak	59.56	14.72	74.28	122.20	-47.92
5855.00	Peak	53.55	14.73	68.28	110.80	-42.52
5875.00	Peak	49.08	14.78	63.86	105.20	-41.34
5925.00	Peak	41.31	14.91	56.22	68.20	-11.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 202 of 231


802.11ac80 VHT mode

Test Channel

:802.11ac80/Band 1 **Operation Mode** :BE CH LOW Test Mode **EUT Pol** :H Plan

:5210 MHz

Test Date :2018-07-12 :26/60 Temp./Humi. Antenna Pol. :VERTICAL :Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5129.90	Average	39.18	13.57	52.75	54.00	-1.25
5129.90	Peak	49.03	13.57	62.60	74.00	-11.40
5150.00	Average	39.30	13.65	52.95	54.00	-1.05
5150.00	Peak	47.59	13.65	61.24	74.00	-12.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 203 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11ac80/Band 1

:BE CH LOW

:H Plan :5210 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi. Antenna Pol. :HORIZONTAL

:Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
5120.60	Average	38.20	13.55	51.75	54.00	-2.25
5120.60	Peak	48.37	13.55	61.92	74.00	-12.08
5150.00	Average	38.51	13.65	52.16	54.00	-1.84
5150.00	Peak	47.41	13.65	61.06	74.00	-12.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 204 of 231

Operation Mode :802.11ac80/Band 2 :BE CH HIGH Test Mode :H Plan **EUT Pol** :5290 MHz Test Channel

Test Date :2018-07-12 :26/60 Temp./Humi. Antenna Pol. :VERTICAL :Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
						_
5350.00	Average	38.74	14.17	52.91	54.00	-1.09
5350.00	Peak	46.68	14.16	60.84	74.00	-13.16
5353.50	Average	38.55	14.17	52.72	54.00	-1.28
5353.50	Peak	48.74	14.17	62.91	74.00	-11.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 205 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel

:802.11ac80/Band 2


:BE CH HIGH

:H Plan :5290 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
						_
5350.00	Average	38.63	14.16	52.79	54.00	-1.21
5350.00	Peak	45.65	14.16	59.81	74.00	-14.19
5364.40	Average	38.23	14.20	52.43	54.00	-1.57
5364.40	Peak	47.99	14.20	62.19	74.00	-11.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 206 of 231

Operation Mode Test Mode **EUT Pol** Test Channel

:802.11ac80/Band 3 :BE CH LOW

:H Plan :5530 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi. Antenna Pol. :VERTICAL :Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5456.60	Average	38.62	14.31	52.93	54.00	-1.07
5456.60	Peak	48.83	14.31	63.14	74.00	-10.86
5460.00	Average	38.58	14.31	52.89	54.00	-1.11
5460.00	Peak	46.84	14.31	61.15	74.00	-12.85
5467.60	Peak	48.80	14.32	63.12	68.20	-5.08
5470.00	Peak	47.40	14.31	61.71	68.20	-6.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



:HORIZONTAL

Page: 207 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11ac80/Band 3

:BE CH LOW

:H Plan :5530 MHz **Test Date** :2018-07-12

:26/60 Temp./Humi.

Antenna Pol. :Ashton Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5446.50	Average	38.45	14.31	52.76	54.00	-1.24
5446.50	Peak	48.65	14.31	62.96	74.00	-11.04
5460.00	Average	38.24	14.31	52.55	54.00	-1.45
5460.00	Peak	47.71	14.31	62.02	74.00	-11.98
5466.30	Peak	48.51	14.32	62.83	68.20	-5.37
5470.00	Peak	48.46	14.31	62.77	68.20	-5.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 208 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11ac80 / Band 4

:BE CH LOW

:H Plan :5775 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
						_
5649.76	Peak	51.39	14.42	65.81	68.20	-2.39
5650.00	Peak	50.21	14.42	64.63	68.20	-3.57
5700.00	Peak	63.66	14.47	78.13	105.20	-27.07
5720.00	Peak	69.58	14.49	84.07	110.80	-26.73
5725.00	Peak	68.66	14.50	83.16	122.20	-39.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 209 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel

:802.11ac80 / Band 4


:BE CH LOW

:H Plan :5775 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	Peak	43.60	14.42	58.02	68.20	-10.18
5700.00	Peak	60.18	14.47	74.65	105.20	-30.55
5720.00	Peak	62.74	14.49	77.23	110.80	-33.57
5725.00	Peak	63.71	14.50	78.21	122.20	-43.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 210 of 231

Operation Mode Test Mode **EUT Pol** Test Channel


:802.11ac80 / Band 4

:BE CH HIGH

:H Plan :5775 MHz **Test Date** :2018-07-19

:25/60 Temp./Humi.

Antenna Pol. :VERTICAL :Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5850.00	Peak	60.20	14.72	74.92	122.20	-47.28
5855.00	Peak	58.58	14.73	73.31	110.80	-37.49
5875.00	Peak	51.51	14.78	66.29	105.20	-38.91
5925.00	Peak	42.39	14.91	57.30	68.20	-10.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 211 of 231

Operation Mode Test Mode **EUT Pol**

Test Channel


:802.11ac80 / Band 4

:BE CH HIGH

:H Plan :5775 MHz **Test Date** :2018-07-19 :25/60

Temp./Humi. Antenna Pol. :HORIZONTAL

:Enzo Engineer



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
						_
5850.00	Peak	55.75	14.72	70.47	122.20	-51.73
5855.00	Peak	54.46	14.73	69.19	110.80	-41.61
5875.00	Peak	47.84	14.78	62.62	105.20	-42.58
5925.00	Peak	41.26	14.91	56.17	68.20	-12.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 212 of 231

12 TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 213 of 231

13 FREQUENCY STABILITY

Standard Applicable


Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP

Temperature Chamber



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 214 of 231

13.4 Measurement Equipment Used:

	SGS Conducted Room							
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due			
Spectrum Ana- lyzer	Agilent	N9010A	MY51440113	2018/06/20	2019/06/19			
DC Power Supply	Agilent	E3640A	MY53130054	2017/09/04	2018/09/03			
DC Power Supply	Agilent	E3640A	MY53130054	2018/09/02	2019/09/01			
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25			
DC Block	PASTERNACK	PE8210	RF29	2017/12/26	2018/12/25			
Notebook	Lenovo	T420	S0012599	N/A	N/A			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page: 215 of 231

13.5 **Measurement Result**

Operation Mode	802.11 a	Test Date	2018.07.25
Temperature	:25°℃	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.94076	0.00001144
		44	5220	5,219.94253	0.00001101
		48	5240	5,239.94303	0.00001087
		52	5260	5,259.94281	0.00001087
		60	5300	5,299.94262	0.00001083
	5.5V	64	5320	5,319.94280	0.00001075
		100	5500	5,499.97377	0.00000477
		116	5580	5,579.94093	0.00001059
		140	5700	5,699.94035	0.00001046
		144	5720	5,719.94215	0.00001011
		149	5745	5,744.94033	0.00001039
		157	5785	5,784.97273	0.00000471
		165	5825	5,824.93929	0.00001042
0 ℃		36	5180	5,179.94526	0.00001057
		44	5220	5,219.94662	0.00001023
		48	5240	5,239.94657	0.00001020
		52	5260	5,259.94575	0.00001031
		60	5300	5,299.94579	0.00001023
	4.5V	64	5320	5,319.94567	0.00001021
		100	5500	5,499.94267	0.00001042
		116	5580	5,579.94170	0.00001045
		140	5700	5,699.94078	0.00001039
		144	5720	5,719.94117	0.00001028
		149	5745	5,744.94053	0.00001035
		157	5785	5,784.93969	0.00001043
		165	5825	5,824.93868	0.00001053

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sgs.com



Page: 216 of 231

36		1	00	5400	F 470 0 4575	0.00004047
48 5240 5,239,94714 0,00001009 52 5260 5,259,94661 0,00001015 60 5300 5,299,94626 0,00001014 100 5500 5,499,94330 0,00001031 116 5580 5,579,94223 0,00001035 140 5700 5,699,94154 0,00001026 1444 5720 5,719,94185 0,00001036 157 5785 5,784,94103 0,00001036 165 5825 5,824,93910 0,00001036 165 5825 5,824,93910 0,00001036 48 5240 5,239,94277 0,00001084 48 5240 5,239,94277 0,00001084 60 5300 5,299,94266 0,00001086 60 5300 5,299,94266 0,00001084 64 5320 5,319,94278 0,00001077 5.5V 100 5500 5,499,97358 0,00001082 144 5720 5,719,94188 0,00001077 5,500 5,499,97358 0,00001084 64 5320 5,319,94273 0,00001084 65 5805 5,579,94128 0,00001084 66 5300 5,299,94266 0,00001084 66 5300 5,299,94266 0,00001084 67 5700 5,699,93947 0,00001082 144 5720 5,719,94198 0,00001041 149 5745 5,744,94001 0,00001041 149 5745 5,744,94001 0,00001041 149 5745 5,744,94001 0,00001049 149 5745 5,749,94564 0,00001049 149 5745 5,749,94564 0,00001021 148 5240 5,239,94668 0,00001021 148 5240 5,239,94668 0,00001021 148 5240 5,239,94668 0,00001021 149 5745 5,749,94564 0,00001031 160 5580 5,299,94560 0,00001031 170 5500 5,499,94257 0,00001044 170 5700 5,699,94120 0,00001031 170 5500 5,499,94257 0,00001031			36	5180	5,179.94575	0.00001047
52					· · · · · · · · · · · · · · · · · · ·	
5V 64 5320 5,319,94626 0.00001014 100 5500 5,499,94330 0.00001031 116 5580 5,579,94223 0.00001035 140 5700 5,699,94154 0.00001026 144 5720 5,719,94185 0.00001036 157 5785 5,784,94008 0.00001036 165 5825 5,824,93910 0.00001036 165 5825 5,299,94214 0.00001036 44 5220 5,219,94214 0.00001034 48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001084 64 5320 5,319,94273 0.00001077 5.5V 100 5500 5,499,97388 0.00000480 116 5580 5,579,94128 0.00001044 149 5745 5,744,94001 0.00001044 149 5745 5,744,94001 0.00001044 149 5745 5,744,94001 0.00001044 149 5745 5,744,94001 0.00001044 149 5745 5,744,94001 0.00001044 157 5785 5,824,93989 0.00001032 60 6 5300 5,299,94560 0.00001044 149 5745 5,744,94001 0.00001044 149 5745 5,744,94001 0.00001049 44 5220 5,219,94688 0.00001025 44 5220 5,219,94688 0.00001026 44 5220 5,219,94688 0.00001026 44 5220 5,219,94688 0.00001026 45 52 5260 5,259,94650 0.00001049 46 5320 5,319,94568 0.00001049 47 520 5,799,94560 0.00001049 48 5240 5,239,94680 0.00001049 49 5745 5,744,94001 0.00001018 40 5700 5,699,94560 0.00001021 50 52 5260 5,259,94685 0.00001021 100 5500 5,499,94257 0.00001031 140 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 140 5705 5,799,94100 0.00001031 140 5705 5,799,94100 0.00001031 140 5705 5,799,94100 0.00001031 140 5705 5,799,94100 0.00001031 140 5705 5,799,94100 0.00001031 140 5705 5,799,94100 0.00001031 140 5705 5,799,94100 0.00001031				*	· '	
5V 64 5320 5,319,94613 0.00001013 100 5500 5,499,94330 0.00001031 116 5580 5,579,94223 0.00001035 140 5700 5,699,94154 0.00001026 144 5720 5,719,94185 0.00001026 157 5785 5,784,94008 0.00001036 165 5825 5,824,93910 0.00001013 44 5220 5,219,94214 0.00001034 44 5220 5,219,94214 0.00001084 48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001084 64 5320 5,319,94273 0.00001077 550 5580 5,579,94128 0.00001077 551 5580 5,579,94128 0.00001084 64 5320 5,319,94279 0.00001084 65 580 5,579,94128 0.00001052 140 5700 5,699,93947 0.00001062 144 5720 5,719,94198 0.00001044 149 5745 5,744,94001 0.00001044 157 5785 5,784,97264 0.00001044 157 5785 5,784,97264 0.00001044 157 5785 5,784,97264 0.00001044 157 5785 5,784,9406 0.00001021 48 5240 5,239,94688 0.00001021 48 5240 5,239,94688 0.00001021 48 5240 5,239,94688 0.00001021 48 5240 5,239,94680 0.00001021 165 5825 5,824,93989 0.00001021 165 5825 5,824,93989 0.00001021 165 5825 5,824,93989 0.00001021 165 5825 5,824,93989 0.00001021 165 5825 5,824,93989 0.00001021 165 5825 5,824,93989 0.00001021 165 5825 5,794,94564 0.00001049 165 5825 5,824,93989 0.00001021 165 5825 5,794,94564 0.00001031 164 5520 5,719,94560 0.00001031 165 5580 5,779,94560 0.00001031 165 5580 5,779,94560 0.00001031 165 5580 5,779,94560 0.00001031 165 5580 5,779,94560 0.00001031 164 5720 5,719,94100 0.00001031 165 5580 5,779,94201 0.00001031 164 5720 5,719,94100 0.00001031 165 5580 5,779,94201 0.00001031 164 5720 5,719,94100 0.00001031 165 5580 5,779,94201 0.00001031 164 5720 5,719,94100 0.00001031					+ ' -	
100 5500 5,499,94330 0.00001031 116 5580 5,579,94223 0.00001035 140 5700 5,699,94154 0.00001026 144 5720 5,719,94185 0.00001017 149 5745 5,744,94103 0.00001026 157 5785 5,824,93910 0.00001035 165 5825 5,824,93910 0.00001034 44 5220 5,219,94214 0.00001108 48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001084 60 5300 5,299,94256 0.00001077 5,500 5,499,97358 0.00001077 5,500 5,499,97358 0.00001077 5,500 5,779,94128 0.00001077 5,500 5,799,94128 0.00001077 5,500 5,799,94128 0.00001077 5,500 5,799,94128 0.00001077 6,699,93947 0.00001062 144 5720 5,719,94198 0.00001044 157 5785 5,744,94001 0.00001044 157 5785 5,784,97264 0.00001044 157 5785 5,824,93999 0.00001032 165 5825 5,824,93989 0.00001032 165 5825 5,824,93989 0.00001032 44 5220 5,219,94668 0.00001021 48 5240 5,239,94683 0.00001021 48 5240 5,239,94683 0.00001021 48 5240 5,239,94683 0.00001021 48 5240 5,239,94560 0.00001021 165 580 5,579,94210 0.00001021 166 5580 5,579,94217 0.00001039 170 5500 5,499,94257 0.00001031 170 5500 5,499,94257 0.00001031 170 5500 5,499,94257 0.00001031 170 5500 5,499,94257 0.00001031 170 5500 5,499,94257 0.00001031 170 5500 5,699,94123 0.00001031 170 5500 5,719,94100 0.00001031 170 5500 5,719,94100 0.00001031 170 5500 5,719,94100 0.00001031 170 5500 5,719,94100 0.00001031 170 5500 5,719,94100 0.00001031 170 5500 5,719,94100 0.00001031 170 5500 5,719,94100 0.00001031					5,299.94626	
116 5580 5,579,94223 0.00001035 140 5700 5,699,94154 0.00001026 144 5720 5,719,94185 0.00001017 149 5745 5,744,94103 0.00001036 157 5785 5,784,94008 0.00001045 165 5825 5,824,93910 0.00001045 36 5180 5,179,94126 0.00001134 44 5220 5,219,94214 0.00001134 48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001084 60 5300 5,299,94256 0.00001084 64 5320 5,319,94273 0.00001077 5.5V 100 5500 5,499,97358 0.00001077 5.5V 100 5500 5,499,97358 0.00000480 116 5580 5,579,94128 0.00001052 140 5700 5,699,94128 0.00001044 149 5745 5,744,94001 0.00001044 149 5745 5,744,94001 0.00001044 149 5745 5,784,97264 0.00001049 44 5220 5,219,94668 0.00001032 60 5300 5,299,94560 0.00001032 48 5240 5,239,94683 0.00001021 48 5240 5,239,94683 0.00001021 48 5240 5,239,94680 0.00001021 48 5240 5,239,94680 0.00001021 48 5240 5,239,94680 0.00001021 100 5500 5,499,94257 0.00001021 116 5580 5,799,94267 0.00001014 117 57 5785 5,784,94060 0.00001021 118 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 149 5745 5,744,94060 0.00001031 149 5745 5,744,94060 0.00001031	25 ℃	5V	64	5320	5,319.94613	0.00001013
140 5700 5,699.94154 0.00001026 144 5720 5,719.94185 0.00001017 149 5745 5,744.94103 0.00001026 157 5785 5,784.94008 0.00001036 165 5825 5,824.93910 0.00001045 36 5180 5,179.94126 0.00001134 44 5220 5,219.94214 0.00001108 60 5300 5,299.94256 0.00001084 64 5320 5,319.94273 0.00001077 5.5V 100 5500 5,499.97358 0.00001077 5.5V 100 5500 5,499.97358 0.00001084 144 5720 5,719.94198 0.00001104 149 5745 5,244.94001 0.00001104 157 5785 5,284.93989 0.00001044 157 5785 5,784.94060 0.00001049 44 5220 5,219.94668 0.00001032 48 5240 5,239.94564 0.00001044 157 5785 5,289.94683 0.00001049 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5240 5,239.94680 0.00001021 48 5250 5,259.94645 0.00001021 48 5260 5,259.94645 0.00001021 48 5270 5,719.94100 0.00001021 48 5270 5,719.94100 0.00001031 48 5700 5,699.94123 0.00001031 49 5705 5,784.93918 0.00001031 40 5700 5,699.94123 0.00001031 414 5720 5,719.94100 0.00001031			100	5500	5,499.94330	0.00001031
144 5720 5,719.94185 0.00001017 149 5745 5,744.94103 0.00001026 157 5785 5,784.94008 0.00001036 165 5825 5,824.93910 0.00001045 36 5180 5,179.94126 0.00001134 44 5220 5,219.94214 0.00001108 48 5240 5,239.94373 0.00001074 52 5260 5,259.94277 0.00001084 60 5300 5,299.94256 0.00001084 64 5320 5,319.94273 0.00001077 5500 5,499.9735 0.00001077 5500 5,499.9735 0.00001084 116 5580 5,579.94128 0.00001052 140 5700 5,699.93947 0.00001062 144 5720 5,719.94198 0.00001014 149 5745 5,744.94001 0.00001044 157 5785 5,784.97264 0.00001044 157 5785 5,824.93989 0.00001021 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001015 54 52 5260 5,259.94645 0.00001015 55 52 5260 5,259.94645 0.00001016 48 5240 5,239.94683 0.00001016 48 5240 5,239.94680 0.00001016 48 5240 5,239.94680 0.00001016 100 5500 5,499.94257 0.00001016 116 5580 5,579.94201 0.00001031 140 5700 5,699.94123 0.00001031 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031			116	5580	5,579.94223	0.00001035
149 5745 5,744.94103 0.00001026 157 5785 5,784.94008 0.00001036 165 5825 5,824.93910 0.00001045 36 5180 5,179.94126 0.00001134 44 5220 5,219.94214 0.00001108 48 5240 5,239.94373 0.00001074 52 5260 5,259.94277 0.00001084 60 5300 5,299.94256 0.00001084 64 5320 5,319.94273 0.00001077 5.5V 100 5500 5,499.97358 0.00000480 116 5580 5,579.94128 0.00001052 140 5700 5,699.93947 0.00001062 144 5720 5,719.94198 0.00001044 157 5785 5,784.97264 0.00001044 157 5785 5,824.93989 0.00001044 157 5785 5,824.93989 0.00001032 44 5220 5,219.94564 0.00001032 44 5220 5,219.94564 0.00001032 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001015 52 5260 5,259.94645 0.00001015 54 52 5260 5,259.94650 0.000010161 100 5500 5,499.94560 0.00001021 100 5500 5,499.94560 0.00001021 116 5580 5,579.94201 0.00001021 116 5580 5,579.94201 0.00001031 140 5700 5,699.94123 0.00001031 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031 144 5720 5,719.94100 0.00001031			140	5700	5,699.94154	0.00001026
157 5785 5,784,94008 0.00001036 165 5825 5,824,93910 0.00001045 36 5180 5,179,94126 0.00001134 44 5220 5,219,94214 0.00001108 48 5240 5,239,94373 0.00001074 52 52 5260 5,259,94277 0.00001084 64 5320 5,319,94273 0.00001077 5.5V 100 5500 5,499,97358 0.00000480 116 5580 5,579,94128 0.00001052 140 5700 5,699,93947 0.00001062 144 5720 5,719,94198 0.00001044 157 5785 5,784,97264 0.00000473 165 5825 5,824,93989 0.00001044 157 5785 5,824,93989 0.00001032 44 5220 5,219,94668 0.00001049 44 5220 5,219,94668 0.00001049 44 5220 5,219,94668 0.00001021 48 5240 5,239,94683 0.00001015 52 5260 5,259,94645 0.00001021 48 5240 5,239,94683 0.00001016 60 5300 5,299,94560 0.00001021 48 5240 5,239,9468 0.00001016 50 5300 5,299,94560 0.00001021 48 5240 5,259,94645 0.00001016 60 5300 5,299,94560 0.00001021 100 5500 5,499,94257 0.00001044 116 5580 5,579,94201 0.00001031 140 5700 5,699,94123 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 149 5745 5,744,94060 0.00001031			144	5720	5,719.94185	0.00001017
165 5825 5,824,93910 0.00001045 36 5180 5,179,94126 0.00001134 44 5220 5,219,94214 0.00001108 48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001084 60 5300 5,299,94256 0.00001084 64 5320 5,319,94273 0.00001077 5.5V 100 5500 5,499,97358 0.00001077 5.5V 100 5500 5,499,97358 0.00001052 140 5700 5,699,93947 0.00001052 144 5720 5,719,94198 0.00001044 1157 5785 5,784,97264 0.00001044 1157 5785 5,824,93989 0.00001032 60 € 36 5180 5,179,94564 0.00001032 44 5220 5,219,94668 0.00001021 48 5240 5,239,94683 0.00001021 48 5240 5,239,94683 0.00001021 48 5240 5,239,94680 0.00001021 48 5240 5,239,94680 0.00001021 48 5240 5,239,94680 0.00001021 48 5240 5,239,94680 0.00001021 48 5240 5,239,94680 0.00001021 48 5240 5,259,94645 0.00001021 48 5240 5,259,94645 0.00001021 48 5240 5,259,94650 0.00001021 48 5240 5,259,94650 0.00001021 48 5240 5,259,94650 0.00001021 48 5240 5,259,94650 0.00001021 48 5240 5,259,94560 0.00001031 140 5700 5,699,94123 0.00001031 140 5700 5,699,94123 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 149 5745 5,744,94060 0.00001034 157 5785 5,784,93918 0.00001051			149	5745	5,744.94103	0.00001026
60 ℃ 36 5180 5,179,94126 0.00001134 44 5220 5,219,94214 0.00001108 48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001084 60 5300 5,299,94256 0.00001077 5.5V 100 5500 5,499,97358 0.00000480 116 5580 5,579,94128 0.00001052 140 5700 5,699,93947 0.00001062 144 5720 5,719,94198 0.00001044 149 5745 5,744,94001 0.00001044 157 5785 5,784,97264 0.00001032 60 5300 5,299,94560 0.00001032 44 5220 5,219,94668 0.00001032 48 5240 5,239,94683 0.00001021 48 5240 5,239,94683 0.00001015 52 5260 5,259,94645 0.00001015 52 5260 5,259,94645 0.00001018 60 5300 5,299,94560 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001021 48 520 5,319,94568 0.00001031 44 5720 5,719,94100 0.00001031 140 5700 5,699,94123 0.00001031 144 5720 5,719,94100 0.00001031 149 5745 5,744,94060 0.00001031 149 5745 5,744,94060 0.00001031			157	5785	5,784.94008	0.00001036
44 5220 5,219,94214 0.00001108 48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001088 60 5300 5,299,94256 0.00001084 64 5320 5,319,94273 0.00001077 5.5V 100 5500 5,499,97358 0.00000480 116 5580 5,579,94128 0.00001052 140 5700 5,699,93947 0.00001052 144 5720 5,719,94198 0.00001044 149 5745 5,744,94001 0.00001044 157 5785 5,784,97264 0.00001032 165 5825 5,824,93989 0.00001032 44 5220 5,219,94668 0.00001021 48 5240 5,239,9463 0.00001015 52 5260 5,259,94645 0.00001015 52 5260 5,259,94645 0.00001018 60 5300 5,299,94560 0.00001021 48 5240 5,319,94568 0.00001021 100 5500 5,499,94257 0.00001021 100 5500 5,499,94257 0.00001021 116 5580 5,579,94201 0.00001031 140 5700 5,699,94123 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 149 5745 5,744,94060 0.00001034 157 5785 5,784,93918 0.00001051			165	5825	5,824.93910	0.00001045
48 5240 5,239,94373 0.00001074 52 5260 5,259,94277 0.00001088 60 5300 5,299,94256 0.00001084 64 5320 5,319,94273 0.00001077 100 5500 5,499,97358 0.00000480 116 5580 5,579,94128 0.00001052 1440 5700 5,699,93947 0.00001062 1444 5720 5,719,94198 0.00001044 157 5785 5,784,94001 0.00001044 157 5785 5,824,93989 0.00001032 165 5825 5,824,93989 0.00001032 44 5220 5,219,94668 0.00001049 44 5220 5,219,94668 0.00001021 48 5240 5,239,94683 0.00001015 52 5260 5,259,94645 0.00001018 60 5300 5,299,94560 0.00001018 60 5300 5,299,94560 0.00001021 100 5500 5,499,94257 0.00001021 116 5580 5,579,94201 0.00001021 116 5580 5,579,94201 0.00001031 140 5700 5,699,94123 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 144 5720 5,719,94100 0.00001031 149 5745 5,744,94060 0.00001031			36	5180	5,179.94126	0.00001134
52 5260 5,259,94277 0.00001088 60 5300 5,299,94256 0.00001084 64 5320 5,319,94273 0.00001077 5.5V 100 5500 5,499,97358 0.00000480 116 5580 5,579,94128 0.00001052 140 5700 5,699,93947 0.00001062 144 5720 5,719,94198 0.00001044 149 5745 5,744,94001 0.00001044 157 5785 5,784,97264 0.00000473 165 5825 5,824,93989 0.00001032 144 5220 5,219,94668 0.00001021 48 5240 5,239,94683 0.00001015 52 5260 5,259,94645 0.00001018 60 5300 5,299,94560 0.00001018 60 5300 5,299,94560 0.00001021 100 5500 5,499,94257 0.00001024 116 5580 5,579,94201 0.00001031 140 5700 5,699,94123 0.00001031 144 5720 5,719,94100 0.00001031 149 5745 5,744,94060 0.00001034 149 5745 5,744,94060 0.00001034			44	5220	5,219.94214	0.00001108
60 5300 5,299.94256 0.00001084 64 5320 5,319.94273 0.00001077 100 5500 5,499.97358 0.00000480 116 5580 5,579.94128 0.00001052 140 5700 5,699.93947 0.00001062 144 5720 5,719.94198 0.00001014 149 5745 5,744.94001 0.00001044 157 5785 5,824.93989 0.00001032 165 5825 5,824.93989 0.00001032 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001021 48 5240 5,319.94568 0.00001021 48 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			48	5240	5,239.94373	0.00001074
5.5V 100 5500 5,319.94273 0.00001077 116 5580 5,579.94128 0.00000480 116 5580 5,579.94128 0.00001052 140 5700 5,699.93947 0.00001062 144 5720 5,719.94198 0.00001014 149 5745 5,744.94001 0.00001044 157 5785 5,784.97264 0.00001032 165 5825 5,824.93989 0.00001032 165 5825 5,824.93989 0.00001032 165 5825 5,219.94668 0.00001021 168 520 5,219.94668 0.00001021 169 52 5260 5,259.94645 0.00001018 160 5300 5,299.94560 0.00001021 160 5500 5,499.94257 0.00001021 160 5500 5,499.94257 0.00001031 160 5700 5,699.94123 0.00001031 160 5700 5,699.94123 0.00001031 160 5745 5,744.94060 0.00001031 160 5745 5,744.94060 0.00001031 160 5745 5,744.94060 0.00001031 160 5745 5,784.93918 0.00001051			52	5260	5,259.94277	0.00001088
5.5V 100 5500 5,499.97358 0.00000480 116 5580 5,579.94128 0.00001052 140 5700 5,699.93947 0.00001062 144 5720 5,719.94198 0.00001014 149 5745 5,744.94001 0.00001044 157 5785 5,784.97264 0.0000473 165 5825 5,824.93989 0.00001032 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001021 116 5580 5,579.94201 0.00001031 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			60	5300	5,299.94256	0.00001084
116 5580 5,579,94128 0.00001052 140 5700 5,699,93947 0.00001062 144 5720 5,719,94198 0.00001014 149 5745 5,744,94001 0.00001044 157 5785 5,784,97264 0.00000473 165 5825 5,824,93989 0.00001032 165 5825 5,824,93989 0.00001032 165 5825 5,824,93989 0.00001032 165 5825 5,824,93989 0.00001049 165 52 5,219,94668 0.00001021 166 520 5,239,94683 0.00001021 167 52 5260 5,259,94645 0.00001018 168 5320 5,319,94568 0.00001021 170 5500 5,499,94257 0.00001044 170 5500 5,499,94257 0.00001044 170 5700 5,699,94123 0.00001031 170 5745 5,719,94100 0.00001031 170 5745 5,744,94060 0.00001034 170 5785 5,784,93918 0.00001051			64	5320	5,319.94273	0.00001077
140 5700 5,699.93947 0.00001062 144 5720 5,719.94198 0.00001014 149 5745 5,744.94001 0.00001044 157 5785 5,784.97264 0.00000473 165 5825 5,824.93989 0.00001032 36 5180 5,179.94564 0.00001049 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001024 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051		5.5V	100	5500	5,499.97358	0.00000480
144 5720 5,719.94198 0.00001014 149 5745 5,744.94001 0.00001044 157 5785 5,784.97264 0.00000473 165 5825 5,824.93989 0.00001032 165 5825 5,824.93989 0.00001032 165 5825 5,824.93989 0.00001049 165 5825 5,824.93989 0.00001049 165 52 520 5,219.94668 0.00001021 166 5300 5,239.94683 0.00001018 167 5320 5,319.94568 0.00001021 170 5500 5,499.94257 0.00001021 180 5700 5,699.94123 0.00001031 180 5745 5,744.94060 0.00001031 180 5745 5,784.93918 0.00001051			116	5580	5,579.94128	0.00001052
149 5745 5,744.94001 0.00001044 157 5785 5,784.97264 0.00000473 165 5825 5,824.93989 0.00001032 36 5180 5,179.94564 0.00001049 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5∨ 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			140	5700	5,699.93947	0.00001062
157 5785 5,784.97264 0.00000473 165 5825 5,824.93989 0.00001032 36 5180 5,179.94564 0.00001049 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5∨ 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001021 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001031 149 5745 5,784.93918 0.00001051			144	5720	5,719.94198	0.00001014
165 5825 5,824.93989 0.00001032 36 5180 5,179.94564 0.00001049 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			149	5745	5,744.94001	0.00001044
60 °C 36 5180 5,179.94564 0.00001049 44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001051			157	5785	5,784.97264	0.00000473
44 5220 5,219.94668 0.00001021 48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			165	5825	5,824.93989	0.00001032
48 5240 5,239.94683 0.00001015 52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051	60 ℃		36	5180	5,179.94564	0.00001049
52 5260 5,259.94645 0.00001018 60 5300 5,299.94560 0.00001026 4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			44	5220	5,219.94668	0.00001021
4.5V			48	5240	5,239.94683	0.00001015
4.5V 64 5320 5,319.94568 0.00001021 100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			52	5260	5,259.94645	0.00001018
100 5500 5,499.94257 0.00001044 116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			60	5300	5,299.94560	0.00001026
116 5580 5,579.94201 0.00001039 140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051		4.5V	64	5320	5,319.94568	0.00001021
140 5700 5,699.94123 0.00001031 144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			100	5500	5,499.94257	0.00001044
144 5720 5,719.94100 0.00001031 149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			116	5580	5,579.94201	0.00001039
149 5745 5,744.94060 0.00001034 157 5785 5,784.93918 0.00001051			140	5700	5,699.94123	0.00001031
157 5785 5,784.93918 0.00001051			144	5720	5,719.94100	0.00001031
			149	5745	5,744.94060	0.00001034
165 5825 5,824.93889 0.00001049			157	5785	5,784.93918	0.00001051
			165	5825	5,824.93889	0.00001049

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 217 of 231

Operation Mode	802.11 a	Test Date	2018.07.25
Temperature	:25℃	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.94140	0.00001131
		44	5220	5,219.94252	0.00001101
		48	5240	5,239.94349	0.00001078
		52	5260	5,259.94235	0.00001096
		60	5300	5,299.94297	0.00001076
	5.5V	64	5320	5,319.94259	0.00001079
		100	5500	5,499.97383	0.00000476
		116	5580	5,579.94165	0.00001046
		140	5700	5,699.94022	0.00001049
		144	5720	5,719.94216	0.00001011
		149	5745	5,744.94070	0.00001032
		157	5785	5,784.97202	0.00000484
		165	5825	5,824.93971	0.00001035
0 ℃		36	5180	5,179.94524	0.00001057
		44	5220	5,219.94673	0.00001020
		48	5240	5,239.94656	0.00001020
		52	5260	5,259.94611	0.00001025
		60	5300	5,299.94603	0.00001018
	4.5V	64	5320	5,319.94608	0.00001014
		100	5500	5,499.94264	0.00001043
		116	5580	5,579.94188	0.00001042
		140	5700	5,699.94091	0.00001037
		144	5720	5,719.94101	0.00001031
		149	5745	5,744.94029	0.00001039
		157	5785	5,784.93952	0.00001045
		165	5825	5,824.93894	0.00001048

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 218 of 231

36 5180 5,179.94544 0.00001053 44 5220 5,219.94688 0.00001018 48 5240 5,239.94638 0.00001021 52 5260 5,259.94630 0.00001021 60 5300 5,299.94543 0.00001030 5,319.94527 0.00001029 100 5500 5,499.94287 0.00001039 116 5580 5,579.94191 0.00001041 140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001021 149 5745 5,744.94076 0.00001031 149 5745 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001054 36 5180 5,179.94120 0.00001035 44 5220 5,219.94263 0.00001099 48 5240 5,239.94231 0.00001093 60 5300 5,299.94231 0.00001088
48 5240 5,239.94638 0.00001023 52 5260 5,259.94630 0.00001021 60 5300 5,299.94543 0.00001030 60 5300 5,299.94543 0.00001029 100 5500 5,499.94287 0.00001039 116 5580 5,579.94191 0.00001041 140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001031 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001054 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001088
52 5260 5,259.94630 0.00001021 60 5300 5,299.94543 0.00001030 25 °C 5V 64 5320 5,319.94527 0.00001029 100 5500 5,499.94287 0.00001039 116 5580 5,579.94191 0.00001041 140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001031 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 165 5825 5,824.93862 0.00001054 144 5220 5,219.94263 0.00001099 185 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093
5∨ 5∨ 5√ 64 5320 5,319.94527 0.00001030 100 5500 5,499.94287 0.00001039 116 5580 5,579.94191 0.00001041 140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001031 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001035 44 5220 5,219.94263 0.00001099 48 5240 5,239.94250 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
25 °C 5V 64 5320 5,319.94527 0.00001029 100 5500 5,499.94287 0.00001039 116 5580 5,579.94191 0.00001041 140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001021 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001093 48 5240 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
100 5500 5,499.94287 0.00001039 116 5580 5,579.94191 0.00001041 140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001021 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001093 48 5240 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
116 5580 5,579.94191 0.00001041 140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001021 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
140 5700 5,699.94122 0.00001031 144 5720 5,719.94162 0.00001021 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
144 5720 5,719.94162 0.00001021 149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
149 5745 5,744.94076 0.00001031 157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
157 5785 5,784.93933 0.00001049 165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
165 5825 5,824.93862 0.00001054 36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
36 5180 5,179.94120 0.00001135 44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
44 5220 5,219.94263 0.00001099 48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
48 5240 5,239.94354 0.00001077 52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
52 5260 5,259.94250 0.00001093 60 5300 5,299.94231 0.00001088
60 5300 5,299.94231 0.00001088
C4
64 5320 5,319.94211 0.00001088
5.5V 100 5500 5,499.97405 0.00000472
116 5580 5,579.94091 0.00001059
140 5700 5,699.94013 0.00001050
144 5720 5,719.94184 0.00001017
149 5745 5,744.94080 0.00001030
157 5785 5,784.97220 0.00000481
165 5825 5,824.94003 0.00001030
60 °C 36 5180 5,179.94537 0.00001055
44 5220 5,219.94656 0.00001024
48 5240 5,239.94694 0.00001013
52 5260 5,259.94639 0.00001019
60 5300 5,299.94584 0.00001022
4.5V 64 5320 5,319.94555 0.00001023
100 5500 5,499.94266 0.00001043
116 5580 5,579.94194 0.00001041
140 5700 5,699.94120 0.00001032
144 5720 5,719.94101 0.00001031
149 5745 5,744.94101 0.00001027
157 5785 5,784.93929 0.00001049
165 5825 5,824.93891 0.00001049

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group



Page: 219 of 231

Operation Mode	802.11 a	Test Date	2018.07.25
Temperature	:25℃	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.94111	0.00001137
		44	5220	5,219.94216	0.00001108
		48	5240	5,239.94343	0.00001080
		52	5260	5,259.94286	0.00001086
		60	5300	5,299.94255	0.00001084
	5.5V	64	5320	5,319.94283	0.00001075
		100	5500	5,499.97441	0.00000465
		116	5580	5,579.94164	0.00001046
		140	5700	5,699.94028	0.00001048
		144	5720	5,719.94206	0.00001013
		149	5745	5,744.94018	0.00001041
		157	5785	5,784.97203	0.00000483
		165	5825	5,824.93954	0.00001038
0 ℃		36	5180	5,179.94528	0.00001056
		44	5220	5,219.94625	0.00001030
		48	5240	5,239.94697	0.00001012
		52	5260	5,259.94575	0.00001031
		60	5300	5,299.94584	0.00001022
	4.5V	64	5320	5,319.94589	0.00001017
		100	5500	5,499.94279	0.00001040
		116	5580	5,579.94152	0.00001048
		140	5700	5,699.94081	0.00001038
		144	5720	5,719.94153	0.00001022
		149	5745	5,744.94070	0.00001032
		157	5785	5,784.93948	0.00001046
		165	5825	5,824.93899	0.00001047

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 220 of 231

			1		
		36	5180	5,179.94528	0.00001056
		44	5220	5,219.94644	0.00001026
		48	5240	5,239.94693	0.00001013
		52	5260	5,259.94637	0.00001020
		60	5300	5,299.94603	0.00001018
25 °C	5V	64	5320	5,319.94594	0.00001016
		100	5500	5,499.94303	0.00001036
		116	5580	5,579.94183	0.00001042
		140	5700	5,699.94151	0.00001026
		144	5720	5,719.94165	0.00001020
		149	5745	5,744.94023	0.00001040
		157	5785	5,784.93955	0.00001045
		165	5825	5,824.93871	0.00001052
		36	5180	5,179.94106	0.00001138
		44	5220	5,219.94258	0.00001100
		48	5240	5,239.94321	0.00001084
		52	5260	5,259.94252	0.00001093
		60	5300	5,299.94288	0.00001078
		64	5320	5,319.94280	0.00001075
	5.5V	100	5500	5,499.97372	0.00000478
		116	5580	5,579.94096	0.00001058
		140	5700	5,699.93965	0.00001059
		144	5720	5,719.94185	0.00001017
		149	5745	5,744.93997	0.00001045
		157	5785	5,784.97234	0.00000478
		165	5825	5,824.93974	0.00001035
60 °C		36	5180	5,179.94527	0.00001057
		44	5220	5,219.94695	0.00001016
		48	5240	5,239.94686	0.00001014
		52	5260	5,259.94593	0.00001028
		60	5300	5,299.94550	0.00001028
	4.5V	64	5320	5,319.94600	0.00001015
		100	5500	5,499.94263	0.00001043
		116	5580	5,579.94173	0.00001044
		140	5700	5,699.94144	0.00001027
		144	5720	5,719.94117	0.00001028
		149	5745	5,744.94043	0.00001037
		157	5785	5,784.93979	0.00001041
		165	5825	5,824.93852	0.00001055
		-		-	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 221 of 231

Operation Mode	802.11 a	Test Date	2018.07.25
Temperature	:25℃	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.94147	0.00001130
		44	5220	5,219.94209	0.00001109
		48	5240	5,239.94351	0.00001078
		52	5260	5,259.94313	0.00001081
		60	5300	5,299.94258	0.00001083
	5.5V	64	5320	5,319.94247	0.00001081
		100	5500	5,499.97369	0.00000478
		116	5580	5,579.94154	0.00001048
		140	5700	5,699.93954	0.00001061
		144	5720	5,719.94214	0.00001012
		149	5745	5,744.94040	0.00001037
		157	5785	5,784.97264	0.00000473
		165	5825	5,824.93998	0.00001030
0 ℃		36	5180	5,179.94491	0.00001064
		44	5220	5,219.94663	0.00001022
		48	5240	5,239.94700	0.00001011
		52	5260	5,259.94644	0.00001018
		60	5300	5,299.94588	0.00001021
	4.5V	64	5320	5,319.94527	0.00001029
		100	5500	5,499.94287	0.00001039
		116	5580	5,579.94142	0.00001050
		140	5700	5,699.94086	0.00001038
		144	5720	5,719.94129	0.00001026
		149	5745	5,744.94045	0.00001037
		157	5785	5,784.93990	0.00001039
		165	5825	5,824.93862	0.00001054

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 222 of 231

	1	1			
		36	5180	5,179.94529	0.00001056
		44	5220	5,219.94686	0.00001018
		48	5240	5,239.94670	0.00001017
		52	5260	5,259.94616	0.00001024
		60	5300	5,299.94590	0.00001021
25 °C	5V	64	5320	5,319.94544	0.00001026
		100	5500	5,499.94248	0.00001046
		116	5580	5,579.94207	0.00001038
		140	5700	5,699.94092	0.00001036
		144	5720	5,719.94177	0.00001018
		149	5745	5,744.94030	0.00001039
		157	5785	5,784.93928	0.00001050
		165	5825	5,824.93821	0.00001061
		36	5180	5,179.94147	0.00001130
		44	5220	5,219.94213	0.00001109
		48	5240	5,239.94350	0.00001078
		52	5260	5,259.94246	0.00001094
		60	5300	5,299.94254	0.00001084
		64	5320	5,319.94247	0.00001081
	5.5V	100	5500	5,499.97385	0.00000475
		116	5580	5,579.94165	0.00001046
		140	5700	5,699.93983	0.00001056
		144	5720	5,719.94214	0.00001012
		149	5745	5,744.93994	0.00001045
		157	5785	5,784.97238	0.00000477
		165	5825	5,824.93951	0.00001038
60 °C		36	5180	5,179.94573	0.00001048
		44	5220	5,219.94660	0.00001023
		48	5240	5,239.94704	0.00001011
		52	5260	5,259.94605	0.00001026
		60	5300	5,299.94572	0.00001024
	4.5V	64	5320	5,319.94544	0.00001026
		100	5500	5,499.94285	0.00001039
		116	5580	5,579.94173	0.00001044
		140	5700	5,699.94064	0.00001041
		144	5720	5,719.94181	0.00001017
		149	5745	5,744.94076	0.00001031
		157	5785	5,784.93951	0.00001046
		165	5825	5,824.93870	0.00001052
J					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 223 of 231

Operation Mode	802.11 n_HT40	Test Date	2018.07.25
Temperature	:25°℃	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.94623	0.00001036
		46	5230	5,229.94511	0.00001050
		54	5270	5,269.91216	0.00001667
		62	5310	5,309.94506	0.00001035
	5.5V	102	5510	5,509.94230	0.00001047
		110	5550	5,549.94150	0.00001054
		134	5670	5,669.94031	0.00001053
		142	5710	5,709.94194	0.00001017
		151	5755	5,754.93923	0.00001056
0 ℃		159	5795	5,794.93861	0.00001059
		38	5190	5,189.94755	0.00001011
		46	5230	5,229.94700	0.00001013
		54	5270	5,269.94562	0.00001032
			5310	5,309.94611	0.00001015
	4.5V	102	5510	5,509.94376	0.00001021
		110	5550	5,549.94289	0.00001029
		134	5670	5,669.94196	0.00001024
		142	5710	5,709.93997	0.00001051
		151	5755	5,754.93997	0.00001043
		159	5795	5,794.93977	0.00001039

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 224 of 231

		38	5190	5,189.94764	0.00001009
		46	5230	5,229.94753	0.00001003
		54	5270	5,269.94645	0.00001016
		62	5310	5,309.94652	0.00001007
25 °C	5V	102	5510	5,509.94385	0.00001019
		110	5550	5,549.94292	0.00001028
		134	5670	5,669.94207	0.00001022
		142	5710	5,709.94056	0.00001041
		151	5755	5,754.94056	0.00001033
		159	5795	5,794.94033	0.00001030
		38	5190	5,189.94621	0.00001036
		46	5230	5,229.94504	0.00001051
	5.5V	54	5270	5,269.91269	0.00001657
		62	5310	5,309.94479	0.00001040
		102	5510	5,509.94266	0.00001041
		110	5550	5,549.94132	0.00001057
		134	5670	5,669.93981	0.00001062
		142	5710	5,709.94140	0.00001026
		151	5755	5,754.93837	0.00001071
		159	5795	5,794.93925	0.00001048
60 °C		38	5190	5,189.94741	0.00001013
		46	5230	5,229.94732	0.00001007
		54	5270	5,269.94614	0.00001022
		62	5310	5,309.94630	0.00001011
	4.5V	102	5510	5,509.94302	0.00001034
		110	5550	5,549.94269	0.00001033
		134	5670	5,669.94205	0.00001022
		142	5710	5,709.93992	0.00001052
		151	5755	5,754.94041	0.00001035
		159	5795	5,794.93968	0.00001041

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 225 of 231

Operation Mode	802.11 n_HT40	Test Date	2018.07.25
Temperature	:25°ℂ	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.94620	0.00001037
		46	5230	5,229.94554	0.00001041
		54	5270	5,269.91228	0.00001665
		62	5310	5,309.94522	0.00001032
	5.5V	102	5510	5,509.94293	0.00001036
		110	5550	5,549.94086	0.00001066
		134	5670	5,669.94044	0.00001050
		142	5710	5,709.94167	0.00001022
		151	5755	5,754.93891	0.00001062
0 ℃		159	5795	5,794.93872	0.00001057
		38	5190	5,189.94755	0.00001011
		46	5230	5,229.94714	0.00001011
		54	5270	5,269.94605	0.00001024
		62	5310	5,309.94603	0.00001016
	4.5V	102	5510	5,509.94375	0.00001021
		110	5550	5,549.94243	0.00001037
		134	5670	5,669.94174	0.00001028
		142	5710	5,709.93985	0.00001053
		151	5755	5,754.94045	0.00001035
		159	5795	5,794.93968	0.00001041

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 226 of 231

		38	5190	5,189.94683	0.00001024
		46	5230	5,229.94748	0.00001004
		54	5270	5,269.94591	0.00001026
		62	5310	5,309.94590	0.00001019
25 °C	5V	102	5510	5,509.94338	0.00001028
		110	5550	5,549.94288	0.00001029
		134	5670	5,669.94179	0.00001027
		142	5710	5,709.93973	0.00001056
		151	5755	5,754.94033	0.00001037
		159	5795	5,794.94030	0.00001030
		38	5190	5,189.94551	0.00001050
		46	5230	5,229.94499	0.00001052
	5.5V	54	5270	5,269.91234	0.00001663
		62	5310	5,309.94482	0.00001039
		102	5510	5,509.94267	0.00001040
		110	5550	5,549.94107	0.00001062
		134	5670	5,669.93984	0.00001061
		142	5710	5,709.94156	0.00001023
		151	5755	5,754.93851	0.00001068
		159	5795	5,794.93895	0.00001053
60 °C		38	5190	5,189.94730	0.00001015
		46	5230	5,229.94724	0.00001009
		54	5270	5,269.94599	0.00001025
		62	5310	5,309.94644	0.00001009
	4.5V	102	5510	5,509.94316	0.00001032
		110	5550	5,549.94285	0.00001030
		134	5670	5,669.94139	0.00001034
		142	5710	5,709.93975	0.00001055
		151	5755	5,754.93978	0.00001046
		159	5795	5,794.93981	0.00001039

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 227 of 231

Operation Mode	802.11 n_HT40	Test Date	2018.07.25
Temperature	:25°ℂ	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.94570	0.00001046
		46	5230	5,229.94531	0.00001046
		54	5270	5,269.91271	0.00001656
		62	5310	5,309.94527	0.00001031
	5.5V	102	5510	5,509.94278	0.00001038
		110	5550	5,549.94074	0.00001068
		134	5670	5,669.93955	0.00001066
		142	5710	5,709.94169	0.00001021
		151	5755	5,754.93889	0.00001062
0 °C		159	5795	5,794.93872	0.00001057
	4.5V	38	5190	5,189.94745	0.00001013
		46	5230	5,229.94736	0.00001007
		54	5270	5,269.94641	0.00001017
		62	5310	5,309.94621	0.00001013
		102	5510	5,509.94333	0.00001028
		110	5550	5,549.94242	0.00001037
		134	5670	5,669.94134	0.00001035
		142	5710	5,709.93979	0.00001054
		151	5755	5,754.94018	0.00001039
		159	5795	5,794.94012	0.00001033

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 228 of 231

		38	5190	5,189.94752	0.00001011
		46	5230	5,229.94719	0.00001010
		54	5270	5,269.94632	0.00001019
		62	5310	5,309.94634	0.00001011
25 °C	5V	102	5510	5,509.94356	0.00001024
		110	5550	5,549.94227	0.00001040
		134	5670	5,669.94139	0.00001034
		142	5710	5,709.93987	0.00001053
		151	5755	5,754.94037	0.00001036
		159	5795	5,794.93962	0.00001042
		38	5190	5,189.94562	0.00001048
		46	5230	5,229.94573	0.00001038
		54	5270	5,269.91237	0.00001663
	5.5V	62	5310	5,309.94515	0.00001033
		102	5510	5,509.94283	0.00001038
		110	5550	5,549.94065	0.00001069
		134	5670	5,669.94014	0.00001056
		142	5710	5,709.94112	0.00001031
		151	5755	5,754.93864	0.00001066
		159	5795	5,794.93870	0.00001058
60 °C		38	5190	5,189.94706	0.00001020
		46	5230	5,229.94706	0.00001012
		54	5270	5,269.94641	0.00001017
		62	5310	5,309.94598	0.00001017
	4.5V	102	5510	5,509.94299	0.00001035
		110	5550	5,549.94283	0.00001030
		134	5670	5,669.94142	0.00001033
		142	5710	5,709.94049	0.00001042
		151	5755	5,754.93967	0.00001048
		159	5795	5,794.94004	0.00001035

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 229 of 231

Operation Mode	802.11 n_HT40	Test Date	2018.07.25
Temperature	:25°℃	Test By	Henry
Humidity	:69 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.94613	0.00001038
		46	5230	5,229.94503	0.00001051
		54	5270	5,269.91283	0.00001654
		62	5310	5,309.94513	0.00001033
	5.5V	102	5510	5,509.94285	0.00001037
		110	5550	5,549.94124	0.00001059
		134	5670	5,669.93997	0.00001059
		142	5710	5,709.94186	0.00001018
		151	5755	5,754.93916	0.00001057
0 ℃		159	5795	5,794.93911	0.00001051
		38	5190	5,189.94694	0.00001022
		46	5230	5,229.94692	0.00001015
		54	5270	5,269.94583	0.00001028
		62	5310	5,309.94598	0.00001017
	4.5V	102	5510	5,509.94360	0.00001024
		110	5550	5,549.94268	0.00001033
		134	5670	5,669.94129	0.00001035
		142	5710	5,709.94028	0.00001046
		151	5755	5,754.93967	0.00001048
		159	5795	5,794.94031	0.00001030

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 230 of 231

		38	5190	5,189.94679	0.00001025
		46	5230	5,229.94674	0.00001018
		54	5270	5,269.94594	0.00001026
		62	5310	5,309.94593	0.00001018
25 °C	5V	102	5510	5,509.94341	0.00001027
		110	5550	5,549.94289	0.00001029
		134	5670	5,669.94200	0.00001023
		142	5710	5,709.94021	0.00001047
		151	5755	5,754.94042	0.00001035
		159	5795	5,794.93972	0.00001040
		38	5190	5,189.94592	0.00001042
		46	5230	5,229.94511	0.00001050
	5.5V	54	5270	5,269.91270	0.00001657
		62	5310	5,309.94505	0.00001035
		102	5510	5,509.94281	0.00001038
		110	5550	5,549.94081	0.00001066
		134	5670	5,669.93980	0.00001062
		142	5710	5,709.94140	0.00001026
		151	5755	5,754.93850	0.00001069
		159	5795	5,794.93860	0.00001060
60 °C		38	5190	5,189.94689	0.00001023
		46	5230	5,229.94687	0.00001016
		54	5270	5,269.94625	0.00001020
		62	5310	5,309.94638	0.00001010
	4.5V	102	5510	5,509.94320	0.00001031
		110	5550	5,549.94231	0.00001039
		134	5670	5,669.94187	0.00001025
		142	5710	5,709.93990	0.00001053
		151	5755	5,754.93978	0.00001046
		159	5795	5,794.93998	0.00001036

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 231 of 231

14 ANTENNA REQUIREMENT

14.1 **Standard Applicable**

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.