


802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3224G	119.79	Inf	-Inf	112.73	3	Vertical	67	1.78	-	33.84	5.36	32.14	
AV	5.3224G	106.58	Inf	-Inf	99.52	3	Vertical	67	1.78	-	33.84	5.36	32.14	
PK	5.352G	73.91	74.00	-0.09	66.77	3	Vertical	67	1.78	-	33.90	5.38	32.14	
AV	5.3504G	52.29	54.00	-1.71	45.15	3	Vertical	67	1.78	-	33.90	5.38	32.14	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	115.77	Inf	-Inf	108.72	3	Horizontal	72	1.81	-	33.83	5.36	32.14
AV	5.3172G	101.99	Inf	-Inf	94.94	3	Horizontal	72	1.81	-	33.83	5.36	32.14
PK	5.352G	66.52	74.00	-7.48	59.38	3	Horizontal	72	1.81	-	33.90	5.38	32.14
AV	5.352G	48.32	54.00	-5.68	41.18	3	Horizontal	72	1.81	-	33.90	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96342G	51.86	74.00	-22.14	38.28	3	Vertical	21	1.79	-	37.30	9.98	33.70
AV	15.95566G	37.95	54.00	-16.05	24.36	3	Vertical	21	1.79	-	37.30	9.98	33.69

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.95734G	52.18	74.00	-21.82	38.59	3	Horizontal	46	1.06	-	37.30	9.98	33.69	
AV	15.95524G	37.89	54.00	-16.11	24.30	3	Horizontal	46	1.06	-	37.30	9.98	33.69	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT V_4TX
Setting 75
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4564G	59.36	74.00	-14.64	52.03	3	Vertical	106	1.80	-	34.00	5.46	32.13	
AV	5.4584G	46.30	54.00	-7.70	38.97	3	Vertical	106	1.80	-	34.00	5.46	32.13	
PK	5.4676G	67.97	68.20	-0.23	60.63	3	Vertical	106	1.80	-	34.00	5.47	32.13	
PK	5.498G	118.34	Inf	-Inf	110.97	3	Vertical	106	1.80	-	34.00	5.50	32.13	
AV	5.508G	104.72	Inf	-Inf	97.34	3	Vertical	106	1.80	-	34.00	5.51	32.13	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 75
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4276G	57.15	74.00	-16.85	49.85	3	Horizontal	76	1.86	-	34.00	5.43	32.13	
PK	5.4676G	61.37	68.20	-6.83	54.03	3	Horizontal	76	1.86	-	34.00	5.47	32.13	
AV	5.458G	44.40	54.00	-9.60	37.07	3	Horizontal	76	1.86	-	34.00	5.46	32.13	
PK	5.5024G	111.65	Inf	-Inf	104.28	3	Horizontal	76	1.86	-	34.00	5.50	32.13	
AV	5.5072G	98.39	Inf	-Inf	91.01	3	Horizontal	76	1.86	-	34.00	5.51	32.13	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 75
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.00228G	51.39	74.00	-22.61	38.36	3	Vertical	148	1.47	-	38.60	7.70	33.27	
AV	11.003G	36.67	54.00	-17.33	23.64	3	Vertical	148	1.47	-	38.60	7.70	33.27	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 75
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00434G	50.85	74.00	-23.15	37.82	3	Horizontal	331	2.80	-	38.60	7.70	33.27
AV	11.00482G	36.61	54.00	-17.39	23.58	3	Horizontal	331	2.80	-	38.60	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3888G	60.24	74.00	-13.76	53.01	3	Vertical	74	1.25	-	33.98	5.39	32.14
AV	5.384G	46.79	54.00	-7.21	39.57	3	Vertical	74	1.25	-	33.97	5.39	32.14
PK	5.468G	59.68	68.20	-8.52	52.34	3	Vertical	74	1.25	-	34.00	5.47	32.13
PK	5.5872G	124.16	Inf	-Inf	116.78	3	Vertical	74	1.25	-	33.93	5.59	32.14
AV	5.5768G	111.30	Inf	-Inf	103.90	3	Vertical	74	1.25	-	33.95	5.58	32.13
PK	5.7752G	59.31	68.20	-8.89	52.06	3	Vertical	74	1.25	-	33.80	5.60	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	57.95	74.00	-16.05	50.65	3	Horizontal	311	1.53	-	34.00	5.43	32.13
AV	5.4288G	44.38	54.00	-9.62	37.08	3	Horizontal	311	1.53	-	34.00	5.43	32.13
PK	5.4608G	56.55	68.20	-11.65	49.22	3	Horizontal	311	1.53	-	34.00	5.46	32.13
PK	5.5848G	117.91	Inf	-Inf	110.54	3	Horizontal	311	1.53	-	33.93	5.58	32.14
AV	5.5848G	104.58	Inf	-Inf	97.21	3	Horizontal	311	1.53	-	33.93	5.58	32.14
PK	5.7752G	58.15	68.20	-10.05	50.90	3	Horizontal	311	1.53	-	33.80	5.60	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16368G	51.29	74.00	-22.71	38.01	3	Vertical	67	2.69	-	38.76	7.77	33.25
AV	11.1551G	36.89	54.00	-17.11	23.62	3	Vertical	67	2.69	-	38.76	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15592G	50.73	74.00	-23.27	37.46	3	Horizontal	194	2.42	-	38.76	7.76	33.25
AV	11.16014G	36.83	54.00	-17.17	23.56	3	Horizontal	194	2.42	-	38.76	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 66
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.705G	115.90	Inf	-Inf	108.55	3	Vertical	61	1.76	-	33.89	5.60	32.14
AV	5.705G	103.13	Inf	-Inf	95.78	3	Vertical	61	1.76	-	33.89	5.60	32.14
PK	5.7254G	67.97	68.20	-0.23	60.66	3	Vertical	61	1.76	-	33.85	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 66
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	111.25	Inf	-Inf	103.89	3	Horizontal	116	1.83	-	33.90	5.60	32.14
AV	5.7024G	97.74	Inf	-Inf	90.38	3	Horizontal	116	1.83	-	33.90	5.60	32.14
PK	5.727G	60.27	68.20	-7.93	52.96	3	Horizontal	116	1.83	-	33.85	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 66
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4032G	52.44	74.00	-21.56	39.00	3	Vertical	360	1.48	-	38.81	7.86	33.23	
AV	11.39536G	37.23	54.00	-16.77	23.80	3	Vertical	360	1.48	-	38.80	7.86	33.23	

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 66
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40366G	51.22	74.00	-22.78	37.78	3	Horizontal	216	1.81	-	38.81	7.86	33.23
AV	11.3989G	37.21	54.00	-16.79	23.78	3	Horizontal	216	1.81	-	38.80	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4464G	58.58	74.00	-15.42	51.26	3	Vertical	67	1.75	-	34.00	5.45	32.13	
PK	5.4644G	57.72	68.20	-10.48	50.39	3	Vertical	67	1.75	-	34.00	5.46	32.13	
AV	5.4572G	45.32	54.00	-8.68	37.99	3	Vertical	67	1.75	-	34.00	5.46	32.13	
PK	5.72G	123.24	Inf	-Inf	115.92	3	Vertical	67	1.75	-	33.86	5.60	32.14	
AV	5.7248G	110.03	Inf	-Inf	102.72	3	Vertical	67	1.75	-	33.85	5.60	32.14	
PK	5.9156G	59.77	68.20	-8.43	52.07	3	Vertical	67	1.75	-	34.13	5.72	32.15	

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4476G	56.90	74.00	-17.10	49.58	3	Horizontal	118	1.79	-	34.00	5.45	32.13	
AV	5.456G	44.20	54.00	-9.80	36.87	3	Horizontal	118	1.79	-	34.00	5.46	32.13	
PK	5.4668G	57.13	68.20	-11.07	49.79	3	Horizontal	118	1.79	-	34.00	5.47	32.13	
PK	5.7128G	117.30	Inf	-Inf	109.97	3	Horizontal	118	1.79	-	33.87	5.60	32.14	
AV	5.7176G	104.96	Inf	-Inf	97.64	3	Horizontal	118	1.79	-	33.86	5.60	32.14	
PK	5.8544G	57.96	68.20	-10.24	50.63	3	Horizontal	118	1.79	-	33.83	5.65	32.15	

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43566G	51.68	74.00	-22.32	38.17	3	Vertical	80	1.60	-	38.87	7.87	33.23
AV	11.43958G	37.46	54.00	-16.54	23.93	3	Vertical	80	1.60	-	38.88	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44246G	51.54	74.00	-22.46	38.01	3	Horizontal	178	2.87	-	38.88	7.88	33.23
AV	11.44256G	37.42	54.00	-16.58	23.88	3	Horizontal	178	2.87	-	38.89	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.55G	60.21	68.20	-7.99	52.79	3	Vertical	77	1.83	-	34.00	5.55	32.13	
PK	5.748G	122.14	Inf	-Inf	114.88	3	Vertical	77	1.83	-	33.80	5.60	32.14	
AV	5.743G	111.46	Inf	-Inf	104.19	3	Vertical	77	1.83	-	33.81	5.60	32.14	
PK	5.938G	59.69	68.20	-8.51	51.93	3	Vertical	77	1.83	-	34.18	5.74	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.629G	58.29	68.20	-9.91	50.99	3	Horizontal	102	2.52	-	33.84	5.60	32.14	
PK	5.744G	118.31	Inf	-Inf	111.04	3	Horizontal	102	2.52	-	33.81	5.60	32.14	
AV	5.749G	106.29	Inf	-Inf	99.03	3	Horizontal	102	2.52	-	33.80	5.60	32.14	
PK	5.966G	57.69	68.20	-10.51	49.88	3	Horizontal	102	2.52	-	34.20	5.77	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48766G	52.05	74.00	-21.95	38.39	3	Vertical	253	2.73	-	38.98	7.90	33.22
AV	11.49046G	37.99	54.00	-16.01	24.33	3	Vertical	253	2.73	-	38.98	7.90	33.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48824G	51.95	74.00	-22.05	38.29	3	Horizontal	174	2.80	-	38.98	7.90	33.22
AV	11.48952G	38.09	54.00	-15.91	24.43	3	Horizontal	174	2.80	-	38.98	7.90	33.22

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.582G	60.10	68.20	-8.10	52.71	3	Vertical	69	1.80	-	33.94	5.58	32.13	
PK	5.78G	123.32	Inf	-Inf	116.07	3	Vertical	69	1.80	-	33.80	5.60	32.15	
AV	5.78G	111.04	Inf	-Inf	103.79	3	Vertical	69	1.80	-	33.80	5.60	32.15	
PK	5.986G	59.38	68.20	-8.82	51.55	3	Vertical	69	1.80	-	34.20	5.79	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.589G	57.63	68.20	-10.57	50.26	3	Horizontal	105	2.89	-	33.92	5.59	32.14	
PK	5.784G	118.32	Inf	-Inf	111.07	3	Horizontal	105	2.89	-	33.80	5.60	32.15	
AV	5.784G	106.58	Inf	-Inf	99.33	3	Horizontal	105	2.89	-	33.80	5.60	32.15	
PK	5.955G	57.86	68.20	-10.34	50.07	3	Horizontal	105	2.89	-	34.20	5.75	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57254G	51.43	74.00	-22.57	37.52	3	Vertical	301	1.73	-	39.22	7.93	33.24
AV	11.56764G	38.23	54.00	-15.77	24.34	3	Vertical	301	1.73	-	39.20	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56748G	52.36	74.00	-21.64	38.47	3	Horizontal	123	1.68	-	39.20	7.93	33.24
AV	11.569G	38.43	54.00	-15.57	24.53	3	Horizontal	123	1.68	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.618G	59.81	68.20	-8.39	52.49	3	Vertical	107	1.57	-	33.86	5.60	32.14	
PK	5.833G	122.90	Inf	-Inf	115.62	3	Vertical	107	1.57	-	33.80	5.63	32.15	
AV	5.823G	111.17	Inf	-Inf	103.90	3	Vertical	107	1.57	-	33.80	5.62	32.15	
PK	5.973G	59.86	68.20	-8.34	52.05	3	Vertical	107	1.57	-	34.20	5.77	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.62G	57.72	68.20	-10.48	50.40	3	Horizontal	116	2.41	-	33.86	5.60	32.14	
PK	5.819G	117.33	Inf	-Inf	110.06	3	Horizontal	116	2.41	-	33.80	5.62	32.15	
AV	5.82G	105.82	Inf	-Inf	98.55	3	Horizontal	116	2.41	-	33.80	5.62	32.15	
PK	6.027G	58.20	68.20	-10.00	50.31	3	Horizontal	116	2.41	-	34.25	5.80	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64932G	55.14	74.00	-18.86	41.04	3	Vertical	173	2.13	-	39.40	7.96	33.26
AV	11.64964G	42.57	54.00	-11.43	28.47	3	Vertical	173	2.13	-	39.40	7.96	33.26
PK	17.47936G	60.74	68.20	-7.46	39.26	3	Vertical	54	1.14	-	43.73	10.74	32.99

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64368G	58.09	74.00	-15.91	44.00	3	Horizontal	236	1.91	-	39.39	7.96	33.26
AV	11.64708G	45.24	54.00	-8.76	31.15	3	Horizontal	236	1.91	-	39.39	7.96	33.26
PK	17.48472G	60.55	68.20	-7.65	39.02	3	Horizontal	38	1.74	-	43.78	10.74	32.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.28	74.00	-6.72	60.58	3	Vertical	82	1.50	-	33.60	5.25	32.15
AV	5.1496G	53.88	54.00	-0.12	47.18	3	Vertical	82	1.50	-	33.60	5.25	32.15
PK	5.18G	113.29	Inf	-Inf	106.50	3	Vertical	82	1.50	-	33.66	5.28	32.15
AV	5.1848G	101.51	Inf	-Inf	94.71	3	Vertical	82	1.50	-	33.67	5.28	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	63.80	74.00	-10.20	57.11	3	Horizontal	69	2.54	-	33.59	5.25	32.15
AV	5.1472G	51.32	54.00	-2.68	44.63	3	Horizontal	69	2.54	-	33.59	5.25	32.15
PK	5.1968G	110.12	Inf	-Inf	103.28	3	Horizontal	69	2.54	-	33.69	5.30	32.15
AV	5.192G	97.97	Inf	-Inf	91.15	3	Horizontal	69	2.54	-	33.68	5.29	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.57304G	52.35	74.00	-21.65	38.12	3	Vertical	126	2.77	-	37.66	9.81	33.24	
AV	15.5741G	40.44	54.00	-13.56	26.21	3	Vertical	126	2.77	-	37.66	9.81	33.24	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 69
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56838G	52.77	74.00	-21.23	38.50	3	Horizontal	212	2.03	-	37.69	9.81	33.23
AV	15.57248G	40.00	54.00	-14.00	25.76	3	Horizontal	212	2.03	-	37.67	9.81	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.20	74.00	-4.80	62.50	3	Vertical	86	2.61	-	33.60	5.25	32.15
AV	5.15G	53.87	54.00	-0.13	47.17	3	Vertical	86	2.61	-	33.60	5.25	32.15
PK	5.2354G	117.31	Inf	-Inf	110.44	3	Vertical	86	2.61	-	33.70	5.32	32.15
AV	5.2456G	106.14	Inf	-Inf	99.27	3	Vertical	86	2.61	-	33.70	5.32	32.15
PK	5.374G	60.01	74.00	-13.99	52.81	3	Vertical	86	2.61	-	33.95	5.39	32.14
AV	5.3728G	47.75	54.00	-6.25	40.55	3	Vertical	86	2.61	-	33.95	5.39	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 90
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.69	74.00	-13.31	54.00	3	Horizontal	71	2.71	-	33.59	5.25	32.15
AV	5.1472G	47.81	54.00	-6.19	41.12	3	Horizontal	71	2.71	-	33.59	5.25	32.15
PK	5.2216G	113.85	Inf	-Inf	106.99	3	Horizontal	71	2.71	-	33.70	5.31	32.15
AV	5.2216G	102.42	Inf	-Inf	95.56	3	Horizontal	71	2.71	-	33.70	5.31	32.15
PK	5.3626G	57.78	74.00	-16.22	50.61	3	Horizontal	71	2.71	-	33.93	5.38	32.14
AV	5.356G	46.10	54.00	-7.90	38.95	3	Horizontal	71	2.71	-	33.91	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68768G	52.86	74.00	-21.14	38.87	3	Vertical	173	1.83	-	37.50	9.86	33.37
AV	15.68916G	39.84	54.00	-14.16	25.85	3	Vertical	173	1.83	-	37.50	9.86	33.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.68962G	52.03	74.00	-21.97	38.04	3	Horizontal	314	2.43	-	37.50	9.86	33.37	
AV	15.69282G	39.64	54.00	-14.36	25.66	3	Horizontal	314	2.43	-	37.50	9.86	33.38	

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 92
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	61.37	74.00	-12.63	54.71	3	Vertical	69	1.61	-	33.57	5.24	32.15
AV	5.1482G	48.38	54.00	-5.62	41.68	3	Vertical	69	1.61	-	33.60	5.25	32.15
PK	5.2628G	117.93	Inf	-Inf	111.01	3	Vertical	69	1.61	-	33.73	5.33	32.14
AV	5.2772G	106.77	Inf	-Inf	99.82	3	Vertical	69	1.61	-	33.75	5.34	32.14
PK	5.357G	68.89	74.00	-5.11	61.74	3	Vertical	69	1.61	-	33.91	5.38	32.14
AV	5.3522G	53.85	54.00	-0.15	46.71	3	Vertical	69	1.61	-	33.90	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 92
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	58.50	74.00	-15.50	51.84	3	Horizontal	71	2.00	-	33.57	5.24	32.15
AV	5.1368G	46.28	54.00	-7.72	39.62	3	Horizontal	71	2.00	-	33.57	5.24	32.15
PK	5.2724G	115.06	Inf	-Inf	108.12	3	Horizontal	71	2.00	-	33.74	5.34	32.14
AV	5.2772G	103.12	Inf	-Inf	96.17	3	Horizontal	71	2.00	-	33.75	5.34	32.14
PK	5.3522G	63.00	74.00	-11.00	55.86	3	Horizontal	71	2.00	-	33.90	5.38	32.14
AV	5.3522G	48.60	54.00	-5.40	41.46	3	Horizontal	71	2.00	-	33.90	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.80936G	52.98	74.00	-21.02	39.11	3	Vertical	28	2.12	-	37.48	9.91	33.52	
AV	15.8074G	40.01	54.00	-13.99	26.12	3	Vertical	28	2.12	-	37.49	9.91	33.51	

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 92
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.8081G	52.51	74.00	-21.49	38.63	3	Horizontal	330	2.92	-	37.48	9.91	33.51	
AV	15.80912G	40.34	54.00	-13.66	26.46	3	Horizontal	330	2.92	-	37.48	9.91	33.51	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 71
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2948G	114.43	Inf	-Inf	107.43	3	Vertical	86	1.63	-	33.79	5.35	32.14	
AV	5.3048G	102.31	Inf	-Inf	95.29	3	Vertical	86	1.63	-	33.81	5.35	32.14	
PK	5.3552G	67.77	74.00	-6.23	60.62	3	Vertical	86	1.63	-	33.91	5.38	32.14	
AV	5.35G	53.82	54.00	-0.18	46.69	3	Vertical	86	1.63	-	33.90	5.37	32.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT V_4TX
Setting 71
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	110.69	Inf	-Inf	103.68	3	Horizontal	70	2.53	-	33.80	5.35	32.14
AV	5.302G	97.76	Inf	-Inf	90.75	3	Horizontal	70	2.53	-	33.80	5.35	32.14
PK	5.3572G	63.53	74.00	-10.47	56.38	3	Horizontal	70	2.53	-	33.91	5.38	32.14
AV	5.352G	48.41	54.00	-5.59	41.27	3	Horizontal	70	2.53	-	33.90	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 71
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92904G	51.95	74.00	-22.05	38.34	3	Vertical	209	1.72	-	37.30	9.97	33.66
AV	15.92558G	39.68	54.00	-14.32	26.06	3	Vertical	209	1.72	-	37.30	9.97	33.65

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 71
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92692G	52.38	74.00	-21.62	38.76	3	Horizontal	245	2.64	-	37.30	9.97	33.65
AV	15.9338G	39.57	54.00	-14.43	25.96	3	Horizontal	245	2.64	-	37.30	9.97	33.66

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 68
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4584G	61.97	74.00	-12.03	54.64	3	Vertical	107	1.80	-	34.00	5.46	32.13	
AV	5.4584G	47.96	54.00	-6.04	40.63	3	Vertical	107	1.80	-	34.00	5.46	32.13	
PK	5.468G	67.72	68.20	-0.48	60.38	3	Vertical	107	1.80	-	34.00	5.47	32.13	
PK	5.5232G	113.23	Inf	-Inf	105.84	3	Vertical	107	1.80	-	34.00	5.52	32.13	
AV	5.5132G	102.19	Inf	-Inf	94.81	3	Vertical	107	1.80	-	34.00	5.51	32.13	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 68
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4308G	57.39	74.00	-16.61	50.09	3	Horizontal	290	1.68	-	34.00	5.43	32.13
AV	5.4432G	45.77	54.00	-8.23	38.46	3	Horizontal	290	1.68	-	34.00	5.44	32.13
PK	5.47G	60.64	68.20	-7.56	53.30	3	Horizontal	290	1.68	-	34.00	5.47	32.13
PK	5.5148G	107.48	Inf	-Inf	100.10	3	Horizontal	290	1.68	-	34.00	5.51	32.13
AV	5.5144G	96.04	Inf	-Inf	88.66	3	Horizontal	290	1.68	-	34.00	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01816G	51.25	74.00	-22.75	38.19	3	Vertical	322	1.40	-	38.62	7.71	33.27
AV	11.01864G	38.67	54.00	-15.33	25.61	3	Vertical	322	1.40	-	38.62	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.02018G	50.95	74.00	-23.05	37.89	3	Horizontal	121	2.55	-	38.62	7.71	33.27	
AV	11.02304G	38.34	54.00	-15.66	25.28	3	Horizontal	121	2.55	-	38.62	7.71	33.27	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 93
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.458G	67.12	74.00	-6.88	59.79	3	Vertical	76	2.21	-	34.00	5.46	32.13	
AV	5.4584G	52.13	54.00	-1.87	44.80	3	Vertical	76	2.21	-	34.00	5.46	32.13	
PK	5.468G	67.97	68.20	-0.23	60.63	3	Vertical	76	2.21	-	34.00	5.47	32.13	
PK	5.548G	120.22	Inf	-Inf	112.80	3	Vertical	76	2.21	-	34.00	5.55	32.13	
AV	5.5432G	108.55	Inf	-Inf	101.14	3	Vertical	76	2.21	-	34.00	5.54	32.13	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 93
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4544G	62.61	74.00	-11.39	55.29	3	Horizontal	290	1.65	-	34.00	5.45	32.13	
AV	5.46G	47.88	54.00	-6.12	40.55	3	Horizontal	290	1.65	-	34.00	5.46	32.13	
PK	5.47G	62.33	68.20	-5.87	54.99	3	Horizontal	290	1.65	-	34.00	5.47	32.13	
PK	5.5548G	114.57	Inf	-Inf	107.16	3	Horizontal	290	1.65	-	33.99	5.55	32.13	
AV	5.5596G	103.14	Inf	-Inf	95.73	3	Horizontal	290	1.65	-	33.98	5.56	32.13	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09514G	50.85	74.00	-23.15	37.67	3	Vertical	116	1.51	-	38.70	7.74	33.26
AV	11.10498G	38.31	54.00	-15.69	25.13	3	Vertical	116	1.51	-	38.70	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 93
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09936G	51.19	74.00	-22.81	38.01	3	Horizontal	118	2.45	-	38.70	7.74	33.26
AV	11.09884G	38.55	54.00	-15.45	25.37	3	Horizontal	118	2.45	-	38.70	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	117.08	Inf	-Inf	109.77	3	Vertical	89	1.28	-	33.85	5.60	32.14
AV	5.6748G	105.47	Inf	-Inf	98.16	3	Vertical	89	1.28	-	33.85	5.60	32.14
PK	5.7252G	67.99	68.20	-0.21	60.68	3	Vertical	89	1.28	-	33.85	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.662G	111.41	Inf	-Inf	104.13	3	Horizontal	121	1.87	-	33.82	5.60	32.14
AV	5.6628G	99.54	Inf	-Inf	92.25	3	Horizontal	121	1.87	-	33.83	5.60	32.14
PK	5.7272G	61.66	68.20	-6.54	54.35	3	Horizontal	121	1.87	-	33.85	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33962G	51.90	74.00	-22.10	38.50	3	Vertical	260	2.08	-	38.80	7.84	33.24	
AV	11.3405G	38.06	54.00	-15.94	24.66	3	Vertical	260	2.08	-	38.80	7.84	33.24	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 77
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33534G	50.77	74.00	-23.23	37.38	3	Horizontal	136	2.30	-	38.80	7.83	33.24
AV	11.33962G	38.03	54.00	-15.97	24.63	3	Horizontal	136	2.30	-	38.80	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	58.32	74.00	-15.68	51.00	3	Vertical	90	1.52	-	34.00	5.45	32.13
AV	5.4556G	46.78	54.00	-7.22	39.45	3	Vertical	90	1.52	-	34.00	5.46	32.13
PK	5.4664G	58.06	68.20	-10.14	50.72	3	Vertical	90	1.52	-	34.00	5.47	32.13
PK	5.7256G	121.80	Inf	-Inf	114.49	3	Vertical	90	1.52	-	33.85	5.60	32.14
AV	5.7052G	110.41	Inf	-Inf	103.06	3	Vertical	90	1.52	-	33.89	5.60	32.14
PK	5.8576G	66.11	68.20	-2.09	58.75	3	Vertical	90	1.52	-	33.85	5.66	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	57.95	74.00	-16.05	50.63	3	Horizontal	92	1.41	-	34.00	5.45	32.13
AV	5.458G	46.58	54.00	-7.42	39.25	3	Horizontal	92	1.41	-	34.00	5.46	32.13
PK	5.4688G	57.94	68.20	-10.26	50.60	3	Horizontal	92	1.41	-	34.00	5.47	32.13
PK	5.7052G	120.40	Inf	-Inf	113.05	3	Horizontal	92	1.41	-	33.89	5.60	32.14
AV	5.7052G	110.08	Inf	-Inf	102.73	3	Horizontal	92	1.41	-	33.89	5.60	32.14
PK	5.8528G	63.52	68.20	-4.68	56.20	3	Horizontal	92	1.41	-	33.82	5.65	32.15

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.41876G	51.56	74.00	-22.44	38.08	3	Vertical	33	1.48	-	38.84	7.87	33.23	
AV	11.41854G	38.92	54.00	-15.08	25.44	3	Vertical	33	1.48	-	38.84	7.87	33.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT Y_4TX
Setting 108
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.42438G	51.33	74.00	-22.67	37.84	3	Horizontal	316	1.49	-	38.85	7.87	33.23	
AV	11.41732G	38.88	54.00	-15.12	25.41	3	Horizontal	316	1.49	-	38.83	7.87	33.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	67.96	68.20	-0.24	60.70	3	Vertical	63	1.80	-	33.80	5.60	32.14	
PK	5.765G	119.91	Inf	-Inf	112.66	3	Vertical	63	1.80	-	33.80	5.60	32.15	
AV	5.765G	108.74	Inf	-Inf	101.49	3	Vertical	63	1.80	-	33.80	5.60	32.15	
PK	5.957G	59.19	68.20	-9.01	51.39	3	Vertical	63	1.80	-	34.20	5.76	32.16	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_V_4TX
Setting 98
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.646G	60.50	68.20	-7.70	53.23	3	Horizontal	121	1.87	-	33.81	5.60	32.14	
PK	5.752G	115.22	Inf	-Inf	107.97	3	Horizontal	121	1.87	-	33.80	5.60	32.15	
AV	5.753G	103.15	Inf	-Inf	95.90	3	Horizontal	121	1.87	-	33.80	5.60	32.15	
PK	5.947G	57.59	68.20	-10.61	49.81	3	Horizontal	121	1.87	-	34.19	5.75	32.16	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50758G	51.40	74.00	-22.60	37.70	3	Vertical	187	1.09	-	39.02	7.90	33.22	
AV	11.5074G	38.93	54.00	-15.07	25.23	3	Vertical	187	1.09	-	39.02	7.90	33.22	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50828G	51.82	74.00	-22.18	38.12	3	Horizontal	69	2.11	-	39.02	7.90	33.22
AV	11.50906G	38.92	54.00	-15.08	25.21	3	Horizontal	69	2.11	-	39.03	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	60.76	68.20	-7.44	53.47	3	Vertical	65	1.88	-	33.83	5.60	32.14
PK	5.79G	119.91	Inf	-Inf	112.66	3	Vertical	65	1.88	-	33.80	5.60	32.15
AV	5.785G	108.89	Inf	-Inf	101.64	3	Vertical	65	1.88	-	33.80	5.60	32.15
PK	5.929G	61.44	68.20	-6.76	53.71	3	Vertical	65	1.88	-	34.16	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	59.19	68.20	-9.01	51.84	3	Horizontal	102	1.80	-	33.89	5.60	32.14
PK	5.804G	115.25	Inf	-Inf	108.00	3	Horizontal	102	1.80	-	33.80	5.60	32.15
AV	5.789G	103.02	Inf	-Inf	95.77	3	Horizontal	102	1.80	-	33.80	5.60	32.15
PK	5.925G	58.44	68.20	-9.76	50.72	3	Horizontal	102	1.80	-	34.15	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58596G	52.13	74.00	-21.87	38.18	3	Vertical	143	1.24	-	39.26	7.93	33.24
AV	11.58966G	39.23	54.00	-14.77	25.26	3	Vertical	143	1.24	-	39.27	7.94	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 98
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59074G	51.97	74.00	-22.03	38.00	3	Horizontal	96	2.18	-	39.27	7.94	33.24
AV	11.5947G	39.17	54.00	-14.83	25.19	3	Horizontal	96	2.18	-	39.28	7.94	33.24

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 68
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	65.17	74.00	-8.83	58.56	3	Vertical	81	1.63	-	33.54	5.22	32.15
AV	5.15G	53.89	54.00	-0.11	47.19	3	Vertical	81	1.63	-	33.60	5.25	32.15
PK	5.24G	110.56	Inf	-Inf	103.69	3	Vertical	81	1.63	-	33.70	5.32	32.15
AV	5.24G	98.52	Inf	-Inf	91.65	3	Vertical	81	1.63	-	33.70	5.32	32.15
PK	5.381G	58.43	74.00	-15.57	51.22	3	Vertical	81	1.63	-	33.96	5.39	32.14
AV	5.351G	46.47	54.00	-7.53	39.33	3	Vertical	81	1.63	-	33.90	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 68
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	63.58	74.00	-10.42	56.92	3	Horizontal	74	2.72	-	33.57	5.24	32.15
AV	5.148G	51.68	54.00	-2.32	44.98	3	Horizontal	74	2.72	-	33.60	5.25	32.15
PK	5.207G	105.92	Inf	-Inf	99.07	3	Horizontal	74	2.72	-	33.70	5.30	32.15
AV	5.222G	94.87	Inf	-Inf	88.01	3	Horizontal	74	2.72	-	33.70	5.31	32.15
PK	5.434G	57.25	74.00	-16.75	49.95	3	Horizontal	74	2.72	-	34.00	5.43	32.13
AV	5.358G	45.44	54.00	-8.56	38.28	3	Horizontal	74	2.72	-	33.92	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6337G	52.51	74.00	-21.49	38.48	3	Vertical	252	2.47	-	37.50	9.84	33.31
AV	15.6298G	39.89	54.00	-14.11	25.86	3	Vertical	252	2.47	-	37.50	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63228G	52.51	74.00	-21.49	38.49	3	Horizontal	329	1.22	-	37.50	9.83	33.31
AV	15.62796G	40.03	54.00	-13.97	26.00	3	Horizontal	329	1.22	-	37.50	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 68
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.04G	57.31	74.00	-16.69	50.85	3	Vertical	70	1.02	-	33.48	5.14	32.16
AV	5.078G	45.94	54.00	-8.06	39.42	3	Vertical	70	1.02	-	33.50	5.18	32.16
PK	5.304G	109.25	Inf	-Inf	102.23	3	Vertical	70	1.02	-	33.81	5.35	32.14
AV	5.279G	97.44	Inf	-Inf	90.48	3	Vertical	70	1.02	-	33.76	5.34	32.14
PK	5.354G	64.79	74.00	-9.21	57.64	3	Vertical	70	1.02	-	33.91	5.38	32.14
AV	5.354G	52.29	54.00	-1.71	45.14	3	Vertical	70	1.02	-	33.91	5.38	32.14
PK	5.521G	58.32	68.20	-9.88	50.93	3	Vertical	70	1.02	-	34.00	5.52	32.13

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 68
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.105G	57.85	74.00	-16.15	51.29	3	Horizontal	69	2.54	-	33.51	5.20	32.15	
AV	5.143G	45.55	54.00	-8.45	38.87	3	Horizontal	69	2.54	-	33.59	5.24	32.15	
PK	5.302G	106.48	Inf	-Inf	99.47	3	Horizontal	69	2.54	-	33.80	5.35	32.14	
AV	5.302G	94.18	Inf	-Inf	87.17	3	Horizontal	69	2.54	-	33.80	5.35	32.14	
PK	5.362G	60.89	74.00	-13.11	53.73	3	Horizontal	69	2.54	-	33.92	5.38	32.14	
AV	5.352G	48.73	54.00	-5.27	41.59	3	Horizontal	69	2.54	-	33.90	5.38	32.14	
PK	5.483G	57.08	68.20	-11.12	49.73	3	Horizontal	69	2.54	-	34.00	5.48	32.13	

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86896G	52.05	74.00	-21.95	38.34	3	Vertical	310	1.24	-	37.36	9.94	33.59
AV	15.86604G	39.78	54.00	-14.22	26.05	3	Vertical	310	1.24	-	37.37	9.94	33.58

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 68
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86724G	52.26	74.00	-21.74	38.53	3	Horizontal	104	2.07	-	37.37	9.94	33.58
AV	15.86514G	39.73	54.00	-14.27	26.00	3	Horizontal	104	2.07	-	37.37	9.94	33.58

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 71
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.28G	57.83	68.20	-10.37	50.87	3	Vertical	94	2.52	-	33.76	5.34	32.14
PK	5.456G	66.01	74.00	-7.99	58.68	3	Vertical	94	2.52	-	34.00	5.46	32.13
AV	5.456G	52.90	54.00	-1.10	45.57	3	Vertical	94	2.52	-	34.00	5.46	32.13
PK	5.466G	67.99	68.20	-0.21	60.65	3	Vertical	94	2.52	-	34.00	5.47	32.13
PK	5.541G	111.63	Inf	-Inf	104.22	3	Vertical	94	2.52	-	34.00	5.54	32.13
AV	5.546G	100.08	Inf	-Inf	92.66	3	Vertical	94	2.52	-	34.00	5.55	32.13
PK	5.772G	58.44	68.20	-9.76	51.19	3	Vertical	94	2.52	-	33.80	5.60	32.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT V_4TX
Setting 71
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	56.68	68.20	-11.52	49.56	3	Horizontal	129	1.73	-	33.89	5.37	32.14
PK	5.458G	60.59	74.00	-13.41	53.26	3	Horizontal	129	1.73	-	34.00	5.46	32.13
AV	5.458G	48.71	54.00	-5.29	41.38	3	Horizontal	129	1.73	-	34.00	5.46	32.13
PK	5.468G	64.47	68.20	-3.73	57.13	3	Horizontal	129	1.73	-	34.00	5.47	32.13
PK	5.543G	105.42	Inf	-Inf	98.01	3	Horizontal	129	1.73	-	34.00	5.54	32.13
AV	5.543G	94.04	Inf	-Inf	86.63	3	Horizontal	129	1.73	-	34.00	5.54	32.13
PK	5.762G	57.26	68.20	-10.94	50.01	3	Horizontal	129	1.73	-	33.80	5.60	32.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 71
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05806G	50.52	74.00	-23.48	37.40	3	Vertical	291	1.24	-	38.66	7.72	33.26
AV	11.05568G	38.06	54.00	-15.94	24.94	3	Vertical	291	1.24	-	38.66	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 71
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05738G	50.43	74.00	-23.57	37.31	3	Horizontal	224	2.26	-	38.66	7.72	33.26
AV	11.06384G	38.07	54.00	-15.93	24.94	3	Horizontal	224	2.26	-	38.66	7.73	33.26

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 83
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.75	74.00	-12.25	54.42	3	Vertical	93	1.54	-	34.00	5.46	32.13
AV	5.46G	50.06	54.00	-3.94	42.73	3	Vertical	93	1.54	-	34.00	5.46	32.13
PK	5.465G	63.52	68.20	-4.68	56.19	3	Vertical	93	1.54	-	34.00	5.46	32.13
PK	5.64G	115.45	Inf	-Inf	108.17	3	Vertical	93	1.54	-	33.82	5.60	32.14
AV	5.625G	103.56	Inf	-Inf	96.25	3	Vertical	93	1.54	-	33.85	5.60	32.14
PK	5.726G	68.00	68.20	-0.20	60.69	3	Vertical	93	1.54	-	33.85	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 83
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	57.90	74.00	-16.10	50.58	3	Horizontal	312	1.80	-	34.00	5.45	32.13
AV	5.447G	46.12	54.00	-7.88	38.80	3	Horizontal	312	1.80	-	34.00	5.45	32.13
PK	5.464G	57.57	68.20	-10.63	50.24	3	Horizontal	312	1.80	-	34.00	5.46	32.13
PK	5.6G	108.32	Inf	-Inf	100.96	3	Horizontal	312	1.80	-	33.90	5.60	32.14
AV	5.605G	96.69	Inf	-Inf	89.34	3	Horizontal	312	1.80	-	33.89	5.60	32.14
PK	5.725G	61.35	68.20	-6.85	54.04	3	Horizontal	312	1.80	-	33.85	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 83
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21934G	50.65	74.00	-23.35	37.31	3	Vertical	153	1.46	-	38.80	7.79	33.25
AV	11.22276G	38.60	54.00	-15.40	25.26	3	Vertical	153	1.46	-	38.80	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 83
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21874G	51.66	74.00	-22.34	38.32	3	Horizontal	127	1.49	-	38.80	7.79	33.25
AV	11.22198G	38.40	54.00	-15.60	25.06	3	Horizontal	127	1.49	-	38.80	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 90
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	59.50	74.00	-14.50	52.18	3	Vertical	92	1.52	-	34.00	5.45	32.13
PK	5.465G	61.30	68.20	-6.90	53.97	3	Vertical	92	1.52	-	34.00	5.46	32.13
AV	5.46G	48.59	54.00	-5.41	41.26	3	Vertical	92	1.52	-	34.00	5.46	32.13
PK	5.67G	116.67	Inf	-Inf	109.37	3	Vertical	92	1.52	-	33.84	5.60	32.14
AV	5.68G	105.55	Inf	-Inf	98.23	3	Vertical	92	1.52	-	33.86	5.60	32.14
PK	5.85G	68.04	68.20	-0.16	60.74	3	Vertical	92	1.52	-	33.80	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Y_4TX
Setting 90
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	57.38	74.00	-16.62	50.05	3	Horizontal	103	2.65	-	34.00	5.46	32.13
AV	5.446G	45.86	54.00	-8.14	38.54	3	Horizontal	103	2.65	-	34.00	5.45	32.13
PK	5.466G	57.51	68.20	-10.69	50.17	3	Horizontal	103	2.65	-	34.00	5.47	32.13
PK	5.699G	111.49	Inf	-Inf	104.13	3	Horizontal	103	2.65	-	33.90	5.60	32.14
AV	5.699G	99.58	Inf	-Inf	92.22	3	Horizontal	103	2.65	-	33.90	5.60	32.14
PK	5.861G	59.55	68.20	-8.65	52.17	3	Horizontal	103	2.65	-	33.87	5.66	32.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.37926G	51.69	74.00	-22.31	38.27	3	Vertical	245	1.37	-	38.80	7.85	33.23	
AV	11.38298G	38.88	54.00	-15.12	25.46	3	Vertical	245	1.37	-	38.80	7.85	33.23	

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT Y_4TX
Setting 90
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37542G	51.32	74.00	-22.68	37.90	3	Horizontal	63	2.43	-	38.80	7.85	33.23
AV	11.38496G	38.82	54.00	-15.18	25.40	3	Horizontal	63	2.43	-	38.80	7.85	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	67.99	68.20	-0.21	60.73	3	Vertical	63	1.80	-	33.80	5.60	32.14	
PK	5.755G	114.77	Inf	-Inf	107.52	3	Vertical	63	1.80	-	33.80	5.60	32.15	
AV	5.77G	103.33	Inf	-Inf	96.08	3	Vertical	63	1.80	-	33.80	5.60	32.15	
PK	5.95G	63.14	68.20	-5.06	55.35	3	Vertical	63	1.80	-	34.20	5.75	32.16	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	60.29	68.20	-7.91	53.01	3	Horizontal	102	2.49	-	33.82	5.60	32.14	
PK	5.759G	109.13	Inf	-Inf	101.88	3	Horizontal	102	2.49	-	33.80	5.60	32.15	
AV	5.749G	97.30	Inf	-Inf	90.04	3	Horizontal	102	2.49	-	33.80	5.60	32.14	
PK	5.974G	58.49	68.20	-9.71	50.68	3	Horizontal	102	2.49	-	34.20	5.77	32.16	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5538G	51.61	74.00	-22.39	37.76	3	Vertical	324	2.09	-	39.16	7.92	33.23	
AV	11.55218G	39.07	54.00	-14.93	25.22	3	Vertical	324	2.09	-	39.16	7.92	33.23	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 85
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55246G	51.39	74.00	-22.61	37.54	3	Horizontal	236	2.84	-	39.16	7.92	33.23	
AV	11.55398G	39.11	54.00	-14.89	25.26	3	Horizontal	236	2.84	-	39.16	7.92	33.23	

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 64
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	63.30	74.00	-10.70	56.62	3	Vertical	72	1.02	-	33.59	5.24	32.15
AV	5.138G	53.47	54.00	-0.53	46.80	3	Vertical	72	1.02	-	33.58	5.24	32.15
PK	5.2596G	106.33	Inf	-Inf	99.42	3	Vertical	72	1.02	-	33.72	5.33	32.14
AV	5.2692G	95.60	Inf	-Inf	88.67	3	Vertical	72	1.02	-	33.74	5.33	32.14
PK	5.3844G	65.66	74.00	-8.34	58.44	3	Vertical	72	1.02	-	33.97	5.39	32.14
AV	5.3844G	53.86	54.00	-0.14	46.64	3	Vertical	72	1.02	-	33.97	5.39	32.14
PK	5.538G	58.67	68.20	-9.53	51.26	3	Vertical	72	1.02	-	34.00	5.54	32.13

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 64
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	61.40	74.00	-12.60	54.72	3	Horizontal	91	1.98	-	33.59	5.24	32.15
AV	5.1268G	50.45	54.00	-3.55	43.82	3	Horizontal	91	1.98	-	33.55	5.23	32.15
PK	5.186G	99.37	Inf	-Inf	92.56	3	Horizontal	91	1.98	-	33.67	5.29	32.15
AV	5.186G	88.18	Inf	-Inf	81.37	3	Horizontal	91	1.98	-	33.67	5.29	32.15
PK	5.3844G	57.43	74.00	-16.57	50.21	3	Horizontal	91	1.98	-	33.97	5.39	32.14
AV	5.3828G	47.48	54.00	-6.52	40.26	3	Horizontal	91	1.98	-	33.97	5.39	32.14
PK	5.6276G	57.37	68.20	-10.83	50.07	3	Horizontal	91	1.98	-	33.84	5.60	32.14

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT_Y_4TX
Setting 64
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75282G	52.41	74.00	-21.59	38.47	3	Vertical	157	2.41	-	37.50	9.89	33.45
AV	15.74614G	41.85	54.00	-12.15	27.90	3	Vertical	157	2.41	-	37.50	9.89	33.44

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 64
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7521G	52.88	74.00	-21.12	38.94	3	Horizontal	15	2.74	-	37.50	9.89	33.45
AV	15.74964G	41.50	54.00	-12.50	27.55	3	Horizontal	15	2.74	-	37.50	9.89	33.44

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 66
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2884G	58.24	68.20	-9.96	51.26	3	Vertical	94	2.50	-	33.78	5.34	32.14
PK	5.442G	65.36	74.00	-8.64	58.05	3	Vertical	94	2.50	-	34.00	5.44	32.13
PK	5.4612G	66.24	68.20	-1.96	58.91	3	Vertical	94	2.50	-	34.00	5.46	32.13
AV	5.4596G	53.97	54.00	-0.03	46.64	3	Vertical	94	2.50	-	34.00	5.46	32.13
PK	5.5508G	107.43	Inf	-Inf	100.01	3	Vertical	94	2.50	-	34.00	5.55	32.13
AV	5.5412G	97.03	Inf	-Inf	89.62	3	Vertical	94	2.50	-	34.00	5.54	32.13
PK	5.7748G	62.16	68.20	-6.04	54.91	3	Vertical	94	2.50	-	33.80	5.60	32.15

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 66
02-B-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	56.55	68.20	-11.65	49.47	3	Horizontal	310	1.80	-	33.86	5.36	32.14
PK	5.426G	59.66	74.00	-14.34	52.36	3	Horizontal	310	1.80	-	34.00	5.43	32.13
PK	5.466G	60.18	68.20	-8.02	52.84	3	Horizontal	310	1.80	-	34.00	5.47	32.13
AV	5.4468G	50.13	54.00	-3.87	42.81	3	Horizontal	310	1.80	-	34.00	5.45	32.13
PK	5.6052G	101.37	Inf	-Inf	94.02	3	Horizontal	310	1.80	-	33.89	5.60	32.14
AV	5.6052G	91.13	Inf	-Inf	83.78	3	Horizontal	310	1.80	-	33.89	5.60	32.14
PK	5.7268G	59.91	68.20	-8.29	52.60	3	Horizontal	310	1.80	-	33.85	5.60	32.14

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Y_4TX
Setting 66
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13656G	51.01	74.00	-22.99	37.78	3	Vertical	316	2.64	-	38.74	7.75	33.26
AV	11.13856G	39.97	54.00	-14.03	26.73	3	Vertical	316	2.64	-	38.74	7.76	33.26

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Y_4TX
Setting 66
02-B-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13508G	51.25	74.00	-22.75	38.02	3	Horizontal	222	1.74	-	38.74	7.75	33.26
AV	11.1386G	40.05	54.00	-13.95	26.81	3	Horizontal	222	1.74	-	38.74	7.76	33.26