



Frequency stability

Test mode	Bandwidth (MHz)	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict
		(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	
TM1.1	10MHz	3555	20	50.4	-0.002	-0.00000055	-2.5 to 2.5	Pass
		3555		56	0.000	-0.00000008	-2.5 to 2.5	Pass
		3555		61.6	-0.008	-0.00000215	-2.5 to 2.5	Pass
		3555	-30	56	-1.312	-0.00036907	-2.5 to 2.5	Pass
		3555	-20	56	-1.513	-0.00042570	-2.5 to 2.5	Pass
		3555	-10	56	-0.002	-0.00000043	-2.5 to 2.5	Pass
		3555	0	56	-0.001	-0.00000017	-2.5 to 2.5	Pass
		3555	10	56	-0.020	-0.00000552	-2.5 to 2.5	Pass
		3555	30	56	-2.216	-0.00062331	-2.5 to 2.5	Pass
		3555	40	56	-1.265	-0.00035597	-2.5 to 2.5	Pass
		3555	50	56	-0.002	-0.00000057	-2.5 to 2.5	Pass
		3625	20	50.4	0.000	-0.00000005	-2.5 to 2.5	Pass
		3625		56	-0.011	-0.00000298	-2.5 to 2.5	Pass
		3625		61.6	2.288	0.00063108	-2.5 to 2.5	Pass
		3625	-30	56	-1.328	-0.00036631	-2.5 to 2.5	Pass
		3625	-20	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	-10	56	0.000	-0.00000002	-2.5 to 2.5	Pass
		3625	0	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	10	56	-1.412	-0.00038938	-2.5 to 2.5	Pass
		3625	30	56	1.177	0.00032471	-2.5 to 2.5	Pass
		3625	40	56	-0.001	-0.00000021	-2.5 to 2.5	Pass
		3625	50	56	0.000	0.00000003	-2.5 to 2.5	Pass
		3695	20	21.6	0.021	0.00000578	-2.5 to 2.5	Pass
		3695		24	1.051	0.00028440	-2.5 to 2.5	Pass
		3695		26.4	3.012	0.00081515	-2.5 to 2.5	Pass
		3695	-30	24	0.002	0.00000053	-2.5 to 2.5	Pass
		3695	-20	24	0.001	0.00000016	-2.5 to 2.5	Pass
		3695	-10	24	0.007	0.00000186	-2.5 to 2.5	Pass
		3695	0	24	0.004	0.00000107	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 2 of 6

Test mode	Bandwidth (MHz)	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict
		(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	
TM1.1	20MHz	3560	20	50.4	-0.061	-0.00001716	-2.5 to 2.5	Pass
		3560		56	-0.027	-0.00000771	-2.5 to 2.5	Pass
		3560		61.6	-0.003	-0.00000092	-2.5 to 2.5	Pass
		3560	-30	56	-0.014	-0.00000396	-2.5 to 2.5	Pass
		3560	-20	56	-0.114	-0.00003196	-2.5 to 2.5	Pass
		3560	-10	56	-0.048	-0.00001335	-2.5 to 2.5	Pass
		3560	0	56	-0.057	-0.00001605	-2.5 to 2.5	Pass
		3560	10	56	-0.008	-0.00000236	-2.5 to 2.5	Pass
		3560	30	56	-0.024	-0.00000669	-2.5 to 2.5	Pass
		3560	40	56	-0.095	-0.00002673	-2.5 to 2.5	Pass
		3560	50	56	-0.062	-0.00001750	-2.5 to 2.5	Pass
		3625	20	50.4	-0.018	-0.00000489	-2.5 to 2.5	Pass
		3625		56	-0.005	-0.00000128	-2.5 to 2.5	Pass
		3625		61.6	0.025	0.00000679	-2.5 to 2.5	Pass
		3625	-30	56	-0.100	-0.00002754	-2.5 to 2.5	Pass
		3625	-20	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	-10	56	-0.008	-0.00000213	-2.5 to 2.5	Pass
		3625	0	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	10	56	-0.015	-0.00000419	-2.5 to 2.5	Pass
		3625	30	56	0.089	0.00002441	-2.5 to 2.5	Pass
		3625	40	56	-0.024	-0.00000661	-2.5 to 2.5	Pass
		3625	50	56	0.010	0.00000283	-2.5 to 2.5	Pass
		3690	20	21.6	0.009	0.00000248	-2.5 to 2.5	Pass
		3690		24	0.011	0.00000306	-2.5 to 2.5	Pass
		3690		26.4	0.226	0.00006137	-2.5 to 2.5	Pass
		3690	-30	24	0.002	0.00000053	-2.5 to 2.5	Pass
		3690	-20	24	0.002	0.00000047	-2.5 to 2.5	Pass
		3690	-10	24	0.001	0.00000027	-2.5 to 2.5	Pass
		3690	0	24	0.009	0.00000249	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, 2201, Zhongyuan Building, Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 3 of 6

Test mode	Bandwidth (MHz)	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict
		(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	
TM3.1	10MHz	3555	20	50.4	-0.001	-0.00000018	-2.5 to 2.5	Pass
		3555		56	-0.002	-0.00000058	-2.5 to 2.5	Pass
		3555		61.6	-0.102	-0.00002857	-2.5 to 2.5	Pass
		3555	-30	56	-1.313	-0.00036947	-2.5 to 2.5	Pass
		3555	-20	56	-0.049	-0.00001372	-2.5 to 2.5	Pass
		3555	-10	56	-0.001	-0.00000014	-2.5 to 2.5	Pass
		3555	0	56	-0.004	-0.00000121	-2.5 to 2.5	Pass
		3555	10	56	-0.261	-0.00007336	-2.5 to 2.5	Pass
		3555	30	56	-2.218	-0.00062398	-2.5 to 2.5	Pass
		3555	40	56	-0.041	-0.00001147	-2.5 to 2.5	Pass
		3555	50	56	-0.001	-0.00000019	-2.5 to 2.5	Pass
		3625	20	50.4	-0.001	-0.00000037	-2.5 to 2.5	Pass
		3625		56	-0.143	-0.00003958	-2.5 to 2.5	Pass
		3625		61.6	2.290	0.00063176	-2.5 to 2.5	Pass
		3625	-30	56	-0.043	-0.00001180	-2.5 to 2.5	Pass
		3625	-20	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	-10	56	-0.001	-0.00000016	-2.5 to 2.5	Pass
		3625	0	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	10	56	-1.413	-0.00038980	-2.5 to 2.5	Pass
		3625	30	56	0.038	0.00001046	-2.5 to 2.5	Pass
		3625	40	56	0.000	-0.00000007	-2.5 to 2.5	Pass
		3625	50	56	0.001	0.00000021	-2.5 to 2.5	Pass
		3695	20	21.6	0.009	0.00000248	-2.5 to 2.5	Pass
		3695		24	0.034	0.00000917	-2.5 to 2.5	Pass
		3695		26.4	0.032	0.00000876	-2.5 to 2.5	Pass
		3695	-30	24	0.005	0.00000123	-2.5 to 2.5	Pass
		3695	-20	24	0.054	0.00001465	-2.5 to 2.5	Pass
		3695	-10	24	0.091	0.00002471	-2.5 to 2.5	Pass
		3695	0	24	0.004	0.00000107	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, 2201, Zhongyuan Building, Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 4 of 6

Test mode	Bandwidth (MHz)	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict
		(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	
TM3.1	20MHz	3560	20	50.4	-0.061	-0.00060000	-2.5 to 2.5	Pass
		3560		56	-0.001	-0.00080000	-2.5 to 2.5	Pass
		3560		61.6	-0.001	-0.00040000	-2.5 to 2.5	Pass
		3560	-30	56	-0.099	-0.00040000	-2.5 to 2.5	Pass
		3560	-20	56	-1.512	-0.00050000	-2.5 to 2.5	Pass
		3560	-10	56	-0.048	-0.00050000	-2.5 to 2.5	Pass
		3560	0	56	-0.002	-0.00170000	-2.5 to 2.5	Pass
		3560	10	56	-0.003	-0.00110000	-2.5 to 2.5	Pass
		3560	30	56	-0.167	-0.00070000	-2.5 to 2.5	Pass
		3560	40	56	-1.264	-0.00040000	-2.5 to 2.5	Pass
		3560	50	56	-0.062	-0.00060000	-2.5 to 2.5	Pass
		3625	20	50.4	-0.001	-0.00050000	-2.5 to 2.5	Pass
		3625		56	-0.002	-0.00060000	-2.5 to 2.5	Pass
		3625		61.6	0.172	0.00070000	-2.5 to 2.5	Pass
		3625	-30	56	-1.326	-0.00040000	-2.5 to 2.5	Pass
		3625	-20	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	-10	56	0.000	-0.00020000	-2.5 to 2.5	Pass
		3625	0	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	10	56	-0.106	-0.00050000	-2.5 to 2.5	Pass
		3625	30	56	0.038	0.00040000	-2.5 to 2.5	Pass
		3625	40	56	-0.001	-0.00020000	-2.5 to 2.5	Pass
		3625	50	56	0.000	0.00030000	-2.5 to 2.5	Pass
		3690	20	21.6	0.021	0.00120000	-2.5 to 2.5	Pass
		3690		24	1.051	0.00030000	-2.5 to 2.5	Pass
		3690		26.4	3.012	0.00090000	-2.5 to 2.5	Pass
		3690	-30	24	0.002	0.00060000	-2.5 to 2.5	Pass
		3690	-20	24	0.001	0.00160000	-2.5 to 2.5	Pass
		3690	-10	24	0.007	0.00040000	-2.5 to 2.5	Pass
		3690	0	24	0.122	0.00120000	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, 2202, Pingshan Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 5 of 6

Test mode	Bandwidth (MHz)	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict
		(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	
TM3.2	10MHz	3555	20	50.4	-0.005	-0.00000129	-2.5 to 2.5	Pass
		3555		56	-0.027	-0.00000771	-2.5 to 2.5	Pass
		3555		61.6	-0.102	-0.00002860	-2.5 to 2.5	Pass
		3555	-30	56	-0.042	-0.00001191	-2.5 to 2.5	Pass
		3555	-20	56	-0.016	-0.00000457	-2.5 to 2.5	Pass
		3555	-10	56	-0.004	-0.00000101	-2.5 to 2.5	Pass
		3555	0	56	-0.057	-0.00001606	-2.5 to 2.5	Pass
		3555	10	56	-0.261	-0.00007344	-2.5 to 2.5	Pass
		3555	30	56	-0.071	-0.00002011	-2.5 to 2.5	Pass
		3555	40	56	-0.014	-0.00000382	-2.5 to 2.5	Pass
		3555	50	56	-0.005	-0.00000132	-2.5 to 2.5	Pass
		3625	20	50.4	-0.018	-0.00000488	-2.5 to 2.5	Pass
		3625		56	-0.144	-0.00003962	-2.5 to 2.5	Pass
		3625		61.6	0.074	0.00002036	-2.5 to 2.5	Pass
		3625	-30	56	-0.014	-0.00000393	-2.5 to 2.5	Pass
		3625	-20	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	-10	56	0.000	-0.00000007	-2.5 to 2.5	Pass
		3625	0	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	10	56	-0.015	-0.00000419	-2.5 to 2.5	Pass
		3625	30	56	0.089	0.00002441	-2.5 to 2.5	Pass
		3625	40	56	-0.024	-0.00000661	-2.5 to 2.5	Pass
		3625	50	56	0.010	0.00000283	-2.5 to 2.5	Pass
		3695	20	21.6	0.009	0.00000248	-2.5 to 2.5	Pass
		3695		24	0.011	0.00000306	-2.5 to 2.5	Pass
		3695		26.4	0.226	0.00006129	-2.5 to 2.5	Pass
		3695	-30	24	0.060	0.00001630	-2.5 to 2.5	Pass
		3695	-20	24	0.054	0.00001467	-2.5 to 2.5	Pass
		3695	-10	24	0.003	0.00000080	-2.5 to 2.5	Pass
		3695	0	24	0.001	0.00000036	-2.5 to 2.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, 2201, Zhongyuan Building, Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Page: 6 of 6

Test mode	Bandwidth (MHz)	Frequency	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)		Verdict
		(MHz)	(°C)	(VDC)	(Hz)	Result	Limit	
TM3.2	20MHz	3560	20	50.4	-0.002	-0.00000055	-2.5 to 2.5	Pass
		3560		56	0.000	-0.00000008	-2.5 to 2.5	Pass
		3560		61.6	-0.008	-0.00000215	-2.5 to 2.5	Pass
		3560	-30	56	-1.312	-0.00036855	-2.5 to 2.5	Pass
		3560	-20	56	-1.513	-0.00042510	-2.5 to 2.5	Pass
		3560	-10	56	-0.002	-0.00000043	-2.5 to 2.5	Pass
		3560	0	56	-0.001	-0.00000017	-2.5 to 2.5	Pass
		3560	10	56	-0.020	-0.00000551	-2.5 to 2.5	Pass
		3560	30	56	-2.216	-0.00062244	-2.5 to 2.5	Pass
		3560	40	56	-1.265	-0.00035547	-2.5 to 2.5	Pass
		3560	50	56	-0.002	-0.00000056	-2.5 to 2.5	Pass
		3625	20	50.4	0.000	-0.00000005	-2.5 to 2.5	Pass
		3625		56	-0.011	-0.00000298	-2.5 to 2.5	Pass
		3625		61.6	0.074	0.00002036	-2.5 to 2.5	Pass
		3625	-30	56	-0.043	-0.00001180	-2.5 to 2.5	Pass
		3625	-20	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	-10	56	-0.001	-0.00000016	-2.5 to 2.5	Pass
		3625	0	56	0.000	0.00000000	-2.5 to 2.5	Pass
		3625	10	56	-1.413	-0.00038980	-2.5 to 2.5	Pass
		3625	30	56	0.038	0.00001046	-2.5 to 2.5	Pass
		3625	40	56	0.000	-0.00000007	-2.5 to 2.5	Pass
		3625	50	56	0.001	0.00000021	-2.5 to 2.5	Pass
		3690	20	21.6	0.284	0.00007696	-2.5 to 2.5	Pass
		3690		24	1.052	0.00028509	-2.5 to 2.5	Pass
		3690		26.4	0.097	0.00002630	-2.5 to 2.5	Pass
		3690	-30	24	0.001	0.00000018	-2.5 to 2.5	Pass
		3690	-20	24	0.004	0.00000110	-2.5 to 2.5	Pass
		3690	-10	24	0.091	0.00002472	-2.5 to 2.5	Pass
		3690	0	24	0.122	0.00003312	-2.5 to 2.5	Pass

- End of the Appendix -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)