



# FCC RADIO TEST REPORT

FCC ID : A4RGGH2X  
Equipment : Phone  
Model Name : GGH2X, GC15S  
Applicant : Google LLC  
1600 Amphitheatre Parkway,  
Mountain View, CA 94043 USA  
Standard : FCC Part 15 Subpart C §15.247

The product was received on Feb. 05, 2024 and testing was performed from Feb. 07, 2024 to May 10, 2024. We, Sporton International Inc. Wensan Laboratory, would like to declare that the tested sample has been evaluated in accordance with the test procedures and has been in compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval from Sporton International Inc. Wensan Laboratory, the test report shall not be reproduced except in full.

*Louis Wu*

Approved by: Louis Wu

**Sporton International Inc. Wensan Laboratory**

No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist., Taoyuan City 333010, Taiwan (R.O.C.)



## Table of Contents

|                                                                 |           |
|-----------------------------------------------------------------|-----------|
| <b>History of this test report.....</b>                         | <b>3</b>  |
| <b>Summary of Test Result.....</b>                              | <b>4</b>  |
| <b>1 General Description.....</b>                               | <b>5</b>  |
| 1.1 Product Feature of Equipment Under Test.....                | 5         |
| 1.2 Modification of EUT .....                                   | 5         |
| 1.3 Testing Location .....                                      | 6         |
| 1.4 Applicable Standards.....                                   | 6         |
| <b>2 Test Configuration of Equipment Under Test.....</b>        | <b>7</b>  |
| 2.1 Carrier Frequency Channel .....                             | 7         |
| 2.2 Test Mode.....                                              | 8         |
| 2.3 Connection Diagram of Test System.....                      | 9         |
| 2.4 Support Unit used in test configuration and system .....    | 10        |
| 2.5 EUT Operation Test Setup .....                              | 11        |
| 2.6 Measurement Results Explanation Example.....                | 11        |
| <b>3 Test Result.....</b>                                       | <b>12</b> |
| 3.1 Number of Channel Measurement .....                         | 12        |
| 3.2 Hopping Channel Separation Measurement .....                | 13        |
| 3.3 Dwell Time Measurement.....                                 | 14        |
| 3.4 20dB and 99% Bandwidth Measurement .....                    | 15        |
| 3.5 Output Power Measurement.....                               | 16        |
| 3.6 Conducted Band Edges Measurement.....                       | 17        |
| 3.7 Conducted Spurious Emission Measurement .....               | 18        |
| 3.8 Radiated Band Edges and Spurious Emission Measurement ..... | 19        |
| 3.9 AC Conducted Emission Measurement.....                      | 23        |
| 3.10 Antenna Requirements.....                                  | 25        |
| <b>4 List of Measuring Equipment .....</b>                      | <b>26</b> |
| <b>5 Measurement Uncertainty .....</b>                          | <b>27</b> |
| <b>Appendix A. Conducted Test Results</b>                       |           |
| <b>Appendix B. AC Conducted Emission Test Result</b>            |           |
| <b>Appendix C. Radiated Spurious Emission</b>                   |           |
| <b>Appendix D. Radiated Spurious Emission Plots</b>             |           |
| <b>Appendix E. Duty Cycle Plots</b>                             |           |
| <b>Appendix F. Setup Photographs</b>                            |           |



## History of this test report

| Report No. | Version | Description                                                                                                                                                                                               | Issue Date   |
|------------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| FR3D2001K  | 01      | Initial issue of report                                                                                                                                                                                   | May 15, 2024 |
| FR3D2001K  | 02      | 1. Revise Section 1.1, Section 2.2, Section 3.4 and List of Measuring Equipment<br>2. Revise Appendix A and Appendix E<br>This report is an updated version, replacing the report issued on May 15, 2024. | May 24, 2024 |
| FR3D2001K  | 03      | Revise Section 2.2, Section 3.4 and List of Measuring Equipment<br>This report is an updated version, replacing the report issued on May 24, 2024.                                                        | May 28, 2024 |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |
|            |         |                                                                                                                                                                                                           |              |

## Summary of Test Result

| Report Clause | Ref Std. Clause              | Test Items                                         | Result (PASS/FAIL) | Remark                                |
|---------------|------------------------------|----------------------------------------------------|--------------------|---------------------------------------|
| 3.1           | 15.247(a)(1)                 | Number of Channels                                 | Pass               | -                                     |
| 3.2           | 15.247(a)(1)                 | Hopping Channel Separation                         | Pass               | -                                     |
| 3.3           | 15.247(a)(1)                 | Dwell Time of Each Channel                         | Pass               | -                                     |
| 3.4           | 15.247(a)(1)                 | 20dB Bandwidth                                     | Pass               | -                                     |
| 3.4           | 2.1049                       | 99% Occupied Bandwidth                             | Reporting only     | -                                     |
| 3.5           | 15.247(b)(1)<br>15.247(b)(4) | Peak Output Power                                  | Pass               | -                                     |
| 3.6           | 15.247(d)                    | Conducted Band Edges                               | Pass               | -                                     |
| 3.7           | 15.247(d)                    | Conducted Spurious Emission                        | Pass               | -                                     |
| 3.8           | 15.247(d)                    | Radiated Band Edges and Radiated Spurious Emission | Pass               | 9.53 dB under the limit at 741.50 MHz |
| 3.9           | 15.207                       | AC Conducted Emission                              | Pass               | 12.61 dB under the limit at 0.18 MHz  |
| 3.10          | 15.203                       | Antenna Requirement                                | Pass               | -                                     |

**Conformity Assessment Condition:**

- The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
- The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty".

**Disclaimer:**

- The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.
- The GGH2X and GC15S are 100% identical in Hardware / Software to each other, and only have different model names for marketing segmentation. The test sample are all model GGH2X.

**Reviewed by: William Chen**
**Report Producer: Michelle Chen**

# 1 General Description

## 1.1 Product Feature of Equipment Under Test

| Product Feature                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Specs</b><br>GSM/WCDMA/LTE/5G NR, Bluetooth, BLE, BLE channel sounding, Thread, Wi-Fi 802.11be, UWB, NFC, WPC Rx, NTN and GNSS |
| <b>Antenna Type</b><br>Bluetooth:<br><b>&lt;Ant. 3&gt;</b> : IFA Antenna<br><b>&lt;Ant. 4&gt;</b> : ILA Antenna                           |

| EUT Information List |                            |
|----------------------|----------------------------|
| S/N                  | Performed Test Item        |
| 41251FDKD000B1       | RF Conducted Measurement   |
| 41251FDKD0007K       | Radiated Spurious Emission |
|                      | Conducted Emission         |

| Antenna information (Open Mode) |                 |                            |
|---------------------------------|-----------------|----------------------------|
| 2400 MHz ~ 2483.5 MHz           | Peak Gain (dBi) | Ant.3: -3.3<br>Ant.4: -3.5 |

| Antenna information (Close Mode) |                 |                            |
|----------------------------------|-----------------|----------------------------|
| 2400 MHz ~ 2483.5 MHz            | Peak Gain (dBi) | Ant.3: -4.3<br>Ant.4: -1.2 |

**Remark:** The EUT's information above is declared by manufacturer. Please refer to Disclaimer in report summary.

## 1.2 Modification of EUT

No modifications made to the EUT during the testing.

### 1.3 Testing Location

|                    |                                                                                                                                                  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Site          | Sporton International Inc. Wensan Laboratory                                                                                                     |
| Test Site Location | No.58, Aly. 75, Ln. 564, Wenhua 3rd, Rd., Guishan Dist.,<br>Taoyuan City 333010, Taiwan (R.O.C.)<br>TEL: +886-3-327-0868<br>FAX: +886-3-327-0855 |
| Test Site No.      | <b>Sporton Site No.</b><br>TH05-HY, CO07-HY, 03CH23-HY                                                                                           |

**Note:** The test site complies with ANSI C63.4 2014 requirement.

FCC designation No.: TW3786

### 1.4 Applicable Standards

According to the specifications declared by the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ FCC Part 15 Subpart C §15.247
- ♦ FCC KDB Publication No. 558074 D01 15.247 Meas Guidance v05r02
- ♦ FCC KDB 414788 D01 Radiated Test Site v01r01
- ♦ ANSI C63.10-2013

**Remark:**

1. All the test items were validated and recorded in accordance with the standards without any modification during the testing.
2. The TAF code is not including all the FCC KDB listed without accreditation.



## 2 Test Configuration of Equipment Under Test

### 2.1 Carrier Frequency Channel

| Frequency Band | Channel | Freq.<br>(MHz) | Channel | Freq.<br>(MHz) | Channel | Freq.<br>(MHz) |
|----------------|---------|----------------|---------|----------------|---------|----------------|
| 2404-2478 MHz  | 2       | 2404           | 32      | 2434           | 59      | 2461           |
|                | 3       | 2405           | 33      | 2435           | 60      | 2462           |
|                | 4       | 2406           | 34      | 2436           | 61      | 2463           |
|                | 5       | 2407           | 35      | 2437           | 62      | 2464           |
|                | 6       | 2408           | 36      | 2438           | 63      | 2465           |
|                | 7       | 2409           | 37      | 2439           | 64      | 2466           |
|                | 8       | 2410           | 38      | 2440           | 65      | 2467           |
|                | 9       | 2411           | 39      | 2441           | 66      | 2468           |
|                | 10      | 2412           | 40      | 2442           | 67      | 2469           |
|                | 11      | 2413           | 41      | 2443           | 68      | 2470           |
|                | 12      | 2414           | 42      | 2444           | 69      | 2471           |
|                | 13      | 2415           | 43      | 2445           | 70      | 2472           |
|                | 14      | 2416           | 44      | 2446           | 71      | 2473           |
|                | 15      | 2417           | 45      | 2447           | 72      | 2474           |
|                | 16      | 2418           | 46      | 2448           | 73      | 2475           |
|                | 17      | 2419           | 47      | 2449           | 74      | 2476           |
|                | 18      | 2420           | 48      | 2450           | 75      | 2477           |
|                | 19      | 2421           | 49      | 2451           | 76      | 2478           |
|                | 20      | 2422           | 50      | 2452           | -       | -              |
|                | 21      | 2423           | 51      | 2453           | -       | -              |
|                | 22      | 2424           | 52      | 2454           | -       | -              |
|                | 26      | 2428           | 53      | 2455           | -       | -              |
|                | 27      | 2429           | 54      | 2456           | -       | -              |
|                | 28      | 2430           | 55      | 2457           | -       | -              |
|                | 29      | 2431           | 56      | 2458           | -       | -              |
|                | 30      | 2432           | 57      | 2459           | -       | -              |
|                | 31      | 2433           | 58      | 2460           | -       | -              |

## 2.2 Test Mode

- a. The EUT has been associated with peripherals and configuration operated in a manner tended to maximize its emission characteristics in a typical application. Frequency range investigated: conduction emission (150 kHz to 30 MHz), radiation emission (9 kHz to the 10th harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower). For radiated measurement, the measured emission level of the EUT was maximized by rotating the EUT on a turntable, adjusting the orientation of the EUT (Open and Close) and EUT antenna in three orthogonal axis (X: flat, Y: portrait, Z: landscape) and accessory (Adapter or Earphone), and adjusting the measurement antenna orientation, following C63.10 exploratory test procedures and find X plane with Adapter open mode as worst plane.
- b. AC power line Conducted Emission was tested under maximum output power.


The following summary table is showing all test modes to demonstrate in compliance with the standard.


| Summary table of Test Cases |                             |                           |
|-----------------------------|-----------------------------|---------------------------|
| Test Item                   | Data Rate / Modulation      |                           |
| Conducted Test Cases        | Bluetooth LE 1Mbps CS ASK   | Bluetooth LE 2Mbps CS ASK |
|                             | Mode 1: CH02_2404 MHz       | Mode 4: CH02_2404 MHz     |
|                             | Mode 2: CH38_2440 MHz       | Mode 5: CH38_2440 MHz     |
|                             | Mode 3: CH76_2478 MHz       | Mode 6: CH76_2478 MHz     |
| Radiated Test Cases         | Bluetooth LE CS ASK         |                           |
|                             | <Ant.3>                     |                           |
|                             | Mode 1: CH02_2404 MHz_1Mbps |                           |
|                             | Mode 2: CH38_2440 MHz_1Mbps |                           |
|                             | Mode 3: CH76_2478 MHz_1Mbps |                           |
|                             | Mode 4: CH02_2404 MHz_2Mbps |                           |
|                             | Mode 5: CH38_2440 MHz_2Mbps |                           |
|                             | Mode 6: CH76_2478 MHz_2Mbps |                           |
|                             | <Ant.4>                     |                           |
|                             | Mode 1: CH02_2404 MHz_1Mbps |                           |
|                             | Mode 2: CH38_2440 MHz_1Mbps |                           |
|                             | Mode 3: CH76_2478 MHz_1Mbps |                           |
|                             | Mode 4: CH02_2404 MHz_2Mbps |                           |
|                             | Mode 5: CH38_2440 MHz_2Mbps |                           |
|                             | Mode 6: CH76_2478 MHz_2Mbps |                           |

| Summary table of Test Cases                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Test Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Data Rate / Modulation                                                       |
| <b>AC Conducted Emission</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Mode 1 :Bluetooth-LE CS Channel 19 Tx + USB Cable (Charging from AC Adapter) |
| <b>Remark:</b> <ol style="list-style-type: none"> <li>For Radiated Test Cases, the worst mode data rate 1Mbps was reported only since the highest RF output power in the preliminary tests. The conducted spurious emissions and conducted band edge measurement for other data rates were not worse than 1Mbps, and no other significantly frequencies found in conducted spurious emission.</li> <li>During the preliminary test, both charging modes (Adapter mode and WPC Rx Charging mode) were verified. It is determined that the adaptor mode is the worst case for official test.</li> </ol> |                                                                              |

## 2.3 Connection Diagram of Test System

### <AC Conducted Emission Mode>



**<Bluetooth-LE CS Tx Mode>**

**2.4 Support Unit used in test configuration and system**

| Item | Equipment | Brand Name | Model Name | FCC ID | Data Cable | Power Cord |
|------|-----------|------------|------------|--------|------------|------------|
| 1.   | Adapter   | Chicony    | G9BR1      | N/A    | N/A        | N/A        |



## 2.5 EUT Operation Test Setup

The RF test items, utility "CMD v.10.0.18362.1256" was installed in Notebook which was programmed in order to make the EUT get into the engineering modes to provide channel selection, power level, data rate and the application type and for continuous transmitting signals.

## 2.6 Measurement Results Explanation Example

**For all conducted test items:**

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

Example:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

*Offset = RF cable loss + attenuator factor.*

Following shows an offset computation example with cable loss 4.2 dB and 10 dB attenuator.

$$\begin{aligned}\text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)} \\ &= 4.2 + 10 = 14.2 \text{ (dB)}\end{aligned}$$

### 3 Test Result

#### 3.1 Number of Channel Measurement

##### 3.1.1 Limits of Number of Hopping Frequency

Frequency hopping systems in the 2400-2483.5 MHz band shall use at least 15 channels.


##### 3.1.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

##### 3.1.3 Test Procedure

1. The testing follows ANSI C63.10-2013 clause 7.8.3.
2. The RF output of EUT is connected to the spectrum analyzer by RF cable and attenuator. The path loss is compensated to the results for each measurement.
3. Set the maximum power setting and enable the EUT to transmit continuously.
4. Enable the EUT hopping function.
5. Use the following spectrum analyzer settings: Span = the frequency band of operation;  
RBW = 300 kHz; VBW  $\geq$  RBW; Sweep = auto; Detector function = peak; Trace = max hold.
6. The number of hopping frequency used is defined as the number of total channel.
7. Record the measurement data derived from spectrum analyzer.

##### 3.1.4 Test Setup



##### 3.1.5 Test Result of Number of Hopping Frequency

Please refer to Appendix A.

## 3.2 Hopping Channel Separation Measurement

### 3.2.1 Limit of Hopping Channel Separation

Frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater.


### 3.2.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

### 3.2.3 Test Procedures

1. The testing follows ANSI C63.10-2013 clause 7.8.2.
2. The RF output of EUT is connected to the spectrum analyzer by RF cable and attenuator. The path loss is compensated to the results for each measurement.
3. Set the maximum power setting and enable the EUT to transmit continuously.
4. Enable the EUT hopping function.
5. Use the following spectrum analyzer settings:  
Span = wide enough to capture the peaks of two adjacent channels;  
RBW = 300 kHz; VBW  $\geq$  RBW; Sweep = auto; Detector function = peak; Trace = max hold.
6. Measure and record the results in the test report.

### 3.2.4 Test Setup



### 3.2.5 Test Result of Hopping Channel Separation

Please refer to Appendix A.

### 3.3 Dwell Time Measurement

#### 3.3.1 Limit of Dwell Time

The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed.


#### 3.3.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

#### 3.3.3 Test Procedures

1. The testing follows ANSI C63.10-2013 clause 7.8.4.
2. The RF output of EUT is connected to the spectrum analyzer by RF cable and attenuator. The path loss is compensated to the results for each measurement.
3. Set the maximum power setting and enable the EUT to transmit continuously.
4. Enable the EUT hopping function.
5. Use the following spectrum analyzer settings: Span = zero span, centered on a hopping channel; RBW = 1 MHz; VBW  $\geq$  RBW; Sweep = as necessary to capture the entire dwell time per hopping channel; Detector function = peak; Trace = max hold.
6. Measure and record the results in the test report.

#### 3.3.4 Test Setup



#### 3.3.5 Test Result of Dwell Time

Please refer to Appendix A.

### 3.4 20dB and 99% Bandwidth Measurement

#### 3.4.1 Limit of 20dB and 99% Bandwidth

Reporting only

#### 3.4.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

#### 3.4.3 Test Procedures

1. The testing follows ANSI C63.10-2013 clause 6.9.2 and 6.9.3.
2. The RF output of EUT is connected to the spectrum analyzer by RF cable and attenuator. The path loss is compensated to the results for each measurement.
3. Set the maximum power setting and enable the EUT to transmit continuously.
4. Use the following spectrum analyzer settings for 20 dB Bandwidth measurement.  
Span = approximately 2 to 5 times the 20 dB bandwidth, centered on a hopping channel;  
RBW  $\geq$  1% of the 20 dB bandwidth; VBW  $\geq$  RBW; Sweep = auto; Detector function = peak;  
Trace = max hold.
5. Use the following spectrum analyzer settings for 99 % Bandwidth measurement.  
Span = approximately 1.5 to 5 times the 99% bandwidth, centered on a hopping channel;  
RBW within 1-5% of the 99% bandwidth; VBW  $\geq$  3 \* RBW; Sweep = auto; Detector function = peak;  
Trace = max hold.
6. Measure and record the results in the test report.

#### 3.4.4 Test Setup



#### 3.4.5 Test Result of 20dB Bandwidth

Please refer to Appendix A.

#### 3.4.6 Test Result of 99% Occupied Bandwidth

Please refer to Appendix A.

## 3.5 Output Power Measurement

### 3.5.1 Limit of Output Power

The maximum peak conducted output power of the intentional radiator shall not exceed the following:  
For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band 0.125 watts.  
If directional gain of transmitting antennas is greater than 6 dBi, the power shall be reduced by the same level in dB comparing to gain minus 6 dBi.


### 3.5.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

### 3.5.3 Test Procedures

1. The testing follows ANSI C63.10-2013 clause 7.8.5.
2. The RF output of EUT is connected to the power meter by RF cable and attenuator. The path loss is compensated to the results for each measurement.
3. Set the maximum power setting and enable the EUT to transmit continuously.
4. Measure the conducted output power with cable loss and record the results in the test report.
5. The average power is compensated with duty factor.
6. Record the results in the test report.

### 3.5.4 Test Setup



### 3.5.5 Test Result of Peak Output Power

Please refer to Appendix A.

### 3.5.6 Test Result of Average Output Power (Reporting Only)

Please refer to Appendix A.

## 3.6 Conducted Band Edges Measurement

### 3.6.1 Limit of Band Edges

In any 100 kHz bandwidth outside the intentional radiation frequency band, the radio frequency power shall be at least 20 dB below the highest level of the radiated power. In addition, radiated emissions which fall in the restricted bands must also comply with the radiated emission limits.


### 3.6.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

### 3.6.3 Test Procedures

1. The testing follows ANSI C63.10-2013 clause 7.8.6.
2. Set the maximum power setting and enable the EUT to transmit continuously.
3. Set RBW = 100 kHz, VBW = 300 kHz. Band edge emissions must be at least 20 dB down from the highest emission level within the authorized band as measured with a 100 kHz RBW. The attenuation shall be 30 dB instead of 20 dB when RMS conducted output power procedure is used.
4. Enable hopping function of the EUT and then repeat step 2 and 3.
5. Measure and record the results in the test report.

### 3.6.4 Test Setup



### 3.6.5 Test Result of Conducted Band Edges

Please refer to Appendix A.

### 3.6.6 Test Result of Conducted Hopping Mode Band Edges

Please refer to Appendix A.

## **3.7 Conducted Spurious Emission Measurement**

### **3.7.1 Limit of Spurious Emission Measurement**

In any 100 kHz bandwidth outside the intentional radiation frequency band, the radio frequency power shall be at least 20 dB below the highest level of the radiated power. In addition, radiated emissions which fall in the restricted bands must also comply with the radiated emission limits.


### **3.7.2 Measuring Instruments**

Please refer to the measuring equipment list in this test report.

### **3.7.3 Test Procedure**

1. The testing follows ANSI C63.10-2013 clause 7.8.8.
2. The RF output of EUT is connected to the spectrum analyzer by RF cable and attenuator. The path loss is compensated to the results for each measurement.
3. Set the maximum power setting and enable the EUT to transmit continuously.
4. Set RBW = 100 kHz, VBW = 300 kHz, scan up through 10th harmonic. All harmonics / spurious must be at least 20 dB down from the highest emission level within the authorized band as measured with a 100 kHz RBW.
5. Measure and record the results in the test report.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

### **3.7.4 Test Setup**



### **3.7.5 Test Result of Conducted Spurious Emission**

Please refer to Appendix A.



### 3.8 Radiated Band Edges and Spurious Emission Measurement

#### 3.8.1 Limit of Radiated Band Edges and Spurious Emission

In any 100 kHz bandwidth outside the intentional radiator frequency band, all harmonics / spurious must be at least 20 dB below the highest emission level within the authorized band. In addition, radiated emissions which fall in the restricted bands must also comply with the limits as below.

| Frequency<br>(MHz) | Field Strength<br>(microvolts/meter) | Measurement Distance<br>(meters) |
|--------------------|--------------------------------------|----------------------------------|
| 0.009 – 0.490      | 2400/F(kHz)                          | 300                              |
| 0.490 – 1.705      | 24000/F(kHz)                         | 30                               |
| 1.705 – 30.0       | 30                                   | 30                               |
| 30 – 88            | 100                                  | 3                                |
| 88 – 216           | 150                                  | 3                                |
| 216 - 960          | 200                                  | 3                                |
| Above 960          | 500                                  | 3                                |

#### 3.8.2 Measuring Instruments


Please refer to the measuring equipment list in this test report.

### 3.8.3 Test Procedures


1. The EUT is placed on a turntable with 0.8 meter for frequency below 1 GHz and 1.5 meter for frequency above 1 GHz respectively above ground.
2. The EUT is set 3 meters away from the receiving antenna, which is mounted on the top of a variable height antenna tower.
3. For each suspected emission, the EUT is arranged to its worst case and then tune the Antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading. A pre-amp and a high pass filter are used for the test in order to get better signal level to comply with the guidelines.
4. Set the maximum power setting and enable the EUT to transmit continuously.
5. Use the following spectrum analyzer settings:
  - (1) Span shall wide enough to fully capture the emission being measured;
  - (2) Set RBW = 100 kHz for  $f < 1$  GHz, RBW = 1 MHz for  $f > 1$  GHz ; VBW  $\geq$  RBW; Sweep = auto; Detector function = peak; Trace = max hold for peak
  - (3) For average measurement: Set RBW = 100 kHz for  $f < 1$  GHz, RBW = 1 MHz for  $f > 1$  GHz ; VBW  $\geq$  10Hz; Sweep = auto; Detector function = peak; Trace = max hold for average
6. Corrected Reading: Antenna Factor + Cable Loss + Read Level - Preamp Factor = Level
7. Radiated testing below 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading. When there is no suspected emission found and the emission level is with at least 6 dB margin against QP limit line, the position is marked as “-”.
8. Radiated testing above 1 GHz is performed by adjusting the antenna tower from 1 m to 4 m and by rotating the turn table from 0 degree to 360 degrees to find the peak maximum hold reading for scanning all frequencies. When there is no suspected emission found and the harmonic emission level is with at least 6 dB margin against average limit line, the position is marked as “-”.

### 3.8.4 Test Setup


For radiated test below 30MHz




For radiated test from 30MHz to 1GHz



For radiated test from 1GHz to 18GHz



For radiated test above 18GHz



### 3.8.5 Test Results of Radiated Spurious Emissions (9 kHz ~ 30 MHz)

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

There is adequate comparison measurement of both open-field test site and alternative test site - semi-Anechoic chamber according to 414788 D01 Radiated Test Site v01r01, and the result comes out very similar.

### 3.8.6 Test Result of Radiated Spurious at Band Edges

Please refer to Appendix C and D.

### 3.8.7 Duty Cycle

Please refer to Appendix E.

### 3.8.8 Test Result of Radiated Spurious Emission (30MHz ~ 10<sup>th</sup> Harmonic)

Please refer to Appendix C and D.

### 3.9 AC Conducted Emission Measurement

#### 3.9.1 Limit of AC Conducted Emission

For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies within the band 150 kHz to 30 MHz shall not exceed the limits in the following table.

| Frequency of emission (MHz) | Conducted limit (dB $\mu$ V) |           |
|-----------------------------|------------------------------|-----------|
|                             | Quasi-peak                   | Average   |
| 0.15-0.5                    | 66 to 56*                    | 56 to 46* |
| 0.5-5                       | 56                           | 46        |
| 5-30                        | 60                           | 50        |

\*Decreases with the logarithm of the frequency.


#### 3.9.2 Measuring Instruments

Please refer to the measuring equipment list in this test report.

#### 3.9.3 Test Procedures

1. The EUT is placed 0.4 meter away from the conducting wall of the shielding room, and is kept at least 80 centimeters from any other grounded conducting surface.
2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
3. All the support units are connecting to the other LISN.
4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
5. The FCC states that a 50 ohm, 50 microhenry LISN shall be used.
6. Both Line and Neutral shall be tested in order to find out the maximum conducted emission.
7. The frequency range from 150 kHz to 30 MHz is scanned.
8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9 kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.

### 3.9.4 Test Setup



### 3.9.5 Test Result of AC Conducted Emission

Please refer to Appendix B.



### **3.10 Antenna Requirements**

#### **3.10.1 Standard Applicable**

The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the rule.

#### **3.10.2 Antenna Anti-Replacement Construction**

An embedded-in antenna design is used.



## 4 List of Measuring Equipment

| Instrument                             | Brand Name         | Model No.                  | Serial No.               | Characteristics                  | Calibration Date | Test Date                       | Due Date      | Remark                   |
|----------------------------------------|--------------------|----------------------------|--------------------------|----------------------------------|------------------|---------------------------------|---------------|--------------------------|
| Loop Antenna                           | Rohde & Schwarz    | HFH2-Z2                    | 100488                   | 9 kHz~30 MHz                     | Sep. 12, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Sep. 11, 2024 | Radiation<br>(03CH23-HY) |
| Bilog Antenna<br>with 6dB pad          | TESEQ &<br>WOKEN   | CBL 6111D &<br>00802N1D-06 | 62028 & 003              | N/A                              | Oct. 15, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Oct. 14, 2024 | Radiation<br>(03CH23-HY) |
| Amplifier                              | SONOMA             | 310N                       | 421582                   | 9kHz~1GHz                        | Jul. 15, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Jul. 14, 2024 | Radiation<br>(03CH23-HY) |
| Double Ridged<br>Guide Horn<br>Antenna | RFSPIN             | DRH18-E                    | LE2C05A18EN              | 1GHz~18GHz                       | Jul. 12, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Jul. 11, 2024 | Radiation<br>(03CH23-HY) |
| SHF-EHF Horn<br>Antenna                | SCHWARZBE<br>CK    | BBHA9170                   | 1225                     | 18GHz~40GHz                      | Jul. 10, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Jul. 09, 2024 | Radiation<br>(03CH23-HY) |
| Amplifier                              | EMEC               | EM01G18GA                  | 060877                   | 1GHz~18GHz                       | Sep. 28, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Sep. 27, 2024 | Radiation<br>(03CH23-HY) |
| Preamplifier                           | EMEC               | EM18G40G                   | 060871                   | 18-40GHz                         | Aug. 30, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Aug. 29, 2024 | Radiation<br>(03CH23-HY) |
| Signal<br>Analyzer                     | Keysight           | N9010B                     | MY62170337               | 10Hz~44GHz                       | Aug. 17, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Aug. 16, 2024 | Radiation<br>(03CH23-HY) |
| Hygrometer                             | TECPEL             | DTM-303B                   | TP211542                 | N/A                              | Oct. 30, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Oct. 29, 2024 | Radiation<br>(03CH23-HY) |
| Controller                             | EMEC               | EM1000                     | N/A                      | Control Turn<br>table & Ant Mast | N/A              | Feb. 07, 2024~<br>Mar. 29, 2024 | N/A           | Radiation<br>(03CH23-HY) |
| Antenna Mast                           | ChainTek           | MBS-520-1                  | N/A                      | 1m~4m                            | N/A              | Feb. 07, 2024~<br>Mar. 29, 2024 | N/A           | Radiation<br>(03CH23-HY) |
| Turn Table                             | ChainTek           | T-200-S-1                  | N/A                      | 0~360 Degree                     | N/A              | Feb. 07, 2024~<br>Mar. 29, 2024 | N/A           | Radiation<br>(03CH23-HY) |
| Software                               | Audix              | E3<br>6.09824_2019<br>122  | RK-002348                | N/A                              | N/A              | Feb. 07, 2024~<br>Mar. 29, 2024 | N/A           | Radiation<br>(03CH23-HY) |
| RF Cable                               | HUBER +<br>SUHNER  | SUCOFLEX<br>102            | 803951/2                 | 9kHz~30MHz                       | Mar. 06, 2024    | Feb. 07, 2024~<br>Mar. 29, 2024 | Mar. 05, 2025 | Radiation<br>(03CH23-HY) |
| RF Cable                               | HUBER +<br>SUHNER  | SUCOFLEX<br>102            | 804395/2                 | 30MHz~40GHz                      | Nov. 27, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Nov. 26, 2024 | Radiation<br>(03CH23-HY) |
| RF Cable                               | EMC                | EMC101Y                    | 231115/231119<br>/231122 | 30MHz~40GHz                      | Nov. 27, 2023    | Feb. 07, 2024~<br>Mar. 29, 2024 | Nov. 26, 2024 | Radiation<br>(03CH23-HY) |
| AC Power<br>Source                     | ACPOWER            | AFC-11003G                 | F317040033               | N/A                              | N/A              | Mar. 20, 2024~<br>Mar. 22, 2024 | N/A           | Conduction<br>(CO07-HY)  |
| Software                               | Rohde &<br>Schwarz | EMC32 V10.30               | N/A                      | N/A                              | N/A              | Mar. 20, 2024~<br>Mar. 22, 2024 | N/A           | Conduction<br>(CO07-HY)  |
| Pulse Limiter                          | SCHWARZBE<br>CK    | VTSD 9561-F<br>N           | 9561-F<br>N00373         | 9kHz~200MHz                      | Oct. 20, 2023    | Mar. 20, 2024~<br>Mar. 22, 2024 | Oct. 19, 2024 | Conduction<br>(CO07-HY)  |
| RF Cable                               | HUBER +<br>SUHNER  | RG 214/U                   | 1358175                  | 9kHz~30MHz                       | Mar. 14, 2024    | Mar. 20, 2024~<br>Mar. 22, 2024 | Mar. 13, 2025 | Conduction<br>(CO07-HY)  |
| Two-Line<br>V-Network                  | TESEQ              | NNB 51                     | 45051                    | N/A                              | Mar. 10, 2024    | Mar. 20, 2024~<br>Mar. 22, 2024 | Mar. 09, 2025 | Conduction<br>(CO07-HY)  |
| Four-Line<br>V-Network                 | TESEQ              | NNB 52                     | 36122                    | N/A                              | Mar. 07, 2024    | Mar. 20, 2024~<br>Mar. 22, 2024 | Mar. 06, 2025 | Conduction<br>(CO07-HY)  |
| EMI Test<br>Receiver                   | Rohde &<br>Schwarz | ESR3                       | 102317                   | 9kHz~3.6GHz                      | Sep. 20, 2023    | Mar. 20, 2024~<br>Mar. 22, 2024 | Sep. 19, 2024 | Conduction<br>(CO07-HY)  |
| Hygrometer                             | TECPEL             | DTM-303A                   | TP201996                 | N/A                              | Nov. 07, 2023    | Feb. 28, 2024~<br>May 10, 2024  | Nov. 06, 2024 | Conducted<br>(TH05-HY)   |
| Power Meter                            | Anritsu            | ML2495A                    | 1036004                  | N/A                              | Jul. 27, 2023    | Feb. 28, 2024~<br>May 10, 2024  | Jul. 26, 2024 | Conducted<br>(TH05-HY)   |
| Power Sensor                           | Anritsu            | MA2411B                    | 1027253                  | 300MHz~40GHz                     | Jul. 27, 2023    | Feb. 28, 2024~<br>May 10, 2024  | Jul. 26, 2024 | Conducted<br>(TH05-HY)   |
| Signal<br>Analyzer                     | Rohde &<br>Schwarz | FSV40                      | 101566                   | 10Hz~40GHz                       | Aug. 23, 2023    | Feb. 28, 2024~<br>May 10, 2024  | Aug. 22, 2024 | Conducted<br>(TH05-HY)   |



## 5 Measurement Uncertainty

### Uncertainty of Conducted Emission Measurement (150 kHz ~ 30 MHz)

|                                                                            |         |
|----------------------------------------------------------------------------|---------|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 3.44 dB |
|----------------------------------------------------------------------------|---------|

### Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

|                                                                            |         |
|----------------------------------------------------------------------------|---------|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 5.80 dB |
|----------------------------------------------------------------------------|---------|

### Uncertainty of Radiated Emission Measurement (1000 MHz ~ 6000 MHz)

|                                                                            |         |
|----------------------------------------------------------------------------|---------|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 4.40 dB |
|----------------------------------------------------------------------------|---------|

### Uncertainty of Radiated Emission Measurement (6000 MHz ~ 18000 MHz)

|                                                                            |         |
|----------------------------------------------------------------------------|---------|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 4.30 dB |
|----------------------------------------------------------------------------|---------|

### Uncertainty of Radiated Emission Measurement (18000 MHz ~ 40000 MHz)

|                                                                            |         |
|----------------------------------------------------------------------------|---------|
| Measuring Uncertainty for a Level of Confidence<br>of 95% ( $U = 2Uc(y)$ ) | 5.20 dB |
|----------------------------------------------------------------------------|---------|

**Appendix A. Test Result of Conducted Test Items**

|                |                     |                    |       |    |
|----------------|---------------------|--------------------|-------|----|
| Test Engineer: | Mina Liu            | Temperature:       | 21~25 | °C |
| Test Date:     | 2024/2/28~2024/5/10 | Relative Humidity: | 51~54 | %  |

&lt;Ant. 3&gt;

**TEST RESULTS DATA****20dB and 99% Occupied Bandwidth and Hopping Channel Separation**

| Mod. | Data Rate | N <sub>TX</sub> | CH. | Freq. (MHz) | 20dB BW (MHz) | 99% Bandwidth (MHz) | Hopping Channel Separation Measurement (MHz) | Hopping Channel Separation Measurement Limit (MHz) | Pass/Fail |
|------|-----------|-----------------|-----|-------------|---------------|---------------------|----------------------------------------------|----------------------------------------------------|-----------|
| ASK  | 1Mbps     | 1               | 2   | 2404        | 0.126         | 0.268               | 1.007                                        | 0.0838                                             | Pass      |
|      | 1Mbps     | 1               | 38  | 2440        | 0.126         | 0.266               | 1.003                                        | 0.0842                                             | Pass      |
|      | 1Mbps     | 1               | 76  | 2478        | 0.125         | 0.266               | 1.012                                        | 0.0836                                             | Pass      |
| ASK  | 2Mbps     | 1               | 2   | 2404        | 0.123         | 0.260               | 0.994                                        | 0.0823                                             | Pass      |
|      | 2Mbps     | 1               | 38  | 2440        | 0.123         | 0.262               | 0.999                                        | 0.0823                                             | Pass      |
|      | 2Mbps     | 1               | 76  | 2478        | 0.123         | 0.264               | 0.994                                        | 0.0819                                             | Pass      |

**TEST RESULTS DATA****Dwell Time**

| Mod. | Hopping Channel Number | Hops Over Occupancy Time (hops) | Package Transfer Time (msec) | Dwell Time (sec) | Limits (sec) | Pass/Fail |
|------|------------------------|---------------------------------|------------------------------|------------------|--------------|-----------|
| ASK  | 72                     | 1796                            | 0.044                        | 0.079            | 0.4          | Pass      |

**TEST RESULTS DATA****Peak Power Table**

| Mod.         | CH. | N <sub>TX</sub> | Peak Power (dBm) | Power Limit (dBm) | Test Result |
|--------------|-----|-----------------|------------------|-------------------|-------------|
| ASK<br>1Mbps | 2   | 1               | 19.55            | 20.97             | Pass        |
|              | 38  | 1               | 19.67            | 20.97             | Pass        |
|              | 76  | 1               | 19.42            | 20.97             | Pass        |
| ASK<br>2Mbps | 2   | 1               | 19.61            | 20.97             | Pass        |
|              | 38  | 1               | 19.70            | 20.97             | Pass        |
|              | 76  | 1               | 19.48            | 20.97             | Pass        |

**TEST RESULTS DATA****Average Power Table**  
**(Reporting Only)**

| Mod.         | CH. | N <sub>TX</sub> | Average Power (dBm) | Duty Factor (dB) |
|--------------|-----|-----------------|---------------------|------------------|
| ASK<br>1Mbps | 2   | 1               | 19.44               | 8.01             |
|              | 38  | 1               | 19.48               | 8.01             |
|              | 76  | 1               | 19.35               | 8.01             |
| ASK<br>2Mbps | 2   | 1               | 19.46               | 8.01             |
|              | 38  | 1               | 19.49               | 8.01             |
|              | 76  | 1               | 19.43               | 8.01             |

**TEST RESULTS DATA****Number of Hopping Frequency**

| Number of Hopping (Channel) | Adaptive Frequency Hopping (Channel) | Limits (Channel) | Pass/Fail |
|-----------------------------|--------------------------------------|------------------|-----------|
| 72                          | 15                                   | > 15             | Pass      |

&lt;Ant. 4&gt;

**TEST RESULTS DATA****20dB and 99% Occupied Bandwidth and Hopping Channel Separation**

| Mod. | Data Rate | NTX | CH. | Freq. (MHz) | 20dB BW (MHz) | 99% Bandwidth (MHz) | Hopping Channel Separation Measurement (MHz) | Hopping Channel Separation Measurement Limit (MHz) | Pass/Fail |
|------|-----------|-----|-----|-------------|---------------|---------------------|----------------------------------------------|----------------------------------------------------|-----------|
| ASK  | 1Mbps     | 1   | 2   | 2404        | 0.127         | 0.270               | 1.007                                        | 0.0845                                             | Pass      |
|      | 1Mbps     | 1   | 38  | 2440        | 0.126         | 0.268               | 1.003                                        | 0.0843                                             | Pass      |
|      | 1Mbps     | 1   | 76  | 2478        | 0.126         | 0.270               | 0.999                                        | 0.0840                                             | Pass      |
| ASK  | 2Mbps     | 1   | 2   | 2404        | 0.124         | 0.262               | 1.003                                        | 0.0825                                             | Pass      |
|      | 2Mbps     | 1   | 38  | 2440        | 0.123         | 0.260               | 1.007                                        | 0.0818                                             | Pass      |
|      | 2Mbps     | 1   | 76  | 2478        | 0.123         | 0.264               | 1.012                                        | 0.0822                                             | Pass      |

**TEST RESULTS DATA****Dwell Time**

| Mod. | Hopping Channel Number | Hops Over Occupancy Time (hops) | Package Transfer Time (msec) | Dwell Time (sec) | Limits (sec) | Pass/Fail |
|------|------------------------|---------------------------------|------------------------------|------------------|--------------|-----------|
| ASK  | 72                     | 1783                            | 0.044                        | 0.078            | 0.4          | Pass      |

**TEST RESULTS DATA****Peak Power Table**

| Mod.         | CH. | NTX | Peak Power (dBm) | Power Limit (dBm) | Test Result |
|--------------|-----|-----|------------------|-------------------|-------------|
| ASK<br>1Mbps | 2   | 1   | 19.58            | 20.97             | Pass        |
|              | 38  | 1   | 19.49            | 20.97             | Pass        |
|              | 76  | 1   | 19.50            | 20.97             | Pass        |
| ASK<br>2Mbps | 2   | 1   | 19.64            | 20.97             | Pass        |
|              | 38  | 1   | 19.57            | 20.97             | Pass        |
|              | 76  | 1   | 19.58            | 20.97             | Pass        |

**TEST RESULTS DATA****Average Power Table****(Reporting Only)**

| Mod.         | CH. | NTX | Average Power (dBm) | Duty Factor (dB) |
|--------------|-----|-----|---------------------|------------------|
| ASK<br>1Mbps | 2   | 1   | 19.47               | 8.01             |
|              | 38  | 1   | 19.36               | 8.01             |
|              | 76  | 1   | 19.35               | 8.01             |
| ASK<br>2Mbps | 2   | 1   | 19.49               | 8.01             |
|              | 38  | 1   | 19.44               | 8.01             |
|              | 76  | 1   | 19.47               | 8.01             |

**TEST RESULTS DATA****Number of Hopping Frequency**


| Number of Hopping (Channel) | Adaptive Frequency Hopping (Channel) | Limits (Channel) | Pass/Fail |
|-----------------------------|--------------------------------------|------------------|-----------|
| 72                          | 15                                   | > 15             | Pass      |




&lt;Ant.3&gt;

**Number of Hopping Frequency**

&lt;1Mbps&gt;



&lt;2Mbps&gt;







## Hopping Channel Separation

&lt;1Mbps&gt;


Channel Separation Plot on Channel 02 - 03



Channel Separation Plot on Channel 38 - 39




Channel Separation Plot on Channel 75 - 76






&lt;2Mbps&gt;


Channel Separation Plot on Channel 02 - 03




Channel Separation Plot on Channel 38 - 39



Channel Separation Plot on Channel 75 - 76



## Dwell Time




### Remark:

1. Dwell Time(s) = Hops Over Occupancy Time (hops) x Package Transfer Time  
 $= 1796 \times 0.044 \text{ ms} = 0.079 \text{ sec}$




2. The observation Occupancy time is hopping channel 72 channels x 400ms = 28.8sec using sweep point 30,000. This shows that 1ms per on-time contains 1 hop.

The total hops is finally counted via computer analysis.



**20dB Bandwidth**


&lt;1Mbps&gt;

**20 dB Bandwidth Plot in Channel 02****20 dB Bandwidth Plot in Channel 38****20 dB Bandwidth Plot in Channel 76**




&lt;2Mbps&gt;


20 dB Bandwidth Plot in Channel 02



20 dB Bandwidth Plot in Channel 38






20 dB Bandwidth Plot in Channel 76



**99% Occupied Bandwidth**


&lt;1Mbps&gt;

**99% Occupied Bandwidth on Channel 02****99% Occupied Bandwidth on Channel 38****99% Occupied Bandwidth on Channel 76**




&lt;2Mbps&gt;


## 99% Occupied Bandwidth on Channel 02



## 99% Occupied Bandwidth on Channel 38




## 99% Occupied Bandwidth on Channel 76






## Band Edges

&lt;1Mbps&gt;




&lt;2Mbps&gt;






## Hopping Mode Band Edges

&lt;1Mbps&gt;



&lt;2Mbps&gt;







## Conducted Spurious Emission

&lt;1Mbps&gt;


CSE Plot on Low Ch between 30MHz ~ 1 GHz




CSE Plot on Low Ch between 1GHz ~ 26.5GHz




CSE Plot on Mid. Ch between 30MHz ~ 1 GHz




CSE Plot on Mid. Ch between 1GHz ~ 26.5GHz









CSE Plot on High Ch between 30MHz ~ 1 GHz



CSE Plot on High Ch between 1GHz ~ 26.5GHz




**<2Mbps>**
**CSE Plot on Low Ch between 30MHz ~ 1 GHz**

**CSE Plot on Low Ch between 1GHz ~ 26.5GHz**

**CSE Plot on Mid. Ch between 30MHz ~ 1 GHz**

**CSE Plot on Mid. Ch between 1GHz ~ 26.5GHz**

**CSE Plot on High Ch between 30MHz ~ 1 GHz**

**CSE Plot on High Ch between 1GHz ~ 26.5GHz**





<Ant.4>

## Number of Hopping Frequency

<1Mbps>



<2Mbps>







## Hopping Channel Separation

<1Mbps>


Channel Separation Plot on Channel 02 - 03



Channel Separation Plot on Channel 38 - 39




Channel Separation Plot on Channel 75 - 76






<2Mbps>

Channel Separation Plot on Channel 02 - 03




Date: 10.MAY.2024 17:23:48

Channel Separation Plot on Channel 38 - 39




Date: 10.MAY.2024 17:25:39

Channel Separation Plot on Channel 75 - 76



Date: 10.MAY.2024 17:27:30


**Dwell Time****Remark:**

1. Dwell Time(s) = Hops Over Occupancy Time (hops) x Package Transfer Time

$$= 1783 \times 0.044 \text{ ms} = 0.078 \text{ sec}$$

2. The observation Occupancy time is hopping channel 72 channels x 400ms = 28.8sec using sweep point 30,000. This shows that 1ms per on-time contains 1 hop.

The total hops is finally counted via computer analysis.







## 20dB Bandwidth

<1Mbps>


20 dB Bandwidth Plot in Channel 02




20 dB Bandwidth Plot in Channel 38



20 dB Bandwidth Plot in Channel 76









## 99% Occupied Bandwidth

<1Mbps>


### 99% Occupied Bandwidth on Channel 02



### 99% Occupied Bandwidth on Channel 38




### 99% Occupied Bandwidth on Channel 76






<2Mbps>


99% Occupied Bandwidth on Channel 02



99% Occupied Bandwidth on Channel 38




99% Occupied Bandwidth on Channel 76






## Band Edges

<1Mbps>




<2Mbps>






## Hopping Mode Band Edges

<1Mbps>




<2Mbps>




## Conducted Spurious Emission

<1Mbps>


CSE Plot on Low Ch between 30MHz ~ 1 GHz




CSE Plot on Low Ch between 1GHz ~ 26.5GHz




CSE Plot on Mid. Ch between 30MHz ~ 1 GHz




CSE Plot on Mid. Ch between 1GHz ~ 26.5GHz



CSE Plot on High Ch between 30MHz ~ 1 GHz




CSE Plot on High Ch between 1GHz ~ 26.5GHz






<2Mbps>


CSE Plot on Low Ch between 30MHz ~ 1 GHz




CSE Plot on Low Ch between 1GHz ~ 26.5GHz




CSE Plot on Mid. Ch between 30MHz ~ 1 GHz




CSE Plot on Mid. Ch between 1GHz ~ 26.5GHz



CSE Plot on High Ch between 30MHz ~ 1 GHz



CSE Plot on High Ch between 1GHz ~ 26.5GHz





## **Appendix B. AC Conducted Emission Test Results**


|                        |             |                            |            |
|------------------------|-------------|----------------------------|------------|
| <b>Test Engineer :</b> | Louis Chung | <b>Temperature :</b>       | 18.5~22.7℃ |
|                        |             | <b>Relative Humidity :</b> | 43.3~55.5% |

## EUT Information

Report NO : 3D2001

Test Voltage : 120Vac/60Hz  
Phase : Line

### Full Spectrum



## Final\_Result


| Frequency (MHz) | QuasiPeak (dBuV) | CAverage (dBuV) | Limit (dBuV) | Margin (dB) | Line | Filter | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|------|--------|------------|
| 0.181500        | ---              | 33.06           | 54.42        | 21.36       | L1   | OFF    | 19.9       |
| 0.181500        | 51.81            | ---             | 64.42        | 12.61       | L1   | OFF    | 19.9       |
| 0.200850        | ---              | 26.67           | 53.58        | 26.91       | L1   | OFF    | 19.9       |
| 0.200850        | 47.91            | ---             | 63.58        | 15.67       | L1   | OFF    | 19.9       |
| 0.269250        | ---              | 24.31           | 51.14        | 26.83       | L1   | OFF    | 19.9       |
| 0.269250        | 38.48            | ---             | 61.14        | 22.66       | L1   | OFF    | 19.9       |
| 0.402270        | ---              | 22.22           | 47.81        | 25.59       | L1   | OFF    | 19.9       |
| 0.402270        | 35.87            | ---             | 57.81        | 21.94       | L1   | OFF    | 19.9       |
| 0.495960        | ---              | 21.30           | 46.07        | 24.77       | L1   | OFF    | 19.9       |
| 0.495960        | 32.75            | ---             | 56.07        | 23.32       | L1   | OFF    | 19.9       |
| 2.861250        | ---              | 24.33           | 46.00        | 21.67       | L1   | OFF    | 20.0       |
| 2.861250        | 29.88            | ---             | 56.00        | 26.12       | L1   | OFF    | 20.0       |

## EUT Information

Report NO : 3D2001

Test Voltage : 120Vac/60Hz  
Phase : Neutral

### Full Spectrum



## Final\_Result

| Frequency (MHz) | QuasiPeak (dBuV) | CAverage (dBuV) | Limit (dBuV) | Margin (dB) | Line | Filter | Corr. (dB) |
|-----------------|------------------|-----------------|--------------|-------------|------|--------|------------|
| 0.177630        | ---              | 31.72           | 54.60        | 22.88       | N    | OFF    | 19.9       |
| 0.177630        | 51.25            | ---             | 64.60        | 13.35       | N    | OFF    | 19.9       |
| 0.199590        | ---              | 31.29           | 53.63        | 22.34       | N    | OFF    | 19.9       |
| 0.199590        | 49.76            | ---             | 63.63        | 13.87       | N    | OFF    | 19.9       |
| 0.271950        | ---              | 27.33           | 51.06        | 23.73       | N    | OFF    | 19.9       |
| 0.271950        | 39.96            | ---             | 61.06        | 21.10       | N    | OFF    | 19.9       |
| 0.401100        | ---              | 22.82           | 47.83        | 25.01       | N    | OFF    | 19.9       |
| 0.401100        | 36.09            | ---             | 57.83        | 21.74       | N    | OFF    | 19.9       |
| 0.494250        | ---              | 22.96           | 46.10        | 23.14       | N    | OFF    | 19.9       |
| 0.494250        | 35.11            | ---             | 56.10        | 20.99       | N    | OFF    | 19.9       |
| 2.838750        | ---              | 24.41           | 46.00        | 21.59       | N    | OFF    | 20.0       |
| 2.838750        | 30.32            | ---             | 56.00        | 25.68       | N    | OFF    | 20.0       |
| 11.122170       | ---              | 24.95           | 50.00        | 25.05       | N    | OFF    | 20.1       |
| 11.122170       | 29.90            | ---             | 60.00        | 30.10       | N    | OFF    | 20.1       |



## Appendix C. Radiated Spurious Emission

|                 |                     |                     |             |
|-----------------|---------------------|---------------------|-------------|
| Test Engineer : | Leo Li and Karl Hou | Temperature :       | 21.7~22.5°C |
|                 |                     | Relative Humidity : | 51.0~57.0%  |

&lt;ASK 1Mbps&gt;

&lt;Ant.3&gt;

## 2.4GHz 2400~2483.5MHz

## BLE (Band Edge @ 3m)

| BLE                     | Note | Frequency | Level      | Margin | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak    | Pol.    |
|-------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
|                         |      |           |            |        | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
|                         |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| BLE<br>CH 02<br>2404MHz |      | 2360.295  | 44.17      | -29.83 | 74         | 38.09    | 27.1     | 10.69  | 31.71  | 115    | 151     | P       | H       |
|                         |      | 2360.295  | -11.75     | -65.75 | 54         | -        | -        | -      | -      | -      | -       | A       | H       |
|                         | *    | 2404      | 100.4      | -      | -          | 94.29    | 27.06    | 7.34   | 31.74  | 115    | 151     | P       | H       |
|                         | *    | 2404      | 44.48      | -      | -          | -        | -        | -      | -      | -      | -       | A       | H       |
|                         |      |           |            |        |            |          |          |        |        |        |         |         | H       |
|                         |      |           |            |        |            |          |          |        |        |        |         |         | H       |
|                         |      | 2388.54   | 43.93      | -30.07 | 74         | 37.91    | 27       | 10.75  | 31.73  | 400    | 35      | P       | V       |
|                         |      | 2388.54   | -11.99     | -65.99 | 54         | -        | -        | -      | -      | -      | -       | A       | V       |
|                         | *    | 2404      | 98.86      | -      | -          | 92.75    | 27.06    | 7.34   | 31.74  | 400    | 35      | P       | V       |
|                         | *    | 2404      | 42.94      | -      | -          | -        | -        | -      | -      | -      | -       | A       | V       |
|                         |      |           |            |        |            |          |          |        |        |        |         |         | V       |
|                         |      |           |            |        |            |          |          |        |        |        |         |         | V       |
| BLE<br>CH 38<br>2440MHz |      | 2358.02   | 44.35      | -29.65 | 74         | 38.28    | 27.1     | 10.68  | 31.71  | 115    | 147     | P       | H       |
|                         |      | 2358.02   | -11.57     | -65.57 | 54         | -        | -        | -      | -      | -      | -       | A       | H       |
|                         | *    | 2440      | 100.26     | -      | -          | 94.29    | 26.9     | 10.83  | 31.76  | 115    | 147     | P       | H       |
|                         | *    | 2440      | 44.34      | -      | -          | -        | -        | -      | -      | -      | -       | A       | H       |
|                         |      | 2494.26   | 43.96      | -30.04 | 74         | 37.94    | 26.9     | 10.92  | 31.8   | 115    | 147     | P       | H       |
|                         |      | 2494.26   | -11.96     | -65.96 | 54         | -        | -        | -      | -      | -      | -       | A       | H       |
|                         |      | 2348.64   | 43.84      | -30.16 | 74         | 37.8     | 27.1     | 10.65  | 31.71  | 400    | 36      | P       | V       |
|                         |      | 2348.64   | -12.08     | -66.08 | 54         | -        | -        | -      | -      | -      | -       | A       | V       |
|                         | *    | 2440      | 99.99      | -      | -          | 94.02    | 26.9     | 10.83  | 31.76  | 400    | 36      | P       | V       |
|                         | *    | 2440      | 44.07      | -      | -          | -        | -        | -      | -      | -      | -       | A       | V       |
|                         |      | 2492.02   | 44.32      | -29.68 | 74         | 38.31    | 26.9     | 10.91  | 31.8   | 400    | 36      | P       | V       |
|                         |      | 2492.02   | -11.6      | -65.6  | 54         | -        | -        | -      | -      | -      | -       | A       | V       |



|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   |   |
|----------------------------------|---------------------------------------------------------------------------------------------|---------|--------|--------|----|-------|-------|-------|-------|-----|-----|---|---|
| <b>BLE<br/>CH 76<br/>2478MHz</b> | *                                                                                           | 2478    | 98.09  | -      | -  | 92.18 | 26.8  | 10.9  | 31.79 | 107 | 157 | P | H |
|                                  | *                                                                                           | 2478    | 42.17  | -      | -  | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             | 2486.92 | 43.68  | -30.32 | 74 | 37.69 | 26.87 | 10.91 | 31.79 | 107 | 157 | P | H |
|                                  |                                                                                             | 2486.92 | -12.24 | -66.24 | 54 | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                  | *                                                                                           | 2478    | 95.87  | -      | -  | 89.96 | 26.8  | 10.9  | 31.79 | 400 | 30  | P | V |
|                                  | *                                                                                           | 2478    | 39.95  | -      | -  | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             | 2496.68 | 44.08  | -29.92 | 74 | 38.06 | 26.9  | 10.92 | 31.8  | 400 | 30  | P | V |
|                                  |                                                                                             | 2496.68 | -11.84 | -65.84 | 54 | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
| <b>Remark</b>                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |         |        |        |    |       |       |       |       |     |     |   |   |

**2.4GHz 2400~2483.5MHz****BLE (Harmonic @ 3m)**

| BLE                     | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| BLE<br>CH 02<br>2404MHz |      | 4808                 | 45.97               | -28.03           | 74                          | 34.26                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | H               |
|                         |      | 4808                 | -9.95               | -63.95           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      | 4808                 | 45.8                | -28.2            | 74                          | 34.09                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | V               |
|                         |      | 4808                 | -10.12              | -64.12           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |



| BLE                     | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| BLE<br>CH 38<br>2440MHz |      | 4880                 | 45.27               | -28.73           | 74                          | 33.34                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | H               |
|                         |      | 4880                 | -10.65              | -64.65           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      | 7320                 | 50.21               | -23.79           | 74                          | 33.92                     | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | H               |
|                         |      | 7320                 | -5.71               | -59.71           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      | 4880                 | 45.58               | -28.42           | 74                          | 33.65                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | V               |
|                         |      | 4880                 | -10.34              | -64.34           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      | 7320                 | 49.75               | -24.25           | 74                          | 33.46                     | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | V               |
|                         |      | 7320                 | -6.17               | -60.17           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |

[illegible]



| BLE                           | Note                                                                                                                                                                                                                  | Frequency | Level      | Margin | Limit      | Read   | Antenna  | Path   | Preamp | Ant    | Table   | Peak  | Pol.  |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|--------|------------|--------|----------|--------|--------|--------|---------|-------|-------|
|                               |                                                                                                                                                                                                                       |           |            |        | Line       | Level  | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
|                               |                                                                                                                                                                                                                       | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | (dBμV) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| <b>2.4GHz<br/>BLE<br/>SHF</b> |                                                                                                                                                                                                                       | 24968.7   | 44.63      | -29.37 | 74         | 51.11  | 39.44    | 13.64  | 59.56  | -      | -       | P     | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                               |                                                                                                                                                                                                                       | 24864.57  | 44.74      | -29.26 | 74         | 51.22  | 39.71    | 13.58  | 59.77  | -      | -       | P     | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                               |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         | V     |       |
| <b>Remark</b>                 | 1. No other spurious found.<br>2. All results are PASS against limit line.<br>3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. |           |            |        |            |        |          |        |        |        |         |       |       |

## Emission below 1GHz

## 2.4GHz BLE (LF)

[illegible]



&lt;Ant.4&gt;

## 2.4GHz 2400~2483.5MHz

## BLE (Band Edge @ 3m)

| BLE                     | Note | Frequency | Level      | Margin | Limit<br>Line | Read<br>Level | Antenna<br>Factor | Path<br>Loss | Preamp<br>Factor | Ant<br>Pos | Table<br>Pos | Peak<br>Avg. | Pol.    |
|-------------------------|------|-----------|------------|--------|---------------|---------------|-------------------|--------------|------------------|------------|--------------|--------------|---------|
|                         |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m )    | ( dBμV )      | ( dB/m )          | ( dB )       | ( dB )           | ( cm )     | ( deg )      | ( P/A )      | ( H/V ) |
| BLE<br>CH 02<br>2404MHz |      | 2326.695  | 44.35      | -29.65 | 74            | 38.24         | 27.2              | 10.6         | 31.69            | 100        | 219          | P            | H       |
|                         |      | 2326.695  | -9.63      | -63.63 | 54            | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         | *    | 2404      | 99.18      | -      | -             | 93.07         | 27.06             | 10.79        | 31.74            | 100        | 219          | P            | H       |
|                         | *    | 2404      | 45.2       | -      | -             | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | H       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | H       |
|                         |      | 2324.805  | 44.49      | -29.51 | 74            | 38.38         | 27.2              | 10.6         | 31.69            | 390        | 172          | P            | V       |
|                         |      | 2324.805  | -9.49      | -63.49 | 54            | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         | *    | 2404      | 93.21      | -      | -             | 87.1          | 27.06             | 10.79        | 31.74            | 390        | 172          | P            | V       |
|                         | *    | 2404      | 39.23      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | V       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | V       |
| BLE<br>CH 38<br>2440MHz |      | 2351.58   | 44.29      | -29.71 | 74            | 38.23         | 27.1              | 10.67        | 31.71            | 111        | 232          | P            | H       |
|                         |      | 2351.58   | -9.69      | -63.69 | 54            | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         | *    | 2440      | 100.66     | -      | -             | 94.69         | 26.9              | 10.83        | 31.76            | 111        | 232          | P            | H       |
|                         | *    | 2440      | 46.68      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         |      | 2486.49   | 44.45      | -29.55 | 74            | 38.47         | 26.86             | 10.91        | 31.79            | 111        | 232          | P            | H       |
|                         |      | 2486.49   | -9.53      | -63.53 | 54            | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         |      | 2329.32   | 44.16      | -29.84 | 74            | 38.04         | 27.2              | 10.61        | 31.69            | 381        | 159          | P            | V       |
|                         |      | 2329.32   | -9.82      | -63.82 | 54            | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         | *    | 2440      | 95.36      | -      | -             | 89.39         | 26.9              | 10.83        | 31.76            | 381        | 159          | P            | V       |
|                         | *    | 2440      | 41.38      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         |      | 2488.45   | 43.99      | -30.01 | 74            | 37.99         | 26.88             | 10.91        | 31.79            | 381        | 159          | P            | V       |
|                         |      | 2488.45   | -9.99      | -63.99 | 54            | -             | -                 | -            | -                | -          | -            | A            | V       |



|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   |   |
|----------------------------------|---------------------------------------------------------------------------------------------|---------|--------|--------|----|-------|-------|-------|-------|-----|-----|---|---|
| <b>BLE<br/>CH 76<br/>2478MHz</b> | *                                                                                           | 2478    | 99.84  | -      | -  | 93.93 | 26.8  | 10.9  | 31.79 | 102 | 236 | P | H |
|                                  | *                                                                                           | 2478    | 45.86  | -      | -  | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             | 2495.48 | 43.83  | -30.17 | 74 | 37.81 | 26.9  | 10.92 | 31.8  | 102 | 236 | P | H |
|                                  |                                                                                             | 2495.48 | -10.15 | -64.15 | 54 | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                  | *                                                                                           | 2478    | 93.33  | -      | -  | 87.42 | 26.8  | 10.9  | 31.79 | 400 | 164 | P | V |
|                                  | *                                                                                           | 2478    | 39.35  | -      | -  | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             | 2489.12 | 43.94  | -30.06 | 74 | 37.93 | 26.89 | 10.91 | 31.79 | 400 | 164 | P | V |
|                                  |                                                                                             | 2489.12 | -10.04 | -64.04 | 54 | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
| <b>Remark</b>                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |         |        |        |    |       |       |       |       |     |     |   |   |

**2.4GHz 2400~2483.5MHz****BLE (Harmonic @ 3m)**

| BLE                              | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|----------------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| <b>BLE<br/>CH 02<br/>2404MHz</b> |      | 4808                 | 45.37               | -28.63           | 74                          | 33.66                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | H               |
|                                  |      | 4808                 | -8.61               | -62.61           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      | 4808                 | 46.59               | -27.41           | 74                          | 34.88                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | V               |
|                                  |      | 4808                 | -7.39               | -61.39           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |



| BLE                     | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| BLE<br>CH 38<br>2440MHz |      | 4880                 | 46.4                | -27.6            | 74                          | 34.47                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | H               |
|                         |      | 4880                 | -7.58               | -61.58           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      | 7320                 | 50.01               | -23.99           | 74                          | 33.72                     | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | H               |
|                         |      | 7320                 | -3.97               | -57.97           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      | 4880                 | 46.15               | -27.85           | 74                          | 34.22                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | V               |
|                         |      | 4880                 | -7.83               | -61.83           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      | 7320                 | 50.36               | -23.64           | 74                          | 34.07                     | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | V               |
|                         |      | 7320                 | -3.62               | -57.62           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |

| BLE                     | Note                                                                                                                                                                                                                                   | Frequency<br><br>( MHz ) | Level<br><br>( dBμV/m ) | Margin<br><br>( dB ) | Limit<br>Line<br><br>( dBμV/m ) | Read<br>Level<br><br>( dBμV ) | Antenna<br>Factor<br><br>( dB/m ) | Path<br>Loss<br><br>( dB ) | Preamp<br>Factor<br><br>( dB ) | Ant<br>Pos<br><br>( cm ) | Table<br>Pos<br><br>( deg ) | Peak<br>Avg.<br><br>( P/A ) | Pol.<br><br>( H/V ) |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------|----------------------|---------------------------------|-------------------------------|-----------------------------------|----------------------------|--------------------------------|--------------------------|-----------------------------|-----------------------------|---------------------|
| BLE<br>CH 76<br>2478MHz |                                                                                                                                                                                                                                        | 4956                     | 47.21                   | -26.79               | 74                              | 35.19                         | 32.79                             | 12.21                      | 32.98                          | -                        | -                           | P                           | H                   |
|                         |                                                                                                                                                                                                                                        | 4956                     | -6.77                   | -60.77               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | H                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | 49.21                   | -24.79               | 74                              | 32.94                         | 37.1                              | 14.81                      | 35.64                          | -                        | -                           | P                           | H                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | -4.77                   | -58.77               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        | 4956                     | 46.09                   | -27.91               | 74                              | 34.07                         | 32.79                             | 12.21                      | 32.98                          | -                        | -                           | P                           | V                   |
|                         |                                                                                                                                                                                                                                        | 4956                     | -7.89                   | -61.89               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | V                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | 48.86                   | -25.14               | 74                              | 32.59                         | 37.1                              | 14.81                      | 35.64                          | -                        | -                           | P                           | V                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | -5.12                   | -59.12               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
| Remark                  | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line.<br>3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             |                     |



## Emission above 18GHz

## 2.4GHz BLE (SHF)

| BLE                  | Note                                                                                                                                                                                                                  | Frequency | Level      | Margin | Limit      | Read   | Antenna  | Path   | Preamp | Ant    | Table   | Peak  | Pol.  |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|--------|------------|--------|----------|--------|--------|--------|---------|-------|-------|
|                      |                                                                                                                                                                                                                       |           |            |        | Line       | Level  | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
|                      |                                                                                                                                                                                                                       | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | (dBμV) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 2.4GHz<br>BLE<br>SHF |                                                                                                                                                                                                                       | 24984.72  | 44         | -30    | 74         | 50.41  | 39.47    | 13.65  | 59.53  | -      | -       | P     | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | H     |
|                      |                                                                                                                                                                                                                       | 19618.02  | 42.78      | -31.22 | 74         | 57.52  | 38.19    | 10.75  | 63.68  | -      | -       | P     | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
|                      |                                                                                                                                                                                                                       |           |            |        |            |        |          |        |        |        |         |       | V     |
| Remark               | 1. No other spurious found.<br>2. All results are PASS against limit line.<br>3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. |           |            |        |            |        |          |        |        |        |         |       |       |

## Emission below 1GHz

## 2.4GHz BLE (LF)

| BLE                         | Note                                                                                                                                                               | Frequency | Level      | Margin | Limit      | Read   | Antenna  | Path   | Preamp | Ant    | Table   | Peak  | Pol.  |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|--------|------------|--------|----------|--------|--------|--------|---------|-------|-------|
|                             |                                                                                                                                                                    |           |            |        | Line       | Level  | Factor   | Loss   | Factor | Pos    | Pos     | Avg.  |       |
|                             |                                                                                                                                                                    | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | (dBμV) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | (P/A) | (H/V) |
| 2.4GHz<br><br>BLE<br><br>LF |                                                                                                                                                                    | 97.21     | 30.12      | -13.38 | 43.5       | 45.39  | 15.74    | 1.66   | 32.67  | -      | -       | P     | H     |
|                             |                                                                                                                                                                    | 185.1     | 27.11      | -16.39 | 43.5       | 42.71  | 14.83    | 2.27   | 32.7   | -      | -       | P     | H     |
|                             |                                                                                                                                                                    | 263.59    | 25.75      | -20.25 | 46         | 35.63  | 20.27    | 2.6    | 32.75  | -      | -       | P     | H     |
|                             |                                                                                                                                                                    | 618       | 27.34      | -18.66 | 46         | 30.38  | 26.23    | 3.75   | 33.02  | -      | -       | P     | H     |
|                             |                                                                                                                                                                    | 741.5     | 36.47      | -9.53  | 46         | 37.11  | 28.15    | 4.03   | 32.82  | -      | -       | P     | H     |
|                             |                                                                                                                                                                    | 896.5     | 32.51      | -13.49 | 46         | 31.07  | 29.06    | 4.43   | 32.05  | -      | -       | P     | H     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | H     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | H     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | H     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | H     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | H     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | H     |
|                             |                                                                                                                                                                    | 89.22     | 26.23      | -17.27 | 43.5       | 42.39  | 14.89    | 1.63   | 32.68  | -      | -       | P     | V     |
|                             |                                                                                                                                                                    | 155.02    | 28.75      | -14.75 | 43.5       | 42.44  | 16.89    | 2.11   | 32.69  | -      | -       | P     | V     |
|                             |                                                                                                                                                                    | 185.57    | 24.37      | -19.13 | 43.5       | 39.98  | 14.82    | 2.27   | 32.7   | -      | -       | P     | V     |
|                             |                                                                                                                                                                    | 606       | 27.37      | -18.63 | 46         | 30.83  | 25.86    | 3.71   | 33.03  | -      | -       | P     | V     |
|                             |                                                                                                                                                                    | 737.5     | 34.01      | -11.99 | 46         | 34.81  | 28.01    | 4.02   | 32.83  | -      | -       | P     | V     |
|                             |                                                                                                                                                                    | 896.5     | 35.48      | -10.52 | 46         | 34.04  | 29.06    | 4.43   | 32.05  | -      | -       | P     | V     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | V     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | V     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | V     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | V     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | V     |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       | V     |
| Remark                      | 1. No other spurious found.                                                                                                                                        |           |            |        |            |        |          |        |        |        |         |       |       |
|                             | 2. All results are PASS against limit line.                                                                                                                        |           |            |        |            |        |          |        |        |        |         |       |       |
|                             | 3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only. |           |            |        |            |        |          |        |        |        |         |       |       |
|                             |                                                                                                                                                                    |           |            |        |            |        |          |        |        |        |         |       |       |



&lt;ASK 2Mbps&gt;

&lt;Ant.3&gt;

## 2.4GHz 2400~2483.5MHz

## BLE (Band Edge @ 3m)

| BLE                     | Note | Frequency | Level      | Margin | Limit<br>Line | Read<br>Level | Antenna<br>Factor | Path<br>Loss | Preamp<br>Factor | Ant<br>Pos | Table<br>Pos | Peak<br>Avg. | Pol.  |
|-------------------------|------|-----------|------------|--------|---------------|---------------|-------------------|--------------|------------------|------------|--------------|--------------|-------|
|                         |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m )    | ( dBμV )      | ( dB/m )          | ( dB )       | ( dB )           | ( cm )     | ( deg )      | (P/A)        | (H/V) |
| BLE<br>CH 02<br>2404MHz |      | 2387.175  | 43.68      | -30.32 | 74            | 37.66         | 27                | 10.75        | 31.73            | 144        | 153          | P            | H     |
|                         |      | 2387.175  | -12.24     | -66.24 | 54            | -             | -                 | -            | -                | -          | -            | A            | H     |
|                         | *    | 2404      | 98.92      | -      | -             | 92.81         | 27.06             | 10.79        | 31.74            | 144        | 153          | P            | H     |
|                         | *    | 2404      | 43         | -      | -             | -             | -                 | -            | -                | -          | -            | A            | H     |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | H     |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | H     |
|                         |      | 2364.495  | 43.78      | -30.22 | 74            | 37.71         | 27.1              | 10.69        | 31.72            | 358        | 47           | P            | V     |
|                         |      | 2364.495  | -12.14     | -66.14 | 54            | -             | -                 | -            | -                | -          | -            | A            | V     |
|                         | *    | 2404      | 98.69      | -      | -             | 92.58         | 27.06             | 10.79        | 31.74            | 358        | 47           | P            | V     |
|                         | *    | 2404      | 42.77      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | V     |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | V     |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | V     |
| BLE<br>CH 38<br>2440MHz |      | 2332.26   | 44.55      | -29.45 | 74            | 38.45         | 27.18             | 10.62        | 31.7             | 162        | 152          | P            | H     |
|                         |      | 2332.26   | -11.37     | -65.37 | 54            | -             | -                 | -            | -                | -          | -            | A            | H     |
|                         | *    | 2440      | 98.77      | -      | -             | 92.8          | 26.9              | 10.83        | 31.76            | 162        | 152          | P            | H     |
|                         | *    | 2440      | 42.85      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | H     |
|                         |      | 2496.36   | 44.5       | -29.5  | 74            | 38.48         | 26.9              | 10.92        | 31.8             | 162        | 152          | P            | H     |
|                         |      | 2496.36   | -11.42     | -65.42 | 54            | -             | -                 | -            | -                | -          | -            | A            | H     |
|                         |      | 2372.16   | 43.97      | -30.03 | 74            | 37.89         | 27.08             | 10.72        | 31.72            | 346        | 50           | P            | V     |
|                         |      | 2372.16   | -11.95     | -65.95 | 54            | -             | -                 | -            | -                | -          | -            | A            | V     |
|                         | *    | 2440      | 99.21      | -      | -             | 93.24         | 26.9              | 10.83        | 31.76            | 346        | 50           | P            | V     |
|                         | *    | 2440      | 43.29      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | V     |
|                         |      | 2496.36   | 44.68      | -29.32 | 74            | 38.66         | 26.9              | 10.92        | 31.8             | 346        | 50           | P            | V     |
|                         |      | 2496.36   | -11.24     | -65.24 | 54            | -             | -                 | -            | -                | -          | -            | A            | V     |



|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   |   |
|----------------------------------|---------------------------------------------------------------------------------------------|---------|--------|--------|----|-------|-------|-------|-------|-----|-----|---|---|
| <b>BLE<br/>CH 76<br/>2478MHz</b> | *                                                                                           | 2478    | 97.67  | -      | -  | 91.76 | 26.8  | 10.9  | 31.79 | 107 | 155 | P | H |
|                                  | *                                                                                           | 2478    | 41.75  | -      | -  | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             | 2495.48 | 43.93  | -30.07 | 74 | 37.91 | 26.9  | 10.92 | 31.8  | 107 | 155 | P | H |
|                                  |                                                                                             | 2495.48 | -11.99 | -65.99 | 54 | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | H |
|                                  | *                                                                                           | 2478    | 97.46  | -      | -  | 91.55 | 26.8  | 10.9  | 31.79 | 337 | 40  | P | V |
|                                  | *                                                                                           | 2478    | 41.54  | -      | -  | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             | 2487.72 | 43.72  | -30.28 | 74 | 37.72 | 26.88 | 10.91 | 31.79 | 337 | 40  | P | V |
|                                  |                                                                                             | 2487.72 | -12.2  | -66.2  | 54 | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
|                                  |                                                                                             |         |        |        |    |       |       |       |       |     |     |   | V |
| <b>Remark</b>                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |         |        |        |    |       |       |       |       |     |     |   |   |

**2.4GHz 2400~2483.5MHz****BLE (Harmonic @ 3m)**

| BLE                     | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| BLE<br>CH 02<br>2404MHz |      | 4808                 | 46.26               | -27.74           | 74                          | 34.55                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | H               |
|                         |      | 4808                 | -9.66               | -63.66           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      | 4808                 | 45.88               | -28.12           | 74                          | 34.17                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | V               |
|                         |      | 4808                 | -10.04              | -64.04           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |



| BLE                              | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|----------------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| <b>BLE<br/>CH 38<br/>2440MHz</b> |      | 4880                 | 46.7                | -27.3            | 74                          | 34.77                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | H               |
|                                  |      | 4880                 | -9.22               | -63.22           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                                  |      | 7320                 | 49.4                | -24.6            | 74                          | 33.11                     | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | H               |
|                                  |      | 7320                 | -6.52               | -60.52           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                                  |      | 4880                 | 45.4                | -28.6            | 74                          | 33.47                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | V               |
|                                  |      | 4880                 | -10.52              | -64.52           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                                  |      | 7320                 | 49.81               | -24.19           | 74                          | 33.52                     | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | V               |
|                                  |      | 7320                 | -6.11               | -60.11           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                                  |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |

[illegible]



&lt;Ant.4&gt;

## 2.4GHz 2400~2483.5MHz

## BLE (Band Edge @ 3m)

| BLE                     | Note | Frequency | Level      | Margin | Limit<br>Line | Read<br>Level | Antenna<br>Factor | Path<br>Loss | Preamp<br>Factor | Ant<br>Pos | Table<br>Pos | Peak<br>Avg. | Pol.    |
|-------------------------|------|-----------|------------|--------|---------------|---------------|-------------------|--------------|------------------|------------|--------------|--------------|---------|
|                         |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m )    | ( dBμV )      | ( dB/m )          | ( dB )       | ( dB )           | ( cm )     | ( deg )      | ( P/A )      | ( H/V ) |
| BLE<br>CH 02<br>2404MHz |      | 2374.575  | 44.07      | -29.93 | 74            | 38.02         | 27.05             | 10.72        | 31.72            | 142        | 221          | P            | H       |
|                         |      | 2374.575  | -9.91      | -63.91 | 54            | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         | *    | 2404      | 98.52      | -      | -             | 92.41         | 27.06             | 10.79        | 31.74            | 142        | 221          | P            | H       |
|                         | *    | 2404      | 44.54      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | H       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | H       |
|                         |      | 2373.105  | 44.06      | -29.94 | 74            | 37.99         | 27.07             | 10.72        | 31.72            | 400        | 154          | P            | V       |
|                         |      | 2373.105  | -9.92      | -63.92 | 54            | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         | *    | 2404      | 92.41      | -      | -             | 86.3          | 27.06             | 10.79        | 31.74            | 400        | 154          | P            | V       |
|                         | *    | 2404      | 38.43      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | V       |
|                         |      |           |            |        |               |               |                   |              |                  |            |              |              | V       |
| BLE<br>CH 38<br>2440MHz |      | 2322.32   | 44.05      | -29.95 | 74            | 37.94         | 27.2              | 10.6         | 31.69            | 108        | 235          | P            | H       |
|                         |      | 2322.32   | -9.93      | -63.93 | 54            | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         | *    | 2440      | 100.08     | -      | -             | 94.11         | 26.9              | 10.83        | 31.76            | 108        | 235          | P            | H       |
|                         | *    | 2440      | 46.1       | -      | -             | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         |      | 2487.61   | 43.89      | -30.11 | 74            | 37.89         | 26.88             | 10.91        | 31.79            | 108        | 235          | P            | H       |
|                         |      | 2487.61   | -10.09     | -64.09 | 54            | -             | -                 | -            | -                | -          | -            | A            | H       |
|                         |      | 2376.36   | 44.14      | -29.86 | 74            | 38.09         | 27.04             | 10.73        | 31.72            | 387        | 152          | P            | V       |
|                         |      | 2376.36   | -9.84      | -63.84 | 54            | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         | *    | 2440      | 94.17      | -      | -             | 88.2          | 26.9              | 10.83        | 31.76            | 387        | 152          | P            | V       |
|                         | *    | 2440      | 40.19      | -      | -             | -             | -                 | -            | -                | -          | -            | A            | V       |
|                         |      | 2497.97   | 44.1       | -29.9  | 74            | 38.08         | 26.9              | 10.92        | 31.8             | 387        | 152          | P            | V       |
|                         |      | 2497.97   | -9.88      | -63.88 | 54            | -             | -                 | -            | -                | -          | -            | A            | V       |



|                                  |                                                                                             |         |       |        |    |       |       |       |       |     |     |   |   |
|----------------------------------|---------------------------------------------------------------------------------------------|---------|-------|--------|----|-------|-------|-------|-------|-----|-----|---|---|
| <b>BLE<br/>CH 76<br/>2478MHz</b> | *                                                                                           | 2478    | 99.35 | -      | -  | 93.44 | 26.8  | 10.9  | 31.79 | 100 | 235 | P | H |
|                                  | *                                                                                           | 2478    | 45.37 | -      | -  | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             | 2494.6  | 44.09 | -29.91 | 74 | 38.07 | 26.9  | 10.92 | 31.8  | 100 | 235 | P | H |
|                                  |                                                                                             | 2494.6  | -9.89 | -63.89 | 54 | -     | -     | -     | -     | -   | -   | A | H |
|                                  |                                                                                             |         |       |        |    |       |       |       |       |     |     |   | H |
|                                  |                                                                                             |         |       |        |    |       |       |       |       |     |     |   | H |
|                                  | *                                                                                           | 2478    | 92.75 | -      | -  | 86.84 | 26.8  | 10.9  | 31.79 | 400 | 165 | P | V |
|                                  | *                                                                                           | 2478    | 38.77 | -      | -  | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             | 2485.52 | 44.14 | -29.86 | 74 | 38.16 | 26.86 | 10.91 | 31.79 | 400 | 165 | P | V |
|                                  |                                                                                             | 2485.52 | -9.84 | -63.84 | 54 | -     | -     | -     | -     | -   | -   | A | V |
|                                  |                                                                                             |         |       |        |    |       |       |       |       |     |     |   | V |
|                                  |                                                                                             |         |       |        |    |       |       |       |       |     |     |   | V |
| <b>Remark</b>                    | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line. |         |       |        |    |       |       |       |       |     |     |   |   |

**2.4GHz 2400~2483.5MHz****BLE (Harmonic @ 3m)**

| BLE                     | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| BLE<br>CH 02<br>2404MHz |      | 4808                 | 46                  | -28              | 74                          | 34.29                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | H               |
|                         |      | 4808                 | -7.98               | -61.98           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      | 4808                 | 46.09               | -27.91           | 74                          | 34.38                     | 32.33                         | 12.36                  | 32.98                      | -                    | -                       | P                       | V               |
|                         |      | 4808                 | -7.89               | -61.89           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |



| BLE                     | Note | Frequency<br>( MHz ) | Level<br>( dBμV/m ) | Margin<br>( dB ) | Limit<br>Line<br>( dBμV/m ) | Read<br>Level<br>( dBμV ) | Antenna<br>Factor<br>( dB/m ) | Path<br>Loss<br>( dB ) | Preamp<br>Factor<br>( dB ) | Ant<br>Pos<br>( cm ) | Table<br>Pos<br>( deg ) | Peak<br>Avg.<br>( P/A ) | Pol.<br>( H/V ) |
|-------------------------|------|----------------------|---------------------|------------------|-----------------------------|---------------------------|-------------------------------|------------------------|----------------------------|----------------------|-------------------------|-------------------------|-----------------|
| BLE<br>CH 38<br>2440MHz |      | 4880                 | 45.45               | -28.55           | 74                          | 33.52                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | H               |
|                         |      | 4880                 | -8.53               | -62.53           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      | 7320                 | 50.19               | -23.81           | 74                          | 33.9                      | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | H               |
|                         |      | 7320                 | -3.79               | -57.79           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | H               |
|                         |      | 4880                 | 45.71               | -28.29           | 74                          | 33.78                     | 32.62                         | 12.29                  | 32.98                      | -                    | -                       | P                       | V               |
|                         |      | 4880                 | -8.27               | -62.27           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      | 7320                 | 49.21               | -24.79           | 74                          | 32.92                     | 37.2                          | 14.64                  | 35.55                      | -                    | -                       | P                       | V               |
|                         |      | 7320                 | -4.77               | -58.77           | 54                          | -                         | -                             | -                      | -                          | -                    | -                       | A                       | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |
|                         |      |                      |                     |                  |                             |                           |                               |                        |                            |                      |                         |                         | V               |

| BLE                     | Note                                                                                                                                                                                                                                   | Frequency<br><br>( MHz ) | Level<br><br>( dBμV/m ) | Margin<br><br>( dB ) | Limit<br>Line<br><br>( dBμV/m ) | Read<br>Level<br><br>( dBμV ) | Antenna<br>Factor<br><br>( dB/m ) | Path<br>Loss<br><br>( dB ) | Preamp<br>Factor<br><br>( dB ) | Ant<br>Pos<br><br>( cm ) | Table<br>Pos<br><br>( deg ) | Peak<br>Avg.<br><br>( P/A ) | Pol.<br><br>( H/V ) |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------|----------------------|---------------------------------|-------------------------------|-----------------------------------|----------------------------|--------------------------------|--------------------------|-----------------------------|-----------------------------|---------------------|
| BLE<br>CH 76<br>2478MHz |                                                                                                                                                                                                                                        | 4956                     | 46.05                   | -27.95               | 74                              | 34.03                         | 32.79                             | 12.21                      | 32.98                          | -                        | -                           | P                           | H                   |
|                         |                                                                                                                                                                                                                                        | 4956                     | -7.93                   | -61.93               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | H                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | 49.85                   | -24.15               | 74                              | 33.58                         | 37.1                              | 14.81                      | 35.64                          | -                        | -                           | P                           | H                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | -4.13                   | -58.13               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | H                   |
|                         |                                                                                                                                                                                                                                        | 4956                     | 47.83                   | -26.17               | 74                              | 35.81                         | 32.79                             | 12.21                      | 32.98                          | -                        | -                           | P                           | V                   |
|                         |                                                                                                                                                                                                                                        | 4956                     | -6.15                   | -60.15               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | V                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | 50.11                   | -23.89               | 74                              | 33.84                         | 37.1                              | 14.81                      | 35.64                          | -                        | -                           | P                           | V                   |
|                         |                                                                                                                                                                                                                                        | 7434                     | -3.87                   | -57.87               | 54                              | -                             | -                                 | -                          | -                              | -                        | -                           | A                           | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             | V                   |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
|                         |                                                                                                                                                                                                                                        |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             | V                           |                     |
| Remark                  | 1. No other spurious found.<br>2. All results are PASS against Peak and Average limit line.<br>3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only. |                          |                         |                      |                                 |                               |                                   |                            |                                |                          |                             |                             |                     |

**Note symbol**

|     |                                                                                                                                                          |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| *   | <b>Fundamental Frequency</b> which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency. |
| !   | Test result is <b>Margin</b> line.                                                                                                                       |
| P/A | <b>P</b> eak or <b>A</b> verage                                                                                                                          |
| H/V | <b>H</b> orizontal or <b>V</b> ertical                                                                                                                   |

**A calculation example for radiated spurious emission is shown as below:**

| BLE                     | Note | Frequency | Level      | Margin | Limit      | Read     | Antenna  | Path   | Preamp | Ant    | Table   | Peak    | Pol.    |
|-------------------------|------|-----------|------------|--------|------------|----------|----------|--------|--------|--------|---------|---------|---------|
|                         |      |           |            |        | Line       | Level    | Factor   | Loss   | Factor | Pos    | Pos     | Avg.    |         |
|                         |      | ( MHz )   | ( dBμV/m ) | ( dB ) | ( dBμV/m ) | ( dBμV ) | ( dB/m ) | ( dB ) | ( dB ) | ( cm ) | ( deg ) | ( P/A ) | ( H/V ) |
| BLE<br>CH 00<br>2402MHz |      | 2390      | 55.45      | -18.55 | 74         | 54.51    | 32.22    | 4.58   | 35.86  | 103    | 308     | P       | H       |
|                         |      | 2390      | 43.54      | -10.46 | 54         | 42.6     | 32.22    | 4.58   | 35.86  | 103    | 308     | A       | H       |

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) =  
Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

**For Peak Limit @ 2390MHz:**

1. Level(dBμV/m)  
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)  
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)  
= 55.45 (dBμV/m)
2. Margin (dB)  
= Level(dBμV/m) – Limit Line(dBμV/m)  
= 55.45(dBμV/m) – 74(dBμV/m)  
= -18.55(dB)

**For Average Limit @ 2390MHz:**

1. Level(dBμV/m)  
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)  
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)  
= 43.54 (dBμV/m)
2. Margin (dB)  
= Level(dBμV/m) – Limit Line(dBμV/m)  
= 43.54(dBμV/m) – 54(dBμV/m)  
= -10.46(dB)

**Both peak and average measured complies with the limit line, so test result is “PASS”.**



## Appendix D. Radiated Spurious Emission Plots

|                        |                     |                            |             |
|------------------------|---------------------|----------------------------|-------------|
| <b>Test Engineer :</b> | Leo Li and Karl Hou | <b>Temperature :</b>       | 21.7~22.5°C |
|                        |                     | <b>Relative Humidity :</b> | 51.0~57.0%  |

### Note symbol



|    |                       |
|----|-----------------------|
| -L | Low channel location  |
| -R | High channel location |





<ASK 1Mbps>

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                            |                                                                                                                                                                                                                               |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | BLE CH02 2404MHz                                                                                                                                                                                                                |                                                                                                                                                                                                                               |
| 3    | Horizontal                                                                                                                                                                                                                      | Fundamental                                                                                                                                                                                                                   |
| Peak | <div><p>Site : 03CH23-1HY<br/>Condition : PEAK_RE_74 3m LE2C05A18EN_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-1HY<br/>Condition : PEAK_74 3m LE2C05A18EN_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |






|      |                                                                                                                                                                                                                             |                                                                                                                                                                                                                           |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                        |                                                                                                                                                                                                                           |
| ANT  | BLE CH02 2404MHz                                                                                                                                                                                                            |                                                                                                                                                                                                                           |
| 3    | Vertical                                                                                                                                                                                                                    | Fundamental                                                                                                                                                                                                               |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BC_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |



| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                |                                                                                                                                  |
|------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| ANT  | BLE CH38 2440MHz                                                                                                                    |                                                                                                                                  |
| 3    | Horizontal                                                                                                                          | Fundamental                                                                                                                      |
| Peak | <p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | <p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2C05A18ENL_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> |
|      | <p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p> | Left blank                                                                                                                       |



| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                            |                                                                                                                                                                                                                             |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | BLE CH38 2440MHz                                                                                                                                                                                                                |                                                                                                                                                                                                                             |
| 3    | Vertical                                                                                                                                                                                                                        | Fundamental                                                                                                                                                                                                                 |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div>   | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2C05A18ENL_230712 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |
|      | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | Left blank                                                                                                                                                                                                                  |



|      |                                                                                                                                              |                                                                                                                                           |
|------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                         |                                                                                                                                           |
| ANT  | BLE CH76 2478MHz                                                                                                                             |                                                                                                                                           |
| 3    | Horizontal                                                                                                                                   | Fundamental                                                                                                                               |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BC_74 3m LE2005A18ENL_230712 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18ENL_230712 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |



|      |                                                                                                                                            |                                                                                                                                         |
|------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                       |                                                                                                                                         |
| ANT  | BLE CH76 2478MHz                                                                                                                           |                                                                                                                                         |
| 3    | Vertical                                                                                                                                   | Fundamental                                                                                                                             |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BC_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |



2.4GHz 2400~2483.5MHz

BLE (Harmonic @ 3m)

|              |                                                                                                                                          |                                                                                                                                        |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| BLE          | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                      |                                                                                                                                        |
| ANT          | BLE CH02 2404MHz                                                                                                                         |                                                                                                                                        |
| 3            | Horizontal                                                                                                                               | Vertical                                                                                                                               |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-1HY<br/>Condition : PEAK_74 3m LE2C05A18EN_230712 HORIZONTAL</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-1HY<br/>Condition : PEAK_74 3m LE2C05A18EN_230712 VERTICAL</p></div> |



|                       |                                                                                                                                              |                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BLE                   | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                          |                                                                                                                                            |
| ANT                   | BLE CH02 2404MHz                                                                                                                             |                                                                                                                                            |
| 3                     | Horizontal                                                                                                                                   | Vertical                                                                                                                                   |
| 10.6G<br>~18G<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



|              |                                                                                                                                         |                                                                                                                                       |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| BLE          | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                     |                                                                                                                                       |
| ANT          | BLE CH38 2440MHz                                                                                                                        |                                                                                                                                       |
| 3            | Horizontal                                                                                                                              | Vertical                                                                                                                              |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 HORIZONTAL</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 VERTICAL</p></div> |



|                       |                                                                                                                                              |                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BLE                   | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                          |                                                                                                                                            |
| ANT                   | BLE CH38 2440MHz                                                                                                                             |                                                                                                                                            |
| 3                     | Horizontal                                                                                                                                   | Vertical                                                                                                                                   |
| 10.6G<br>~18G<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



|              |                                                                                                                                         |                                                                                                                                       |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| BLE          | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                     |                                                                                                                                       |
| ANT          | BLE CH76 2478MHz                                                                                                                        |                                                                                                                                       |
| 3            | Horizontal                                                                                                                              | Vertical                                                                                                                              |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 HORIZONTAL</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 VERTICAL</p></div> |



|                       |                                                                                                                                              |                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BLE                   | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                          |                                                                                                                                            |
| ANT                   | BLE CH76 2478MHz                                                                                                                             |                                                                                                                                            |
| 3                     | Horizontal                                                                                                                                   | Vertical                                                                                                                                   |
| 10.6G<br>~18G<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



Emission above 18GHz

2.4GHz BLE (SHF @ 1m)

| BLE          | 2.4GHz 2400~2483.5MHz                                                                                                                                             |                                                                                                                                                                 |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | BLE SHF                                                                                                                                                           |                                                                                                                                                                 |
| 3            | Horizontal                                                                                                                                                        | Vertical                                                                                                                                                        |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>PEAK_74</p><p>AVG_54</p><p>Site : 03CH23-HY</p><p>Condition : PEAK_74 1m SHF_1223_230710 HORIZONTAL</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>PEAK_74</p><p>AVG_54</p><p>Site : 03CH23-HY</p><p>Condition : PEAK_74 1m SHF_1223_230710 VERTICAL</p></div> |



Emission below 1GHz

2.4GHz BLE (LF)

| BLE          | 2.4GHz 2400~2483.5MHz                                                                                                                      |                                                                                                                                          |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | BLE LF                                                                                                                                     |                                                                                                                                          |
| 3            | Horizontal                                                                                                                                 | Vertical                                                                                                                                 |
| QP /<br>Peak | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>Site : 03CH23-HY<br/>Condition : QP 3m BIL06_62028_231015_2 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>Site : 03CH23-HY<br/>Condition : QP 3m BIL06_62028_231015_2 VERTICAL<br/>:</p></div> |
|              |                                                                                                                                            |                                                                                                                                          |





2.4GHz 2400~2483.5MHz




BLE (Band Edge @ 3m)

| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                          |                                                                                                                                            |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | BLE CH02 2404MHz                                                                                                                              |                                                                                                                                            |
| 4    | Horizontal                                                                                                                                    | Fundamental                                                                                                                                |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18EN_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_F4 3m LE2C05A18EN_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |






|      |                                                                                                                                                                                                                             |                                                                                                                                                                                                                           |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                        |                                                                                                                                                                                                                           |
| ANT  | BLE CH02 2404MHz                                                                                                                                                                                                            |                                                                                                                                                                                                                           |
| 4    | Vertical                                                                                                                                                                                                                    | Fundamental                                                                                                                                                                                                               |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BC_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |



|      |                                                                                                                                                                                                                                   |                                                                                                                                                                                                                               |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                              |                                                                                                                                                                                                                               |
| ANT  | BLE CH38 2440MHz                                                                                                                                                                                                                  |                                                                                                                                                                                                                               |
| 4    | Horizontal                                                                                                                                                                                                                        | Fundamental                                                                                                                                                                                                                   |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div>   | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2C05A18ENL_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 HORIZONTAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | Left blank                                                                                                                                                                                                                    |





|      |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                             |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                            |                                                                                                                                                                                                                             |
| ANT  | BLE CH38 2440MHz                                                                                                                                                                                                                |                                                                                                                                                                                                                             |
| 4    | Vertical                                                                                                                                                                                                                        | Fundamental                                                                                                                                                                                                                 |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div>   | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2C05A18ENL_230712 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BE_74 3m LE2C05A18ENL_230712 VERTICAL<br/>: RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | Left blank                                                                                                                                                                                                                  |



|      |                                                                                                                                              |                                                                                                                                           |
|------|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                         |                                                                                                                                           |
| ANT  | BLE CH76 2478MHz                                                                                                                             |                                                                                                                                           |
| 4    | Horizontal                                                                                                                                   | Fundamental                                                                                                                               |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BC_74 3m LE2005A18ENL_230712 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18ENL_230712 HORIZONTAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |



|      |                                                                                                                                                                                                                             |                                                                                                                                                                                                                           |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                        |                                                                                                                                                                                                                           |
| ANT  | BLE CH76 2478MHz                                                                                                                                                                                                            |                                                                                                                                                                                                                           |
| 4    | Vertical                                                                                                                                                                                                                    | Fundamental                                                                                                                                                                                                               |
| Peak | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_BC_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> | <div><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18ENL_230712 VERTICAL<br/>RBW:1000.000KHz VBW:3000.000KHz SWT:Auto</p></div> |



2.4GHz 2400~2483.5MHz

BLE (Harmonic @ 3m)

|              |                                                                                                                                          |                                                                                                                                        |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| BLE          | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                      |                                                                                                                                        |
| ANT          | BLE CH02 2404MHz                                                                                                                         |                                                                                                                                        |
| 4            | Horizontal                                                                                                                               | Vertical                                                                                                                               |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-1HY<br/>Condition : PEAK_74 3m LE2C05A18EN_230712 HORIZONTAL</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-1HY<br/>Condition : PEAK_74 3m LE2C05A18EN_230712 VERTICAL</p></div> |



|                       |                                                                                                                                              |                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BLE                   | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                          |                                                                                                                                            |
| ANT                   | BLE CH02 2404MHz                                                                                                                             |                                                                                                                                            |
| 4                     | Horizontal                                                                                                                                   | Vertical                                                                                                                                   |
| 10.6G<br>~18G<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



|              |                                                                                                                                               |                                                                                                                                             |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| BLE          | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                           |                                                                                                                                             |
| ANT          | BLE CH38 2440MHz                                                                                                                              |                                                                                                                                             |
| 4            | Horizontal                                                                                                                                    | Vertical                                                                                                                                    |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



|                       |                                                                                                                                              |                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BLE                   | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                          |                                                                                                                                            |
| ANT                   | BLE CH38 2440MHz                                                                                                                             |                                                                                                                                            |
| 4                     | Horizontal                                                                                                                                   | Vertical                                                                                                                                   |
| 10.6G<br>~18G<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



|              |                                                                                                                                               |                                                                                                                                             |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| BLE          | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                           |                                                                                                                                             |
| ANT          | BLE CH76 2478MHz                                                                                                                              |                                                                                                                                             |
| 4            | Horizontal                                                                                                                                    | Vertical                                                                                                                                    |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



|                       |                                                                                                                                              |                                                                                                                                            |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| BLE                   | 2.4GHz 2400~2483.5MHz Harmonic @ 3m                                                                                                          |                                                                                                                                            |
| ANT                   | BLE CH76 2478MHz                                                                                                                             |                                                                                                                                            |
| 4                     | Horizontal                                                                                                                                   | Vertical                                                                                                                                   |
| 10.6G<br>~18G<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-13</p><p>Site : 03CH23-HY<br/>Condition : AVG_54 3m LE2005A18EN_230712 VERTICAL<br/>:</p></div> |



Emission above 18GHz

2.4GHz BLE (SHF @ 1m)

| BLE          | 2.4GHz 2400~2483.5MHz                                                                                                                      |                                                                                                                                          |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | BLE SHF                                                                                                                                    |                                                                                                                                          |
| 4            | Horizontal                                                                                                                                 | Vertical                                                                                                                                 |
| Peak<br>Avg. | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 1m SHF_1223_230710 HORIZONTAL<br/>:</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>Site : 03CH23-HY<br/>Condition : PEAK_74 1m SHF_1223_230710 VERTICAL<br/>:</p></div> |



Emission below 1GHz

2.4GHz BLE (LF)



| BLE          | 2.4GHz 2400~2483.5MHz                                                                                                                |                                                                                                                                    |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| ANT          | BLE LF                                                                                                                               |                                                                                                                                    |
| 4            | Horizontal                                                                                                                           | Vertical                                                                                                                           |
| QP /<br>Peak | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>Site : 03CH23-HY<br/>Condition : QP 3m BIL06_62028_231015_2 HORIZONTAL</p></div> | <div><p>Level (dBuV/m)</p><p>Date: 2024-03-14</p><p>Site : 03CH23-HY<br/>Condition : QP 3m BIL06_62028_231015_2 VERTICAL</p></div> |
|              |                                                                                                                                      |                                                                                                                                    |



<ASK 2Mbps>

2.4GHz 2400~2483.5MHz

BLE (Band Edge @ 3m)

| BLE  | 2.4GHz 2400~2483.5MHz Band Edge @ 3m                                                                                                                                                                                            |                                                                                                                                                                                                                               |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANT  | BLE CH02 2404MHz                                                                                                                                                                                                                |                                                                                                                                                                                                                               |
| 3    | Horizontal                                                                                                                                                                                                                      | Fundamental                                                                                                                                                                                                                   |
| Peak | <div><p>Site : 03CH23-1HY<br/>Condition : PEAK_RE_74 3m LE2C05A18EN_230712 HORIZONTAL<br/>: RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p></div> | <div><p>Site : 03CH23-1HY<br/>Condition : PEAK_74 3m LE2C05A18EN_230712 HORIZONTAL<br/>: RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p></div> |