


Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	45.71	17.62	63.33	109.40	-46.07	Peak	
2	5725.0000	49.34	17.65	66.99	122.20	-55.21	Peak	
3 *	5758.2000	78.09	17.75	95.84	122.20	-26.36	Peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11509.7680	28.38	14.57	42.95	54.00	-11.05	AVG	
2	11510.8400	40.29	14.57	54.86	74.00	-19.14	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5788.6000	93.22	17.84	111.06	122.20	-11.14	Peak	No Limit
2	5850.0000	44.14	18.02	62.16	122.20	-60.04	Peak	
3	5860.0000	42.88	18.05	60.93	109.40	-48.47	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.7240	44.78	14.57	59.35	74.00	-14.65	Peak	
2 *	11589.9980	32.73	14.57	47.30	54.00	-6.70	AVG	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5792.2000	76.48	17.85	94.33	122.20	-27.87	Peak	No Limit
2	5850.0000	36.99	18.02	55.01	122.20	-67.19	Peak	
3	5860.0000	36.90	18.05	54.95	109.40	-54.45	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.0439	28.43	14.57	43.00	54.00	-11.00	AVG	
2	11590.1960	40.49	14.57	55.06	74.00	-18.94	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	59.24	17.62	76.86	109.40	-32.54	Peak	
2	5725.0000	63.38	17.65	81.03	122.20	-41.17	Peak	
3 *	5787.4000	89.79	17.84	107.63	122.20	-14.57	Peak	No Limit
4	5850.0000	53.59	18.02	71.61	122.20	-50.59	Peak	
5	5860.0000	49.97	18.05	68.02	109.40	-41.38	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11549.8580	32.81	14.57	47.38	54.00	-6.62	AVG	
2	11550.8259	44.99	14.57	59.56	74.00	-14.44	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	42.91	17.62	60.53	109.40	-48.87	Peak	
2	5725.0000	48.94	17.65	66.59	122.20	-55.61	Peak	
3 *	5763.4000	73.43	17.77	91.20	122.20	-31.00	Peak	No Limit
4	5850.0000	38.82	18.02	56.84	122.20	-65.36	Peak	
5	5860.0000	37.06	18.05	55.11	109.40	-54.29	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11550.0199	28.39	14.57	42.96	54.00	-11.04	AVG	
2	11550.3800	38.21	14.57	52.78	74.00	-21.22	Peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

The worst case of simultaneous transmission:

Test Mode:	TX WLAN 2.4G B Mode 2437MHz + WLAN 5G A Mode 5180MHz
------------	--

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	4874.320	48.09	5.46	53.55	54.00	-0.45	AVG	
2		4874.886	49.93	5.46	55.39	68.30	-12.91	peak	
3		10360.518	36.36	13.51	49.87	54.00	-4.13	AVG	
4		10360.520	53.19	13.51	66.70	68.30	-1.60	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX WLAN 2.4G B Mode 2437MHz + WLAN 5G A Mode 5180MHz
------------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4874.162	45.35	5.46	50.81	54.00	-3.19	AVG	
2		4875.025	49.94	5.47	55.41	68.30	-12.89	peak	
3	*	10368.650	52.05	13.53	65.58	68.30	-2.72	peak	
4		10368.852	33.27	13.53	46.80	54.00	-7.20	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.25	16.90
40	5200	20.16	16.90
48	5240	20.29	16.90

CH36




Date: 24.AUG.2020 15:31:41

CH40
26 dB Bandwidth




Date: 24.AUG.2020 15:32:36

CH48




Date: 24.AUG.2020 15:33:31


99 % Emission Bandwidth



Date: 24.AUG.2020 15:31:21



Date: 24.AUG.2020 15:32:16




Date: 24.AUG.2020 15:33:11

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.20	16.90
60	5300	20.19	16.90
64	5320	20.25	16.90

CH52




Date: 24.AUG.2020 16:34:35

CH60
26 dB Bandwidth




Date: 24.AUG.2020 16:35:52

CH64




Date: 24.AUG.2020 16:38:52


99 % Emission Bandwidth



Date: 24.AUG.2020 16:34:14



Date: 24.AUG.2020 16:35:31




Date: 24.AUG.2020 16:38:32

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.29	16.90
116	5580	20.09	16.90
140	5700	20.29	16.90

CH100




Date: 24.AUG.2020 16:42:06

CH116
26 dB Bandwidth




Date: 24.AUG.2020 16:47:33

CH140




Date: 24.AUG.2020 16:48:35


99 % Emission Bandwidth



Date: 24.AUG.2020 16:41:46



Date: 24.AUG.2020 16:47:12




Date: 24.AUG.2020 16:48:14

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.15	22.90	500	Complies
157	5785	15.15	22.10	500	Complies
165	5825	15.15	21.20	500	Complies

CH149




Date: 31.JUL.2020 16:27:51

CH157
6 dB Bandwidth




Date: 31.JUL.2020 16:28:51

CH165




Date: 31.JUL.2020 16:29:56


99 % Emission Bandwidth



Date: 31.JUL.2020 16:27:29



Date: 31.JUL.2020 16:28:27




Date: 31.JUL.2020 16:29:32

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	19.90	17.70
40	5200	20.31	17.80
48	5240	19.99	17.70

CH36




Date: 24.AUG.2020 17:03:42

CH40
26 dB Bandwidth




Date: 24.AUG.2020 17:04:36

CH48




Date: 24.AUG.2020 17:05:25


99 % Emission Bandwidth



Date: 24.AUG.2020 17:03:22



Date: 24.AUG.2020 17:04:15




Date: 24.AUG.2020 17:05:04

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	60.50	37.20
46	5230	60.39	37.20

CH38




Date: 24,AUG,2020 17:25:02

CH46
26 dB Bandwidth




Date: 24,AUG,2020 17:25:56

99 % Emission Bandwidth



Date: 24,AUG,2020 17:24:41



Date: 24,AUG,2020 17:25:40


CH42
26 dB Bandwidth



Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	20.05	17.70
60	5300	19.99	17.80
64	5320	20.05	17.70

CH52




Date: 24.AUG.2020 17:09:36

CH60
26 dB Bandwidth




Date: 24.AUG.2020 17:10:38

CH64




Date: 24.AUG.2020 17:11:30


99 % Emission Bandwidth



Date: 24.AUG.2020 17:09:15



Date: 24.AUG.2020 17:10:17




Date: 24.AUG.2020 17:11:09

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	39.50	36.60
62	5310	39.60	36.40


CH54



Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.80	75.60

CH58 26 dB Bandwidth



Date: 24.AUG.2020 17:43:22

99 % Emission Bandwidth




Date: 24.AUG.2020 17:42:58

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.59	17.70
116	5580	20.15	17.80
140	5700	20.00	17.80

CH100




Date: 22.OCT.2020 17:55:44

CH116
26 dB Bandwidth




Date: 24.AUG.2020 17:15:24

CH140




Date: 24.AUG.2020 17:19:44


99 % Emission Bandwidth



Date: 22.OCT.2020 17:55:23



Date: 24.AUG.2020 17:15:04




Date: 24.AUG.2020 17:19:24

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	40.11	36.40
110	5550	39.80	36.40
134	5670	39.70	36.40

CH102




Date: 24.AUG.2020 17:29:44

CH110
26 dB Bandwidth




Date: 24.AUG.2020 17:30:51

CH134




Date: 24.AUG.2020 17:33:23


99 % Emission Bandwidth



Date: 24.AUG.2020 17:29:15



Date: 24.AUG.2020 17:30:24




Date: 24.AUG.2020 17:32:55

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.30	18.50	500	Complies
157	5785	15.30	18.70	500	Complies
165	5825	15.15	19.50	500	Complies

CH149




Date: 31.JUL.2020 16:35:57

CH157
6 dB Bandwidth




Date: 31.JUL.2020 16:37:11

CH165




Date: 31.JUL.2020 16:38:10


99 % Emission Bandwidth



Date: 31.JUL.2020 16:35:35



Date: 31.JUL.2020 16:36:47




Date: 31.JUL.2020 16:37:47

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.10	41.60	500	Complies
159	5795	35.30	40.00	500	Complies

CH151




Date: 31.JUL.2020 16:42:10

CH159 6 dB Bandwidth




Date: 31.JUL.2020 16:43:19

99 % Emission Bandwidth



Date: 31.JUL.2020 16:41:42



Date: 31.JUL.2020 16:42:50

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.67	0.17	25.84	30.00	1.00	Complies
40	5200	25.32	0.17	25.49	30.00	1.00	Complies
48	5240	25.61	0.17	25.78	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.13	0.17	26.30	30.00	1.00	Complies
40	5200	25.48	0.17	25.65	30.00	1.00	Complies
48	5240	25.51	0.17	25.68	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	29.08	30.00	1.00	Complies
40	5200	28.58	30.00	1.00	Complies
48	5240	28.74	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.25	0.18	24.43	30.00	1.00	Complies
40	5200	24.49	0.18	24.67	30.00	1.00	Complies
48	5240	24.18	0.18	24.36	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.28	0.18	23.46	30.00	1.00	Complies
40	5200	23.14	0.18	23.32	30.00	1.00	Complies
48	5240	22.98	0.18	23.16	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26.98	30.00	1.00	Complies
40	5200	27.06	30.00	1.00	Complies
48	5240	26.81	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.31	0.35	25.66	30.00	1.00	Complies
46	5230	25.48	0.35	25.83	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.48	0.35	25.83	30.00	1.00	Complies
46	5230	25.73	0.35	26.08	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	28.76	30.00	1.00	Complies
46	5230	28.97	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.50	0.17	13.67	24.00	0.25	Complies
60	5300	13.44	0.17	13.61	24.00	0.25	Complies
64	5320	13.52	0.17	13.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.38	0.17	13.55	24.00	0.25	Complies
60	5300	12.57	0.17	12.74	24.00	0.25	Complies
64	5320	13.04	0.17	13.21	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.62	24.00	0.25	Complies
60	5300	16.20	24.00	0.25	Complies
64	5320	16.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.57	0.18	20.75	24.00	0.25	Complies
60	5300	20.56	0.18	20.74	24.00	0.25	Complies
64	5320	20.44	0.18	20.62	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.54	0.18	20.72	24.00	0.25	Complies
60	5300	20.47	0.18	20.65	24.00	0.25	Complies
64	5320	20.53	0.18	20.71	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	23.74	24.00	0.25	Complies
60	5300	23.70	24.00	0.25	Complies
64	5320	23.67	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.33	0.35	20.68	24.00	0.25	Complies
62	5310	20.43	0.35	20.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.51	0.35	20.86	24.00	0.25	Complies
62	5310	20.62	0.35	20.97	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.78	24.00	0.25	Complies
62	5310	23.89	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.44	0.17	13.61	24.00	0.25	Complies
116	5580	13.27	0.17	13.44	24.00	0.25	Complies
140	5700	13.33	0.17	13.50	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.25	0.17	12.42	24.00	0.25	Complies
116	5580	12.19	0.17	12.36	24.00	0.25	Complies
140	5700	12.15	0.17	12.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.06	24.00	0.25	Complies
116	5580	15.94	24.00	0.25	Complies
140	5700	15.96	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.49	0.18	20.67	24.00	0.25	Complies
116	5580	20.43	0.18	20.61	24.00	0.25	Complies
140	5700	19.31	0.18	19.49	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.61	0.18	20.79	24.00	0.25	Complies
116	5580	20.66	0.18	20.84	24.00	0.25	Complies
140	5700	18.46	0.18	18.64	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.74	24.00	0.25	Complies
116	5580	23.73	24.00	0.25	Complies
140	5700	22.09	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.48	0.35	20.83	24.00	0.25	Complies
110	5550	20.37	0.35	20.72	24.00	0.25	Complies
134	5670	20.45	0.35	20.80	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.55	0.35	20.90	24.00	0.25	Complies
110	5550	20.32	0.35	20.67	24.00	0.25	Complies
134	5670	20.32	0.35	20.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.88	24.00	0.25	Complies
110	5550	23.71	24.00	0.25	Complies
134	5670	23.75	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.55	0.17	25.72	30.00	1.00	Complies
157	5785	25.18	0.17	25.35	30.00	1.00	Complies
165	5825	25.15	0.17	25.32	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.13	0.17	26.30	30.00	1.00	Complies
157	5785	25.98	0.17	26.15	30.00	1.00	Complies
165	5825	25.02	0.17	25.19	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	29.03	30.00	1.00	Complies
157	5785	28.78	30.00	1.00	Complies
165	5825	28.26	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.71	0.18	24.89	30.00	1.00	Complies
157	5785	24.48	0.18	24.66	30.00	1.00	Complies
165	5825	25.08	0.18	25.26	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.71	0.18	25.89	30.00	1.00	Complies
157	5785	25.65	0.18	25.83	30.00	1.00	Complies
165	5825	25.12	0.18	25.30	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.43	30.00	1.00	Complies
157	5785	28.29	30.00	1.00	Complies
165	5825	28.29	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.05	0.35	25.40	30.00	1.00	Complies
159	5795	24.58	0.35	24.93	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.62	0.35	25.97	30.00	1.00	Complies
159	5795	25.49	0.35	25.84	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.71	30.00	1.00	Complies
159	5795	28.42	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.28	0.18	24.46	30.00	1.00	Complies
40	5200	24.52	0.18	24.70	30.00	1.00	Complies
48	5240	24.26	0.18	24.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.33	0.18	23.51	30.00	1.00	Complies
40	5200	23.17	0.18	23.35	30.00	1.00	Complies
48	5240	22.97	0.18	23.15	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	27.02	30.00	1.00	Complies
40	5200	27.09	30.00	1.00	Complies
48	5240	26.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.91	0.35	26.26	30.00	1.00	Complies
46	5230	25.73	0.35	26.08	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26.30	0.35	26.65	30.00	1.00	Complies
46	5230	26.11	0.35	26.46	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	29.47	30.00	1.00	Complies
46	5230	29.28	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	23.29	0.68	23.97	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	22.16	0.68	22.84	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26.45	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.57	0.18	20.75	24.00	0.25	Complies
60	5300	20.59	0.18	20.77	24.00	0.25	Complies
64	5320	20.61	0.18	20.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.81	0.18	20.99	24.00	0.25	Complies
60	5300	20.83	0.18	21.01	24.00	0.25	Complies
64	5320	20.88	0.18	21.06	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	23.88	24.00	0.25	Complies
60	5300	23.90	24.00	0.25	Complies
64	5320	23.94	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.58	0.35	20.93	24.00	0.25	Complies
62	5310	20.58	0.35	20.93	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.68	0.35	21.03	24.00	0.25	Complies
62	5310	20.62	0.35	20.97	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.99	24.00	0.25	Complies
62	5310	23.96	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.94	0.68	20.62	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.32	0.68	21.00	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.82	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.54	0.18	20.72	24.00	0.25	Complies
116	5580	20.55	0.18	20.73	24.00	0.25	Complies
140	5700	19.56	0.18	19.74	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.71	0.18	20.89	24.00	0.25	Complies
116	5580	20.69	0.18	20.87	24.00	0.25	Complies
140	5700	18.35	0.18	18.53	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	23.82	24.00	0.25	Complies
116	5580	23.81	24.00	0.25	Complies
140	5700	22.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.42	0.35	20.77	24.00	0.25	Complies
110	5550	20.58	0.35	20.93	24.00	0.25	Complies
134	5670	20.43	0.35	20.78	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.67	0.35	21.02	24.00	0.25	Complies
110	5550	20.57	0.35	20.92	24.00	0.25	Complies
134	5670	20.55	0.35	20.90	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.90	24.00	0.25	Complies
110	5550	23.93	24.00	0.25	Complies
134	5670	23.85	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.13	0.68	20.81	24.00	0.25	Complies
122	5610	20.07	0.68	20.75	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.24	0.68	20.92	24.00	0.25	Complies
122	5610	20.48	0.68	21.16	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.87	24.00	0.25	Complies
122	5610	23.97	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.83	0.18	25.01	30.00	1.00	Complies
157	5785	24.89	0.18	25.07	30.00	1.00	Complies
165	5825	25.12	0.18	25.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.87	0.18	26.05	30.00	1.00	Complies
157	5785	25.67	0.18	25.85	30.00	1.00	Complies
165	5825	25.16	0.18	25.34	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	28.57	30.00	1.00	Complies
157	5785	28.49	30.00	1.00	Complies
165	5825	28.33	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.95	0.35	25.30	30.00	1.00	Complies
159	5795	24.56	0.35	24.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.80	0.35	26.15	30.00	1.00	Complies
159	5795	25.64	0.35	25.99	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.75	30.00	1.00	Complies
159	5795	28.49	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	24.53	0.68	25.21	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.26	0.68	25.94	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.60	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.39	0.17	11.56	17.00	Complies
40	5200	11.15	0.17	11.32	17.00	Complies
48	5240	10.81	0.17	10.98	17.00	Complies



Date: 24.AUG.2020 15:31:54




Date: 24.AUG.2020 15:32:49




Date: 24.AUG.2020 15:33:44

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.38	0.17	11.55	17.00	Complies
40	5200	11.23	0.17	11.40	17.00	Complies
48	5240	10.97	0.17	11.14	17.00	Complies



Date: 24.AUG.2020 18:28:00



Date: 24.AUG.2020 18:28:23




Date: 24.AUG.2020 18:28:48

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.56	14.62	Complies
40	5200	14.37	14.62	Complies
48	5240	14.07	14.62	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.91	0.17	5.08	11.00	Complies
60	5300	5.21	0.17	5.38	11.00	Complies
64	5320	4.98	0.17	5.15	11.00	Complies



Date: 24.AUG.2020 16:34:48




Date: 24.AUG.2020 16:36:05




Date: 24.AUG.2020 16:39:05

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.14	0.17	4.31	11.00	Complies
60	5300	4.03	0.17	4.20	11.00	Complies
64	5320	4.29	0.17	4.46	11.00	Complies



Date: 24.AUG.2020 18:29:37



Date: 24.AUG.2020 18:30:05




Date: 24.AUG.2020 18:30:31

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.72	8.62	Complies
60	5300	7.84	8.62	Complies
64	5320	7.83	8.62	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.35	0.17	5.52	11.00	Complies
116	5580	4.94	0.17	5.11	11.00	Complies
140	5700	5.11	0.17	5.28	11.00	Complies



Date: 24.AUG.2020 16:50:09




Date: 24.AUG.2020 16:47:46




Date: 24.AUG.2020 16:48:48

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.63	0.17	3.80	11.00	Complies
116	5580	2.24	0.17	2.41	11.00	Complies
140	5700	5.37	0.17	5.54	11.00	Complies



Date: 24.AUG.2020 18:31:05



Date: 24.AUG.2020 18:31:31



Date: 24.AUG.2020 18:50:59


Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.75	8.62	Complies
116	5580	6.97	8.62	Complies
140	5700	8.42	8.62	Complies

Test Mode UNII-3_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.02	0.17	13.19	30.00	Complies
157	5785	12.43	0.17	12.60	30.00	Complies
165	5825	12.08	0.17	12.25	30.00	Complies

CH149




Date: 31.JUL.2020 16:28:04

CH157



Date: 31.JUL.2020 16:29:05

CH165




Date: 31.JUL.2020 16:30:09

Test Mode UNII-3_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.34	0.17	11.51	30.00	Complies
157	5785	11.08	0.17	11.25	30.00	Complies
165	5825	10.58	0.17	10.75	30.00	Complies

CH149




Date: 31.JUL.2020 17:08:10

CH157



Date: 31.JUL.2020 17:08:52

CH165




Date: 31.JUL.2020 17:09:35

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.44	27.62	Complies
157	5785	14.98	27.62	Complies
165	5825	14.57	27.62	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.27	0.18	11.45	17.00	Complies
40	5200	10.97	0.18	11.15	17.00	Complies
48	5240	10.55	0.18	10.73	17.00	Complies



Date: 24.AUG.2020 17:03:56




Date: 24.AUG.2020 17:04:49




Date: 24.AUG.2020 17:05:38

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.07	0.18	11.25	17.00	Complies
40	5200	11.04	0.18	11.22	17.00	Complies
48	5240	10.88	0.18	11.06	17.00	Complies



Date: 24.AUG.2020 18:34:07



Date: 24.AUG.2020 18:34:30




Date: 24.AUG.2020 18:34:58

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	14.36	14.62	Complies
40	5200	14.19	14.62	Complies
48	5240	13.91	14.62	Complies


Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.24	0.35	10.59	17.00	Complies
46	5230	10.30	0.35	10.65	17.00	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	9.20	0.35	9.55	17.00	Complies
46	5230	9.39	0.35	9.74	17.00	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	13.11	14.62	Complies
46	5230	13.23	14.62	Complies