


| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 48 |
| Bandwidth:                 | 20MHZ           | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 96 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 3681.25     | 96.58          | -87.21      | 9.37        | /           | /           | RMS   | Horizontal | /       |
| 2         | 7362.11666  | 48.29          | -96.23      | -47.94      | -40.00      | 7.94        | RMS   | Horizontal | PASS    |
| 3         | 11043.2666  | 42.79          | -90.93      | -48.14      | -40.00      | 8.14        | RMS   | Horizontal | PASS    |
| 4         | 17967.0333  | 31.80          | -81.94      | -50.14      | -40.00      | 10.14       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 48 |
| Bandwidth:                 | 20MHZ           | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 96 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 3681.25     | 96.06          | -87.21      | 8.85        | /           | /           | RMS   | Vertical | /       |
| 2         | 7362.11666  | 44.64          | -96.23      | -51.59      | -40.00      | 11.59       | RMS   | Vertical | PASS    |
| 3         | 11042.8833  | 39.41          | -90.92      | -51.51      | -40.00      | 11.51       | RMS   | Vertical | PASS    |
| 4         | 18000       | 31.88          | -81.47      | -49.59      | -40.00      | 9.59        | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | LTE             | Band:     | Band 5 |
| Bandwidth:                    | 10MHZ           | Channel:  | Low    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1649.35     | 54.67          | -114.08     | -59.41      | -13.00      | 46.41       | RMS   | Horizontal | PASS    |
| 2         | 6997.6      | 37.90          | -97.22      | -59.32      | -13.00      | 46.32       | RMS   | Horizontal | PASS    |
| 3         | 9698.95     | 35.48          | -91.42      | -55.94      | -13.00      | 42.94       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | LTE             | Band:     | Band 5 |
| Bandwidth:                    | 10MHZ           | Channel:  | Low    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1649.35     | 51.36          | -114.08     | -62.72      | -13.00      | 49.72       | RMS   | Vertical | PASS    |
| 2         | 7401.7      | 37.57          | -96.52      | -58.95      | -13.00      | 45.95       | RMS   | Vertical | PASS    |
| 3         | 9623.8      | 36.53          | -92.02      | -55.49      | -13.00      | 42.49       | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | LTE             | Band:     | Band 5 |
| Bandwidth:                    | 10MHZ           | Channel:  | Mid    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1664.2      | 55.30          | -114.12     | -58.82      | -13.00      | 45.82       | RMS   | Horizontal | PASS    |
| 2         | 7291.45     | 36.56          | -96.06      | -59.50      | -13.00      | 46.50       | RMS   | Horizontal | PASS    |
| 3         | 9565.75     | 36.34          | -92.13      | -55.79      | -13.00      | 42.79       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | LTE             | Band:     | Band 5 |
| Bandwidth:                    | 10MHZ           | Channel:  | Mid    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1664.2      | 53.48          | -114.12     | -60.64      | -13.00      | 47.64       | RMS   | Vertical | PASS    |
| 2         | 7300.9      | 36.44          | -95.89      | -59.45      | -13.00      | 46.45       | RMS   | Vertical | PASS    |
| 3         | 9597.7      | 36.06          | -91.71      | -55.65      | -13.00      | 42.65       | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | LTE             | Band:     | Band 5 |
| Bandwidth:                    | 10MHZ           | Channel:  | High   |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1679.05     | 53.16          | -114.16     | -61.00      | -13.00      | 48.00       | RMS   | Horizontal | PASS    |
| 2         | 2518.75     | 55.22          | -111.32     | -56.10      | -13.00      | 43.10       | RMS   | Horizontal | PASS    |
| 3         | 9591.4      | 36.05          | -91.79      | -55.74      | -13.00      | 42.74       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | LTE             | Band:     | Band 5 |
| Bandwidth:                    | 10MHZ           | Channel:  | High   |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1679.5      | 49.58          | -114.16     | -64.58      | -13.00      | 51.58       | RMS   | Vertical | PASS    |
| 2         | 2518.75     | 61.38          | -111.32     | -49.94      | -13.00      | 36.94       | RMS   | Vertical | PASS    |
| 3         | 9622        | 36.07          | -91.99      | -55.92      | -13.00      | 42.92       | RMS   | Vertical | PASS    |



| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 12 |
| Bandwidth:                 | 10MHZ           | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1399.2      | 62.15          | -114.31     | -52.16      | -13.00      | 39.16       | RMS   | Horizontal | PASS    |
| 2         | 7265.6      | 36.97          | -96.59      | -59.62      | -13.00      | 46.62       | RMS   | Horizontal | PASS    |
| 3         | 8868        | 36.27          | -92.99      | -56.72      | -13.00      | 43.72       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 12 |
| Bandwidth:                 | 10MHZ           | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1399.2      | 55.51          | -114.31     | -58.80      | -13.00      | 45.80       | RMS   | Vertical | PASS    |
| 2         | 7287.6      | 36.93          | -96.14      | -59.21      | -13.00      | 46.21       | RMS   | Vertical | PASS    |
| 3         | 8977.2      | 37.13          | -93.76      | -56.63      | -13.00      | 43.63       | RMS   | Vertical | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 12 |
| Bandwidth:                 | 10MHZ           | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1406        | 61.62          | -114.33     | -52.71      | -13.00      | 39.71       | RMS   | Horizontal | PASS    |
| 2         | 7282.4      | 36.72          | -96.25      | -59.53      | -13.00      | 46.53       | RMS   | Horizontal | PASS    |
| 3         | 8894.8      | 36.07          | -93.14      | -57.07      | -13.00      | 44.07       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 12 |
| Bandwidth:                 | 10MHZ           | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1406        | 54.30          | -114.33     | -60.03      | -13.00      | 47.03       | RMS   | Vertical | PASS    |
| 2         | 7322.8      | 36.78          | -96.29      | -59.51      | -13.00      | 46.51       | RMS   | Vertical | PASS    |
| 3         | 8889.2      | 36.07          | -93.10      | -57.03      | -13.00      | 44.03       | RMS   | Vertical | PASS    |

## Project Information

|                            |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 12 |
| Bandwidth:                 | 10MHZ           | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

## Test Graph




## Data List

| NO. | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Trace | Polarity   | Verdict |
|-----|----------------|-------------------|----------------|----------------|----------------|----------------|-------|------------|---------|
| 1   | 1413.2         | 61.28             | -114.35        | -53.07         | -13.00         | 40.07          | RMS   | Horizontal | PASS    |
| 2   | 7006.8         | 37.84             | -97.24         | -59.40         | -13.00         | 46.40          | RMS   | Horizontal | PASS    |
| 3   | 8895.6         | 35.92             | -93.15         | -57.23         | -13.00         | 44.23          | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 12 |
| Bandwidth:                 | 10MHZ           | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1413.2      | 53.34          | -114.35     | -61.01      | -13.00      | 48.01       | RMS   | Vertical | PASS    |
| 2         | 7269.6      | 37.41          | -96.51      | -59.10      | -13.00      | 46.10       | RMS   | Vertical | PASS    |
| 3         | 8852.8      | 35.93          | -92.90      | -56.97      | -13.00      | 43.97       | RMS   | Vertical | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 71 |
| Bandwidth:                 | 20MHZ           | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1328        | 60.69          | -114.29     | -53.60      | -13.00      | 40.60       | RMS   | Horizontal | PASS    |
| 2         | 7313.6      | 36.32          | -96.12      | -59.80      | -13.00      | 46.80       | RMS   | Horizontal | PASS    |
| 3         | 8893.2      | 36.12          | -93.13      | -57.01      | -13.00      | 44.01       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 71 |
| Bandwidth:                 | 20MHZ           | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1328        | 54.31          | -114.29     | -59.98      | -13.00      | 46.98       | RMS   | Vertical | PASS    |
| 2         | 7295.6      | 36.47          | -95.97      | -59.50      | -13.00      | 46.50       | RMS   | Vertical | PASS    |
| 3         | 8994.4      | 36.47          | -93.54      | -57.07      | -13.00      | 44.07       | RMS   | Vertical | PASS    |



| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 71 |
| Bandwidth:                 | 20MHZ           | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1343.2      | 62.31          | -114.21     | -51.90      | -13.00      | 38.90       | RMS   | Horizontal | PASS    |
| 2         | 7284.8      | 36.90          | -96.20      | -59.30      | -13.00      | 46.30       | RMS   | Horizontal | PASS    |
| 3         | 8847.6      | 35.79          | -92.92      | -57.13      | -13.00      | 44.13       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 71 |
| Bandwidth:                 | 20MHZ           | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1343.2      | 51.59          | -114.21     | -62.62      | -13.00      | 49.62       | RMS   | Vertical | PASS    |
| 2         | 7377.2      | 37.04          | -96.63      | -59.59      | -13.00      | 46.59       | RMS   | Vertical | PASS    |
| 3         | 8992.8      | 36.32          | -93.55      | -57.23      | -13.00      | 44.23       | RMS   | Vertical | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 71 |
| Bandwidth:                 | 20MHZ           | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1358        | 59.63          | -114.20     | -54.57      | -13.00      | 41.57       | RMS   | Horizontal | PASS    |
| 2         | 7256.8      | 37.20          | -96.78      | -59.58      | -13.00      | 46.58       | RMS   | Horizontal | PASS    |
| 3         | 8879.6      | 36.14          | -93.05      | -56.91      | -13.00      | 43.91       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 71 |
| Bandwidth:                 | 20MHZ           | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1358        | 53.16          | -114.20     | -61.04      | -13.00      | 48.04       | RMS   | Vertical | PASS    |
| 2         | 7304.8      | 36.54          | -95.97      | -59.43      | -13.00      | 46.43       | RMS   | Vertical | PASS    |
| 3         | 8845.2      | 35.79          | -92.96      | -57.17      | -13.00      | 44.17       | RMS   | Vertical | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 13 |
| Bandwidth:                 | 10MHZ           | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1555.2      | 68.60          | -114.07     | -45.47      | -13.00      | 32.47       | RMS   | Horizontal | PASS    |
| 2         | 1568.8      | 43.12          | -114.14     | -71.02      | -40.00      | 31.02       | RMS   | Horizontal | PASS    |
| 3         | 8886        | 36.03          | -93.09      | -57.06      | -13.00      | 44.06       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | LTE             | Band:     | Band 13 |
| Bandwidth:                 | 10MHZ           | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1555.2      | 55.99          | -114.07     | -58.08      | -13.00      | 45.08       | RMS   | Vertical | PASS    |
| 2         | 1592        | 43.00          | -114.25     | -71.25      | -40.00      | 31.25       | RMS   | Vertical | PASS    |
| 3         | 8994        | 36.94          | -93.54      | -56.60      | -13.00      | 43.60       | RMS   | Vertical | PASS    |

## Project Information

|                            |                 |           |     |
|----------------------------|-----------------|-----------|-----|
| Mode:                      | UL CA           | Band:     | 41C |
| Bandwidth:                 | 20MHZ+20MHZ     | Channel:  | Low |
| IMEI:                      | 862513050034403 | Engineer: | 申状  |
| Remark:                    | Polarity: Z     |           |     |
| Test Standard: FCC PART 27 |                 |           |     |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| 1   | 2514.8      | 108.77         | -90.90      | 17.87       | /           | /           | RMS   | Horizontal | /       |
| 2   | 5031.75     | 51.51          | -102.83     | -51.32      | -25.00      | 26.32       | RMS   | Horizontal | PASS    |
| 3   | 12580.5     | 46.80          | -90.68      | -43.88      | -25.00      | 18.88       | RMS   | Horizontal | PASS    |
| 4   | 17352       | 32.56          | -82.48      | -49.92      | -25.00      | 24.92       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |     |
|----------------------------|-----------------|-----------|-----|
| Mode:                      | UL CA           | Band:     | 41C |
| Bandwidth:                 | 20MHZ+20MHZ     | Channel:  | Low |
| IMEI:                      | 862513050034403 | Engineer: | 申状  |
| Remark:                    | Polarity: Z     |           |     |
| Test Standard: FCC PART 27 |                 |           |     |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 2514.8      | 108.40         | -90.90      | 17.50       | /           | /           | RMS   | Vertical | /       |
| 2         | 5031.75     | 56.46          | -102.83     | -46.37      | -25.00      | 21.37       | RMS   | Vertical | PASS    |
| 3         | 10061.25    | 38.48          | -91.64      | -53.16      | -25.00      | 28.16       | RMS   | Vertical | PASS    |
| 4         | 12574.5     | 46.73          | -90.68      | -43.95      | -25.00      | 18.95       | RMS   | Vertical | PASS    |




| Project Information        |                 |           |     |
|----------------------------|-----------------|-----------|-----|
| Mode:                      | UL CA           | Band:     | 41C |
| Bandwidth:                 | 20MHZ+20MHZ     | Channel:  | Mid |
| IMEI:                      | 862513050034403 | Engineer: | 申状  |
| Remark:                    | Polarity: Z     |           |     |
| Test Standard: FCC PART 27 |                 |           |     |

**Test Graph**

| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 2592        | 107.81         | -90.51      | 17.30       | /           | /           | RMS   | Horizontal | /       |
| 2         | 5184        | 59.26          | -102.12     | -42.86      | -25.00      | 17.86       | RMS   | Horizontal | PASS    |
| 3         | 10370.25    | 40.12          | -91.63      | -51.51      | -25.00      | 26.51       | RMS   | Horizontal | PASS    |
| 4         | 12961.5     | 50.56          | -90.03      | -39.47      | -25.00      | 14.47       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |     |
|----------------------------|-----------------|-----------|-----|
| Mode:                      | UL CA           | Band:     | 41C |
| Bandwidth:                 | 20MHZ+20MHZ     | Channel:  | Mid |
| IMEI:                      | 862513050034403 | Engineer: | 申状  |
| Remark:                    | Polarity: Z     |           |     |
| Test Standard: FCC PART 27 |                 |           |     |

**Test Graph**


| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 2592        | 109.53         | -90.51      | 19.02       | /           | /           | RMS   | Vertical | /       |
| 2         | 5184        | 62.51          | -102.12     | -39.61      | -25.00      | 14.61       | RMS   | Vertical | PASS    |
| 3         | 7776        | 45.98          | -96.27      | -50.29      | -25.00      | 25.29       | RMS   | Vertical | PASS    |
| 4         | 12964.5     | 51.21          | -89.97      | -38.76      | -25.00      | 13.76       | RMS   | Vertical | PASS    |

## Project Information

|            |                 |           |      |
|------------|-----------------|-----------|------|
| Mode:      | UL CA           | Band:     | 41C  |
| Bandwidth: | 20MHZ+20MHZ     | Channel:  | High |
| IMEI:      | 862513050034403 | Engineer: | 申状   |
| Remark:    | Polarity: Z     |           |      |

Test Standard: FCC PART 27

## Test Graph




## Data List

| NO. | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Trace | Polarity   | Verdict |
|-----|----------------|-------------------|----------------|----------------|----------------|----------------|-------|------------|---------|
| 1   | 2669           | 108.07            | -90.08         | 17.99          | /              | /              | RMS   | Horizontal | /       |
| 2   | 5340           | 58.80             | -101.92        | -43.12         | -25.00         | 18.12          | RMS   | Horizontal | PASS    |
| 3   | 10682.25       | 40.43             | -91.70         | -51.27         | -25.00         | 26.27          | RMS   | Horizontal | PASS    |
| 4   | 13349.25       | 45.75             | -89.27         | -43.52         | -25.00         | 18.52          | RMS   | Horizontal | PASS    |

## Project Information

|                            |                 |           |      |
|----------------------------|-----------------|-----------|------|
| Mode:                      | UL CA           | Band:     | 41C  |
| Bandwidth:                 | 20MHZ+20MHZ     | Channel:  | High |
| IMEI:                      | 862513050034403 | Engineer: | 串状   |
| Remark:                    | Polarity: Z     |           |      |
| Test Standard: FCC PART 27 |                 |           |      |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| 1   | 2669.2      | 106.97         | -90.08      | 16.89       | /           | /           | RMS   | Vertical | /       |
| 2   | 5338.5      | 62.40          | -101.91     | -39.51      | -25.00      | 14.51       | RMS   | Vertical | PASS    |
| 3   | 8009.25     | 46.39          | -95.39      | -49.00      | -25.00      | 24.00       | RMS   | Vertical | PASS    |
| 4   | 13347.75    | 45.29          | -89.29      | -44.00      | -25.00      | 19.00       | RMS   | Vertical | PASS    |

## Project Information

|                            |                 |           |        |
|----------------------------|-----------------|-----------|--------|
| Mode:                      | UL CA           | Band:     | 4A+13A |
| Bandwidth:                 | 20MHZ+10MHZ     | Channel:  | Low    |
| IMEI:                      | 862513050034403 | Engineer: | 申状     |
| Remark:                    | Polarity: Z     |           |        |
| Test Standard: FCC PART 27 |                 |           |        |

## Test Graph




## Data List

| NO. | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Trace | Polarity   | Verdict |
|-----|----------------|-------------------|----------------|----------------|----------------|----------------|-------|------------|---------|
| 1   | 1728.8         | 110.27            | -94.02         | 16.25          | /              | /              | RMS   | Horizontal | /       |
| 2   | 2506.4         | 46.37             | -90.93         | -44.56         | -13.00         | 31.56          | RMS   | Horizontal | PASS    |
| 3   | 3457.5         | 56.35             | -107.23        | -50.88         | -13.00         | 37.88          | RMS   | Horizontal | PASS    |
| 4   | 13830.75       | 40.33             | -86.84         | -46.51         | -13.00         | 33.51          | RMS   | Horizontal | PASS    |

## Project Information

|                            |                 |           |        |
|----------------------------|-----------------|-----------|--------|
| Mode:                      | UL CA           | Band:     | 4A+13A |
| Bandwidth:                 | 20MHZ+10MHZ     | Channel:  | Low    |
| IMEI:                      | 862513050034403 | Engineer: | 申状     |
| Remark:                    | Polarity: Z     |           |        |
| Test Standard: FCC PART 27 |                 |           |        |

## Test Graph




## Data List

| NO. | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Trace | Polarity | Verdict |
|-----|----------------|-------------------|----------------|----------------|----------------|----------------|-------|----------|---------|
| 1   | 1729           | 116.28            | -94.02         | 22.26          | /              | /              | RMS   | Vertical | /       |
| 2   | 3457.5         | 61.24             | -107.23        | -45.99         | -13.00         | 32.99          | RMS   | Vertical | PASS    |
| 3   | 8644.5         | 47.12             | -94.47         | -47.35         | -13.00         | 34.35          | RMS   | Vertical | PASS    |
| 4   | 12102          | 45.92             | -90.46         | -44.54         | -13.00         | 31.54          | RMS   | Vertical | PASS    |

## Project Information

|                            |                 |           |        |
|----------------------------|-----------------|-----------|--------|
| Mode:                      | UL CA           | Band:     | 4A+13A |
| Bandwidth:                 | 20MHZ+10MHZ     | Channel:  | Mid    |
| IMEI:                      | 862513050034403 | Engineer: | 串状     |
| Remark:                    | Polarity: Z     |           |        |
| Test Standard: FCC PART 27 |                 |           |        |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| 1   | 1741.4      | 110.21         | -93.98      | 16.23       | /           | /           | RMS   | Horizontal | /       |
| 2   | 2519        | 51.68          | -90.89      | -39.21      | -13.00      | 26.21       | RMS   | Horizontal | PASS    |
| 3   | 5224.5      | 51.43          | -102.17     | -50.74      | -13.00      | 37.74       | RMS   | Horizontal | PASS    |
| 4   | 12189.75    | 42.67          | -90.62      | -47.95      | -13.00      | 34.95       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |        |
|----------------------------|-----------------|-----------|--------|
| Mode:                      | UL CA           | Band:     | 4A+13A |
| Bandwidth:                 | 20MHZ+10MHZ     | Channel:  | Mid    |
| IMEI:                      | 862513050034403 | Engineer: | 申状     |
| Remark:                    | Polarity: Z     |           |        |
| Test Standard: FCC PART 27 |                 |           |        |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1741.4      | 116.64         | -93.98      | 22.66       | /           | /           | RMS   | Vertical | /       |
| 2         | 3483        | 65.94          | -107.07     | -41.13      | -13.00      | 28.13       | RMS   | Vertical | PASS    |
| 3         | 8706.75     | 47.97          | -94.00      | -46.03      | -13.00      | 33.03       | RMS   | Vertical | PASS    |
| 4         | 13931.25    | 42.39          | -87.52      | -45.13      | -13.00      | 32.13       | RMS   | Vertical | PASS    |



## Project Information

|                            |                 |           |        |
|----------------------------|-----------------|-----------|--------|
| Mode:                      | UL CA           | Band:     | 4A+13A |
| Bandwidth:                 | 20MHZ+10MHZ     | Channel:  | High   |
| IMEI:                      | 862513050034403 | Engineer: | 申状     |
| Remark:                    | Polarity: Z     |           |        |
| Test Standard: FCC PART 27 |                 |           |        |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| 1   | 1754        | 109.87         | -93.94      | 15.93       | /           | /           | RMS   | Horizontal | /       |
| 2   | 3507.75     | 58.10          | -107.06     | -48.96      | -13.00      | 35.96       | RMS   | Horizontal | PASS    |
| 3   | 5262        | 42.69          | -101.98     | -59.29      | -13.00      | 46.29       | RMS   | Horizontal | PASS    |
| 4   | 12277.5     | 38.91          | -90.44      | -51.53      | -13.00      | 38.53       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |        |
|----------------------------|-----------------|-----------|--------|
| Mode:                      | UL CA           | Band:     | 4A+13A |
| Bandwidth:                 | 20MHZ+10MHZ     | Channel:  | High   |
| IMEI:                      | 862513050034403 | Engineer: | 申状     |
| Remark:                    | Polarity: Z     |           |        |
| Test Standard: FCC PART 27 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1753.8      | 116.12         | -93.94      | 22.18       | /           | /           | RMS   | Vertical | /       |
| 2         | 3507.75     | 67.52          | -107.06     | -39.54      | -13.00      | 26.54       | RMS   | Vertical | PASS    |
| 3         | 8769.75     | 43.80          | -93.64      | -49.84      | -13.00      | 36.84       | RMS   | Vertical | PASS    |
| 4         | 12276.75    | 40.17          | -90.44      | -50.27      | -13.00      | 37.27       | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+13A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | Low    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |

### Test Graph




| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1869        | 111.37         | -93.48      | 17.89       | /           | /           | RMS   | Horizontal | /       |
| 2         | 3738        | 52.20          | -107.44     | -55.24      | -13.00      | 42.24       | RMS   | Horizontal | PASS    |
| 3         | 5606.25     | 50.59          | -101.28     | -50.69      | -13.00      | 37.69       | RMS   | Horizontal | PASS    |
| 4         | 13082.25    | 42.99          | -90.06      | -47.07      | -13.00      | 34.07       | RMS   | Horizontal | PASS    |

## Project Information

|            |                 |           |        |
|------------|-----------------|-----------|--------|
| Mode:      | UL CA           | Band:     | 2A+13A |
| Bandwidth: | 20MHZ+10MHZ     | Channel:  | Low    |
| IMEI:      | 862513050034403 | Engineer: | 申状     |
| Remark:    | Polarity: Z     |           |        |

Test Standard: FCC PART 22/24

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| 1   | 1868.8      | 114.92         | -93.48      | 21.44       | /           | /           | RMS   | Vertical | /       |
| 2   | 3738        | 61.97          | -107.44     | -45.47      | -13.00      | 32.47       | RMS   | Vertical | PASS    |
| 3   | 5607        | 50.69          | -101.27     | -50.58      | -13.00      | 37.58       | RMS   | Vertical | PASS    |
| 4   | 13082.25    | 42.85          | -90.06      | -47.21      | -13.00      | 34.21       | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+13A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | Mid    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |

### Test Graph




| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1888.8      | 110.18         | -93.43      | 16.75       | /           | /           | RMS   | Horizontal | /       |
| 2         | 3777.75     | 54.99          | -106.94     | -51.95      | -13.00      | 38.95       | RMS   | Horizontal | PASS    |
| 3         | 5666.25     | 49.69          | -100.75     | -51.06      | -13.00      | 38.06       | RMS   | Horizontal | PASS    |
| 4         | 13222.5     | 41.07          | -88.20      | -47.13      | -13.00      | 34.13       | RMS   | Horizontal | PASS    |

## Project Information

|            |                 |           |        |
|------------|-----------------|-----------|--------|
| Mode:      | UL CA           | Band:     | 2A+13A |
| Bandwidth: | 20MHZ+10MHZ     | Channel:  | Mid    |
| IMEI:      | 862513050034403 | Engineer: | 申状     |
| Remark:    | Polarity: Z     |           |        |

Test Standard: FCC PART 22/24

## Test Graph




## Data List

| NO. | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Trace | Polarity | Verdict |
|-----|----------------|-------------------|----------------|----------------|----------------|----------------|-------|----------|---------|
| 1   | 1888.8         | 114.11            | -93.43         | 20.68          | /              | /              | RMS   | Vertical | /       |
| 2   | 3777.75        | 63.33             | -106.94        | -43.61         | -13.00         | 30.61          | RMS   | Vertical | PASS    |
| 3   | 5667           | 50.75             | -100.75        | -50.00         | -13.00         | 37.00          | RMS   | Vertical | PASS    |
| 4   | 13222.5        | 42.06             | -88.20         | -46.14         | -13.00         | 33.14          | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+13A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | High   |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |

### Test Graph




| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1908.8      | 109.55         | -93.40      | 16.15       | /           | /           | RMS   | Horizontal | /       |
| 2         | 3039.75     | 55.88          | -108.03     | -52.15      | -13.00      | 39.15       | RMS   | Horizontal | PASS    |
| 3         | 5726.25     | 51.03          | -100.76     | -49.73      | -13.00      | 36.73       | RMS   | Horizontal | PASS    |
| 4         | 11453.25    | 38.53          | -90.26      | -51.73      | -13.00      | 38.73       | RMS   | Horizontal | PASS    |

## Project Information

|                               |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+13A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | High   |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| 1   | 1908.8      | 112.53         | -93.40      | 19.13       | /           | /           | RMS   | Vertical | /       |
| 2   | 3817.5      | 63.69          | -106.57     | -42.88      | -13.00      | 29.88       | RMS   | Vertical | PASS    |
| 3   | 7635.75     | 45.75          | -96.29      | -50.54      | -13.00      | 37.54       | RMS   | Vertical | PASS    |
| 4   | 13362       | 40.00          | -89.00      | -49.00      | -13.00      | 36.00       | RMS   | Vertical | PASS    |



| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+12A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | Low    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1868.8      | 111.20         | -93.48      | 17.72       | /           | /           | RMS   | Horizontal | /       |
| 2         | 3738        | 52.51          | -107.44     | -54.93      | -13.00      | 41.93       | RMS   | Horizontal | PASS    |
| 3         | 5607        | 50.00          | -101.27     | -51.27      | -13.00      | 38.27       | RMS   | Horizontal | PASS    |
| 4         | 13082.25    | 46.08          | -90.06      | -43.98      | -13.00      | 30.98       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+12A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | Low    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1869        | 115.34         | -93.48      | 21.86       | /           | /           | RMS   | Vertical | /       |
| 2         | 3738        | 61.38          | -107.44     | -46.06      | -13.00      | 33.06       | RMS   | Vertical | PASS    |
| 3         | 11214       | 42.30          | -90.71      | -48.41      | -13.00      | 35.41       | RMS   | Vertical | PASS    |
| 4         | 13082.25    | 45.31          | -90.06      | -44.75      | -13.00      | 31.75       | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+12A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | Mid    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1889        | 111.16         | -93.43      | 17.73       | /           | /           | RMS   | Horizontal | /       |
| 2         | 3777.75     | 53.59          | -106.94     | -53.35      | -13.00      | 40.35       | RMS   | Horizontal | PASS    |
| 3         | 9444.75     | 44.32          | -93.51      | -49.19      | -13.00      | 36.19       | RMS   | Horizontal | PASS    |
| 4         | 13222.5     | 40.82          | -88.20      | -47.38      | -13.00      | 34.38       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+12A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | Mid    |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1888.8      | 114.47         | -93.43      | 21.04       | /           | /           | RMS   | Vertical | /       |
| 2         | 3777.75     | 63.50          | -106.94     | -43.44      | -13.00      | 30.44       | RMS   | Vertical | PASS    |
| 3         | 11333.25    | 40.38          | -90.46      | -50.08      | -13.00      | 37.08       | RMS   | Vertical | PASS    |
| 4         | 13222.5     | 42.48          | -88.20      | -45.72      | -13.00      | 32.72       | RMS   | Vertical | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+12A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | High   |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1909        | 110.34         | -93.40      | 16.94       | /           | /           | RMS   | Horizontal | /       |
| 2         | 3817.5      | 53.10          | -106.57     | -53.47      | -13.00      | 40.47       | RMS   | Horizontal | PASS    |
| 3         | 9544.5      | 42.69          | -92.71      | -50.02      | -13.00      | 37.02       | RMS   | Horizontal | PASS    |
| 4         | 13362       | 38.33          | -89.00      | -50.67      | -13.00      | 37.67       | RMS   | Horizontal | PASS    |

| Project Information           |                 |           |        |
|-------------------------------|-----------------|-----------|--------|
| Mode:                         | UL CA           | Band:     | 2A+12A |
| Bandwidth:                    | 20MHZ+10MHZ     | Channel:  | High   |
| IMEI:                         | 862513050034403 | Engineer: | 申状     |
| Remark:                       | Polarity: Z     |           |        |
| Test Standard: FCC PART 22/24 |                 |           |        |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1908.8      | 113.49         | -93.40      | 20.09       | /           | /           | RMS   | Vertical | /       |
| 2         | 3817.5      | 61.93          | -106.57     | -44.64      | -13.00      | 31.64       | RMS   | Vertical | PASS    |
| 3         | 9544.5      | 43.08          | -92.71      | -49.63      | -13.00      | 36.63       | RMS   | Vertical | PASS    |
| 4         | 13362       | 40.42          | -89.00      | -48.58      | -13.00      | 35.58       | RMS   | Vertical | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 13A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1711        | 106.83         | -94.08      | 12.75       | /           | /           | RMS   | Horizontal | /       |
| 2         | 2990        | 39.29          | -88.75      | -49.46      | -13.00      | 36.46       | RMS   | Horizontal | PASS    |
| 3         | 3422.25     | 51.62          | -107.53     | -55.91      | -13.00      | 42.91       | RMS   | Horizontal | PASS    |
| 4         | 17361       | 32.15          | -82.83      | -50.68      | -13.00      | 37.68       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 13A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1711.2      | 111.87         | -94.08      | 17.79       | /           | /           | RMS   | Vertical | /       |
| 2         | 2993.4      | 39.16          | -88.73      | -49.57      | -13.00      | 36.57       | RMS   | Vertical | PASS    |
| 3         | 3422.25     | 57.18          | -107.53     | -50.35      | -13.00      | 37.35       | RMS   | Vertical | PASS    |
| 4         | 5802        | 53.20          | -99.99      | -46.79      | -13.00      | 33.79       | RMS   | Vertical | PASS    |



## Project Information

|                            |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 13A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

## Test Graph




## Data List

| NO. | Freq.<br>[MHz] | Reading<br>[dBuV] | Factor<br>[dB] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Trace | Polarity   | Verdict |
|-----|----------------|-------------------|----------------|----------------|----------------|----------------|-------|------------|---------|
| 1   | 1736.2         | 103.43            | -94.00         | 9.43           | /              | /              | RMS   | Horizontal | /       |
| 2   | 2522.6         | 52.79             | -90.88         | -38.09         | -13.00         | 25.09          | RMS   | Horizontal | PASS    |
| 3   | 3472.5         | 50.59             | -107.14        | -56.55         | -13.00         | 43.55          | RMS   | Horizontal | PASS    |
| 4   | 12153          | 40.57             | -90.90         | -50.33         | -13.00         | 37.33          | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 13A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1736        | 111.84         | -94.00      | 17.84       | /           | /           | RMS   | Vertical | /       |
| 2         | 3471.75     | 60.61          | -107.15     | -46.54      | -13.00      | 33.54       | RMS   | Vertical | PASS    |
| 3         | 8680.5      | 41.25          | -94.18      | -52.93      | -13.00      | 39.93       | RMS   | Vertical | PASS    |
| 4         | 12153       | 39.79          | -90.90      | -51.11      | -13.00      | 38.11       | RMS   | Vertical | PASS    |

## Project Information

|                            |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 13A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 串状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| 1   | 1761.2      | 107.85         | -93.93      | 13.92       | /           | /           | RMS   | Horizontal | /       |
| 2   | 3522        | 56.38          | -107.25     | -50.87      | -13.00      | 37.87       | RMS   | Horizontal | PASS    |
| 3   | 8805        | 36.67          | -92.99      | -56.32      | -13.00      | 43.32       | RMS   | Horizontal | PASS    |
| 4   | 12327.5     | 37.85          | -90.45      | -52.60      | -13.00      | 39.60       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 13A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

## Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1761.2      | 110.38         | -93.93      | 16.45       | /           | /           | RMS   | Vertical | /       |
| 2         | 3522        | 62.80          | -107.25     | -44.45      | -13.00      | 31.45       | RMS   | Vertical | PASS    |
| 3         | 7044.5      | 42.35          | -97.36      | -55.01      | -13.00      | 42.01       | RMS   | Vertical | PASS    |
| 4         | 12328       | 39.48          | -90.45      | -50.97      | -13.00      | 37.97       | RMS   | Vertical | PASS    |

## Project Information

|                            |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 12A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
|-----|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| 1   | 1711.2      | 105.50         | -94.08      | 11.42       | /           | /           | RMS   | Horizontal | /       |
| 2   | 2991        | 39.13          | -88.75      | -49.62      | -13.00      | 36.62       | RMS   | Horizontal | PASS    |
| 3   | 3422        | 52.78          | -107.53     | -54.75      | -13.00      | 41.75       | RMS   | Horizontal | PASS    |
| 4   | 17979.5     | 32.24          | -82.70      | -50.46      | -13.00      | 37.46       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 12A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Low     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1711        | 110.46         | -94.08      | 16.38       | /           | /           | RMS   | Vertical | /       |
| 2         | 2998.8      | 39.24          | -88.70      | -49.46      | -13.00      | 36.46       | RMS   | Vertical | PASS    |
| 3         | 3422        | 56.84          | -107.53     | -50.69      | -13.00      | 37.69       | RMS   | Vertical | PASS    |
| 4         | 4130.5      | 43.88          | -105.41     | -61.53      | -13.00      | 48.53       | RMS   | Vertical | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 12A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1746        | 107.48         | -93.97      | 13.51       | /           | /           | RMS   | Horizontal | /       |
| 2         | 2989        | 39.37          | -88.76      | -49.39      | -13.00      | 36.39       | RMS   | Horizontal | PASS    |
| 3         | 3492        | 51.07          | -107.02     | -55.95      | -13.00      | 42.95       | RMS   | Horizontal | PASS    |
| 4         | 4204        | 42.49          | -105.30     | -62.81      | -13.00      | 49.81       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 12A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | Mid     |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

### Test Graph




| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1746.2      | 110.50         | -93.97      | 16.53       | /           | /           | RMS   | Vertical | /       |
| 2         | 2998.6      | 39.21          | -88.70      | -49.49      | -13.00      | 36.49       | RMS   | Vertical | PASS    |
| 3         | 3492        | 57.95          | -107.02     | -49.07      | -13.00      | 36.07       | RMS   | Vertical | PASS    |
| 4         | 4204        | 43.67          | -105.30     | -61.63      | -13.00      | 48.63       | RMS   | Vertical | PASS    |



| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 12A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |


### Test Graph



| Data List |             |                |             |             |             |             |       |            |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity   | Verdict |
| 1         | 1761.2      | 100.70         | -93.93      | 6.77        | /           | /           | RMS   | Horizontal | /       |
| 2         | 3522        | 55.11          | -107.25     | -52.14      | -13.00      | 39.14       | RMS   | Horizontal | PASS    |
| 3         | 7044.5      | 39.83          | -97.36      | -57.53      | -13.00      | 44.53       | RMS   | Horizontal | PASS    |
| 4         | 12327.5     | 37.90          | -90.45      | -52.55      | -13.00      | 39.55       | RMS   | Horizontal | PASS    |

| Project Information        |                 |           |         |
|----------------------------|-----------------|-----------|---------|
| Mode:                      | UL CA           | Band:     | 12A+66A |
| Bandwidth:                 | 10MHZ+20MHZ     | Channel:  | High    |
| IMEI:                      | 862513050034403 | Engineer: | 申状      |
| Remark:                    | Polarity: Z     |           |         |
| Test Standard: FCC PART 27 |                 |           |         |

### Test Graph



| Data List |             |                |             |             |             |             |       |          |         |
|-----------|-------------|----------------|-------------|-------------|-------------|-------------|-------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBuV] | Factor [dB] | Level [dBm] | Limit [dBm] | Margin [dB] | Trace | Polarity | Verdict |
| 1         | 1761        | 108.51         | -93.93      | 14.58       | /           | /           | RMS   | Vertical | /       |
| 2         | 3522        | 59.45          | -107.25     | -47.80      | -13.00      | 34.80       | RMS   | Vertical | PASS    |
| 3         | 7044.5      | 41.21          | -97.36      | -56.15      | -13.00      | 43.15       | RMS   | Vertical | PASS    |
| 4         | 12327.5     | 36.01          | -90.45      | -54.44      | -13.00      | 41.44       | RMS   | Vertical | PASS    |

~The End~