The module transmitter will be a single module

Modular Approval Request FCC (Per 15.212) FCC ID: 2AR82-SKIW7603101		
Items to be covered	Answer From Applicant	
1. The radio elements of the modular transmitter must have their own shielding. The physical crystal and tuning capacitors may be located external to the shielded radio elements.	Yes	
2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with part 15 requirements under conditions of excessive data rates or over-modulation.	Yes	
3. The modular transmitter must have its own power supply regulation.	Yes	
4. The modular transmitter must comply with the antenna and transmission system requirements of §§15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of §15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	Yes	
5. The modular transmitter must be tested in a stand-alone configuration, <i>i.e.</i> , the module must not be inside another device during testing for compliance with part 15 requirements. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in §15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see §15.27(a)). The length of these lines shall be the length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified and commercially available (see §15.31(i)).	Yes	
6. The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.	Yes	
(A) If using a permanently affixed label, the modular transmitter must be labeled with its own FCC identification number, and, if the FCC identification number is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning		

may be used. The Grantee may either provide such a label, an e of which must be included in the application for equipment author or, must provide adequate instructions along with the module whe explain this requirement. In the latter case, a copy of these instru- must be included in the application for equipment authorization.	rization, lich
(B) If the modular transmitter uses an electronic display of t identification number, the information must be readily accessible visible on the modular transmitter or on the device in which it is i If the module is installed inside another device, then the outside device into which the module is installed must display a label ref the enclosed module. This exterior label can use wording such a following: "Contains FCC certified transmitter module(s)." Any sin wording that expresses the same meaning may be used. The us manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the app for equipment authorization.	and nstalled. of the erring to is the milar er c
7. The modular transmitter must comply with any specific rules of operating requirements that ordinarily apply to a complete transmin and the manufacturer must provide adequate instructions along module to explain any such requirements. A copy of these instru-	nitter with the
 must be included in the application for equipment authorization. 8. Radio frequency devices operating under the provisions of th are subject to the radio frequency radiation exposure requirement specified in §§1.1307(b), 1.1310, 2.1091, and 2.1093 of this charappropriate. Applications for equipment authorization of modular transmitters under this section must contain a statement confirm compliance with these requirements. The modular transmitter must configuration. Technical information showing the basis for this statement to the formula to the commission upon request. 	nts pter, as ing ust
Note: If compliance with one or more of the numbered requirement	ents listed above

Note: If compliance with one or more of the numbered requirements, listed above, cannot be demonstrated, it may be possible to obtain a "Limited Modular Approval" (LMA).

٢ì Bing

Bing Yi

Title: Certification Manager

Guangzhou Shikun Electronics Co., Ltd