



Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation    | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|---------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |               | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 1   | CP-OFDM 64QAM | 1/32          | 39.78            | 46.78    | 75.00 | 28.22  | H   |
|         |           |     |               |               | 39.85            | 46.85    | 75.00 | 28.15  | V   |



19:03:20 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, H)




19:09:58 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation    | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|---------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |               | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 1   | CP-OFDM 64QAM | 1/32          | 41.69            | 48.69    | 75.00 | 26.31  | H   |
|         |           |     |               |               | 41.28            | 48.28    | 75.00 | 26.72  | V   |



19:25:02 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, H)




19:16:28 11.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation              | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM<br>PI/2 BPSK | 64/0          | 49.93            | 56.93    | 75.00 | 18.07  | H   |
|         |           |     |                         |               | 49.76            | 56.76    | 75.00 | 18.24  | V   |



13:19:25 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)




13:12:36 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM QPSK | 64/0          | 50.56            | 57.56    | 75.00 | 17.44  | H   |
|         |           |     |                 |               | 49.94            | 56.94    | 75.00 | 18.06  | V   |



11:07:01 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, H)



11:00:12 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, V)


©Copyright. All rights reserved by CTTL.

Report Version No

Page 136 of 326


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM 16QAM | 64/0          | 49.13           | 56.13    | 75.00 | 18.87  | H   |
|         |           |     |                  |               | 48.61           | 55.61    | 75.00 | 19.39  | V   |



11:27:32 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, H)




11:20:43 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM 64QAM | 640           | 47.18            | 54.18    | 75.00 | 20.82  | H   |
|         |           |     |                  |               | 46.78            | 53.78    | 75.00 | 21.22  | V   |



12:46:27 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, H)




12:39:39 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation        | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                   | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM 256QAM | 64/0          | 41.74            | 48.74    | 75.00 | 26.26  | H   |
|         |           |     |                   |               | 41.15            | 48.15    | 75.00 | 26.85  | V   |



13:03:15 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, H)




12:56:27 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 1   | DFT-s-OFDM QPSK | 64/0          | 50.62            | 57.62    | 75.00 | 17.38  | H   |
|         |           |     |                 |               | 50.49            | 57.49    | 75.00 | 17.51  | V   |



13:39:38 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, low channel, H)




13:32:51 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, low channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 1   | DFT-s-OFDM QPSK | 64/0          | 46.62            | 53.62    | 75.00 | 21.38  | H   |
|         |           |     |                 |               | 46.64            | 53.64    | 75.00 | 21.36  | V   |



14:08:09 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, high channel, H)




14:04:11 01.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, high channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation              | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM<br>PI/2 BPSK | 1/31          | 40.48            | 47.48    | 75.00 | 27.52  | H   |
|         |           |     |                         |               | 39.78            | 46.78    | 75.00 | 28.22  | V   |



09:18:03 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)




09:29:48 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM QPSK | 1/31          | 44.34            | 51.34    | 75.00 | 23.66  | H   |
|         |           |     |                 |               | 31.53            | 38.53    | 75.00 | 36.47  | V   |



09:52:07 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, H)




09:48:17 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM 16QAM | 1/31          | 42.89            | 49.89    | 75.00 | 25.11  | H   |
|         |           |     |                  |               | 30.63            | 37.63    | 75.00 | 37.37  | V   |



10:14:53 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, H)




10:08:38 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM 64QAM | 1/31          | 43.58            | 50.58    | 75.00 | 24.42  | H   |
|         |           |     |                  |               | 31.81            | 38.81    | 75.00 | 36.19  | V   |



10:20:25 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, H)




10:25:22 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation        | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                   | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM 256QAM | 1/31          | 36.14            | 43.14    | 75.00 | 31.86  | H   |
|         |           |     |                   |               | 25.56            | 32.56    | 75.00 | 42.44  | V   |



10:37:34 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, H)




10:32:23 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 1   | DFT-s-OFDM QPSK | 1/31          | 43.41            | 50.41    | 75.00 | 24.59  | H   |
|         |           |     |                 |               | 35.54            | 42.54    | 75.00 | 32.46  | V   |



10:46:19 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, low channel, H)




10:54:58 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, low channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 1   | DFT-s-OFDM QPSK | 1/31          | 44.65            | 51.65    | 75.00 | 23.35  | H   |
|         |           |     |                 |               | 33.29            | 40.29    | 75.00 | 34.71  | V   |



11:11:33 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, high channel, H)




11:05:17 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, high channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation   | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|--------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |              | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM QPSK | 66/0          | 43.25           | 50.25    | 75.00 | 24.75  | H   |
|         |           |     |              |               | 41.59           | 48.59    | 75.00 | 26.41  | V   |



11:59:56 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, middle channel, H)




11:51:00 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation    | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|---------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |               | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM 16QAM | 66/0          | 42.35            | 49.35    | 75.00 | 25.65  | H   |
|         |           |     |               |               | 40.70            | 47.70    | 75.00 | 27.30  | V   |



12:14:55 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 16QAM, middle channel, H)




12:19:44 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation    | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|---------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |               | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM 64QAM | 66/0          | 40.40            | 47.40    | 75.00 | 27.60  | H   |
|         |           |     |               |               | 38.83            | 45.83    | 75.00 | 29.17  | V   |



12:30:59 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 64QAM, middle channel, H)




12:25:31 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation     | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM 256QAM | 66/0          | 38.61            | 45.61    | 75.00 | 29.39  | H   |
|         |           |     |                |               | 36.64            | 43.64    | 75.00 | 31.36  | V   |



12:38:43 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 256QAM, middle channel, H)




12:44:49 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation   | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|--------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |              | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 2   | CP-OFDM QPSK | 66/0          | 42.11            | 49.11    | 75.00 | 25.89  | H   |
|         |           |     |              |               | 40.33            | 47.33    | 75.00 | 27.67  | V   |



13:46:24 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, low channel, H)




13:42:34 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, low channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation   | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|--------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |              | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 2   | CP-OFDM QPSK | 66/0          | 43.69            | 50.69    | 75.00 | 24.31  | H   |
|         |           |     |              |               | 42.75            | 49.75    | 75.00 | 25.25  | V   |



14:11:33 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, high channel, H)




14:16:07 17.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, CP-OFDM QPSK, high channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation   | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|--------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |              | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM QPSK | 1/32          | 36.12            | 43.12    | 75.00 | 31.88  | H   |
|         |           |     |              |               | 38.16            | 45.16    | 75.00 | 29.84  | V   |



19:57:55 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM QPSK, middle channel, H)




19:54:41 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation    | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|---------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |               | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM 16QAM | 1/32          | 34.74            | 41.74    | 75.00 | 33.26  | H   |
|         |           |     |               |               | 37.30            | 44.30    | 75.00 | 30.70  | V   |



20:03:07 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 16QAM, middle channel, H)




20:06:36 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation    | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|---------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |               | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM 64QAM | 1/32          | 34.93            | 41.93    | 75.00 | 33.07  | H   |
|         |           |     |               |               | 38.22            | 45.22    | 75.00 | 29.78  | V   |



20:15:27 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, middle channel, H)




20:12:12 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation        | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                   | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | CP-OFDM<br>256QAM | 1/32          | 26.47            | 33.47    | 75.00 | 41.53  | H   |
|         |           |     |                   |               | 27.08            | 34.08    | 75.00 | 40.92  | V   |



20:22:33 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 256QAM, middle channel, H)




20:26:22 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation   | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|--------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |              | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 2   | CP-OFDM QPSK | 1/32          | 38.15            | 45.15    | 75.00 | 29.85  | H   |
|         |           |     |              |               | 33.52            | 40.52    | 75.00 | 34.48  | V   |



20:56:26 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, H)




20:51:07 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, low channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation   | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|--------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |              | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 2   | CP-OFDM QPSK | 1/32          | 38.49            | 45.49    | 75.00 | 29.51  | H   |
|         |           |     |              |               | 38.27            | 45.27    | 75.00 | 29.73  | V   |



21:04:18 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, H)




21:07:44 11.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, CP-OFDM 64QAM, high channel, V)

Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation              | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM<br>PI/2 BPSK | 640           | 42.56           | 49.56    | 75.00 | 25.44  | H   |
|         |           |     |                         |               | 44.01           | 51.01    | 75.00 | 23.99  | V   |



15:27:20 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)



15:16:35 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)

Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM QPSK | 640           | 42.69            | 49.69    | 75.00 | 25.31  | H   |
|         |           |     |                 |               | 43.17            | 50.17    | 75.00 | 24.83  | V   |



15:32:49 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, H)




15:36:42 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM 16QAM | 640           | 41.52            | 48.52    | 75.00 | 26.48  | H   |
|         |           |     |                  |               | 42.67            | 49.67    | 75.00 | 25.33  | V   |



15:48:26 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, H)




15:42:39 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM 64QAM | 640           | 39.65           | 46.65    | 75.00 | 28.35  | H   |
|         |           |     |                  |               | 40.08           | 47.08    | 75.00 | 27.92  | V   |



15:55:24 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, H)




16:02:46 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation        | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                   | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM 256QAM | 640           | 32.25            | 39.25    | 75.00 | 35.75  | H   |
|         |           |     |                   |               | 32.87            | 39.87    | 75.00 | 35.13  | V   |



16:18:45 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, H)



16:12:42 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 2   | DFT-s-OFDM BPSK | 64/0          | 34.03            | 41.03    | 75.00 | 33.97  | H   |
|         |           |     |                 |               | 34.34            | 41.34    | 75.00 | 33.66  | V   |



19:14:42 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, low channel, H)




19:10:08 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, low channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 2   | DFT-s-OFDM BPSK | 640           | 32.87            | 39.87    | 75.00 | 35.13  | H   |
|         |           |     |                 |               | 45.47            | 52.47    | 75.00 | 22.53  | V   |



18:03:16 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, high channel, H)




18:11:04 14.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-S-OFDM BPSK, high channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation              | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM<br>PI/2 BPSK | 1/31          | 40.30            | 47.30    | 75.00 | 27.70  | H   |
|         |           |     |                         |               | 28.18            | 35.18    | 75.00 | 39.82  | V   |



16:24:16 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, H)




16:28:03 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM PI/2 BPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM QPSK | 1/31          | 39.98            | 46.98    | 75.00 | 28.02  | H   |
|         |           |     |                 |               | 34.77            | 41.77    | 75.00 | 33.23  | V   |



16:39:40 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, H)




16:35:31 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM QPSK, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM 16QAM | 1/31          | 40.36            | 47.36    | 75.00 | 27.64  | H   |
|         |           |     |                  |               | 29.42            | 36.42    | 75.00 | 38.58  | V   |



16:46:15 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, H)




16:50:54 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM 64QAM | 1/31          | 39.36           | 46.36    | 75.00 | 28.64  | H   |
|         |           |     |                  |               | 34.12           | 41.12    | 75.00 | 33.88  | V   |



17:00:41 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, H)




16:56:27 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 64QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation           | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|----------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                      | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM<br>256QAM | 1/31          | 33.84           | 40.84    | 75.00 | 34.16  | H   |
|         |           |     |                      |               | 22.56           | 29.56    | 75.00 | 45.44  | V   |



17:06:01 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, H)




17:11:45 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 256QAM, middle channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 2   | DFT-s-OFDM 16QAM | 1/31          | 39.20           | 46.20    | 75.00 | 28.80  | H   |
|         |           |     |                  |               | 29.47           | 36.47    | 75.00 | 38.53  | V   |



17:26:09 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, low channel, H)




17:22:15 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, low channel, V)


Module0, Beam ID: 26, 282

| Channel | Bandwidth | CCs | Modulation       | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                  | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 2   | DFT-s-OFDM 16QAM | 1/31          | 37.04            | 44.04    | 75.00 | 30.96  | H   |
|         |           |     |                  |               | 38.66            | 45.66    | 75.00 | 29.34  | V   |



17:46:39 12.03.2024

Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, high channel, H)




17:50:30 12.03.2024


Radiated Output Power (n261, 2CC, 100MHz, 1 RB, DFT-S-OFDM 16QAM, high channel, V)

The module1 (beam ID: 30, 286) measure the EIRP only with the worst modulation.  
Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 50        | 1   | DFT-s-OFDM QPSK | 32/0          | 43.35            | 50.35    | 75.00 | 24.65  | H   |
|         |           |     |                 |               | 43.29            | 50.29    | 75.00 | 24.71  | V   |




Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, low channel, H)




Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, low channel, V)

Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 50        | 1   | DFT-s-OFDM QPSK | 32/0          | 44.26            | 51.26    | 75.00 | 23.74  | H   |
|         |           |     |                 |               | 43.68            | 50.68    | 75.00 | 24.32  | V   |




Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, H)




Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, V)

Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 50        | 1   | DFT-s-OFDM QPSK | 32/0          | 42.65            | 49.65    | 75.00 | 25.35  | H   |
|         |           |     |                 |               | 42.25            | 49.25    | 75.00 | 25.75  | V   |




Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, high channel, H)



Radiated Output Power (n261, 1CC, 50MHz, FULL RB, DFT-s-OFDM QPSK, high channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation              | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 50        | 1   | DFT-s-OFDM<br>PI/2 BPSK | 1/15          | 38.52            | 45.52    | 75.00 | 29.48  | H   |
|         |           |     |                         |               | 40.33            | 47.33    | 75.00 | 27.67  | V   |



18:58:11 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, low channel, H)




18:54:13 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, low channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation              | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 50        | 1   | DFT-s-OFDM<br>PI/2 BPSK | 1/15          | 38.54           | 45.54    | 75.00 | 29.46  | H   |
|         |           |     |                         |               | 40.52           | 47.52    | 75.00 | 27.48  | V   |



19:40:45 12.03.2024

Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, middle channel, H)




19:17:15 12.03.2024


Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, middle channel, V)

Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation              | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 50        | 1   | DFT-s-OFDM<br>PI/2 BPSK | 1/15          | 38.20            | 45.20    | 75.00 | 29.80  | H   |
|         |           |     |                         |               | 38.54            | 45.54    | 75.00 | 29.46  | V   |




Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, high channel, H)



Radiated Output Power (n261, 1CC, 50MHz, 1 RB, DFT-s-OFDM PI/2 BPSK, high channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 1   | DFT-s-OFDM QPSK | 640           | 43.91           | 50.91    | 75.00 | 24.09  | H   |
|         |           |     |                 |               | 42.64           | 49.64    | 75.00 | 25.36  | V   |



20:40:00 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, low channel, H)




20:45:47 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, low channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM QPSK | 640           | 47.68           | 54.68    | 75.00 | 20.32  | H   |
|         |           |     |                 |               | 46.82           | 53.82    | 75.00 | 21.18  | V   |



08:39:30 13.03.2024

Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, H)




08:12:15 13.03.2024


Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, middle channel, V)

Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 1   | DFT-s-OFDM QPSK | 64/0          | 46.74            | 53.74    | 75.00 | 21.26  | H   |
|         |           |     |                 |               | 45.06            | 52.06    | 75.00 | 22.94  | V   |




Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, high channel, H)



Radiated Output Power (n261, 1CC, 100MHz, FULL RB, DFT-s-OFDM QPSK, high channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 1   | DFT-s-OFDM QPSK | 1/31          | 41.61            | 48.61    | 75.00 | 26.39  | H   |
|         |           |     |                 |               | 27.96            | 34.96    | 75.00 | 40.04  | V   |



20:58:16 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, low channel, H)




20:52:06 12.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, low channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 1   | DFT-s-OFDM QPSK | 1/31          | 43.86            | 50.86    | 75.00 | 24.14  | H   |
|         |           |     |                 |               | 31.17            | 38.17    | 75.00 | 36.83  | V   |



09:41:15 13.03.2024

Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, middle channel, H)




09:33:36 13.03.2024


Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, middle channel, V)

Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation      | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-----------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                 | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 1   | DFT-s-OFDM QPSK | 1/31          | 36.55            | 43.55    | 75.00 | 31.45  | H   |
|         |           |     |                 |               | 32.68            | 39.68    | 75.00 | 35.32  | V   |




Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, high channel, H)



Radiated Output Power (n261, 1CC, 100MHz, 1 RB, DFT-s-OFDM QPSK, high channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation              | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Low     | 100       | 2   | DFT-s-OFDM<br>PI/2 BPSK | 64/0          | 35.09           | 42.09    | 75.00 | 32.91  | H   |
|         |           |     |                         |               | 38.36           | 45.36    | 75.00 | 29.64  | V   |



20:20:57 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, low channel, H)




20:08:21 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, low channel, V)


Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation              | RB            | measurment EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|-----------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)           | (dBm)    | (dBm) | (dB)   |     |
| Mid     | 100       | 2   | DFT-s-OFDM<br>PI/2 BPSK | 64/0          | 36.31           | 43.31    | 75.00 | 31.69  | H   |
|         |           |     |                         |               | 38.77           | 45.77    | 75.00 | 29.23  | V   |



20:49:10 18.03.2024

Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, middle channel, H)




20:44:43 18.03.2024


Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, middle channel, V)

Module1, Beam ID: 30, 286

| Channel | Bandwidth | CCs | Modulation              | RB            | measurement EIRP | Avg EIRP | Limit | Margin | Pol |
|---------|-----------|-----|-------------------------|---------------|------------------|----------|-------|--------|-----|
|         | (MHz)     |     |                         | (Size/Offset) | (dBm)            | (dBm)    | (dBm) | (dB)   |     |
| High    | 100       | 2   | DFT-s-OFDM<br>PI/2 BPSK | 64/0          | 36.97            | 43.97    | 75.00 | 31.03  | H   |
|         |           |     |                         |               | 39.32            | 46.32    | 75.00 | 28.68  | V   |



Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, high channel, H)



Radiated Output Power (n261, 2CC, 100MHz, FULL RB, DFT-s-OFDM PI/2 BPSK, high channel, V)