



DONGGUAN SLEing INTEL-TECH CO., LTD

SPECIFICATION APPROVAL SHEET

CUSTOMER:

CUS PART NO:

REV:

A/0

SPECIFICATION:

GSM Antenna

4.5dBi L=1500mm (RG-174+SMA)

weight:

Model name:

SLEingA100101500-F16

DATE:

2022.02.27

Manufacturer:DONGGUAN CITY SLEing INTEL-TECH CO.,LTD

Room 402,No.6 Plant,Accelerator of Modern Enterprise,No,24 Industry East Road
Songshanlake District,Donguan City, Guangdong Province,China.

Tel: +86-076989208968

Fax: +86-0769-89208969

www.sleing.com

Spec Item

NO.	Project	Remark	Page
1	Spec Cover		1
2	MODIFICATION RECORD SHEET		2
3	Spec Item		3
4	Drawing		4
5	Test Reports		5
6	Picture of real products		6
7	S Parameter Test		7
8	Test Setup		8
9	Patten		9-10
10	Test Efficiency		11
11	Product packaging specification		12


Give clear indication of:

1. The contents of the acknowledgement shall be arranged in order according to the items in the check sheet.
2. The number of copies of the acceptance letter shall be printed according to the customer's requirements, and the SGS report shall be stamped with the engineering seal.
3. All materials shall be confirmed by the customer. Any material/process/changes that may affect product quality and environmental quality must be re-sent to the customer for confirmation before import.
4. SGS report is valid for one year.
5. According to the contents attached to the actual acknowledgement, check the check form: "Yes" is provided, "no" is provided according to customer requirements.

Test Reports

Electrical Properties	
Frequency	700~2700MHz
Impedance	50 Ohm Nominal
V.S.W.R	3.0Max
Return Loss	-6dB Max
Radiation	Omni-directional
Gain (Peak)	5.12 dBi
Polarization	Linear, Vertical
Admitted Power	2 W
Connector	SMA Plug
Physical Properties	
Antenna Material	ABS
Antenna Color	Black
Cable Type	RG-174
Operating Temp	-40℃ -85℃
Storage Temp.	-40℃ -85℃

Antenna diagram



UNIT:mm




DONGGUAN SLEing INTEL-TECH CO., LTD

S Parameter Test



Agilent E5071C Network Analyzer



RF Antenna(Return Loss)




Test Setup






DONGGUAN SLEing INTEL-TECH CO.,LTD

Pattern



Pattern



Test Efficiency

Test Point ID	Freq. (MHz)	Gain (dBi)	Efficiency (%)
1	700.00	-0.28	22.05
2	720.00	0.36	24.54
3	740.00	0.23	22.53
4	760.00	0.10	21.97
5	780.00	0.56	23.06
6	800.00	1.21	29.42
7	820.00	3.03	35.40
8	840.00	4.15	40.20
9	860.00	5.12	48.80
10	880.00	5.39	53.20
11	900.00	5.42	64.30
12	920.00	4.89	70.10
13	940.00	4.93	69.80
14	960.00	5.11	79.20
15	1700.00	2.72	44.90
16	1800.00	3.94	42.00
17	1900.00	4.58	57.20
18	2000.00	1.73	47.90
19	2100.00	1.40	42.80
20	2200.00	0.67	33.00
21	2300.00	1.44	28.40
22	2400.00	2.16	28.80
23	2500.00	2.53	46.60
24	2600.00	0.80	38.70
25	2700.00	0.39	31.20