




11AX80MIMO_Ant2_5210_484Tone_RU65




11AX80MIMO_Ant1_5290_484Tone_RU66




11AX80MIMO_Ant2_5290_484Tone_RU66




11AX80MIMO_Ant1_5530_484Tone_RU65




11AX80MIMO_Ant2_5530_484Tone_RU65




11AX80MIMO_Ant1_5610_484Tone_RU66




11AX80MIMO_Ant2_5610_484Tone_RU66




11AX80MIMO_Ant1_5690_484Tone_RU65




11AX80MIMO_Ant1_5690_484Tone_RU66




11AX80MIMO_Ant2_5690_484Tone_RU65




11AX80MIMO_Ant2_5690_484Tone_RU66




11AX80MIMO_Ant1_5775_484Tone_RU65




11AX80MIMO_Ant2_5775_484Tone_RU65




11AX160MIMO_Ant1_5250_996Tone_RU67




11AX160MIMO_Ant2_5250_996Tone_RU67



11AX160MIMO_Ant1_5570_996Tone_RU67



11AX160MIMO_Ant2_5570_996Tone_RU67



4 Appendix D: Maximum conducted output power

4.1 Test Result

4.1.1 Full RU for 11AX mode

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	14.88	14.92	≤23.98	PASS
	Ant2	5180	14.57	14.61	≤23.98	PASS
	Ant1	5200	17.01	17.05	≤23.98	PASS
	Ant2	5200	16.68	16.72	≤23.98	PASS
	Ant1	5220	17.09	17.13	≤23.98	PASS
	Ant2	5220	16.78	16.82	≤23.98	PASS
	Ant1	5240	16.89	16.93	≤23.98	PASS
	Ant2	5240	16.72	16.76	≤23.98	PASS
	Ant1	5260	16.56	16.58	≤23.73	PASS
	Ant2	5260	16.44	16.48	≤23.74	PASS
	Ant1	5300	16.86	16.90	≤23.90	PASS
	Ant2	5300	16.58	16.62	≤23.70	PASS
	Ant1	5320	16.09	16.11	≤23.70	PASS
	Ant2	5320	16.13	16.17	≤23.84	PASS
	Ant1	5500	16.09	16.13	≤23.73	PASS
	Ant2	5500	15.73	15.77	≤23.70	PASS
	Ant1	5520	17.49	17.51	≤23.91	PASS
	Ant2	5520	17.20	17.24	≤23.76	PASS
	Ant1	5580	17.20	17.22	≤23.70	PASS
	Ant2	5580	17.13	17.17	≤23.73	PASS
	Ant1	5680	17.18	17.20	≤23.76	PASS
	Ant2	5680	17.25	17.29	≤23.72	PASS
	Ant1	5700	14.16	14.18	≤23.74	PASS
	Ant2	5700	14.11	14.15	≤23.71	PASS
	Ant1	5720_UNII-2C	16.48	16.52	≤22.75	PASS
	Ant2	5720_UNII-2C	16.23	16.27	≤22.85	PASS
	Ant1	5720_UNII-3	10.10	10.14	≤30.00	PASS
	Ant2	5720_UNII-3	9.83	9.87	≤30.00	PASS
	Ant1	5745	18.07	18.09	≤30.00	PASS
	Ant2	5745	17.77	17.81	≤30.00	PASS
	Ant1	5785	17.41	17.45	≤30.00	PASS
	Ant2	5785	17.42	17.46	≤30.00	PASS
	Ant1	5825	17.96	18.00	≤30.00	PASS
	Ant2	5825	18.19	18.21	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N20SISO	Ant1	5180	14.20	14.22	≤23.98	PASS
	Ant2	5180	13.90	13.92	≤23.98	PASS
	Ant1	5200	16.86	16.88	≤23.98	PASS
	Ant2	5200	16.56	16.58	≤23.98	PASS
	Ant1	5220	16.98	17.00	≤23.98	PASS
	Ant2	5220	16.67	16.69	≤23.98	PASS
	Ant1	5240	16.82	16.84	≤23.98	PASS
	Ant2	5240	16.63	16.65	≤23.98	PASS
	Ant1	5260	16.47	16.47	≤23.98	PASS
	Ant2	5260	16.36	16.36	≤23.98	PASS
	Ant1	5300	16.78	16.78	≤23.98	PASS
	Ant2	5300	16.51	16.51	≤23.98	PASS
	Ant1	5320	13.99	14.01	≤23.98	PASS
	Ant2	5320	13.78	13.78	≤23.98	PASS
	Ant1	5500	14.47	14.49	≤23.98	PASS
	Ant2	5500	14.16	14.16	≤23.98	PASS
	Ant1	5520	17.38	17.40	≤23.98	PASS
	Ant2	5520	17.13	17.13	≤23.98	PASS
	Ant1	5580	17.09	17.11	≤23.98	PASS
	Ant2	5580	17.03	17.03	≤23.98	PASS
	Ant1	5680	17.07	17.07	≤23.96	PASS
	Ant2	5680	17.16	17.16	≤23.98	PASS
	Ant1	5700	13.54	13.56	≤23.98	PASS
	Ant2	5700	13.35	13.35	≤23.97	PASS
	Ant1	5720_UNII-2C	15.83	15.83	≤22.77	PASS
	Ant2	5720_UNII-2C	15.48	15.50	≤22.78	PASS
	Ant1	5720_UNII-3	9.99	9.99	≤30.00	PASS
	Ant2	5720_UNII-3	9.60	9.62	≤30.00	PASS
	Ant1	5745	17.49	17.49	≤30.00	PASS
	Ant2	5745	17.22	17.22	≤30.00	PASS
	Ant1	5785	16.91	16.91	≤30.00	PASS
	Ant2	5785	16.81	16.83	≤30.00	PASS
	Ant1	5825	17.74	17.76	≤30.00	PASS
	Ant2	5825	17.56	17.56	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N40SISO	Ant1	5190	13.97	13.99	≤23.98	PASS
	Ant2	5190	13.63	13.63	≤23.98	PASS
	Ant1	5230	16.14	16.14	≤23.98	PASS
	Ant2	5230	15.82	15.84	≤23.98	PASS
	Ant1	5270	15.63	15.63	≤23.98	PASS
	Ant2	5270	15.54	15.54	≤23.98	PASS
	Ant1	5310	12.41	12.41	≤23.98	PASS
	Ant2	5310	12.61	12.63	≤23.98	PASS
	Ant1	5510	13.87	13.87	≤23.98	PASS
	Ant2	5510	13.55	13.55	≤23.98	PASS
	Ant1	5550	16.05	16.05	≤23.98	PASS
	Ant2	5550	15.86	15.88	≤23.98	PASS
	Ant1	5630	15.77	15.77	≤23.98	PASS
	Ant2	5630	15.85	15.85	≤23.98	PASS
	Ant1	5670	16.25	16.25	≤23.98	PASS
	Ant2	5670	16.30	16.30	≤23.98	PASS
	Ant1	5710_UNII-2C	14.70	14.70	≤23.98	PASS
	Ant2	5710_UNII-2C	14.22	14.24	≤23.98	PASS
	Ant1	5710_UNII-3	3.72	3.72	≤30.00	PASS
	Ant2	5710_UNII-3	3.24	3.26	≤30.00	PASS
	Ant1	5755	17.55	17.57	≤30.00	PASS
	Ant2	5755	17.29	17.29	≤30.00	PASS
	Ant1	5795	17.14	17.14	≤30.00	PASS
	Ant2	5795	17.15	17.17	≤30.00	PASS
11AC20SISO	Ant1	5180	14.24	14.26	≤23.98	PASS
	Ant2	5180	13.93	13.93	≤23.98	PASS
	Ant1	5200	16.86	16.86	≤23.98	PASS
	Ant2	5200	16.57	16.59	≤23.98	PASS
	Ant1	5220	16.96	16.97	≤23.98	PASS
	Ant2	5220	16.67	16.67	≤23.98	PASS
	Ant1	5240	16.80	16.82	≤23.98	PASS
	Ant2	5240	16.63	16.63	≤23.98	PASS
	Ant1	5260	16.47	16.49	≤23.98	PASS
	Ant2	5260	16.36	16.38	≤23.98	PASS
	Ant1	5300	16.76	16.78	≤23.98	PASS
	Ant2	5300	16.47	16.49	≤23.98	PASS
	Ant1	5320	13.98	13.98	≤23.98	PASS
	Ant2	5320	13.80	13.82	≤23.98	PASS
	Ant1	5500	14.45	14.46	≤23.98	PASS
	Ant2	5500	14.15	14.17	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AC20SISO	Ant1	5520	17.39	17.39	≤23.98	PASS
	Ant2	5520	17.10	17.12	≤23.98	PASS
	Ant1	5580	17.10	17.12	≤23.98	PASS
	Ant2	5580	17.02	17.02	≤23.98	PASS
	Ant1	5680	17.06	17.06	≤23.98	PASS
	Ant2	5680	17.14	17.15	≤23.98	PASS
	Ant1	5700	13.53	13.53	≤23.96	PASS
	Ant2	5700	13.33	13.35	≤23.98	PASS
	Ant1	5720_UNII-2C	15.27	15.29	≤22.76	PASS
	Ant2	5720_UNII-2C	14.85	14.85	≤22.74	PASS
	Ant1	5720_UNII-3	9.39	9.41	≤30.00	PASS
	Ant2	5720_UNII-3	9.00	9.00	≤30.00	PASS
	Ant1	5745	16.94	16.96	≤30.00	PASS
	Ant2	5745	16.59	16.61	≤30.00	PASS
	Ant1	5785	16.42	16.42	≤30.00	PASS
	Ant2	5785	16.19	16.20	≤30.00	PASS
	Ant1	5825	17.20	17.22	≤30.00	PASS
	Ant2	5825	16.95	16.95	≤30.00	PASS
11AC40SISO	Ant1	5190	13.86	13.88	≤23.98	PASS
	Ant2	5190	13.57	13.59	≤23.98	PASS
	Ant1	5230	16.08	16.08	≤23.98	PASS
	Ant2	5230	15.81	15.82	≤23.98	PASS
	Ant1	5270	15.64	15.66	≤23.98	PASS
	Ant2	5270	15.50	15.52	≤23.98	PASS
	Ant1	5310	12.47	12.47	≤23.98	PASS
	Ant2	5310	12.52	12.54	≤23.98	PASS
	Ant1	5510	13.70	13.72	≤23.98	PASS
	Ant2	5510	13.49	13.51	≤23.98	PASS
	Ant1	5550	16.18	16.20	≤23.98	PASS
	Ant2	5550	15.97	15.98	≤23.98	PASS
	Ant1	5630	15.77	15.79	≤23.98	PASS
	Ant2	5630	15.98	15.98	≤23.98	PASS
	Ant1	5670	16.27	16.27	≤23.98	PASS
	Ant2	5670	16.28	16.28	≤23.98	PASS
	Ant1	5710_UNII-2C	14.67	14.69	≤23.98	PASS
	Ant2	5710_UNII-2C	14.14	14.16	≤23.98	PASS
	Ant1	5710_UNII-3	3.69	3.71	≤30.00	PASS
	Ant2	5710_UNII-3	3.15	3.17	≤30.00	PASS
	Ant1	5755	17.15	17.15	≤30.00	PASS
	Ant2	5755	16.75	16.77	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AC40SISO	Ant1	5795	16.70	16.70	≤30.00	PASS
	Ant2	5795	16.37	16.39	≤30.00	PASS
11AC80SISO	Ant1	5210	13.16	13.17	≤23.98	PASS
	Ant2	5210	13.23	13.25	≤23.98	PASS
	Ant1	5290	12.05	12.05	≤23.98	PASS
	Ant2	5290	11.99	11.99	≤23.98	PASS
	Ant1	5530	13.13	13.15	≤23.98	PASS
	Ant2	5530	12.99	12.99	≤23.98	PASS
	Ant1	5610	15.96	15.96	≤23.98	PASS
	Ant2	5610	16.00	16.02	≤23.98	PASS
	Ant1	5690_UNII-2C	15.72	15.72	≤23.98	PASS
	Ant2	5690_UNII-2C	15.74	15.76	≤23.98	PASS
	Ant1	5690_UNII-3	0.75	0.75	≤30.00	PASS
	Ant2	5690_UNII-3	0.73	0.75	≤30.00	PASS
	Ant1	5775	16.83	16.85	≤30.00	PASS
	Ant2	5775	16.60	16.60	≤30.00	PASS
11AC160SISO	Ant1	5250	11.81	11.81	≤23.98	PASS
	Ant2	5250	11.83	11.84	≤23.98	PASS
	Ant1	5570	13.76	13.76	≤23.98	PASS
	Ant2	5570	13.73	13.73	≤23.98	PASS
11AX20SISO	Ant1	5180	14.26	14.26	≤23.98	PASS
	Ant2	5180	13.87	13.87	≤23.98	PASS
	Ant1	5200	16.88	16.89	≤23.98	PASS
	Ant2	5200	16.51	16.51	≤23.98	PASS
	Ant1	5220	16.98	17.00	≤23.98	PASS
	Ant2	5220	16.64	16.64	≤23.98	PASS
	Ant1	5240	16.81	16.82	≤23.98	PASS
	Ant2	5240	16.60	16.60	≤23.98	PASS
	Ant1	5260	16.47	16.47	≤23.98	PASS
	Ant2	5260	16.33	16.33	≤23.98	PASS
	Ant1	5300	16.76	16.76	≤23.98	PASS
	Ant2	5300	16.47	16.47	≤23.98	PASS
	Ant1	5320	14.01	14.01	≤23.98	PASS
	Ant2	5320	13.77	13.77	≤23.98	PASS
	Ant1	5500	14.45	14.45	≤23.98	PASS
	Ant2	5500	14.14	14.14	≤23.98	PASS
	Ant1	5520	17.37	17.37	≤23.98	PASS
	Ant2	5520	17.10	17.10	≤23.98	PASS
	Ant1	5580	17.09	17.10	≤23.98	PASS
	Ant2	5580	17.02	17.04	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5680	17.06	17.08	≤23.98	PASS
	Ant2	5680	17.13	17.13	≤23.98	PASS
	Ant1	5700	13.57	13.59	≤23.98	PASS
	Ant2	5700	13.34	13.35	≤23.98	PASS
	Ant1	5720_UNII-2C	15.13	15.13	≤22.88	PASS
	Ant2	5720_UNII-2C	14.77	14.77	≤22.85	PASS
	Ant1	5720_UNII-3	9.73	9.73	≤30.00	PASS
	Ant2	5720_UNII-3	9.35	9.35	≤30.00	PASS
	Ant1	5745	16.94	16.94	≤30.00	PASS
	Ant2	5745	16.59	16.59	≤30.00	PASS
	Ant1	5785	16.41	16.41	≤30.00	PASS
	Ant2	5785	16.23	16.23	≤30.00	PASS
	Ant1	5825	17.20	17.21	≤30.00	PASS
	Ant2	5825	16.98	17.00	≤30.00	PASS
11AX40SISO	Ant1	5190	13.80	13.81	≤23.98	PASS
	Ant2	5190	13.45	13.45	≤23.98	PASS
	Ant1	5230	15.91	15.93	≤23.98	PASS
	Ant2	5230	15.75	15.76	≤23.98	PASS
	Ant1	5270	15.53	15.55	≤23.98	PASS
	Ant2	5270	15.43	15.45	≤23.98	PASS
	Ant1	5310	12.36	12.37	≤23.98	PASS
	Ant2	5310	12.38	12.38	≤23.98	PASS
	Ant1	5510	13.63	13.64	≤23.98	PASS
	Ant2	5510	13.32	13.34	≤23.98	PASS
	Ant1	5550	15.98	16.00	≤23.98	PASS
	Ant2	5550	15.81	15.81	≤23.98	PASS
	Ant1	5630	15.70	15.70	≤23.98	PASS
	Ant2	5630	15.77	15.77	≤23.98	PASS
	Ant1	5670	15.88	15.88	≤23.98	PASS
	Ant2	5670	16.05	16.05	≤23.98	PASS
	Ant1	5710_UNII-2C	14.43	14.44	≤23.98	PASS
	Ant2	5710_UNII-2C	14.07	14.09	≤23.98	PASS
	Ant1	5710_UNII-3	4.23	4.24	≤30.00	PASS
	Ant2	5710_UNII-3	3.85	3.87	≤30.00	PASS
	Ant1	5755	16.96	16.96	≤30.00	PASS
	Ant2	5755	16.61	16.61	≤30.00	PASS
	Ant1	5795	16.61	16.61	≤30.00	PASS
	Ant2	5795	16.39	16.41	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX80SISO	Ant1	5210	13.25	13.25	≤23.98	PASS
	Ant2	5210	13.32	13.32	≤23.98	PASS
	Ant1	5290	12.12	12.12	≤23.98	PASS
	Ant2	5290	12.12	12.12	≤23.98	PASS
	Ant1	5530	13.18	13.18	≤23.98	PASS
	Ant2	5530	13.11	13.11	≤23.98	PASS
	Ant1	5610	16.04	16.04	≤23.98	PASS
	Ant2	5610	16.08	16.08	≤23.98	PASS
	Ant1	5690_UNII-2C	15.76	15.76	≤23.98	PASS
	Ant2	5690_UNII-2C	15.81	15.81	≤23.98	PASS
	Ant1	5690_UNII-3	1.69	1.69	≤30.00	PASS
	Ant2	5690_UNII-3	1.70	1.70	≤30.00	PASS
	Ant1	5775	16.91	16.92	≤30.00	PASS
	Ant2	5775	16.69	16.69	≤30.00	PASS
11AX160SISO	Ant1	5250	11.90	11.90	≤23.98	PASS
	Ant2	5250	11.85	11.85	≤23.98	PASS
	Ant1	5570	13.73	13.74	≤23.98	PASS
	Ant2	5570	13.81	13.82	≤23.98	PASS
11A-CDD	Ant1	5180	15.03	15.09	≤23.98	PASS
	Ant2	5180	14.43	14.45	≤23.98	PASS
	total	5180	---	17.79	≤23.98	PASS
	Ant1	5200	17.12	17.14	≤23.98	PASS
	Ant2	5200	16.45	16.49	≤23.98	PASS
	total	5200	---	19.84	≤23.98	PASS
	Ant1	5220	17.21	17.25	≤23.98	PASS
	Ant2	5220	16.61	16.63	≤23.98	PASS
	total	5220	---	19.96	≤23.98	PASS
	Ant1	5240	17.02	17.06	≤23.98	PASS
	Ant2	5240	16.49	16.53	≤23.98	PASS
	total	5240	---	19.81	≤23.98	PASS
	Ant1	5260	16.68	16.70	≤23.88	PASS
	Ant2	5260	16.26	16.30	≤23.94	PASS
	total	5260	---	19.51	≤23.98	PASS
	Ant1	5300	16.96	17.00	≤23.93	PASS
	Ant2	5300	16.35	16.39	≤23.93	PASS
	total	5300	---	19.72	≤23.98	PASS
	Ant1	5320	16.19	16.23	≤23.88	PASS
	Ant2	5320	15.89	15.93	≤23.81	PASS
	total	5320	---	19.09	≤23.98	PASS
	Ant1	5500	16.19	16.23	≤23.72	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant2	5500	15.53	15.55	≤23.81	PASS
	total	5500	---	18.91	≤23.98	PASS
	Ant1	5520	17.57	17.61	≤23.92	PASS
	Ant2	5520	16.92	16.96	≤23.98	PASS
	total	5520	---	20.31	≤23.98	PASS
	Ant1	5580	17.27	17.31	≤23.92	PASS
	Ant2	5580	16.80	16.86	≤23.98	PASS
	total	5580	---	20.10	≤23.98	PASS
	Ant1	5680	17.30	17.34	≤23.98	PASS
	Ant2	5680	16.86	16.90	≤23.90	PASS
	total	5680	---	20.14	≤23.98	PASS
	Ant1	5700	14.33	14.37	≤23.73	PASS
	Ant2	5700	13.78	13.82	≤23.71	PASS
	total	5700	---	17.11	≤23.98	PASS
	Ant1	5720_UNII-2C	16.58	16.60	≤22.88	PASS
	Ant2	5720_UNII-2C	15.75	15.79	≤22.81	PASS
	total	5720_UNII-2C	---	19.22	≤23.98	PASS
	Ant1	5720_UNII-3	10.33	10.35	≤30.00	PASS
	Ant2	5720_UNII-3	9.43	9.47	≤30.00	PASS
	total	5720_UNII-3	---	12.94	≤30.00	PASS
	Ant1	5745	18.18	18.22	≤30.00	PASS
	Ant2	5745	17.30	17.34	≤30.00	PASS
	total	5745	---	20.81	≤30.00	PASS
	Ant1	5785	17.55	17.57	≤30.00	PASS
	Ant2	5785	16.92	16.96	≤30.00	PASS
	total	5785	---	20.29	≤30.00	PASS
	Ant1	5825	18.08	18.12	≤30.00	PASS
	Ant2	5825	17.70	17.72	≤30.00	PASS
	total	5825	---	20.93	≤30.00	PASS
11N20MIMO	Ant1	5180	14.41	14.41	≤23.98	PASS
	Ant2	5180	13.74	13.74	≤23.98	PASS
	total	5180	---	17.10	≤23.98	PASS
	Ant1	5200	17.00	17.02	≤23.98	PASS
	Ant2	5200	16.31	16.33	≤23.98	PASS
	total	5200	---	19.70	≤23.98	PASS
	Ant1	5220	17.10	17.12	≤23.98	PASS
	Ant2	5220	16.42	16.42	≤23.98	PASS
	total	5220	---	19.79	≤23.98	PASS
	Ant1	5240	16.95	16.95	≤23.98	PASS
	Ant2	5240	16.41	16.43	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N20MIMO	total	5240	---	19.71	≤23.98	PASS
	Ant1	5260	16.60	16.62	≤23.98	PASS
	Ant2	5260	16.17	16.17	≤23.98	PASS
	total	5260	---	19.41	≤23.98	PASS
	Ant1	5300	16.86	16.88	≤23.98	PASS
	Ant2	5300	16.31	16.33	≤23.98	PASS
	total	5300	---	19.62	≤23.98	PASS
	Ant1	5320	14.12	14.12	≤23.98	PASS
	Ant2	5320	13.66	13.68	≤23.98	PASS
	total	5320	---	16.92	≤23.98	PASS
	Ant1	5500	14.60	14.60	≤23.98	PASS
	Ant2	5500	13.97	13.99	≤23.94	PASS
	total	5500	---	17.32	≤23.98	PASS
	Ant1	5520	17.46	17.46	≤23.98	PASS
	Ant2	5520	16.82	16.82	≤23.98	PASS
	total	5520	---	20.16	≤23.98	PASS
	Ant1	5580	17.20	17.20	≤23.97	PASS
	Ant2	5580	16.74	16.76	≤23.98	PASS
	total	5580	---	20.00	≤23.98	PASS
	Ant1	5680	17.20	17.22	≤23.98	PASS
	Ant2	5680	16.80	16.80	≤23.98	PASS
	total	5680	---	20.03	≤23.98	PASS
	Ant1	5700	13.73	13.73	≤23.98	PASS
	Ant2	5700	13.02	13.02	≤23.98	PASS
	total	5700	---	16.40	≤23.98	PASS
	Ant1	5720_UNII-2C	15.94	15.96	≤22.75	PASS
	Ant2	5720_UNII-2C	15.08	15.08	≤22.75	PASS
	total	5720_UNII-2C	---	18.55	≤23.98	PASS
	Ant1	5720_UNII-3	9.95	9.97	≤30.00	PASS
	Ant2	5720_UNII-3	9.08	9.08	≤30.00	PASS
	total	5720_UNII-3	---	12.56	≤30.00	PASS
	Ant1	5745	17.57	17.57	≤30.00	PASS
	Ant2	5745	16.77	16.79	≤30.00	PASS
	total	5745	---	20.21	≤30.00	PASS
	Ant1	5785	16.99	17.01	≤30.00	PASS
	Ant2	5785	16.32	16.34	≤30.00	PASS
	total	5785	---	19.70	≤30.00	PASS
	Ant1	5825	17.77	17.77	≤30.00	PASS
	Ant2	5825	17.05	17.05	≤30.00	PASS
	total	5825	---	20.44	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11N40MIMO	Ant1	5190	14.09	14.09	≤23.98	PASS
	Ant2	5190	13.34	13.36	≤23.98	PASS
	total	5190	---	16.75	≤23.98	PASS
	Ant1	5230	16.19	16.21	≤23.98	PASS
	Ant2	5230	15.61	15.61	≤23.98	PASS
	total	5230	---	18.93	≤23.98	PASS
	Ant1	5270	15.77	15.77	≤23.98	PASS
	Ant2	5270	15.42	15.42	≤23.98	PASS
	total	5270	---	18.61	≤23.98	PASS
	Ant1	5310	12.55	12.56	≤23.98	PASS
	Ant2	5310	12.33	12.33	≤23.98	PASS
	total	5310	---	15.46	≤23.98	PASS
	Ant1	5510	13.83	13.83	≤23.98	PASS
	Ant2	5510	13.24	13.26	≤23.98	PASS
	total	5510	---	16.56	≤23.98	PASS
	Ant1	5550	16.18	16.18	≤23.98	PASS
	Ant2	5550	15.68	15.68	≤23.98	PASS
	total	5550	---	18.95	≤23.98	PASS
	Ant1	5630	16.01	16.01	≤23.98	PASS
	Ant2	5630	15.68	15.68	≤23.98	PASS
	total	5630	---	18.86	≤23.98	PASS
	Ant1	5670	16.28	16.29	≤23.98	PASS
	Ant2	5670	15.96	15.96	≤23.98	PASS
	total	5670	---	19.14	≤23.98	PASS
	Ant1	5710_UNII-2C	14.82	14.84	≤23.98	PASS
	Ant2	5710_UNII-2C	13.86	13.88	≤23.98	PASS
	total	5710_UNII-2C	---	17.40	≤23.98	PASS
	Ant1	5710_UNII-3	3.77	3.79	≤30.00	PASS
	Ant2	5710_UNII-3	2.74	2.76	≤30.00	PASS
	total	5710_UNII-3	---	6.32	≤30.00	PASS
	Ant1	5755	17.28	17.30	≤30.00	PASS
	Ant2	5755	17.01	17.01	≤30.00	PASS
	total	5755	---	20.17	≤30.00	PASS
	Ant1	5795	16.80	16.80	≤30.00	PASS
	Ant2	5795	16.60	16.62	≤30.00	PASS
	total	5795	---	19.72	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AC20MIMO	Ant1	5180	14.36	14.36	≤23.98	PASS
	Ant2	5180	13.68	13.70	≤23.98	PASS
	total	5180	---	17.05	≤23.98	PASS
	Ant1	5200	16.95	16.97	≤23.98	PASS
	Ant2	5200	16.31	16.31	≤23.98	PASS
	total	5200	---	19.66	≤23.98	PASS
	Ant1	5220	17.03	17.03	≤23.98	PASS
	Ant2	5220	16.45	16.47	≤23.98	PASS
	total	5220	---	19.77	≤23.98	PASS
	Ant1	5240	16.86	16.86	≤23.98	PASS
	Ant2	5240	16.43	16.43	≤23.98	PASS
	total	5240	---	19.66	≤23.98	PASS
	Ant1	5260	16.51	16.51	≤23.98	PASS
	Ant2	5260	16.17	16.19	≤23.98	PASS
	total	5260	---	19.36	≤23.98	PASS
	Ant1	5300	16.79	16.80	≤23.98	PASS
	Ant2	5300	16.29	16.31	≤23.98	PASS
	total	5300	---	19.57	≤23.98	PASS
	Ant1	5320	14.08	14.08	≤23.98	PASS
	Ant2	5320	13.66	13.68	≤23.98	PASS
	total	5320	---	16.89	≤23.98	PASS
	Ant1	5500	14.52	14.52	≤23.97	PASS
	Ant2	5500	14.01	14.03	≤23.95	PASS
	total	5500	---	17.29	≤23.98	PASS
	Ant1	5520	17.39	17.40	≤23.98	PASS
	Ant2	5520	16.94	16.96	≤23.97	PASS
	total	5520	---	20.20	≤23.98	PASS
	Ant1	5580	17.12	17.12	≤23.98	PASS
	Ant2	5580	16.86	16.86	≤23.98	PASS
	total	5580	---	20.00	≤23.98	PASS
	Ant1	5680	17.10	17.10	≤23.98	PASS
	Ant2	5680	16.90	16.92	≤23.97	PASS
	total	5680	---	20.02	≤23.98	PASS
	Ant1	5700	13.66	13.66	≤23.98	PASS
	Ant2	5700	13.05	13.07	≤23.98	PASS
	total	5700	---	16.39	≤23.98	PASS
	Ant1	5720_UNII-2C	15.32	15.32	≤22.75	PASS
	Ant2	5720_UNII-2C	14.58	14.58	≤22.74	PASS
	total	5720_UNII-2C	---	17.98	≤23.98	PASS
	Ant1	5720_UNII-3	9.35	9.35	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AC20MIMO	Ant2	5720_UNII-3	8.58	8.58	≤30.00	PASS
	total	5720_UNII-3	---	11.99	≤30.00	PASS
	Ant1	5745	16.99	16.99	≤30.00	PASS
	Ant2	5745	16.25	16.26	≤30.00	PASS
	total	5745	---	19.65	≤30.00	PASS
	Ant1	5785	16.46	16.46	≤30.00	PASS
	Ant2	5785	15.86	15.87	≤30.00	PASS
	total	5785	---	19.19	≤30.00	PASS
	Ant1	5825	17.23	17.24	≤30.00	PASS
	Ant2	5825	16.60	16.60	≤30.00	PASS
	total	5825	---	19.94	≤30.00	PASS
11AC40MIMO	Ant1	5190	14.06	14.06	≤23.98	PASS
	Ant2	5190	13.53	13.53	≤23.98	PASS
	total	5190	---	16.81	≤23.98	PASS
	Ant1	5230	16.08	16.08	≤23.98	PASS
	Ant2	5230	15.83	15.85	≤23.98	PASS
	total	5230	---	18.98	≤23.98	PASS
	Ant1	5270	15.74	15.76	≤23.98	PASS
	Ant2	5270	15.51	15.51	≤23.98	PASS
	total	5270	---	18.65	≤23.98	PASS
	Ant1	5310	12.61	12.61	≤23.98	PASS
	Ant2	5310	12.43	12.43	≤23.98	PASS
	total	5310	---	15.53	≤23.98	PASS
	Ant1	5510	13.88	13.90	≤23.98	PASS
	Ant2	5510	13.40	13.40	≤23.98	PASS
	total	5510	---	16.67	≤23.98	PASS
	Ant1	5550	16.22	16.22	≤23.98	PASS
	Ant2	5550	15.88	15.89	≤23.98	PASS
	total	5550	---	19.07	≤23.98	PASS
	Ant1	5630	15.84	15.86	≤23.98	PASS
	Ant2	5630	15.72	15.74	≤23.98	PASS
	total	5630	---	18.81	≤23.98	PASS
	Ant1	5670	16.34	16.36	≤23.98	PASS
	Ant2	5670	15.97	15.99	≤23.98	PASS
	total	5670	---	19.19	≤23.98	PASS
	Ant1	5710_UNII-2C	14.65	14.67	≤23.98	PASS
	Ant2	5710_UNII-2C	14.07	14.09	≤23.98	PASS
	total	5710_UNII-2C	---	17.40	≤23.98	PASS
	Ant1	5710_UNII-3	3.63	3.65	≤30.00	PASS
	Ant2	5710_UNII-3	2.94	2.96	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AC40MIMO	total	5710_UNII-3	---	6.33	≤30.00	PASS
	Ant1	5755	17.23	17.25	≤30.00	PASS
	Ant2	5755	16.57	16.57	≤30.00	PASS
	total	5755	---	19.93	≤30.00	PASS
	Ant1	5795	16.74	16.75	≤30.00	PASS
	Ant2	5795	16.34	16.36	≤30.00	PASS
	total	5795	---	19.57	≤30.00	PASS
11AC80MIMO	Ant1	5210	13.24	13.24	≤23.98	PASS
	Ant2	5210	13.26	13.26	≤23.98	PASS
	total	5210	---	16.26	≤23.98	PASS
	Ant1	5290	12.09	12.11	≤23.98	PASS
	Ant2	5290	11.94	11.94	≤23.98	PASS
	total	5290	---	15.04	≤23.98	PASS
	Ant1	5530	13.16	13.18	≤23.98	PASS
	Ant2	5530	12.93	12.93	≤23.98	PASS
	total	5530	---	16.07	≤23.98	PASS
	Ant1	5610	15.97	15.97	≤23.98	PASS
	Ant2	5610	15.92	15.92	≤23.98	PASS
	total	5610	---	18.96	≤23.98	PASS
	Ant1	5690_UNII-2C	15.75	15.77	≤23.98	PASS
	Ant2	5690_UNII-2C	15.64	15.64	≤23.98	PASS
	total	5690_UNII-2C	---	18.72	≤23.98	PASS
	Ant1	5690_UNII-3	0.73	0.75	≤30.00	PASS
	Ant2	5690_UNII-3	0.53	0.53	≤30.00	PASS
	total	5690_UNII-3	---	3.65	≤30.00	PASS
	Ant1	5775	16.87	16.87	≤30.00	PASS
	Ant2	5775	16.40	16.40	≤30.00	PASS
	total	5775	---	19.65	≤30.00	PASS
11AC160MIMO	Ant1	5250	11.90	11.90	≤23.98	PASS
	Ant2	5250	11.89	11.90	≤23.98	PASS
	total	5250	---	14.91	≤23.98	PASS
	Ant1	5570	13.77	13.77	≤23.98	PASS
	Ant2	5570	13.62	13.64	≤23.98	PASS
	total	5570	---	16.72	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant1	5180	14.33	14.33	≤23.98	PASS
	Ant2	5180	13.88	13.88	≤23.98	PASS
	total	5180	---	17.12	≤23.98	PASS
	Ant1	5200	16.91	16.92	≤23.98	PASS
	Ant2	5200	16.44	16.44	≤23.98	PASS
	total	5200	---	19.70	≤23.98	PASS
	Ant1	5220	16.99	17.01	≤23.98	PASS
	Ant2	5220	16.56	16.56	≤23.98	PASS
	total	5220	---	19.80	≤23.98	PASS
	Ant1	5240	16.83	16.84	≤23.98	PASS
	Ant2	5240	16.52	16.52	≤23.98	PASS
	total	5240	---	19.69	≤23.98	PASS
	Ant1	5260	16.47	16.49	≤23.98	PASS
	Ant2	5260	16.25	16.25	≤23.98	PASS
	total	5260	---	19.38	≤23.98	PASS
	Ant1	5300	16.74	16.74	≤23.98	PASS
	Ant2	5300	16.38	16.40	≤23.98	PASS
	total	5300	---	19.58	≤23.98	PASS
	Ant1	5320	14.06	14.06	≤23.98	PASS
	Ant2	5320	13.76	13.76	≤23.98	PASS
	total	5320	---	16.92	≤23.98	PASS
	Ant1	5500	14.47	14.49	≤23.98	PASS
	Ant2	5500	14.06	14.06	≤23.98	PASS
	total	5500	---	17.29	≤23.98	PASS
	Ant1	5520	17.33	17.34	≤23.98	PASS
	Ant2	5520	16.94	16.95	≤23.98	PASS
	total	5520	---	20.16	≤23.98	PASS
	Ant1	5580	17.05	17.07	≤23.98	PASS
	Ant2	5580	16.85	16.87	≤23.98	PASS
	total	5580	---	19.98	≤23.98	PASS
	Ant1	5680	17.05	17.05	≤23.98	PASS
	Ant2	5680	16.90	16.90	≤23.98	PASS
	total	5680	---	19.99	≤23.98	PASS
	Ant1	5700	13.60	13.60	≤23.98	PASS
	Ant2	5700	13.14	13.14	≤23.98	PASS
	total	5700	---	16.39	≤23.98	PASS
	Ant1	5720_UNII-2C	15.19	15.19	≤22.85	PASS
	Ant2	5720_UNII-2C	14.52	14.53	≤22.84	PASS
	total	5720_UNII-2C	---	17.88	≤23.98	PASS
	Ant1	5720_UNII-3	9.64	9.64	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5720_UNII-3	8.95	8.96	≤30.00	PASS
	total	5720_UNII-3	---	12.32	≤30.00	PASS
	Ant1	5745	16.95	16.95	≤30.00	PASS
	Ant2	5745	16.30	16.30	≤30.00	PASS
	total	5745	---	19.65	≤30.00	PASS
	Ant1	5785	16.41	16.41	≤30.00	PASS
	Ant2	5785	15.92	15.92	≤30.00	PASS
	total	5785	---	19.18	≤30.00	PASS
	Ant1	5825	17.21	17.22	≤30.00	PASS
	Ant2	5825	16.65	16.67	≤30.00	PASS
	total	5825	---	19.96	≤30.00	PASS
11AX40MIMO	Ant1	5190	13.88	13.88	≤23.98	PASS
	Ant2	5190	13.38	13.39	≤23.98	PASS
	total	5190	---	16.65	≤23.98	PASS
	Ant1	5230	15.99	16.01	≤23.98	PASS
	Ant2	5230	15.66	15.66	≤23.98	PASS
	total	5230	---	18.85	≤23.98	PASS
	Ant1	5270	15.58	15.59	≤23.98	PASS
	Ant2	5270	15.36	15.36	≤23.98	PASS
	total	5270	---	18.49	≤23.98	PASS
	Ant1	5310	12.37	12.38	≤23.98	PASS
	Ant2	5310	12.34	12.34	≤23.98	PASS
	total	5310	---	15.37	≤23.98	PASS
	Ant1	5510	13.63	13.63	≤23.98	PASS
	Ant2	5510	13.24	13.25	≤23.98	PASS
	total	5510	---	16.45	≤23.98	PASS
	Ant1	5550	15.99	15.99	≤23.98	PASS
	Ant2	5550	15.68	15.68	≤23.98	PASS
	total	5550	---	18.85	≤23.98	PASS
	Ant1	5630	15.73	15.73	≤23.98	PASS
	Ant2	5630	15.65	15.65	≤23.98	PASS
	total	5630	---	18.70	≤23.98	PASS
	Ant1	5670	16.09	16.09	≤23.98	PASS
	Ant2	5670	15.90	15.90	≤23.98	PASS
	total	5670	---	19.01	≤23.98	PASS
	Ant1	5710_UNII-2C	14.46	14.46	≤23.98	PASS
	Ant2	5710_UNII-2C	13.84	13.84	≤23.98	PASS
	total	5710_UNII-2C	---	17.17	≤23.98	PASS
	Ant1	5710_UNII-3	4.17	4.17	≤30.00	PASS
	Ant2	5710_UNII-3	3.47	3.47	≤30.00	PASS

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX40MIMO	total	5710_UNII-3	---	6.84	≤30.00	PASS
	Ant1	5755	17.01	17.01	≤30.00	PASS
	Ant2	5755	16.33	16.33	≤30.00	PASS
	total	5755	---	19.69	≤30.00	PASS
	Ant1	5795	16.65	16.65	≤30.00	PASS
	Ant2	5795	16.09	16.09	≤30.00	PASS
	total	5795	---	19.39	≤30.00	PASS
11AX80MIMO	Ant1	5210	13.27	13.27	≤23.98	PASS
	Ant2	5210	13.25	13.27	≤23.98	PASS
	total	5210	---	16.28	≤23.98	PASS
	Ant1	5290	12.17	12.17	≤23.98	PASS
	Ant2	5290	12.04	12.04	≤23.98	PASS
	total	5290	---	15.12	≤23.98	PASS
	Ant1	5530	13.19	13.19	≤23.98	PASS
	Ant2	5530	13.03	13.03	≤23.98	PASS
	total	5530	---	16.12	≤23.98	PASS
	Ant1	5610	16.07	16.09	≤23.98	PASS
	Ant2	5610	15.94	15.94	≤23.98	PASS
	total	5610	---	19.03	≤23.98	PASS
	Ant1	5690_UNII-2C	15.80	15.80	≤23.98	PASS
	Ant2	5690_UNII-2C	15.61	15.61	≤23.98	PASS
	total	5690_UNII-2C	---	18.72	≤23.98	PASS
	Ant1	5690_UNII-3	1.63	1.63	≤30.00	PASS
	Ant2	5690_UNII-3	1.40	1.40	≤30.00	PASS
	total	5690_UNII-3	---	4.53	≤30.00	PASS
	Ant1	5775	16.95	16.95	≤30.00	PASS
	Ant2	5775	16.45	16.45	≤30.00	PASS
	total	5775	---	19.72	≤30.00	PASS
11AX160MIMO	Ant1	5250	11.97	11.98	≤23.98	PASS
	Ant2	5250	11.87	11.87	≤23.98	PASS
	total	5250	---	14.94	≤23.98	PASS
	Ant1	5570	13.78	13.78	≤23.98	PASS
	Ant2	5570	13.64	13.64	≤23.98	PASS
	total	5570	---	16.72	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.

4.1.2 Partial RU for 11AX mode

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5180	26Tone	RU0	11.95	11.95	≤23.98	PASS
			52Tone	RU37	14.70	14.73	≤23.98	PASS
			106Tone	RU53	14.87	14.90	≤23.98	PASS
	Ant2	5180	26Tone	RU0	11.96	11.96	≤23.98	PASS
			52Tone	RU37	14.80	14.84	≤23.98	PASS
			106Tone	RU53	16.98	17.01	≤23.98	PASS
	Ant1	5220	26Tone	RU0	12.15	12.15	≤23.98	PASS
			52Tone	RU37	14.85	14.89	≤23.98	PASS
			106Tone	RU53	17.66	17.71	≤23.98	PASS
	Ant2	5220	26Tone	RU0	12.12	12.12	≤23.98	PASS
			52Tone	RU37	14.87	14.90	≤23.98	PASS
			106Tone	RU53	17.48	17.51	≤23.98	PASS
	Ant1	5240	26Tone	RU8	12.11	12.16	≤23.98	PASS
			52Tone	RU40	14.79	14.79	≤23.98	PASS
			106Tone	RU54	17.65	17.68	≤23.98	PASS
	Ant2	5240	26Tone	RU8	12.04	12.08	≤23.98	PASS
			52Tone	RU40	14.76	14.76	≤23.98	PASS
			106Tone	RU54	17.51	17.54	≤23.98	PASS
	Ant1	5260	26Tone	RU0	12.09	12.09	≤23.98	PASS
			52Tone	RU37	14.90	14.93	≤23.98	PASS
			106Tone	RU53	17.44	17.47	≤23.98	PASS
	Ant2	5260	26Tone	RU0	12.16	12.19	≤23.98	PASS
			52Tone	RU37	15.08	15.08	≤23.98	PASS
			106Tone	RU53	17.48	17.51	≤23.98	PASS
	Ant1	5300	26Tone	RU8	12.05	12.08	≤23.98	PASS
			52Tone	RU40	14.83	14.86	≤23.98	PASS
			106Tone	RU54	17.56	17.59	≤23.98	PASS
	Ant2	5300	26Tone	RU8	11.71	11.76	≤23.98	PASS
			52Tone	RU40	14.58	14.61	≤23.98	PASS
			106Tone	RU54	17.19	17.19	≤23.98	PASS
	Ant1	5320	26Tone	RU8	11.94	11.97	≤23.98	PASS
			52Tone	RU40	14.70	14.70	≤23.98	PASS
			106Tone	RU54	14.87	14.87	≤23.98	PASS
	Ant2	5320	26Tone	RU8	11.98	12.03	≤23.98	PASS
			52Tone	RU40	14.74	14.74	≤23.98	PASS
			106Tone	RU54	14.94	14.97	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	5500	26Tone	RU0	11.92	11.92	≤23.98	PASS
			52Tone	RU37	14.78	14.81	≤23.98	PASS
			106Tone	RU53	14.96	14.96	≤23.98	PASS
	Ant2	5500	26Tone	RU0	12.37	12.37	≤23.98	PASS
			52Tone	RU37	14.76	14.76	≤23.98	PASS
			106Tone	RU53	14.94	14.97	≤23.98	PASS
	Ant1	5580	26Tone	RU0	11.98	11.98	≤23.98	PASS
			52Tone	RU37	14.86	14.86	≤23.98	PASS
			106Tone	RU53	17.59	17.64	≤23.98	PASS
	Ant2	5580	26Tone	RU0	12.16	12.19	≤23.98	PASS
			52Tone	RU37	14.96	14.96	≤23.98	PASS
			106Tone	RU53	17.66	17.69	≤23.98	PASS
	Ant1	5700	26Tone	RU8	11.91	11.96	≤23.93	PASS
			52Tone	RU40	14.76	14.79	≤23.98	PASS
			106Tone	RU54	14.39	14.39	≤23.98	PASS
	Ant2	5700	26Tone	RU8	12.19	12.24	≤23.98	PASS
			52Tone	RU40	14.59	14.63	≤23.98	PASS
			106Tone	RU54	14.16	14.19	≤23.98	PASS
	Ant1	5720_UNII-2C	26Tone	RU0	11.81	11.84	≤23.10	PASS
				RU8	-8.88	-8.88	≤22.50	PASS
			52Tone	RU37	14.67	14.70	≤22.96	PASS
				RU40	-2.14	-2.11	≤22.56	PASS
			106Tone	RU53	17.44	17.47	≤23.01	PASS
				RU54	14.20	14.23	≤22.70	PASS
	Ant2	5720_UNII-2C	26Tone	RU0	11.58	11.62	≤23.14	PASS
				RU8	-9.30	-9.27	≤22.49	PASS
			52Tone	RU37	14.38	14.41	≤23.06	PASS
				RU40	-2.86	-2.86	≤22.58	PASS
			106Tone	RU53	16.93	16.96	≤23.10	PASS
				RU54	13.66	13.69	≤22.51	PASS
	Ant1	5720_UNII-3	26Tone	RU0	-16.13	-16.10	≤30.00	PASS
				RU8	11.97	11.97	≤30.00	PASS
			52Tone	RU37	-12.37	-12.34	≤30.00	PASS
				RU40	14.75	14.78	≤30.00	PASS
			106Tone	RU53	-10.08	-10.05	≤30.00	PASS
				RU54	14.89	14.92	≤30.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant2	5720_UNII-3	26Tone	RU0	-16.17	-16.13	≤30.00	PASS
				RU8	11.61	11.64	≤30.00	PASS
			52Tone	RU37	-12.79	-12.76	≤30.00	PASS
				RU40	14.43	14.43	≤30.00	PASS
			106Tone	RU53	-10.55	-10.52	≤30.00	PASS
				RU54	14.36	14.39	≤30.00	PASS
	Ant1	5745	26Tone	RU0	11.97	11.99	≤30.00	PASS
			52Tone	RU37	14.91	14.91	≤30.00	PASS
			106Tone	RU53	17.61	17.64	≤30.00	PASS
	Ant2	5745	26Tone	RU0	17.02	17.02	≤30.00	PASS
			52Tone	RU37	16.93	16.93	≤30.00	PASS
			106Tone	RU53	17.11	17.16	≤30.00	PASS
	Ant1	5785	26Tone	RU0	11.88	11.91	≤30.00	PASS
			52Tone	RU37	14.59	14.63	≤30.00	PASS
			106Tone	RU53	17.43	17.46	≤30.00	PASS
	Ant2	5785	26Tone	RU0	16.96	16.96	≤30.00	PASS
			52Tone	RU37	16.89	16.92	≤30.00	PASS
			106Tone	RU53	17.09	17.12	≤30.00	PASS
	Ant1	5825	26Tone	RU8	11.94	11.94	≤30.00	PASS
			52Tone	RU40	15.00	15.03	≤30.00	PASS
			106Tone	RU54	17.66	17.66	≤30.00	PASS
	Ant2	5825	26Tone	RU8	17.06	17.09	≤30.00	PASS
			52Tone	RU40	17.03	17.06	≤30.00	PASS
			106Tone	RU54	17.21	17.24	≤30.00	PASS
11AX40SISO	Ant1	5190	242Tone	RU61	14.38	14.43	≤23.98	PASS
	Ant2	5190	242Tone	RU61	14.27	14.33	≤23.98	PASS
	Ant1	5230	242Tone	RU62	16.75	16.82	≤23.98	PASS
	Ant2	5230	242Tone	RU62	16.49	16.56	≤23.98	PASS
	Ant1	5270	242Tone	RU61	16.45	16.50	≤23.98	PASS
	Ant2	5270	242Tone	RU61	16.30	16.35	≤23.98	PASS
	Ant1	5310	242Tone	RU62	13.44	13.49	≤23.98	PASS
	Ant2	5310	242Tone	RU62	13.20	13.25	≤23.98	PASS
	Ant1	5510	242Tone	RU61	14.06	14.11	≤23.98	PASS
	Ant2	5510	242Tone	RU61	14.42	14.47	≤23.98	PASS
	Ant1	5550	242Tone	RU61	16.62	16.68	≤23.98	PASS
	Ant2	5550	242Tone	RU61	16.59	16.65	≤23.98	PASS
	Ant1	5670	242Tone	RU62	16.70	16.75	≤23.98	PASS
	Ant2	5670	242Tone	RU62	16.67	16.72	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX40SISO	Ant1	5710_UNII-2C	242Tone	RU61	16.10	16.15	≤23.98	PASS
				RU62	15.09	15.14	≤23.98	PASS
	Ant2	5710_UNII-2C	242Tone	RU61	15.45	15.51	≤23.98	PASS
				RU62	14.53	14.58	≤23.98	PASS
	Ant1	5710_UNII-3	242Tone	RU61	-11.98	-11.93	≤30.00	PASS
				RU62	9.11	9.16	≤30.00	PASS
	Ant2	5710_UNII-3	242Tone	RU61	-13.65	-13.59	≤30.00	PASS
				RU62	8.53	8.58	≤30.00	PASS
	Ant1	5755	242Tone	RU61	17.69	17.75	≤30.00	PASS
11AX80SISO	Ant2	5755	242Tone	RU61	17.22	17.27	≤30.00	PASS
	Ant1	5795	242Tone	RU62	17.48	17.55	≤30.00	PASS
	Ant2	5795	242Tone	RU62	17.12	17.19	≤30.00	PASS
	Ant1	5210	484Tone	RU65	14.20	14.25	≤23.98	PASS
	Ant2	5210	484Tone	RU65	14.15	14.20	≤23.98	PASS
	Ant1	5290	484Tone	RU66	13.12	13.15	≤23.98	PASS
	Ant2	5290	484Tone	RU66	13.05	13.10	≤23.98	PASS
	Ant1	5530	484Tone	RU65	13.66	13.71	≤23.98	PASS
	Ant2	5530	484Tone	RU65	13.90	13.95	≤23.98	PASS
	Ant1	5610	484Tone	RU66	16.75	16.80	≤23.98	PASS
	Ant2	5610	484Tone	RU66	16.73	16.78	≤23.98	PASS
	Ant1	5690_UNII-2C	484Tone	RU65	16.42	16.47	≤23.98	PASS
				RU66	16.14	16.19	≤23.98	PASS
	Ant2	5690_UNII-2C	484Tone	RU65	16.46	16.49	≤23.98	PASS
				RU66	16.06	16.11	≤23.98	PASS
	Ant1	5690_UNII-3	484Tone	RU65	-15.56	-15.51	≤30.00	PASS
				RU66	6.67	6.72	≤30.00	PASS
	Ant2	5690_UNII-3	484Tone	RU65	-16.21	-16.18	≤30.00	PASS
				RU66	6.63	6.68	≤30.00	PASS
	Ant1	5775	484Tone	RU65	17.67	17.72	≤30.00	PASS
	Ant2	5775	484Tone	RU65	17.34	17.39	≤30.00	PASS
11AX160SISO	Ant1	5250	996Tone	RU67	12.60	12.73	≤23.98	PASS
	Ant2	5250	996Tone	RU67	12.40	12.46	≤23.98	PASS
	Ant1	5570	996Tone	RU67	13.90	13.96	≤23.98	PASS
	Ant2	5570	996Tone	RU67	13.87	13.97	≤23.98	PASS
11AX20MIMO	Ant1	5180	26Tone	RU0	9.74	9.74	≤23.98	PASS
			52Tone	RU37	12.61	12.61	≤23.98	PASS
			106Tone	RU53	14.94	14.99	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5180	26Tone	RU0	9.29	9.29	≤23.98	PASS
			52Tone	RU37	12.41	12.41	≤23.98	PASS
			106Tone	RU53	14.81	14.81	≤23.98	PASS
	total	5180	26Tone	RU0	---	12.53	≤23.98	PASS
			52Tone	RU37	---	15.52	≤23.98	PASS
			106Tone	RU53	---	17.91	≤23.98	PASS
	Ant1	5220	26Tone	RU0	9.93	9.95	≤23.98	PASS
			52Tone	RU37	12.68	12.72	≤23.98	PASS
			106Tone	RU53	15.87	15.90	≤23.98	PASS
	Ant2	5220	26Tone	RU0	9.53	9.53	≤23.98	PASS
			52Tone	RU37	12.59	12.59	≤23.98	PASS
			106Tone	RU53	15.57	15.57	≤23.98	PASS
	total	5220	26Tone	RU0	---	12.76	≤23.98	PASS
			52Tone	RU37	---	15.67	≤23.98	PASS
			106Tone	RU53	---	18.75	≤23.98	PASS
	Ant1	5240	26Tone	RU8	9.92	9.97	≤23.98	PASS
			52Tone	RU40	12.84	12.84	≤23.98	PASS
			106Tone	RU54	15.75	15.75	≤23.98	PASS
	Ant2	5240	26Tone	RU8	9.70	9.74	≤23.98	PASS
			52Tone	RU40	12.70	12.73	≤23.98	PASS
			106Tone	RU54	15.27	15.30	≤23.98	PASS
	total	5240	26Tone	RU8	---	12.87	≤23.98	PASS
			52Tone	RU40	---	15.80	≤23.98	PASS
			106Tone	RU54	---	18.54	≤23.98	PASS
	Ant1	5260	26Tone	RU0	10.04	10.06	≤23.98	PASS
			52Tone	RU37	12.95	12.95	≤23.98	PASS
			106Tone	RU53	15.49	15.52	≤23.98	PASS
	Ant2	5260	26Tone	RU0	9.33	9.36	≤23.98	PASS
			52Tone	RU37	12.63	12.66	≤23.98	PASS
			106Tone	RU53	15.22	15.22	≤23.98	PASS
	total	5260	26Tone	RU0	---	9.36	≤23.98	PASS
			52Tone	RU37	---	12.66	≤23.98	PASS
			106Tone	RU53	---	18.38	≤23.98	PASS
	Ant1	5300	26Tone	RU0	9.57	9.57	≤23.98	PASS
			52Tone	RU37	12.56	12.60	≤23.98	PASS
			106Tone	RU53	15.86	15.89	≤23.98	PASS
	Ant2	5300	26Tone	RU0	9.10	9.10	≤23.98	PASS
			52Tone	RU37	12.16	12.16	≤23.98	PASS
			106Tone	RU53	15.10	15.13	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX20MIMO	total	5300	26Tone	RU0	---	12.35	≤23.98	PASS
			52Tone	RU37	---	15.40	≤23.98	PASS
			106Tone	RU53	---	18.54	≤23.98	PASS
	Ant1	5320	26Tone	RU8	9.69	9.69	≤23.98	PASS
			52Tone	RU40	12.61	12.64	≤23.98	PASS
			106Tone	RU54	13.66	13.69	≤23.98	PASS
	Ant2	5320	26Tone	RU8	9.45	9.45	≤23.96	PASS
			52Tone	RU40	12.51	12.51	≤23.98	PASS
			106Tone	RU54	15.06	15.09	≤23.98	PASS
	total	5320	26Tone	RU8	---	12.58	≤23.96	PASS
			52Tone	RU40	---	15.59	≤23.98	PASS
			106Tone	RU54	---	17.46	≤23.98	PASS
	Ant1	5500	26Tone	RU0	9.66	9.70	≤23.98	PASS
			52Tone	RU37	12.56	12.56	≤23.98	PASS
			106Tone	RU53	15.14	15.17	≤23.98	PASS
	Ant2	5500	26Tone	RU0	9.79	9.79	≤23.98	PASS
			52Tone	RU37	12.89	12.89	≤23.98	PASS
			106Tone	RU53	14.98	15.01	≤23.98	PASS
	total	5500	26Tone	RU0	---	12.76	≤23.98	PASS
			52Tone	RU37	---	15.74	≤23.98	PASS
			106Tone	RU53	---	18.10	≤23.98	PASS
	Ant1	5580	26Tone	RU0	9.84	9.87	≤23.98	PASS
			52Tone	RU37	12.76	12.79	≤23.98	PASS
			106Tone	RU53	15.80	15.85	≤23.98	PASS
	Ant2	5580	26Tone	RU0	9.76	9.78	≤23.98	PASS
			52Tone	RU37	12.67	12.70	≤23.98	PASS
			106Tone	RU53	15.64	15.67	≤23.98	PASS
	total	5580	26Tone	RU0	---	12.84	≤23.98	PASS
			52Tone	RU37	---	15.76	≤23.98	PASS
			106Tone	RU53	---	18.77	≤23.98	PASS
	Ant1	5700	26Tone	RU8	9.55	9.55	≤23.98	PASS
			52Tone	RU40	12.49	12.52	≤23.98	PASS
			106Tone	RU54	14.73	14.76	≤23.98	PASS
	Ant2	5700	26Tone	RU8	9.55	9.60	≤23.98	PASS
			52Tone	RU40	12.58	12.61	≤23.98	PASS
			106Tone	RU54	14.18	14.23	≤23.98	PASS
	total	5700	26Tone	RU8	---	12.59	≤23.98	PASS
			52Tone	RU40	---	15.58	≤23.98	PASS
			106Tone	RU54	---	17.51	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant1	5720_UNII-2C	26Tone	RU0	9.63	9.67	≤23.18	PASS
				RU8	-11.40	-11.36	≤22.46	PASS
			52Tone	RU37	12.53	12.53	≤23.10	PASS
				RU40	-4.53	-4.50	≤22.51	PASS
			106Tone	RU53	14.61	14.64	≤23.07	PASS
				RU54	11.40	11.43	≤22.56	PASS
	Ant2	5720_UNII-2C	26Tone	RU0	9.03	9.03	≤23.12	PASS
				RU8	-11.72	-11.67	≤22.50	PASS
			52Tone	RU37	11.99	11.99	≤23.00	PASS
				RU40	-4.99	-4.95	≤22.46	PASS
			106Tone	RU53	13.93	13.96	≤23.04	PASS
				RU54	10.66	10.69	≤22.56	PASS
	total	5720_UNII-2C	26Tone	RU0	---	12.37	≤23.12	PASS
				RU8	---	-8.50	≤22.50	PASS
			52Tone	RU37	---	15.28	≤23.00	PASS
				RU40	---	-1.71	≤22.46	PASS
			106Tone	RU53	---	17.32	≤23.04	PASS
				RU54	---	14.09	≤22.56	PASS
	Ant1	5720_UNII-3	26Tone	RU0	-18.15	-18.11	≤30.00	PASS
				RU8	9.49	9.53	≤30.00	PASS
			52Tone	RU37	-14.47	-14.47	≤30.00	PASS
				RU40	12.42	12.45	≤30.00	PASS
			106Tone	RU53	-12.94	-12.91	≤30.00	PASS
				RU54	11.96	11.99	≤30.00	PASS
	Ant2	5720_UNII-3	26Tone	RU0	-17.91	-17.91	≤30.00	PASS
				RU8	8.97	9.02	≤30.00	PASS
			52Tone	RU37	-15.21	-15.21	≤30.00	PASS
				RU40	12.00	12.04	≤30.00	PASS
			106Tone	RU53	-12.82	-12.79	≤30.00	PASS
				RU54	11.29	11.32	≤30.00	PASS
	total	5720_UNII-3	26Tone	RU0	---	-15.00	≤30.00	PASS
				RU8	---	12.29	≤30.00	PASS
			52Tone	RU37	---	-11.81	≤30.00	PASS
				RU40	---	15.26	≤30.00	PASS
			106Tone	RU53	---	-9.84	≤30.00	PASS
				RU54	---	14.68	≤30.00	PASS
	Ant1	5745	26Tone	RU0	17.58	17.58	≤30.00	PASS
			52Tone	RU37	17.55	17.58	≤30.00	PASS
			106Tone	RU53	17.63	17.66	≤30.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant2	5745	26Tone	RU0	16.80	16.80	≤30.00	PASS
			52Tone	RU37	17.19	17.23	≤30.00	PASS
			106Tone	RU53	17.37	17.37	≤30.00	PASS
	total	5745	26Tone	RU0	---	20.22	≤30.00	PASS
			52Tone	RU37	---	20.42	≤30.00	PASS
			106Tone	RU53	---	20.53	≤30.00	PASS
	Ant1	5785	26Tone	RU0	17.85	17.89	≤30.00	PASS
			52Tone	RU37	17.78	17.81	≤30.00	PASS
			106Tone	RU53	17.90	17.93	≤30.00	PASS
	Ant2	5785	26Tone	RU0	16.89	16.91	≤30.00	PASS
			52Tone	RU37	16.87	16.90	≤30.00	PASS
			106Tone	RU53	17.32	17.35	≤30.00	PASS
	total	5785	26Tone	RU0	---	20.44	≤30.00	PASS
			52Tone	RU37	---	20.39	≤30.00	PASS
			106Tone	RU53	---	20.66	≤30.00	PASS
	Ant1	5825	26Tone	RU8	17.56	17.56	≤30.00	PASS
			52Tone	RU40	17.58	17.58	≤30.00	PASS
			106Tone	RU54	18.00	18.03	≤30.00	PASS
	Ant2	5825	26Tone	RU8	17.27	17.30	≤30.00	PASS
			52Tone	RU40	17.25	17.28	≤30.00	PASS
			106Tone	RU54	17.41	17.44	≤30.00	PASS
	total	5825	26Tone	RU8	---	20.44	≤30.00	PASS
			52Tone	RU40	---	20.44	≤30.00	PASS
			106Tone	RU54	---	20.76	≤30.00	PASS
11AX40MIMO	Ant1	5190	242Tone	RU61	14.62	14.68	≤23.98	PASS
	Ant2	5190	242Tone	RU61	14.43	14.49	≤23.98	PASS
	total	5190	242Tone	RU61	---	17.60	≤23.98	PASS
	Ant1	5230	242Tone	RU62	16.99	17.04	≤23.98	PASS
	Ant2	5230	242Tone	RU62	16.60	16.65	≤23.98	PASS
	total	5230	242Tone	RU62	---	19.86	≤23.98	PASS
	Ant1	5270	242Tone	RU61	16.78	16.83	≤23.98	PASS
	Ant2	5270	242Tone	RU61	16.47	16.52	≤23.98	PASS
	total	5270	242Tone	RU61	---	19.69	≤23.98	PASS
	Ant1	5310	242Tone	RU62	13.73	13.80	≤23.98	PASS
	Ant2	5310	242Tone	RU62	13.38	13.43	≤23.98	PASS
	total	5310	242Tone	RU62	---	16.63	≤23.98	PASS
	Ant1	5510	242Tone	RU61	14.32	14.37	≤23.98	PASS
	Ant2	5510	242Tone	RU61	14.57	14.63	≤23.98	PASS
	total	5510	242Tone	RU61	---	17.51	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX40MIMO	Ant1	5550	242Tone	RU61	16.85	16.90	≤23.98	PASS
	Ant2	5550	242Tone	RU61	16.64	16.70	≤23.98	PASS
	total	5550	242Tone	RU61	---	19.81	≤23.98	PASS
	Ant1	5670	242Tone	RU62	17.02	17.07	≤23.98	PASS
	Ant2	5670	242Tone	RU62	16.70	16.75	≤23.98	PASS
	total	5670	242Tone	RU62	---	19.92	≤23.98	PASS
	Ant1	5710_UNII-2C	242Tone	RU61	16.38	16.43	≤23.98	PASS
				RU62	15.42	15.47	≤23.98	PASS
	Ant2	5710_UNII-2C	242Tone	RU61	15.48	15.53	≤23.98	PASS
				RU62	14.54	14.59	≤23.98	PASS
	total	5710_UNII-2C	242Tone	RU61	---	19.01	≤23.98	PASS
				RU62	---	18.06	≤23.98	PASS
	Ant1	5710_UNII-3	242Tone	RU61	-12.90	-12.85	≤30.00	PASS
				RU62	9.32	9.37	≤30.00	PASS
	Ant2	5710_UNII-3	242Tone	RU61	-13.63	-13.58	≤30.00	PASS
				RU62	8.52	8.57	≤30.00	PASS
	total	5710_UNII-3	242Tone	RU61	---	-10.19	≤30.00	PASS
				RU62	---	12.00	≤30.00	PASS
	Ant1	5755	242Tone	RU61	17.94	18.00	≤30.00	PASS
	Ant2	5755	242Tone	RU61	17.17	17.22	≤30.00	PASS
	total	5755	242Tone	RU61	---	20.64	≤30.00	PASS
	Ant1	5795	242Tone	RU62	17.82	17.87	≤30.00	PASS
	Ant2	5795	242Tone	RU62	17.10	17.15	≤30.00	PASS
	total	5795	242Tone	RU62	---	20.54	≤30.00	PASS
11AX80MIMO	Ant1	5210	484Tone	RU65	14.49	14.52	≤23.98	PASS
	Ant2	5210	484Tone	RU65	14.20	14.25	≤23.98	PASS
	total	5210	484Tone	RU65	---	17.40	≤23.98	PASS
	Ant1	5290	484Tone	RU66	13.43	13.48	≤23.98	PASS
	Ant2	5290	484Tone	RU66	13.15	13.20	≤23.98	PASS
	total	5290	484Tone	RU66	---	16.35	≤23.98	PASS
	Ant1	5530	484Tone	RU65	13.91	13.96	≤23.98	PASS
	Ant2	5530	484Tone	RU65	13.88	13.93	≤23.98	PASS
	total	5530	484Tone	RU65	---	16.96	≤23.98	PASS
	Ant1	5610	484Tone	RU66	16.98	17.03	≤23.98	PASS
	Ant2	5610	484Tone	RU66	16.66	16.71	≤23.98	PASS
	total	5610	484Tone	RU66	---	19.88	≤23.98	PASS
	Ant1	5690_UNII-2C	484Tone	RU65	16.67	16.72	≤23.98	PASS
	Ant2	5690_UNII-2C	484Tone	RU65	16.36	16.41	≤23.98	PASS
				RU66	16.01	16.06	≤23.98	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Channel Power [dBm]	Result[dBm]	Limit [dBm]	Verdict
11AX80MIMO	total	5690_UNII-2C	484Tone	RU65	---	19.58	≤23.98	PASS
	Ant1	5690_UNII-3	484Tone	RU65	-15.06	-15.01	≤30.00	PASS
	Ant2	5690_UNII-3	484Tone	RU65	-16.25	-16.20	≤30.00	PASS
	total	5690_UNII-3	484Tone	RU65	---	-12.55	≤30.00	PASS
	Ant1	5775	484Tone	RU65	17.91	17.96	≤30.00	PASS
	Ant2	5775	484Tone	RU65	17.20	17.25	≤30.00	PASS
	total	5775	484Tone	RU65	---	20.63	≤30.00	PASS
11AX160MIMO	Ant1	5250	996Tone	RU67	12.88	12.94	≤23.98	PASS
	Ant2	5250	996Tone	RU67	12.49	12.55	≤23.98	PASS
	total	5250	996Tone	RU67	---	15.76	≤23.98	PASS
	Ant1	5570	996Tone	RU67	14.16	14.22	≤23.98	PASS
	Ant2	5570	996Tone	RU67	14.52	14.62	≤23.98	PASS
	total	5570	996Tone	RU67	---	17.43	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.

5 Appendix E: Maximum power spectral density

5.1 Test Result

5.1.1 Full RU for 11AX mode

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	3.51	≤11.00	PASS
	Ant2	5180	3.21	≤11.00	PASS
	Ant1	5200	5.70	≤11.00	PASS
	Ant2	5200	5.36	≤11.00	PASS
	Ant1	5220	5.72	≤11.00	PASS
	Ant2	5220	5.45	≤11.00	PASS
	Ant1	5240	5.48	≤11.00	PASS
	Ant2	5240	5.32	≤11.00	PASS
	Ant1	5260	5.16	≤11.00	PASS
	Ant2	5260	5.06	≤11.00	PASS
	Ant1	5300	5.50	≤11.00	PASS
	Ant2	5300	5.22	≤11.00	PASS
	Ant1	5320	4.69	≤11.00	PASS
	Ant2	5320	4.73	≤11.00	PASS
	Ant1	5500	4.76	≤11.00	PASS
	Ant2	5500	4.47	≤11.00	PASS
	Ant1	5520	6.16	≤11.00	PASS
	Ant2	5520	5.84	≤11.00	PASS
	Ant1	5580	5.88	≤11.00	PASS
	Ant2	5580	5.81	≤11.00	PASS
	Ant1	5680	5.77	≤11.00	PASS
	Ant2	5680	5.86	≤11.00	PASS
	Ant1	5700	2.75	≤11.00	PASS
	Ant2	5700	2.74	≤11.00	PASS
	Ant1	5720_UNII-2C	6.1	≤11.00	PASS
	Ant2	5720_UNII-2C	5.83	≤11.00	PASS
	Ant1	5720_UNII-3	2.84	≤11.00	PASS
	Ant2	5720_UNII-3	2.56	≤11.00	PASS
	Ant1	5745	3.77	≤30.00	PASS
	Ant2	5745	3.51	≤30.00	PASS
	Ant1	5785	3.10	≤30.00	PASS
	Ant2	5785	3.13	≤30.00	PASS
	Ant1	5825	3.72	≤30.00	PASS
	Ant2	5825	3.89	≤30.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11N20SISO	Ant1	5180	2.59	≤11.00	PASS
	Ant2	5180	2.24	≤11.00	PASS
	Ant1	5200	5.22	≤11.00	PASS
	Ant2	5200	4.95	≤11.00	PASS
	Ant1	5220	5.33	≤11.00	PASS
	Ant2	5220	5.03	≤11.00	PASS
	Ant1	5240	5.17	≤11.00	PASS
	Ant2	5240	5.01	≤11.00	PASS
	Ant1	5260	4.8	≤11.00	PASS
	Ant2	5260	4.69	≤11.00	PASS
	Ant1	5300	5.13	≤11.00	PASS
	Ant2	5300	4.85	≤11.00	PASS
	Ant1	5320	2.35	≤11.00	PASS
	Ant2	5320	2.15	≤11.00	PASS
	Ant1	5500	2.86	≤11.00	PASS
	Ant2	5500	2.53	≤11.00	PASS
	Ant1	5520	5.75	≤11.00	PASS
	Ant2	5520	5.46	≤11.00	PASS
	Ant1	5580	5.49	≤11.00	PASS
	Ant2	5580	5.4	≤11.00	PASS
	Ant1	5680	5.44	≤11.00	PASS
	Ant2	5680	5.53	≤11.00	PASS
	Ant1	5700	1.97	≤11.00	PASS
	Ant2	5700	1.72	≤11.00	PASS
	Ant1	5720_UNII-2C	5.17	≤11.00	PASS
	Ant2	5720_UNII-2C	4.85	≤11.00	PASS
	Ant1	5720_UNII-3	1.91	≤11.00	PASS
	Ant2	5720_UNII-3	1.57	≤11.00	PASS
	Ant1	5745	2.9	≤30.00	PASS
	Ant2	5745	2.64	≤30.00	PASS
	Ant1	5785	2.31	≤30.00	PASS
	Ant2	5785	2.23	≤30.00	PASS
	Ant1	5825	3.19	≤30.00	PASS
	Ant2	5825	2.97	≤30.00	PASS
11N40SISO	Ant1	5190	-0.67	≤11.00	PASS
	Ant2	5190	-1	≤11.00	PASS
	Ant1	5230	1.59	≤11.00	PASS
	Ant2	5230	1.25	≤11.00	PASS
	Ant1	5270	0.99	≤11.00	PASS
	Ant2	5270	0.92	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11N40SISO	Ant1	5310	-2.2	≤11.00	PASS
	Ant2	5310	-1.99	≤11.00	PASS
	Ant1	5510	-0.73	≤11.00	PASS
	Ant2	5510	-1.01	≤11.00	PASS
	Ant1	5550	1.39	≤11.00	PASS
	Ant2	5550	1.24	≤11.00	PASS
	Ant1	5630	1.12	≤11.00	PASS
	Ant2	5630	1.16	≤11.00	PASS
	Ant1	5670	1.72	≤11.00	PASS
	Ant2	5670	1.76	≤11.00	PASS
	Ant1	5710_UNII-2C	0.29	≤11.00	PASS
	Ant2	5710_UNII-2C	-0.14	≤11.00	PASS
	Ant1	5710_UNII-3	-3.77	≤11.00	PASS
	Ant2	5710_UNII-3	-4.24	≤11.00	PASS
	Ant1	5755	0.11	≤30.00	PASS
	Ant2	5755	-0.2	≤30.00	PASS
	Ant1	5795	-0.48	≤30.00	PASS
	Ant2	5795	-0.48	≤30.00	PASS
11AC20SISO	Ant1	5180	2.6	≤11.00	PASS
	Ant2	5180	2.23	≤11.00	PASS
	Ant1	5200	5.22	≤11.00	PASS
	Ant2	5200	4.93	≤11.00	PASS
	Ant1	5220	5.33	≤11.00	PASS
	Ant2	5220	5.04	≤11.00	PASS
	Ant1	5240	5.17	≤11.00	PASS
	Ant2	5240	4.98	≤11.00	PASS
	Ant1	5260	4.81	≤11.00	PASS
	Ant2	5260	4.7	≤11.00	PASS
	Ant1	5300	5.14	≤11.00	PASS
	Ant2	5300	4.86	≤11.00	PASS
	Ant1	5320	2.33	≤11.00	PASS
	Ant2	5320	2.15	≤11.00	PASS
	Ant1	5500	2.87	≤11.00	PASS
	Ant2	5500	2.54	≤11.00	PASS
	Ant1	5520	5.73	≤11.00	PASS
	Ant2	5520	5.46	≤11.00	PASS
	Ant1	5580	5.46	≤11.00	PASS
	Ant2	5580	5.41	≤11.00	PASS
	Ant1	5680	5.45	≤11.00	PASS
	Ant2	5680	5.52	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AC20SISO	Ant1	5700	1.9	≤11.00	PASS
	Ant2	5700	1.68	≤11.00	PASS
	Ant1	5720_UNII-2C	4.64	≤11.00	PASS
	Ant2	5720_UNII-2C	4.24	≤11.00	PASS
	Ant1	5720_UNII-3	1.39	≤11.00	PASS
	Ant2	5720_UNII-3	0.95	≤11.00	PASS
	Ant1	5745	2.39	≤30.00	PASS
	Ant2	5745	1.98	≤30.00	PASS
	Ant1	5785	1.8	≤30.00	PASS
	Ant2	5785	1.62	≤30.00	PASS
	Ant1	5825	2.65	≤30.00	PASS
	Ant2	5825	2.4	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.73	≤11.00	PASS
	Ant2	5190	-1.06	≤11.00	PASS
	Ant1	5230	1.47	≤11.00	PASS
	Ant2	5230	1.25	≤11.00	PASS
	Ant1	5270	1.02	≤11.00	PASS
	Ant2	5270	0.88	≤11.00	PASS
	Ant1	5310	-2.09	≤11.00	PASS
	Ant2	5310	-2.05	≤11.00	PASS
	Ant1	5510	-0.85	≤11.00	PASS
	Ant2	5510	-1	≤11.00	PASS
	Ant1	5550	1.52	≤11.00	PASS
	Ant2	5550	1.32	≤11.00	PASS
	Ant1	5630	1.13	≤11.00	PASS
	Ant2	5630	1.33	≤11.00	PASS
	Ant1	5670	1.73	≤11.00	PASS
	Ant2	5670	1.74	≤11.00	PASS
	Ant1	5710_UNII-2C	0.29	≤11.00	PASS
	Ant2	5710_UNII-2C	-0.22	≤11.00	PASS
	Ant1	5710_UNII-3	-3.7	≤11.00	PASS
	Ant2	5710_UNII-3	-4.31	≤11.00	PASS
	Ant1	5755	-0.31	≤30.00	PASS
	Ant2	5755	-0.71	≤30.00	PASS
	Ant1	5795	-0.96	≤30.00	PASS
	Ant2	5795	-1.25	≤30.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AC80SISO	Ant1	5210	-4.5	≤11.00	PASS
	Ant2	5210	-4.43	≤11.00	PASS
	Ant1	5290	-5.6	≤11.00	PASS
	Ant2	5290	-5.69	≤11.00	PASS
	Ant1	5530	-4.47	≤11.00	PASS
	Ant2	5530	-4.56	≤11.00	PASS
	Ant1	5610	-1.68	≤11.00	PASS
	Ant2	5610	-1.61	≤11.00	PASS
	Ant1	5690_UNII-2C	-1.8	≤11.00	PASS
	Ant2	5690_UNII-2C	-1.74	≤11.00	PASS
	Ant1	5690_UNII-3	-6.94	≤11.00	PASS
	Ant2	5690_UNII-3	-6.98	≤11.00	PASS
	Ant1	5775	-3.99	≤30.00	PASS
	Ant2	5775	-4.14	≤30.00	PASS
11AC160SISO	Ant1	5250	-8.83	≤11.00	PASS
	Ant2	5250	-8.93	≤11.00	PASS
	Ant1	5570	-7.05	≤11.00	PASS
	Ant2	5570	-6.94	≤11.00	PASS
11AX20SISO	Ant1	5180	2.33	≤11.00	PASS
	Ant2	5180	1.93	≤11.00	PASS
	Ant1	5200	5.02	≤11.00	PASS
	Ant2	5200	4.63	≤11.00	PASS
	Ant1	5220	5.07	≤11.00	PASS
	Ant2	5220	4.75	≤11.00	PASS
	Ant1	5240	4.9	≤11.00	PASS
	Ant2	5240	4.67	≤11.00	PASS
	Ant1	5260	4.52	≤11.00	PASS
	Ant2	5260	4.38	≤11.00	PASS
	Ant1	5300	4.82	≤11.00	PASS
	Ant2	5300	4.55	≤11.00	PASS
	Ant1	5320	2.04	≤11.00	PASS
	Ant2	5320	1.85	≤11.00	PASS
	Ant1	5500	2.56	≤11.00	PASS
	Ant2	5500	2.27	≤11.00	PASS
	Ant1	5520	5.46	≤11.00	PASS
	Ant2	5520	5.2	≤11.00	PASS
	Ant1	5580	5.2	≤11.00	PASS
	Ant2	5580	5.13	≤11.00	PASS
	Ant1	5680	5.18	≤11.00	PASS
	Ant2	5680	5.23	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant1	5700	1.67	≤11.00	PASS
	Ant2	5700	1.44	≤11.00	PASS
	Ant1	5720_UNII-2C	4.33	≤11.00	PASS
	Ant2	5720_UNII-2C	3.94	≤11.00	PASS
	Ant1	5720_UNII-3	1.11	≤11.00	PASS
	Ant2	5720_UNII-3	0.73	≤11.00	PASS
	Ant1	5745	2.09	≤30.00	PASS
	Ant2	5745	1.72	≤30.00	PASS
	Ant1	5785	1.51	≤30.00	PASS
	Ant2	5785	1.38	≤30.00	PASS
	Ant1	5825	2.4	≤30.00	PASS
	Ant2	5825	2.13	≤30.00	PASS
11AX40SISO	Ant1	5190	-1.03	≤11.00	PASS
	Ant2	5190	-1.41	≤11.00	PASS
	Ant1	5230	1.14	≤11.00	PASS
	Ant2	5230	0.97	≤11.00	PASS
	Ant1	5270	0.72	≤11.00	PASS
	Ant2	5270	0.64	≤11.00	PASS
	Ant1	5310	-2.43	≤11.00	PASS
	Ant2	5310	-2.4	≤11.00	PASS
	Ant1	5510	-1.1	≤11.00	PASS
	Ant2	5510	-1.36	≤11.00	PASS
	Ant1	5550	1.15	≤11.00	PASS
	Ant2	5550	0.97	≤11.00	PASS
	Ant1	5630	0.82	≤11.00	PASS
	Ant2	5630	0.89	≤11.00	PASS
	Ant1	5670	1.1	≤11.00	PASS
	Ant2	5670	1.3	≤11.00	PASS
	Ant1	5710_UNII-2C	-0.09	≤11.00	PASS
	Ant2	5710_UNII-2C	-0.43	≤11.00	PASS
	Ant1	5710_UNII-3	-4.18	≤11.00	PASS
	Ant2	5710_UNII-3	-4.54	≤11.00	PASS
	Ant1	5755	-0.69	≤30.00	PASS
	Ant2	5755	-1.04	≤30.00	PASS
	Ant1	5795	-1.22	≤30.00	PASS
	Ant2	5795	-1.45	≤30.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX80SISO	Ant1	5210	-4.52	≤11.00	PASS
	Ant2	5210	-4.42	≤11.00	PASS
	Ant1	5290	-5.64	≤11.00	PASS
	Ant2	5290	-5.65	≤11.00	PASS
	Ant1	5530	-4.53	≤11.00	PASS
	Ant2	5530	-4.55	≤11.00	PASS
	Ant1	5610	-1.67	≤11.00	PASS
	Ant2	5610	-1.66	≤11.00	PASS
	Ant1	5690_UNII-2C	-1.84	≤11.00	PASS
	Ant2	5690_UNII-2C	-1.77	≤11.00	PASS
	Ant1	5690_UNII-3	-6.96	≤11.00	PASS
	Ant2	5690_UNII-3	-6.94	≤11.00	PASS
	Ant1	5775	-4.03	≤30.00	PASS
	Ant2	5775	-4.21	≤30.00	PASS
11AX160SISO	Ant1	5250	-8.91	≤11.00	PASS
	Ant2	5250	-8.98	≤11.00	PASS
	Ant1	5570	-7.11	≤11.00	PASS
	Ant2	5570	-6.98	≤11.00	PASS
11A-CDD	Ant1	5180	3.63	≤11.00	PASS
	Ant2	5180	3.08	≤11.00	PASS
	total	5180	6.37	≤11.00	PASS
	Ant1	5200	5.72	≤11.00	PASS
	Ant2	5200	5.24	≤11.00	PASS
	total	5200	8.50	≤11.00	PASS
	Ant1	5220	5.83	≤11.00	PASS
	Ant2	5220	5.31	≤11.00	PASS
	total	5220	8.59	≤11.00	PASS
	Ant1	5240	5.61	≤11.00	PASS
	Ant2	5240	5.2	≤11.00	PASS
	total	5240	8.42	≤11.00	PASS
	Ant1	5260	5.26	≤11.00	PASS
	Ant2	5260	4.94	≤11.00	PASS
	total	5260	8.11	≤11.00	PASS
	Ant1	5300	5.59	≤11.00	PASS
	Ant2	5300	5.08	≤11.00	PASS
	total	5300	8.35	≤11.00	PASS
	Ant1	5320	4.82	≤11.00	PASS
	Ant2	5320	4.61	≤11.00	PASS
	total	5320	7.73	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5500	4.89	≤11.00	PASS
	Ant2	5500	4.29	≤11.00	PASS
	total	5500	7.61	≤11.00	PASS
	Ant1	5520	6.31	≤11.00	PASS
	Ant2	5520	5.72	≤11.00	PASS
	total	5520	9.04	≤11.00	PASS
	Ant1	5580	6.02	≤11.00	PASS
	Ant2	5580	5.61	≤11.00	PASS
	total	5580	8.83	≤11.00	PASS
	Ant1	5680	6.06	≤11.00	PASS
	Ant2	5680	5.56	≤11.00	PASS
	total	5680	8.83	≤11.00	PASS
	Ant1	5700	3.08	≤11.00	PASS
	Ant2	5700	2.45	≤11.00	PASS
	total	5700	5.79	≤11.00	PASS
	Ant1	5720_UNII-2C	6.25	≤11.00	PASS
	Ant2	5720_UNII-2C	5.38	≤11.00	PASS
	total	5720_UNII-2C	8.85	≤11.00	PASS
	Ant1	5720_UNII-3	2.85	≤11.00	PASS
	Ant2	5720_UNII-3	2.11	≤11.00	PASS
	total	5720_UNII-3	5.51	≤10.27	PASS
	Ant1	5745	4.04	≤30.00	PASS
	Ant2	5745	3.03	≤30.00	PASS
	total	5745	6.57	≤30.00	PASS
	Ant1	5785	3.32	≤30.00	PASS
	Ant2	5785	2.67	≤30.00	PASS
	total	5785	6.02	≤30.00	PASS
	Ant1	5825	3.89	≤30.00	PASS
	Ant2	5825	3.54	≤30.00	PASS
	total	5825	6.73	≤30.00	PASS
11N20MIMO	Ant1	5180	2.82	≤11.00	PASS
	Ant2	5180	2.08	≤11.00	PASS
	total	5180	5.48	≤11.00	PASS
	Ant1	5200	5.46	≤11.00	PASS
	Ant2	5200	4.71	≤11.00	PASS
	total	5200	8.11	≤11.00	PASS
	Ant1	5220	5.52	≤11.00	PASS
	Ant2	5220	4.78	≤11.00	PASS
	total	5220	8.18	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11N20MIMO	Ant1	5240	5.26	≤11.00	PASS
	Ant2	5240	4.83	≤11.00	PASS
	total	5240	8.06	≤11.00	PASS
	Ant1	5260	4.95	≤11.00	PASS
	Ant2	5260	4.51	≤11.00	PASS
	total	5260	7.75	≤11.00	PASS
	Ant1	5300	5.26	≤11.00	PASS
	Ant2	5300	4.64	≤11.00	PASS
	total	5300	7.97	≤11.00	PASS
	Ant1	5320	2.55	≤11.00	PASS
	Ant2	5320	2.01	≤11.00	PASS
	total	5320	5.30	≤11.00	PASS
	Ant1	5500	3.2	≤11.00	PASS
	Ant2	5500	2.41	≤11.00	PASS
	total	5500	5.83	≤11.00	PASS
	Ant1	5520	6.04	≤11.00	PASS
	Ant2	5520	5.24	≤11.00	PASS
	total	5520	8.67	≤11.00	PASS
	Ant1	5580	5.83	≤11.00	PASS
	Ant2	5580	5.25	≤11.00	PASS
	total	5580	8.56	≤11.00	PASS
	Ant1	5680	5.73	≤11.00	PASS
	Ant2	5680	5.28	≤11.00	PASS
	total	5680	8.52	≤11.00	PASS
	Ant1	5700	2.19	≤11.00	PASS
	Ant2	5700	1.45	≤11.00	PASS
	total	5700	4.85	≤11.00	PASS
	Ant1	5720_UNII-2C	5.46	≤11.00	PASS
	Ant2	5720_UNII-2C	4.55	≤11.00	PASS
	total	5720_UNII-2C	8.04	≤11.00	PASS
	Ant1	5720_UNII-3	2.16	≤11.00	PASS
	Ant2	5720_UNII-3	1.14	≤11.00	PASS
	total	5720_UNII-3	4.69	≤11.00	PASS
	Ant1	5745	3.09	≤30.00	PASS
	Ant2	5745	2.31	≤30.00	PASS
	total	5745	5.73	≤30.00	PASS
	Ant1	5785	2.36	≤30.00	PASS
	Ant2	5785	1.81	≤30.00	PASS
	total	5785	5.10	≤30.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11N20MIMO	Ant1	5825	3.16	≤30.00	PASS
	Ant2	5825	2.59	≤30.00	PASS
	total	5825	5.89	≤30.00	PASS
11N40MIMO	Ant1	5190	-0.49	≤11.00	PASS
	Ant2	5190	-1.26	≤11.00	PASS
	total	5190	2.15	≤11.00	PASS
	Ant1	5230	1.59	≤11.00	PASS
	Ant2	5230	1.14	≤11.00	PASS
	total	5230	4.38	≤11.00	PASS
	Ant1	5270	1.12	≤11.00	PASS
	Ant2	5270	0.83	≤11.00	PASS
	total	5270	3.99	≤11.00	PASS
	Ant1	5310	-1.98	≤11.00	PASS
	Ant2	5310	-2.19	≤11.00	PASS
	total	5310	0.93	≤11.00	PASS
	Ant1	5510	-0.48	≤11.00	PASS
	Ant2	5510	-1.18	≤11.00	PASS
	total	5510	2.19	≤11.00	PASS
	Ant1	5550	1.7	≤11.00	PASS
	Ant2	5550	1.11	≤11.00	PASS
	total	5550	4.43	≤11.00	PASS
	Ant1	5630	1.49	≤11.00	PASS
	Ant2	5630	1.13	≤11.00	PASS
	total	5630	4.32	≤11.00	PASS
	Ant1	5670	1.99	≤11.00	PASS
	Ant2	5670	1.58	≤11.00	PASS
	total	5670	4.80	≤11.00	PASS
	Ant1	5710_UNII-2C	0.58	≤11.00	PASS
	Ant2	5710_UNII-2C	-0.42	≤11.00	PASS
	total	5710_UNII-2C	3.12	≤11.00	PASS
	Ant1	5710_UNII-3	-3.56	≤11.00	PASS
	Ant2	5710_UNII-3	-4.71	≤11.00	PASS
	total	5710_UNII-3	-1.09	≤11.00	PASS
	Ant1	5755	-0.06	≤30.00	PASS
	Ant2	5755	-0.4	≤30.00	PASS
	total	5755	2.78	≤30.00	PASS
	Ant1	5795	-0.72	≤30.00	PASS
	Ant2	5795	-0.91	≤30.00	PASS
	total	5795	2.20	≤30.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AC20MIMO	Ant1	5180	2.78	≤11.00	PASS
	Ant2	5180	2.1	≤11.00	PASS
	total	5180	5.46	≤11.00	PASS
	Ant1	5200	5.39	≤11.00	PASS
	Ant2	5200	4.63	≤11.00	PASS
	total	5200	8.04	≤11.00	PASS
	Ant1	5220	5.42	≤11.00	PASS
	Ant2	5220	4.83	≤11.00	PASS
	total	5220	8.15	≤11.00	PASS
	Ant1	5240	5.2	≤11.00	PASS
	Ant2	5240	4.77	≤11.00	PASS
	total	5240	8.00	≤11.00	PASS
	Ant1	5260	4.84	≤11.00	PASS
	Ant2	5260	4.49	≤11.00	PASS
	total	5260	7.68	≤11.00	PASS
	Ant1	5300	5.2	≤11.00	PASS
	Ant2	5300	4.67	≤11.00	PASS
	total	5300	7.95	≤11.00	PASS
	Ant1	5320	2.51	≤11.00	PASS
	Ant2	5320	2	≤11.00	PASS
	total	5320	5.27	≤11.00	PASS
	Ant1	5500	3.12	≤11.00	PASS
	Ant2	5500	2.46	≤11.00	PASS
	total	5500	5.81	≤11.00	PASS
	Ant1	5520	5.99	≤11.00	PASS
	Ant2	5520	5.38	≤11.00	PASS
	total	5520	8.71	≤11.00	PASS
	Ant1	5580	5.72	≤11.00	PASS
	Ant2	5580	5.34	≤11.00	PASS
	total	5580	8.54	≤11.00	PASS
	Ant1	5680	5.61	≤11.00	PASS
	Ant2	5680	5.43	≤11.00	PASS
	total	5680	8.53	≤11.00	PASS
	Ant1	5700	2.09	≤11.00	PASS
	Ant2	5700	1.52	≤11.00	PASS
	total	5700	4.82	≤11.00	PASS
	Ant1	5720_UNII-2C	4.84	≤11.00	PASS
	Ant2	5720_UNII-2C	4.05	≤11.00	PASS
	total	5720_UNII-2C	7.47	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AC20MIMO	Ant1	5720_UNII-3	1.5	≤11.00	PASS
	Ant2	5720_UNII-3	0.68	≤11.00	PASS
	total	5720_UNII-3	4.12	≤11.00	PASS
	Ant1	5745	2.51	≤30.00	PASS
	Ant2	5745	1.8	≤30.00	PASS
	total	5745	5.18	≤30.00	PASS
	Ant1	5785	1.83	≤30.00	PASS
	Ant2	5785	1.31	≤30.00	PASS
	total	5785	4.59	≤30.00	PASS
	Ant1	5825	2.6	≤30.00	PASS
	Ant2	5825	2.12	≤30.00	PASS
	total	5825	5.38	≤30.00	PASS
11AC40MIMO	Ant1	5190	-0.51	≤11.00	PASS
	Ant2	5190	-1.11	≤11.00	PASS
	total	5190	2.21	≤11.00	PASS
	Ant1	5230	1.48	≤11.00	PASS
	Ant2	5230	1.33	≤11.00	PASS
	total	5230	4.42	≤11.00	PASS
	Ant1	5270	1.11	≤11.00	PASS
	Ant2	5270	0.93	≤11.00	PASS
	total	5270	4.03	≤11.00	PASS
	Ant1	5310	-1.98	≤11.00	PASS
	Ant2	5310	-2.11	≤11.00	PASS
	total	5310	0.97	≤11.00	PASS
	Ant1	5510	-0.5	≤11.00	PASS
	Ant2	5510	-1.04	≤11.00	PASS
	total	5510	2.25	≤11.00	PASS
	Ant1	5550	1.75	≤11.00	PASS
	Ant2	5550	1.28	≤11.00	PASS
	total	5550	4.53	≤11.00	PASS
	Ant1	5630	1.35	≤11.00	PASS
	Ant2	5630	1.17	≤11.00	PASS
	total	5630	4.27	≤11.00	PASS
	Ant1	5670	2.04	≤11.00	PASS
	Ant2	5670	1.4	≤11.00	PASS
	total	5670	4.74	≤11.00	PASS
	Ant1	5710_UNII-2C	0.45	≤11.00	PASS
	Ant2	5710_UNII-2C	-0.17	≤11.00	PASS
	total	5710_UNII-2C	3.16	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AC40MIMO	Ant1	5710_UNII-3	-3.71	≤11.00	PASS
	Ant2	5710_UNII-3	-4.44	≤11.00	PASS
	total	5710_UNII-3	-1.05	≤11.00	PASS
	Ant1	5755	-0.17	≤30.00	PASS
	Ant2	5755	-0.8	≤30.00	PASS
	total	5755	2.54	≤30.00	PASS
	Ant1	5795	-0.74	≤30.00	PASS
	Ant2	5795	-1.15	≤30.00	PASS
	total	5795	2.07	≤30.00	PASS
11AC80MIMO	Ant1	5210	-4.42	≤11.00	PASS
	Ant2	5210	-4.35	≤11.00	PASS
	total	5210	-1.37	≤11.00	PASS
	Ant1	5290	-5.53	≤11.00	PASS
	Ant2	5290	-5.63	≤11.00	PASS
	total	5290	-2.57	≤11.00	PASS
	Ant1	5530	-4.34	≤11.00	PASS
	Ant2	5530	-4.49	≤11.00	PASS
	total	5530	-1.40	≤11.00	PASS
	Ant1	5610	-1.51	≤11.00	PASS
	Ant2	5610	-1.59	≤11.00	PASS
	total	5610	1.46	≤11.00	PASS
	Ant1	5690_UNII-2C	-1.56	≤11.00	PASS
	Ant2	5690_UNII-2C	-1.79	≤11.00	PASS
	total	5690_UNII-2C	1.34	≤11.00	PASS
	Ant1	5690_UNII-3	-6.81	≤11.00	PASS
	Ant2	5690_UNII-3	-7.11	≤11.00	PASS
	total	5690_UNII-3	-3.95	≤11.00	PASS
	Ant1	5775	-3.87	≤30.00	PASS
	Ant2	5775	-4.29	≤30.00	PASS
	total	5775	-1.06	≤30.00	PASS
11AC160MIMO	Ant1	5250	-8.79	≤11.00	PASS
	Ant2	5250	-8.75	≤11.00	PASS
	total	5250	-5.76	≤11.00	PASS
	Ant1	5570	-6.79	≤11.00	PASS
	Ant2	5570	-6.87	≤11.00	PASS
	total	5570	-3.82	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5180	2.48	≤11.00	PASS
	Ant2	5180	1.97	≤11.00	PASS
	total	5180	5.24	≤11.00	PASS
	Ant1	5200	5.08	≤11.00	PASS
	Ant2	5200	4.49	≤11.00	PASS
	total	5200	7.81	≤11.00	PASS
	Ant1	5220	5.16	≤11.00	PASS
	Ant2	5220	4.66	≤11.00	PASS
	total	5220	7.93	≤11.00	PASS
	Ant1	5240	4.91	≤11.00	PASS
	Ant2	5240	4.65	≤11.00	PASS
	total	5240	7.79	≤11.00	PASS
	Ant1	5260	4.6	≤11.00	PASS
	Ant2	5260	4.3	≤11.00	PASS
	total	5260	7.46	≤11.00	PASS
	Ant1	5300	4.89	≤11.00	PASS
	Ant2	5300	4.46	≤11.00	PASS
	total	5300	7.69	≤11.00	PASS
	Ant1	5320	2.19	≤11.00	PASS
	Ant2	5320	1.88	≤11.00	PASS
	total	5320	5.05	≤11.00	PASS
	Ant1	5500	2.8	≤11.00	PASS
	Ant2	5500	2.22	≤11.00	PASS
	total	5500	5.53	≤11.00	PASS
	Ant1	5520	5.66	≤11.00	PASS
	Ant2	5520	5.09	≤11.00	PASS
	total	5520	8.39	≤11.00	PASS
	Ant1	5580	5.43	≤11.00	PASS
	Ant2	5580	5.1	≤11.00	PASS
	total	5580	8.28	≤11.00	PASS
	Ant1	5680	5.3	≤11.00	PASS
	Ant2	5680	5.09	≤11.00	PASS
	total	5680	8.21	≤11.00	PASS
	Ant1	5700	1.79	≤11.00	PASS
	Ant2	5700	1.31	≤11.00	PASS
	total	5700	4.57	≤11.00	PASS
	Ant1	5720_UNII-2C	4.49	≤11.00	PASS
	Ant2	5720_UNII-2C	3.83	≤11.00	PASS
	total	5720_UNII-2C	7.18	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5720_UNII-3	1.2	≤11.00	PASS
	Ant2	5720_UNII-3	0.38	≤11.00	PASS
	total	5720_UNII-3	3.82	≤11.00	PASS
	Ant1	5745	2.18	≤30.00	PASS
	Ant2	5745	1.54	≤30.00	PASS
	total	5745	4.88	≤30.00	PASS
	Ant1	5785	1.5	≤30.00	PASS
	Ant2	5785	1.09	≤30.00	PASS
	total	5785	4.31	≤30.00	PASS
	Ant1	5825	2.35	≤30.00	PASS
	Ant2	5825	1.92	≤30.00	PASS
	total	5825	5.15	≤30.00	PASS
11AX40MIMO	Ant1	5190	-0.89	≤11.00	PASS
	Ant2	5190	-1.48	≤11.00	PASS
	total	5190	1.84	≤11.00	PASS
	Ant1	5230	1.25	≤11.00	PASS
	Ant2	5230	0.95	≤11.00	PASS
	total	5230	4.11	≤11.00	PASS
	Ant1	5270	0.8	≤11.00	PASS
	Ant2	5270	0.56	≤11.00	PASS
	total	5270	3.69	≤11.00	PASS
	Ant1	5310	-2.27	≤11.00	PASS
	Ant2	5310	-2.43	≤11.00	PASS
	total	5310	0.66	≤11.00	PASS
	Ant1	5510	-0.91	≤11.00	PASS
	Ant2	5510	-1.4	≤11.00	PASS
	total	5510	1.86	≤11.00	PASS
	Ant1	5550	1.31	≤11.00	PASS
	Ant2	5550	0.91	≤11.00	PASS
	total	5550	4.12	≤11.00	PASS
	Ant1	5630	1.03	≤11.00	PASS
	Ant2	5630	0.83	≤11.00	PASS
	total	5630	3.94	≤11.00	PASS
	Ant1	5670	1.56	≤11.00	PASS
	Ant2	5670	1.29	≤11.00	PASS
	total	5670	4.44	≤11.00	PASS
	Ant1	5710_UNII-2C	0.1	≤11.00	PASS
	Ant2	5710_UNII-2C	-0.57	≤11.00	PASS
	total	5710_UNII-2C	2.79	≤11.00	PASS

TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX40MIMO	Ant1	5710_UNII-3	-4.04	≤11.00	PASS
	Ant2	5710_UNII-3	-4.85	≤11.00	PASS
	total	5710_UNII-3	-1.42	≤11.00	PASS
	Ant1	5755	-0.57	≤30.00	PASS
	Ant2	5755	-1.21	≤30.00	PASS
	total	5755	2.13	≤30.00	PASS
	Ant1	5795	-1.05	≤30.00	PASS
	Ant2	5795	-1.61	≤30.00	PASS
	total	5795	1.69	≤30.00	PASS
11AX80MIMO	Ant1	5210	-4.44	≤11.00	PASS
	Ant2	5210	-4.44	≤11.00	PASS
	total	5210	-1.43	≤11.00	PASS
	Ant1	5290	-5.56	≤11.00	PASS
	Ant2	5290	-5.64	≤11.00	PASS
	total	5290	-2.59	≤11.00	PASS
	Ant1	5530	-4.35	≤11.00	PASS
	Ant2	5530	-4.53	≤11.00	PASS
	total	5530	-1.43	≤11.00	PASS
	Ant1	5610	-1.47	≤11.00	PASS
	Ant2	5610	-1.69	≤11.00	PASS
	total	5610	1.43	≤11.00	PASS
	Ant1	5690_UNII-2C	-1.61	≤11.00	PASS
	Ant2	5690_UNII-2C	-1.85	≤11.00	PASS
	total	5690_UNII-2C	1.28	≤11.00	PASS
	Ant1	5690_UNII-3	-6.82	≤11.00	PASS
	Ant2	5690_UNII-3	-7.16	≤11.00	PASS
	total	5690_UNII-3	-3.98	≤11.00	PASS
	Ant1	5775	-3.87	≤30.00	PASS
	Ant2	5775	-4.29	≤30.00	PASS
	total	5775	-1.06	≤30.00	PASS
11AX160MIMO	Ant1	5250	-8.8	≤11.00	PASS
	Ant2	5250	-8.9	≤11.00	PASS
	total	5250	-5.84	≤11.00	PASS
	Ant1	5570	-6.89	≤11.00	PASS
	Ant2	5570	-7.04	≤11.00	PASS
	total	5570	-3.95	≤11.00	PASS

5.1.2 Partial RU for 11AX mode

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant1	5180	26Tone	RU0	9.05	≤11.00	PASS
			52Tone	RU37	9.01	≤11.00	PASS
			106Tone	RU53	6.13	≤11.00	PASS
	Ant2	5180	26Tone	RU0	9.04	≤11.00	PASS
			52Tone	RU37	9.11	≤11.00	PASS
			106Tone	RU53	8.21	≤11.00	PASS
	Ant1	5220	26Tone	RU0	9.27	≤11.00	PASS
			52Tone	RU37	9.18	≤11.00	PASS
			106Tone	RU53	8.89	≤11.00	PASS
	Ant2	5220	26Tone	RU0	9.26	≤11.00	PASS
			52Tone	RU37	9.19	≤11.00	PASS
			106Tone	RU53	8.66	≤11.00	PASS
	Ant1	5240	26Tone	RU8	9.3	≤11.00	PASS
			52Tone	RU40	9.08	≤11.00	PASS
			106Tone	RU54	8.91	≤11.00	PASS
	Ant2	5240	26Tone	RU8	9.15	≤11.00	PASS
			52Tone	RU40	9.09	≤11.00	PASS
			106Tone	RU54	8.75	≤11.00	PASS
	Ant1	5260	26Tone	RU0	9.24	≤11.00	PASS
			52Tone	RU37	9.23	≤11.00	PASS
			106Tone	RU53	8.67	≤11.00	PASS
	Ant2	5260	26Tone	RU0	9.28	≤11.00	PASS
			52Tone	RU37	9.35	≤11.00	PASS
			106Tone	RU53	8.74	≤11.00	PASS
	Ant1	5300	26Tone	RU8	9.19	≤11.00	PASS
			52Tone	RU40	9.14	≤11.00	PASS
			106Tone	RU54	8.85	≤11.00	PASS
	Ant2	5300	26Tone	RU8	8.92	≤11.00	PASS
			52Tone	RU40	8.88	≤11.00	PASS
			106Tone	RU54	8.51	≤11.00	PASS
	Ant1	5320	26Tone	RU8	9.08	≤11.00	PASS
			52Tone	RU40	8.92	≤11.00	PASS
			106Tone		6.11	≤11.00	PASS
	Ant2	5320	26Tone	RU8	9.14	≤11.00	PASS
			52Tone	RU40	8.96	≤11.00	PASS
			106Tone	RU54	6.14	≤11.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant1	5500	26Tone	RU0	9.06	≤11.00	PASS
			52Tone	RU37	9.15	≤11.00	PASS
			106Tone	RU53	6.22	≤11.00	PASS
	Ant2	5500	26Tone	RU0	9.46	≤11.00	PASS
			52Tone	RU37	9.04	≤11.00	PASS
			106Tone	RU53	6.21	≤11.00	PASS
	Ant1	5580	26Tone	RU0	9.13	≤11.00	PASS
			52Tone	RU37	9.15	≤11.00	PASS
			106Tone	RU53	8.86	≤11.00	PASS
	Ant2	5580	26Tone	RU0	9.28	≤11.00	PASS
			52Tone	RU37	9.26	≤11.00	PASS
			106Tone	RU53	8.93	≤11.00	PASS
	Ant1	5700	26Tone	RU8	9.12	≤11.00	PASS
			52Tone	RU40	9.02	≤11.00	PASS
			106Tone	RU54	5.62	≤11.00	PASS
	Ant2	5700	26Tone	RU8	9.31	≤11.00	PASS
			52Tone	RU40	8.85	≤11.00	PASS
			106Tone	RU54	5.4	≤11.00	PASS
	Ant1	5720_UNII-2C	26Tone	RU0	8.95	≤11.00	PASS
				RU8	-15.74	≤11.00	PASS
			52Tone	RU37	9.02	≤11.00	PASS
				RU40	1.92	≤11.00	PASS
			106Tone	RU53	8.69	≤11.00	PASS
				RU54	8.81	≤11.00	PASS
	Ant2	5720_UNII-2C	26Tone	RU0	8.73	≤11.00	PASS
				RU8	-14.88	≤11.00	PASS
			52Tone	RU37	8.69	≤11.00	PASS
				RU40	1.06	≤11.00	PASS
			106Tone	RU53	8.19	≤11.00	PASS
				RU54	8.33	≤11.00	PASS
	Ant1	5720_UNII-3	26Tone	RU0	-18.8	≤11.00	PASS
				RU8	6.27	≤11.00	PASS
			52Tone	RU37	-15.89	≤11.00	PASS
				RU40	6.19	≤11.00	PASS
			106Tone	RU53	-12.25	≤11.00	PASS
				RU54	5.84	≤11.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	Ant2	5720_UNII-3	26Tone	RU0	-19.22	≤11.00	PASS
				RU8	5.97	≤11.00	PASS
			52Tone	RU37	-16.67	≤11.00	PASS
				RU40	5.79	≤11.00	PASS
			106Tone	RU53	-13.13	≤11.00	PASS
				RU54	5.31	≤11.00	PASS
	Ant1	5745	26Tone	RU0	6.22	≤30.00	PASS
			52Tone	RU37	6.22	≤30.00	PASS
			106Tone	RU53	5.88	≤30.00	PASS
	Ant2	5745	26Tone	RU0	11.24	≤30.00	PASS
			52Tone	RU37	8.26	≤30.00	PASS
			106Tone	RU53	5.39	≤30.00	PASS
	Ant1	5785	26Tone	RU0	6.15	≤30.00	PASS
			52Tone	RU37	5.92	≤30.00	PASS
			106Tone	RU53	5.69	≤30.00	PASS
	Ant2	5785	26Tone	RU0	11.12	≤30.00	PASS
			52Tone	RU37	8.24	≤30.00	PASS
			106Tone	RU53	5.35	≤30.00	PASS
	Ant1	5825	26Tone	RU8	6.2	≤30.00	PASS
			52Tone	RU40	6.31	≤30.00	PASS
			106Tone	RU54	5.95	≤30.00	PASS
	Ant2	5825	26Tone	RU8	11.33	≤30.00	PASS
			52Tone	RU40	8.34	≤30.00	PASS
			106Tone	RU54	5.5	≤30.00	PASS
11AX40SISO	Ant1	5190	242Tone	RU61	2.16	≤11.00	PASS
	Ant2	5190	242Tone	RU61	2.05	≤11.00	PASS
	Ant1	5230	242Tone	RU62	4.41	≤11.00	PASS
	Ant2	5230	242Tone	RU62	4.21	≤11.00	PASS
	Ant1	5270	242Tone	RU61	4.18	≤11.00	PASS
	Ant2	5270	242Tone	RU61	4.03	≤11.00	PASS
	Ant1	5310	242Tone	RU62	1.26	≤11.00	PASS
	Ant2	5310	242Tone	RU62	0.99	≤11.00	PASS
	Ant1	5510	242Tone	RU61	1.81	≤11.00	PASS
	Ant2	5510	242Tone	RU61	2.19	≤11.00	PASS
	Ant1	5550	242Tone	RU61	4.36	≤11.00	PASS
	Ant2	5550	242Tone	RU61	4.38	≤11.00	PASS
	Ant1	5670	242Tone	RU62	4.46	≤11.00	PASS
	Ant2	5670	242Tone	RU62	4.43	≤11.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX40SISO	Ant1	5710_UNII-2C	242Tone	RU61	3.79	≤11.00	PASS
				RU62	3.86	≤11.00	PASS
	Ant2	5710_UNII-2C	242Tone	RU61	3.23	≤11.00	PASS
				RU62	3.2	≤11.00	PASS
	Ant1	5710_UNII-3	242Tone	RU61	-16.94	≤11.00	PASS
				RU62	0.66	≤11.00	PASS
	Ant2	5710_UNII-3	242Tone	RU61	-17.3	≤11.00	PASS
				RU62	0.01	≤11.00	PASS
	Ant1	5755	242Tone	RU61	2.44	≤30.00	PASS
	Ant2	5755	242Tone	RU61	1.96	≤30.00	PASS
11AX80SISO	Ant1	5795	242Tone	RU62	2.27	≤30.00	PASS
	Ant2	5795	242Tone	RU62	1.88	≤30.00	PASS
	Ant1	5210	484Tone	RU65	-1.01	≤11.00	PASS
	Ant2	5210	484Tone	RU65	-1.06	≤11.00	PASS
	Ant1	5290	484Tone	RU66	-2.08	≤11.00	PASS
	Ant2	5290	484Tone	RU66	-2.21	≤11.00	PASS
	Ant1	5530	484Tone	RU65	-1.59	≤11.00	PASS
	Ant2	5530	484Tone	RU65	-1.45	≤11.00	PASS
	Ant1	5610	484Tone	RU66	1.53	≤11.00	PASS
	Ant2	5610	484Tone	RU66	1.5	≤11.00	PASS
	Ant1	5690_UNII-2C	484Tone	RU65	1.29	≤11.00	PASS
				RU66	1.28	≤11.00	PASS
	Ant2	5690_UNII-2C	484Tone	RU65	1.27	≤11.00	PASS
				RU66	1.24	≤11.00	PASS
	Ant1	5690_UNII-3	484Tone	RU65	-20.84	≤11.00	PASS
				RU66	-1.94	≤11.00	PASS
	Ant2	5690_UNII-3	484Tone	RU65	-21.12	≤11.00	PASS
				RU66	-2.03	≤11.00	PASS
	Ant1	5775	484Tone	RU65	-0.59	≤30.00	PASS
	Ant2	5775	484Tone	RU65	-0.96	≤30.00	PASS
11AX160SISO	Ant1	5250	996Tone	RU67	-5.7	≤11.00	PASS
	Ant2	5250	996Tone	RU67	-5.94	≤11.00	PASS
	Ant1	5570	996Tone	RU67	-4.28	≤11.00	PASS
	Ant2	5570	996Tone	RU67	-4.13	≤11.00	PASS
11AX20MIMO	Ant1	5180	26Tone	RU0	6.8	≤11.00	PASS
			52Tone	RU37	6.86	≤11.00	PASS
			106Tone	RU53	6.24	≤11.00	PASS
	Ant2	5180	26Tone	RU0	6.46	≤11.00	PASS
			52Tone	RU37	6.67	≤11.00	PASS
			106Tone	RU53	6.06	≤11.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	total	5180	26Tone	RU0	9.64	≤11.00	PASS
			52Tone	RU37	9.78	≤11.00	PASS
			106Tone	RU53	9.16	≤11.00	PASS
	Ant1	5220	26Tone	RU0	7.03	≤11.00	PASS
			52Tone	RU37	7.01	≤11.00	PASS
			106Tone	RU53	7.14	≤11.00	PASS
	Ant2	5220	26Tone	RU0	6.69	≤11.00	PASS
			52Tone	RU37	6.84	≤11.00	PASS
			106Tone	RU53	6.79	≤11.00	PASS
	total	5220	26Tone	RU0	9.87	≤11.00	PASS
			52Tone	RU37	9.94	≤11.00	PASS
			106Tone	RU53	9.98	≤11.00	PASS
	Ant1	5240	26Tone	RU8	7.12	≤11.00	PASS
			52Tone	RU40	7.09	≤11.00	PASS
			106Tone	RU54	6.99	≤11.00	PASS
	Ant2	5240	26Tone	RU8	6.76	≤11.00	PASS
			52Tone	RU40	6.96	≤11.00	PASS
			106Tone	RU54	6.51	≤11.00	PASS
	total	5240	26Tone	RU8	9.95	≤11.00	PASS
			52Tone	RU40	10.04	≤11.00	PASS
			106Tone	RU54	9.77	≤11.00	PASS
	Ant1	5260	26Tone	RU0	7.14	≤11.00	PASS
			52Tone	RU37	7.22	≤11.00	PASS
			106Tone	RU53	6.83	≤11.00	PASS
	Ant2	5260	26Tone	RU0	6.53	≤11.00	PASS
			52Tone	RU37	6.96	≤11.00	PASS
			106Tone	RU53	6.5	≤11.00	PASS
	total	5260	26Tone	RU0	6.54	≤11.00	PASS
			52Tone	RU37	6.99	≤11.00	PASS
			106Tone	RU53	9.68	≤11.00	PASS
	Ant1	5300	26Tone	RU0	6.71	≤11.00	PASS
			52Tone	RU37	6.87	≤11.00	PASS
			106Tone	RU53	7.18	≤11.00	PASS
	Ant2	5300	26Tone	RU0	6.22	≤11.00	PASS
			52Tone	RU37	6.44	≤11.00	PASS
			106Tone	RU53	6.44	≤11.00	PASS
	total	5300	26Tone	RU0	9.48	≤11.00	PASS
			52Tone	RU37	9.67	≤11.00	PASS
			106Tone	RU53	9.84	≤11.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5320	26Tone	RU8	6.79	≤11.00	PASS
			52Tone	RU40	6.89	≤11.00	PASS
			106Tone	RU54	4.9	≤11.00	PASS
	Ant2	5320	26Tone	RU8	6.63	≤11.00	PASS
			52Tone	RU40	6.81	≤11.00	PASS
			106Tone	RU54	6.31	≤11.00	PASS
	total	5320	26Tone	RU8	9.72	≤11.00	PASS
			52Tone	RU40	9.86	≤11.00	PASS
			106Tone	RU54	8.67	≤11.00	PASS
	Ant1	5500	26Tone	RU0	6.78	≤11.00	PASS
			52Tone	RU37	6.81	≤11.00	PASS
			106Tone	RU53	6.41	≤11.00	PASS
	Ant2	5500	26Tone	RU0	6.93	≤11.00	PASS
			52Tone	RU37	7.18	≤11.00	PASS
			106Tone	RU53	6.31	≤11.00	PASS
	total	5500	26Tone	RU0	9.87	≤11.00	PASS
			52Tone	RU37	10.01	≤11.00	PASS
			106Tone	RU53	9.37	≤11.00	PASS
	Ant1	5580	26Tone	RU0	7.05	≤11.00	PASS
			52Tone	RU37	7.06	≤11.00	PASS
			106Tone	RU53	7.05	≤11.00	PASS
	Ant2	5580	26Tone	RU0	6.93	≤11.00	PASS
			52Tone	RU37	6.97	≤11.00	PASS
			106Tone	RU53	6.92	≤11.00	PASS
	total	5580	26Tone	RU0	10.00	≤11.00	PASS
			52Tone	RU37	10.03	≤11.00	PASS
			106Tone	RU53	10.00	≤11.00	PASS
	Ant1	5700	26Tone	RU8	6.61	≤11.00	PASS
			52Tone	RU40	6.77	≤11.00	PASS
			106Tone	RU54	6.03	≤11.00	PASS
	Ant2	5700	26Tone	RU8	6.68	≤11.00	PASS
			52Tone	RU40	6.82	≤11.00	PASS
			106Tone	RU54	5.37	≤11.00	PASS
	total	5700	26Tone	RU8	9.66	≤11.00	PASS
			52Tone	RU40	9.81	≤11.00	PASS
			106Tone	RU54	8.72	≤11.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5720_UNII-2C	26Tone	RU0	6.71	≤11.00	PASS
				RU8	-17.53	≤11.00	PASS
			52Tone	RU37	6.83	≤11.00	PASS
				RU40	-0.53	≤11.00	PASS
			106Tone	RU53	5.88	≤11.00	PASS
				RU54	6.04	≤11.00	PASS
	Ant2	5720_UNII-2C	26Tone	RU0	6.04	≤11.00	PASS
				RU8	-18.32	≤11.00	PASS
			52Tone	RU37	6.27	≤11.00	PASS
				RU40	-1.03	≤11.00	PASS
			106Tone	RU53	5.19	≤11.00	PASS
				RU54	5.26	≤11.00	PASS
	total	5720_UNII-2C	26Tone	RU0	9.40	≤11.00	PASS
				RU8	-14.90	≤11.00	PASS
			52Tone	RU37	9.57	≤11.00	PASS
				RU40	2.24	≤11.00	PASS
			106Tone	RU53	8.56	≤11.00	PASS
				RU54	8.68	≤11.00	PASS
	Ant1	5720_UNII-3	26Tone	RU0	-20.87	≤11.00	PASS
				RU8	3.83	≤11.00	PASS
			52Tone	RU37	-18.83	≤11.00	PASS
				RU40	3.85	≤11.00	PASS
			106Tone	RU53	-15.88	≤11.00	PASS
				RU54	2.9	≤11.00	PASS
	Ant2	5720_UNII-3	26Tone	RU0	-22.45	≤11.00	PASS
				RU8	3.35	≤11.00	PASS
			52Tone	RU37	-19.27	≤11.00	PASS
				RU40	3.44	≤11.00	PASS
			106Tone	RU53	-16.23	≤11.00	PASS
				RU54	2.28	≤11.00	PASS
	total	5720_UNII-3	26Tone	RU0	-18.58	≤11.00	PASS
				RU8	6.61	≤11.00	PASS
			52Tone	RU37	-16.03	≤11.00	PASS
				RU40	6.66	≤11.00	PASS
			106Tone	RU53	-13.04	≤11.00	PASS
				RU54	5.61	≤11.00	PASS
	Ant1	5745	26Tone	RU0	11.88	≤30.00	PASS
			52Tone	RU37	8.94	≤30.00	PASS
			106Tone	RU53	5.98	≤30.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant2	5745	26Tone	RU0	11.16	≤30.00	PASS
			52Tone	RU37	8.51	≤30.00	PASS
			106Tone	RU53	5.59	≤30.00	PASS
	total	5745	26Tone	RU0	14.55	≤30.00	PASS
			52Tone	RU37	11.74	≤30.00	PASS
			106Tone	RU53	8.80	≤30.00	PASS
	Ant1	5785	26Tone	RU0	12.16	≤30.00	PASS
			52Tone	RU37	9.14	≤30.00	PASS
			106Tone	RU53	6.22	≤30.00	PASS
	Ant2	5785	26Tone	RU0	11.15	≤30.00	PASS
			52Tone	RU37	8.19	≤30.00	PASS
			106Tone	RU53	5.59	≤30.00	PASS
	total	5785	26Tone	RU0	14.69	≤30.00	PASS
			52Tone	RU37	11.70	≤30.00	PASS
			106Tone	RU53	8.93	≤30.00	PASS
	Ant1	5825	26Tone	RU8	11.77	≤30.00	PASS
			52Tone	RU40	8.86	≤30.00	PASS
			106Tone	RU54	6.35	≤30.00	PASS
	Ant2	5825	26Tone	RU8	11.54	≤30.00	PASS
			52Tone	RU40	8.57	≤30.00	PASS
			106Tone	RU54	5.69	≤30.00	PASS
	total	5825	26Tone	RU8	14.67	≤30.00	PASS
			52Tone	RU40	11.73	≤30.00	PASS
			106Tone	RU54	9.04	≤30.00	PASS
11AX40MIMO	Ant1	5190	242Tone	RU61	2.49	≤11.00	PASS
	Ant2	5190	242Tone	RU61	2.3	≤11.00	PASS
	total	5190	242Tone	RU61	5.41	≤11.00	PASS
	Ant1	5230	242Tone	RU62	4.72	≤11.00	PASS
	Ant2	5230	242Tone	RU62	4.35	≤11.00	PASS
	total	5230	242Tone	RU62	7.55	≤11.00	PASS
	Ant1	5270	242Tone	RU61	4.59	≤11.00	PASS
	Ant2	5270	242Tone	RU61	4.18	≤11.00	PASS
	total	5270	242Tone	RU61	7.40	≤11.00	PASS
	Ant1	5310	242Tone	RU62	1.56	≤11.00	PASS
	Ant2	5310	242Tone	RU62	1.19	≤11.00	PASS
	total	5310	242Tone	RU62	4.39	≤11.00	PASS
	Ant1	5510	242Tone	RU61	2.17	≤11.00	PASS
	Ant2	5510	242Tone	RU61	2.4	≤11.00	PASS
	total	5510	242Tone	RU61	5.30	≤11.00	PASS


Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX40MIMO	Ant1	5550	242Tone	RU61	4.62	≤11.00	PASS
	Ant2	5550	242Tone	RU61	4.4	≤11.00	PASS
	total	5550	242Tone	RU61	7.52	≤11.00	PASS
	Ant1	5670	242Tone	RU62	4.82	≤11.00	PASS
	Ant2	5670	242Tone	RU62	4.44	≤11.00	PASS
	total	5670	242Tone	RU62	7.64	≤11.00	PASS
	Ant1	5710_UNII-2C	242Tone	RU61	4.15	≤11.00	PASS
				RU62	4.1	≤11.00	PASS
	Ant2	5710_UNII-2C	242Tone	RU61	3.21	≤11.00	PASS
				RU62	3.22	≤11.00	PASS
	total	5710_UNII-2C	242Tone	RU61	6.72	≤11.00	PASS
				RU62	6.69	≤11.00	PASS
	Ant1	5710_UNII-3	242Tone	RU61	-17.36	≤11.00	PASS
				RU62	0.84	≤11.00	PASS
	Ant2	5710_UNII-3	242Tone	RU61	-17.25	≤11.00	PASS
				RU62	0.01	≤11.00	PASS
	total	5710_UNII-3	242Tone	RU61	-14.29	≤11.00	PASS
				RU62	3.46	≤11.00	PASS
	Ant1	5755	242Tone	RU61	2.79	≤30.00	PASS
	Ant2	5755	242Tone	RU61	1.89	≤30.00	PASS
	total	5755	242Tone	RU61	5.37	≤30.00	PASS
	Ant1	5795	242Tone	RU62	2.62	≤30.00	PASS
	Ant2	5795	242Tone	RU62	1.86	≤30.00	PASS
	total	5795	242Tone	RU62	5.27	≤30.00	PASS
11AX80MIMO	Ant1	5210	484Tone	RU65	-0.66	≤11.00	PASS
	Ant2	5210	484Tone	RU65	-0.97	≤11.00	PASS
	total	5210	484Tone	RU65	2.20	≤11.00	PASS
	Ant1	5290	484Tone	RU66	-1.64	≤11.00	PASS
	Ant2	5290	484Tone	RU66	-2.02	≤11.00	PASS
	total	5290	484Tone	RU66	1.18	≤11.00	PASS
	Ant1	5530	484Tone	RU65	-1.33	≤11.00	PASS
	Ant2	5530	484Tone	RU65	-1.4	≤11.00	PASS
	total	5530	484Tone	RU65	1.65	≤11.00	PASS
	Ant1	5610	484Tone	RU66	1.84	≤11.00	PASS
	Ant2	5610	484Tone	RU66	1.44	≤11.00	PASS
	total	5610	484Tone	RU66	4.65	≤11.00	PASS

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX80MIMO	Ant1	5690_UNII-2C	484Tone	RU65	1.66	≤11.00	PASS
	Ant2	5690_UNII-2C	484Tone	RU65	1.16	≤11.00	PASS
				RU66	1.13	≤11.00	PASS
	total	5690_UNII-2C	484Tone	RU65	4.43	≤11.00	PASS
				RU66	3.61	≤11.00	PASS
	Ant1	5690_UNII-3	484Tone	RU65	-22.52	≤11.00	PASS
	Ant2	5690_UNII-3	484Tone	RU65	-20.01	≤11.00	PASS
				RU66	-2.13	≤11.00	PASS
	total	5690_UNII-3	484Tone	RU65	-18.08	≤11.00	PASS
				RU66	2.07	≤11.00	PASS
	Ant1	5775	484Tone	RU65	-0.29	≤30.00	PASS
	Ant2	5775	484Tone	RU65	-1.13	≤30.00	PASS
	total	5775	484Tone	RU65	2.32	≤30.00	PASS
11AX160MIMO	Ant1	5250	996Tone	RU67	-5.38	≤11.00	PASS
	Ant2	5250	996Tone	RU67	-5.85	≤11.00	PASS
	total	5250	996Tone	RU67	-2.60	≤11.00	PASS
	Ant1	5570	996Tone	RU67	-4.04	≤11.00	PASS
	Ant2	5570	996Tone	RU67	-3.41	≤11.00	PASS
	total	5570	996Tone	RU67	-0.70	≤11.00	PASS


5.2 Test Graphs

5.2.1 Full RU for 11AX mode


11A_Ant1_5180




11A_Ant2_5180




11A_Ant1_5200




11A_Ant2_5200




11A_Ant1_5220




11A_Ant2_5220




11A_Ant1_5240




11A_Ant2_5240




11A_Ant1_5260




11A_Ant2_5260




11A_Ant1_5300




11A_Ant2_5300




11A_Ant1_5320




11A_Ant2_5320




11A_Ant1_5500




11A_Ant2_5500




11A_Ant1_5520



11A_Ant2_5520



11A_Ant1_5580



The screenshot shows a Spectrum Analyzer interface. At the top, the title bar reads "MultiView Spectrum". Below it, the configuration is set to "Ref Level 30.00 dBm", "Offset 0.02 dB", and "RBW 1 MHz". The input source is "A11", and the output is "BWT 20.00", "VMW 3.00", and "Mode Sweep". The frequency range is "1 Frequency Span".

The main display area shows a spectrum plot with a blue line representing the signal. The y-axis is labeled "dBm" and ranges from -40 to 20. The x-axis is labeled "MHz" and ranges from 0.00 to 4.00. A peak is visible at approximately 1.5 MHz, with a value of 5.77 dBm. The peak is labeled "M1(1)".

On the right side, there is a table with the following data:

Item	Value
M1(1)	5.77 dBm
	2.665 6370 GHz

At the bottom, the status bar shows "CF 5.68 GHz", "1001 pts", "4.0 MHz", and "Span 40.0 MHz". The time is "13:07:41 13.06.2022".

MultiView Spectrum

Ref Level 30.00 dBm Offset 0.04 dB RBW 1 MHz

AM 40 dB BW 20 ms VIEW 3 kHz Mode Sweep

Frequency Sweep

Count 100/100

Min Value 5.80 dBm

M1(1) 5.80 dBm

5.805379 GHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

5.68 GHz

1001 pts

4.0 MHz

Span 40.0 MHz

Measuring

16:34:13 14.04.2022

MultiView Spectra

Ref Level: 30.00 dBm Offset: 0.02 dB BW: 1 MHz

Att: 0.0 dB SMT: 20 ms VIEW: 3 kHz Mode: Sweep

Count: 100/100

Frequency Sweep

dBm

0

-10

-20

-30

-40

-50

-60

0

10

20

30

40

50

60

70

80

90

100

110

120

130

140

150

160

170

180

190

200

210

220

230

240

250

260

270

280

290

300

310

320

330

340

350

360

370

380

390

400

410

420

430

440

450

460

470

480

490

500

510

520

530

540

550

560

570

580

590

600

610

620

630

640

650

660

670

680

690

700

710

720

730

740

750

760

770

780

790

800

810

820

830

840

850

860

870

880

890

900

910

920

930

940

950

960

970

980

990

1000

1010

1020

1030

1040

1050

1060

1070

1080

1090

1100

1110

1120

1130

1140

1150

1160

1170

1180

1190

1200

1210

1220

1230

1240

1250

1260

1270

1280

1290

1300

1310

1320

1330

1340

1350

1360

1370

1380

1390

1400

1410

1420

1430

1440

1450

1460

1470

1480

1490

1500

1510

1520

1530

1540

1550

1560

1570

1580

1590

1600

1610

1620

1630

1640

1650

1660

1670

1680

1690

1700

1710

1720

1730

1740

1750

1760

1770

1780

1790

1800

1810

1820

1830

1840

1850

1860

1870

1880

1890

1900

1910

1920

1930

1940

1950

1960

1970

1980

1990

2000

2010

2020

2030

2040

2050

2060

2070

2080

2090

2100

2110

2120

2130

2140

2150

2160

2170

2180

2190

2200

2210

2220

2230

2240

2250

2260

2270

2280

2290

2300

2310

2320

2330

2340

2350

2360

2370

2380

2390

2400

2410

2420

2430

2440

2450

2460

2470

2480

2490

2500

2510

2520

2530

2540

2550

2560

2570

2580

2590

2600

2610

2620

2630

2640

2650

2660

2670

2680

2690

2700

2710

2720

2730

2740

2750

2760

2770

2780

2790

2800

2810

2820

2830

2840

2850

2860

2870

2880

2890

2900

2910

2920

2930

2940

2950

2960

2970

2980

2990

3000

3010

3020

3030

3040

3050

3060

3070

3080

3090

3100

3110

3120

3130

3140

3150

3160

3170

3180

3190

3200

3210

3220

3230

3240

3250

3260

3270

3280

3290

3300

3310

3320

3330

3340

3350

3360

3370

3380

3390

3400

3410

3420

3430

3440

3450

3460

3470

3480

3490

3500

3510

3520

3530

3540

3550

3560

3570

3580

3590

3600

3610

3620

3630

3640

3650

3660

3670

3680

3690

3700

3710

3720

3730

3740

3750

3760

3770

3780


3790

3800


3810

3820


11A_Ant2_5700




11A_Ant2_5720_UNII-3




11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5785




11A_Ant1_5825



11A_Ant2_5825



11N20SISO_Ant1_5180



HubView Spectrum

Ref Level 30.00 dBm Offset 0.02 dB VBW 3 kHz

Att 40 dB GWT 20 ms Mode Sweep

Count 100/100

Frequency Sweep

M1(1) 5.185 GHz

5.178 5.190 GHz

30.00 dBm

20.00 dBm

10.00 dBm

0.00 dBm

-10.00 dBm

-20.00 dBm

-30.00 dBm

-40.00 dBm

-50.00 dBm

5.18 GHz 5.19 GHz

1000 pts 4.0 MHz/7

Span 40 MHz

16:47:18 14-06-2022

MultView Spectrum

Ref Level 30.00 dBm Offset 0.02 dB RBW 1 MHz
 = A11 40 dB BW1 20 MHz VMW 3 MHz Mode Sweep

Count	40.0 MHz
A11	5.52 dBm
	5.52 GHz

1 Frequency Span

0.57 GHz 1001 pts 4.0 MHz

No measuring

Span 40.0 MHz
 1.000 MHz
 per step

MultiView Spectrum

Ref Level 30.00 dBm Offset 6.02 dB BW 1 MHz

AM 40 dB BW 100 kHz 20 ms View 3 kHz Mode Sweep

Frequency Sweep

Count 100/100 1 GHz Span

M1[1] 4.95 dBm 5.952289 GHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

5.7 GHz

5.9 GHz

6.0 GHz

1000 pts

4.0 MHz/

Span 40.0 MHz

Measuring

8/14/2012 10:00:00

MultiView Spectra

Ref Level 30.00 dBm Offset 0.02 dB Span 1 MHz

Alt 40 dB SMT 20 ms View Mode Group Count 100/100

Frequency Group

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

0 20 40 60 80 100 MHz


50 MHz 0 dBm

ME[1] 5.72 GHz 5.718 042 0 GHz


CF 5.72 GHz 1000 Hz 4.0 MHz Scan 40.0 MHz 1000 Hz

19:37:20 13.04.2022


11N20SISO_Ant2_5220




11N20SISO_Ant1_5240




11N20SISO_Ant2_5240




11N20SISO_Ant1_5260




11N20SISO_Ant2_5260




11N20SISO_Ant1_5300




11N20SISO_Ant2_5300




11N20SISO_Ant1_5320




11N20SISO_Ant2_5320




11N20SISO_Ant1_5500




11N20SISO_Ant2_5500




11N20SISO_Ant1_5520




11N20SISO_Ant2_5520




11N20SISO_Ant1_5580




11N20SISO_Ant2_5580




11N20SISO_Ant1_5680




11N20SISO_Ant2_5680




11N20SISO_Ant2_5720_UNII-2C




11N20SISO_Ant1_5720_UNII-3




11N20SISO_Ant2_5720_UNII-3




11N20SISO_Ant1_5745




11N20SISO_Ant2_5745




11N20SISO_Ant1_5785




11N20SISO_Ant2_5785




11N20SISO_Ant1_5825




11N20SISO_Ant2_5825




11N40SISO_Ant1_5190




11N40SISO_Ant2_5190




11N40SISO_Ant1_5230




11N40SISO_Ant2_5230




11N40SISO_Ant1_5270




11N40SISO_Ant2_5270




11N40SISO_Ant1_5310




11N40SISO_Ant2_5310




11N40SISO_Ant1_5510




11N40SISO_Ant2_5510




11N40SISO_Ant1_5550




11N40SISO_Ant2_5550




11N40SISO_Ant1_5630




11N40SISO_Ant2_5630




11N40SISO_Ant1_5670




11N40SISO_Ant2_5670




11N40SISO_Ant1_5710_UNII-2C




11N40SISO_Ant2_5710_UNII-2C




11N40SISO_Ant1_5710_UNII-3




11N40SISO_Ant2_5710_UNII-3




11N40SISO_Ant1_5755




11N40SISO_Ant2_5755




11N40SISO_Ant1_5795




11N40SISO_Ant2_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant2_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant2_5200




11AC20SISO_Ant1_5220




11AC20SISO_Ant2_5220




11AC20SISO_Ant1_5240




11AC20SISO_Ant2_5240




11AC20SISO_Ant1_5260




11AC20SISO_Ant2_5260




11AC20SISO_Ant1_5300




11AC20SISO_Ant2_5300




11AC20SISO_Ant1_5320




11AC20SISO_Ant2_5320




11AC20SISO_Ant1_5500




11AC20SISO_Ant2_5500




11AC20SISO_Ant1_5520




11AC20SISO_Ant2_5520




11AC20SISO_Ant1_5580




11AC20SISO_Ant2_5580




11AC20SISO_Ant1_5680




11AC20SISO_Ant2_5680




11AC20SISO_Ant1_5700




11AC20SISO_Ant2_5700




11AC20SISO_Ant1_5720_UNII-2C




11AC20SISO_Ant2_5720_UNII-2C




11AC20SISO_Ant1_5720_UNII-3




11AC20SISO_Ant2_5720_UNII-3




11AC20SISO_Ant1_5745



11AC20SISO_Ant2_5745



11AC20SISO_Ant1_5785



MultiView • Spectrum

Ref Level 30.00 dBm Offset 0.01 dB BW 500 Hz

• All 40 dB • GNT 20 dB • VSW -2.00 dB Mode Sweep

Count 100/100

Frequency Sweep

M1(1) -1.65 dBm
1,502,922.0 GHz

20 dB
10 dB
0 dB
-10 dB
-20 dB
-30 dB
-40 dB
-50 dB

0 1000 pts 4.0 MHz

0.5 MHz

Span: 4.0 MHz

18.14.34 14.04.2022

MultiView Spectrum

Ref Level 30.00 dBm Offset 0.02 dB RBW 500 Hz
 A11 40 dB BW1 20 dB VMW 2 dB Mode Sweep

Coast 150.000
 8.000
 10.000

Frequency Span

20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm

2.45 GHz

CF 5.000 GHz 1000 Hz 4.0 GHz Span 40.00 dB 14.66 dBm

Measuring

MultiView Spectrum

Ref Level 30.00 dBm Offset 8.00 dB RBW 500 kHz

AM 40.00 dB BW1 20 ms VBW 2.00 kHz Mode Sweep

Frequency Sweep

Count 100/100 1.0m Vpp

M1[1] 2.40 dBm 3.825 38.10 GHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

5.825 GHz 1001 pts 4.0 MHz Span 40.0 MHz

Notching

19:14:21 14-04-2022 100.00%

Multiview Spectrum

Ref Level 30.00 dBm Offset 8.02 dB BW 1 MHz

AM 40.00 dB BW 20 ms VBW 3 kHz Mode Sweep

Frequency Sweep

Count 100/100

1.00 MHz

3.17092710 GHz

0.73 dBm

3.17092710 GHz

30 dBm

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

0.5 kHz

100 kHz

1 MHz

0.5 MHz


Span 80.0 MHz

10:50:55 14.04.2022


Measuring

Signal strength indicator


11AC40SISO_Ant2_5190




11AC40SISO_Ant1_5230




11AC40SISO_Ant2_5230




11AC40SISO_Ant1_5270




11AC40SISO_Ant2_5270




11AC40SISO_Ant1_5310



11AC40SISO_Ant2_5310



11AC40SISO_Ant1_5510



The screenshot displays the Rohde & Schwarz FSWP Spectrum Analyzer interface. The top status bar shows the instrument name and various control buttons. The main display area shows a frequency sweep plot with a flat line at approximately -100 dBm. A small dip is visible at 5.51 GHz. The plot is labeled 'Frequency Sweep' and 'Count 100/100'. The x-axis is labeled 'Span: 80.0 MHz' and the y-axis is labeled 'dBm'. The bottom status bar shows the frequency range '5.51 GHz' to '5.5128770 GHz' and the span 'Span: 80.0 MHz'.

Top Bar: MultView, Spectrum, Real Level: 30.00 dBm, Offset: 0.02 dB, BW: 1 MHz, A11, 40 dB, GWT, 20 Hz, VIEW: 2 kHz, Mode: Sweep, Count 100/100, 5.5128770 GHz, 1.00 dBm, 5.5128770 GHz.

Plot Area: Frequency Sweep, Count 100/100, 5.5128770 GHz, 1.00 dBm, 5.5128770 GHz.

Bottom Bar: 5.51 GHz, 1001 pts, 8.0 MHz, Span: 80.0 MHz, 5.5128770 GHz, 1.00 dBm, 5.5128770 GHz.

MultiView Spectrum

Ref Level 30.00 dBm Offset 0.02 dB BW 1 MHz
 Att 40.00 dB BW1 20.00 MHz VBW 3.00 MHz Mode Sweep

Count 150/1000
 8.100 GHz
 1.57 dBm
 2.546 000.0 GHz

1 Frequency Span

dBm

30

20

10

0

-10

-20

-30

-40

-50

1001 GHz

0.0 MHz

CE SS GHz

13:07:31 14.46 3032

Measuring

1.0000000
 1.0000000

MultiView Spectrum

Ref Level 30.00 dBm Offset 0.01 dB BW 1 MHz

AM 40.0 dB BW 20 ms RES 3 kHz Mode Sweep

Frequency Sweep

Count 100/100 100.00 dBm 1.00 dBm

M11 1.00 dBm 5.5473639 GHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

5.555 GHz

1001 GHz

0.05 MHz


Span 0.05 MHz

Measuring


19:28:42 14.04.2022

MultView Spectrum
 Ref Level 30.00 dBm Offset 8.02 dB BW 1 MHz
 MHz 40.00 BW 1 20 ms View 3 kHz Mode Sweep
 Count 100/100 1.00 Vm Vm
 1.13 dBm
 2.67/30.00 GHz
 M1
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 F 5.61 GHz 1001 pts 0.0 MHz/pt Span 80.0 MHz
 11:05:29 14.04.2012


11AC40SISO_Ant2_5630




11AC40SISO_Ant1_5670




11AC40SISO_Ant2_5670




11AC40SISO_Ant1_5710_UNII-2C




11AC40SISO_Ant2_5710_UNII-2C




11AC40SISO_Ant1_5710_UNII-3




11AC40SISO_Ant2_5710_UNII-3




11AC40SISO_Ant1_5755




11AC40SISO_Ant2_5755




11AC40SISO_Ant1_5795




11AC40SISO_Ant2_5795




11AC80SISO_Ant1_5210




11AC80SISO_Ant2_5210




11AC80SISO_Ant1_5290




11AC80SISO_Ant2_5290




11AC80SISO_Ant1_5530




11AC80SISO_Ant2_5530




11AC80SISO_Ant1_5610




11AC80SISO_Ant2_5610




11AC80SISO_Ant1_5690_UNII-2C




11AC80SISO_Ant2_5690_UNII-2C




11AC80SISO_Ant1_5690_UNII-3




11AC80SISO_Ant2_5690_UNII-3




11AC80SISO_Ant1_5775




11AC80SISO_Ant2_5775




11AC160SISO_Ant1_5250




11AC160SISO_Ant2_5250




11AC160SISO_Ant1_5570




11AC160SISO_Ant2_5570




11AX20SISO_Ant1_5180




11AX20SISO_Ant2_5180




11AX20SISO_Ant1_5200




11AX20SISO_Ant2_5200




11AX20SISO_Ant1_5220




11AX20SISO_Ant2_5220




11AX20SISO_Ant1_5240




11AX20SISO_Ant2_5240



11AX20SISO_Ant1_5260



11AX20SISO_Ant2_5260



11AX20SISO_Ant1_5300

