


Project Information

Mode:	802.11b	Voltage:	120V 60HZ
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Trace	Polarity	Verdict
1	33.492	57.05	-25.14	31.91	40.00	8.09	PK	Vertical	PASS
2	47.8965	54.86	-23.20	31.66	40.00	8.34	PK	Vertical	PASS
3	72.001	61.09	-25.62	35.47	40.00	4.53	PK	Vertical	PASS
4	131.1225	53.80	-25.31	28.49	43.50	15.01	PK	Vertical	PASS
5	440.4555	38.30	-8.73	29.57	46.00	16.43	PK	Vertical	PASS
6	896.3555	46.44	-7.63	38.81	46.00	7.19	PK	Vertical	PASS

Above 1GHz

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			

Test Graph




Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2367.4	41.83	4.31	46.14	74.00	27.86	Horizontal
2	4824	52.96	-7.84	45.12	74.00	28.88	Horizontal
3	17350.5	39.18	12.84	52.02	74.00	21.98	Horizontal
4	2366.8	32.03	4.31	36.34	54.00	17.66	Horizontal
5	4824.5	51.34	-7.85	43.49	54.00	10.51	Horizontal
6	17358.5	32.22	12.53	44.75	54.00	9.25	Horizontal

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2367	50.93	4.31	55.24	74.00	18.76	Vertical
2	4824	53.68	-7.84	45.84	74.00	28.16	Vertical
3	17354	39.14	12.70	51.84	74.00	22.16	Vertical
4	2369	42.42	4.32	46.74	54.00	7.26	Vertical
5	4824.5	52.31	-7.85	44.46	54.00	9.54	Vertical
6	17366.5	32.65	12.22	44.87	54.00	9.13	Vertical

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2437.6	40.23	4.64	44.87	/	/	Horizontal
2	4874	49.31	-8.08	41.23	74.00	32.77	Horizontal
3	13808	42.29	8.06	50.35	74.00	23.65	Horizontal
4	17351.5	39.24	12.80	52.04	74.00	21.96	Horizontal
5	2438	35.53	4.64	40.17	/	/	Horizontal
6	4874.5	47.67	-8.08	39.59	54.00	14.41	Horizontal
7	15078.5	33.42	8.99	42.41	54.00	11.59	Horizontal
8	17350.5	32.33	12.84	45.17	54.00	8.83	Horizontal

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2388.8	53.66	4.39	58.05	74.00	15.95	Vertical
2	2437.8	49.95	4.64	54.59	/	/	Vertical
3	4874	53.22	-8.08	45.14	74.00	28.86	Vertical
4	6393.5	50.79	-4.02	46.77	74.00	27.23	Vertical
5	2388.6	43.52	4.39	47.91	54.00	6.09	Vertical
6	2438	47.38	4.64	52.02	/	/	Vertical
7	4874.5	51.53	-8.08	43.45	54.00	10.55	Vertical
8	6390	43.17	-3.98	39.19	54.00	14.81	Vertical

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2461.2	38.87	4.77	43.64	/	/	Horizontal
2	2502.8	40.77	5.00	45.77	74.00	28.23	Horizontal
3	4924	49.53	-7.76	41.77	74.00	32.23	Horizontal
4	17348.5	40.10	12.79	52.89	74.00	21.11	Horizontal
5	2460.8	33.69	4.77	38.46	/	/	Horizontal
6	2505	31.32	5.01	36.33	54.00	17.67	Horizontal
7	4924.5	46.78	-7.76	39.02	54.00	14.98	Horizontal
8	17344.5	32.65	12.60	45.25	54.00	8.75	Horizontal

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2460.4	47.24	4.77	52.01	/	/	Vertical
2	2505.2	49.18	5.01	54.19	74.00	19.81	Vertical
3	4924	52.47	-7.76	44.71	74.00	29.29	Vertical
4	17359.5	39.51	12.49	52.00	74.00	22.00	Vertical
5	2460.2	44.32	4.77	49.09	/	/	Vertical
6	2506	40.40	5.01	45.41	54.00	8.59	Vertical
7	4924.5	51.10	-7.76	43.34	54.00	10.66	Vertical
8	17349.5	31.68	12.84	44.52	54.00	9.48	Vertical

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2372.6	43.03	4.34	47.37	74.00	26.63	Horizontal
2	4818	49.37	-7.77	41.60	74.00	32.40	Horizontal
3	17360	40.59	12.47	53.06	74.00	20.94	Horizontal
4	2368.8	34.00	4.32	38.32	54.00	15.68	Horizontal
5	4823	41.64	-7.83	33.81	54.00	20.19	Horizontal
6	17854	32.01	12.75	44.76	54.00	9.24	Horizontal

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2369	56.33	4.32	60.65	74.00	13.35	Vertical
2	3012.5	62.83	-12.96	49.87	74.00	24.13	Vertical
3	4827	51.72	-7.88	43.84	74.00	30.16	Vertical
4	2363.8	46.26	4.30	50.56	54.00	3.44	Vertical
5	3013	51.00	-12.95	38.05	54.00	15.95	Vertical
6	4829	43.69	-7.91	35.78	54.00	18.22	Vertical

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2429.4	43.58	4.60	48.18	/	/	Horizontal
2	4875.5	49.28	-8.07	41.21	74.00	32.79	Horizontal
3	14891	41.79	8.23	50.02	74.00	23.98	Horizontal
4	17802.5	40.37	12.11	52.48	74.00	21.52	Horizontal
5	2429.4	36.93	4.60	41.53	/	/	Horizontal
6	4876	41.10	-8.07	33.03	54.00	20.97	Horizontal
7	15117	33.41	8.82	42.23	54.00	11.77	Horizontal
8	17801.5	32.86	12.09	44.95	54.00	9.05	Horizontal

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.6	53.31	4.39	57.70	74.00	16.30	Vertical
2	2429.4	54.90	4.60	59.50	/	/	Vertical
3	4872.5	49.52	-8.09	41.43	74.00	32.57	Vertical
4	17805.5	39.87	12.15	52.02	74.00	21.98	Vertical
5	2389.2	43.76	4.39	48.15	54.00	5.85	Vertical
6	2429.6	48.03	4.60	52.63	/	/	Vertical
7	4871	42.95	-8.10	34.85	54.00	19.15	Vertical
8	17345.5	31.86	12.66	44.52	54.00	9.48	Vertical

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2504.2	42.69	5.01	47.70	74.00	26.30	Horizontal
2	4926.5	46.92	-7.75	39.17	74.00	34.83	Horizontal
3	17374	41.12	11.92	53.04	74.00	20.96	Horizontal
4	2503	32.46	5.00	37.46	54.00	16.54	Horizontal
5	4921.5	39.59	-7.79	31.80	54.00	22.20	Horizontal
6	17334	32.56	12.12	44.68	54.00	9.32	Horizontal

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2503.6	53.01	5.01	58.02	74.00	15.98	Vertical
2	4929	49.17	-7.72	41.45	74.00	32.55	Vertical
3	17976	39.75	12.50	52.25	74.00	21.75	Vertical
4	2505.6	42.30	5.01	47.31	54.00	6.69	Vertical
5	4923	42.19	-7.77	34.42	54.00	19.58	Vertical
6	17347.5	31.97	12.75	44.72	54.00	9.28	Vertical

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2367.4	41.72	4.31	46.03	74.00	27.97	Horizontal
2	4821.5	48.20	-7.81	40.39	74.00	33.61	Horizontal
3	17347	40.15	12.73	52.88	74.00	21.12	Horizontal
4	2368.6	32.60	4.32	36.92	54.00	17.08	Horizontal
5	4826	41.10	-7.87	33.23	54.00	20.77	Horizontal
6	17369.5	33.54	12.10	45.64	54.00	8.36	Horizontal

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2370.4	56.11	4.32	60.43	74.00	13.57	Vertical
2	4822	50.51	-7.81	42.70	74.00	31.30	Vertical
3	17364	40.59	12.31	52.90	74.00	21.10	Vertical
4	2366.4	45.63	4.31	49.94	54.00	4.06	Vertical
5	4824	43.41	-7.84	35.57	54.00	18.43	Vertical
6	17334.5	32.28	12.15	44.43	54.00	9.57	Vertical

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2429.2	44.30	4.60	48.90	/	/	Horizontal
2	4875.5	46.59	-8.07	38.52	74.00	35.48	Horizontal
3	15073.5	41.59	8.97	50.56	74.00	23.44	Horizontal
4	17346	40.01	12.68	52.69	74.00	21.31	Horizontal
5	2429.6	36.96	4.60	41.56	/	/	Horizontal
6	4875.5	38.76	-8.07	30.69	54.00	23.31	Horizontal
7	15081	33.58	9.00	42.58	54.00	11.42	Horizontal
8	17356.5	32.99	12.61	45.60	54.00	8.40	Horizontal

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2386.8	54.36	4.38	58.74	74.00	15.26	Vertical
2	2429.2	55.40	4.60	60.00	/	/	Vertical
3	3332.5	60.64	-12.82	47.82	74.00	26.18	Vertical
4	4872.5	50.75	-8.09	42.66	74.00	31.34	Vertical
5	2388	44.34	4.39	48.73	54.00	5.27	Vertical
6	2429.8	48.69	4.60	53.29	/	/	Vertical
7	3333	47.49	-12.84	34.65	54.00	19.35	Vertical
8	4872	43.28	-8.09	35.19	54.00	18.81	Vertical

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2508.8	42.04	5.02	47.06	74.00	26.94	Horizontal
2	15076	41.03	8.98	50.01	74.00	23.99	Horizontal
3	17349.5	39.84	12.84	52.68	74.00	21.32	Horizontal
4	2508.2	32.10	5.02	37.12	54.00	16.88	Horizontal
5	15247.5	33.37	9.29	42.66	54.00	11.34	Horizontal
6	17363.5	33.48	12.33	45.81	54.00	8.19	Horizontal

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2509	51.21	5.02	56.23	74.00	17.77	Vertical
2	4925	48.54	-7.76	40.78	74.00	33.22	Vertical
3	17868	39.50	12.59	52.09	74.00	21.91	Vertical
4	2503.4	41.82	5.01	46.83	54.00	7.17	Vertical
5	4923	40.72	-7.77	32.95	54.00	21.05	Vertical
6	17366	32.71	12.24	44.95	54.00	9.05	Vertical

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	3
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2428.8	41.61	4.60	46.21	/	/	Horizontal
2	4779.5	45.44	-7.71	37.73	74.00	36.27	Horizontal
3	15070.5	41.57	8.96	50.53	74.00	23.47	Horizontal
4	17353	39.83	12.74	52.57	74.00	21.43	Horizontal
5	2429.6	32.71	4.60	37.31	/	/	Horizontal
6	4782	37.24	-7.69	29.55	54.00	24.45	Horizontal
7	14667.5	32.74	9.44	42.18	54.00	11.82	Horizontal
8	17356	32.48	12.63	45.11	54.00	8.89	Horizontal

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	3
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2387.8	48.58	4.39	52.97	74.00	21.03	Vertical
2	2429	51.28	4.60	55.88	/	/	Vertical
3	14325.5	41.23	8.74	49.97	74.00	24.03	Vertical
4	17829.5	39.66	12.50	52.16	74.00	21.84	Vertical
5	2388	39.91	4.39	44.30	54.00	9.70	Vertical
6	2429.4	43.48	4.60	48.08	/	/	Vertical
7	15083	33.50	9.00	42.50	54.00	11.50	Vertical
8	17350	31.79	12.86	44.65	54.00	9.35	Vertical

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2429.2	41.22	4.60	45.82	/	/	Horizontal
2	2770.8	35.91	6.59	42.50	74.00	31.50	Horizontal
3	15250	40.76	9.35	50.11	74.00	23.89	Horizontal
4	17350	39.79	12.86	52.65	74.00	21.35	Horizontal
5	2429.4	33.70	4.60	38.30	/	/	Horizontal
6	2820.2	25.93	6.79	32.72	54.00	21.28	Horizontal
7	14629.5	33.04	9.44	42.48	54.00	11.52	Horizontal
8	17363	32.85	12.35	45.20	54.00	8.80	Horizontal

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	6
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2385.6	46.81	4.38	51.19	74.00	22.81	Vertical
2	2428.8	54.27	4.60	58.87	/	/	Vertical
3	3184.5	58.87	-12.69	46.18	74.00	27.82	Vertical
4	17348.5	39.46	12.79	52.25	74.00	21.75	Vertical
5	2388.6	37.47	4.39	41.86	54.00	12.14	Vertical
6	2429.4	45.77	4.60	50.37	/	/	Vertical
7	3185	49.96	-12.69	37.27	54.00	16.73	Vertical
8	17347	32.25	12.73	44.98	54.00	9.02	Vertical

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	9
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2990.4	35.24	7.42	42.66	74.00	31.34	Horizontal
2	14359	41.32	9.16	50.48	74.00	23.52	Horizontal
3	17354	39.74	12.70	52.44	74.00	21.56	Horizontal
4	2937.6	25.92	7.00	32.92	54.00	21.08	Horizontal
5	15088.5	33.61	9.02	42.63	54.00	11.37	Horizontal
6	17348	33.74	12.77	46.51	54.00	7.49	Horizontal

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	9
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2391.4	48.32	4.40	52.72	74.00	21.28	Vertical
2	3191.5	55.63	-12.69	42.94	74.00	31.06	Vertical
3	4182.5	49.43	-9.97	39.46	74.00	34.54	Vertical
4	2493.6	36.21	4.95	41.16	54.00	12.84	Vertical
5	3192	47.32	-12.69	34.63	54.00	19.37	Vertical
6	4183	45.21	-9.97	35.24	54.00	18.76	Vertical

Radiated Band Edge Test Result

Project Information			
Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC PART 15 C			

Test Graph




Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2369.603868	37.79	3.31	41.10	54.00	12.90	Horizontal
2	2374.346782	37.40	3.33	40.73	54.00	13.27	Horizontal
3	2388.127376	37.11	3.39	40.50	54.00	13.50	Horizontal
4	2367.101701	48.53	3.30	51.83	74.00	22.17	Horizontal
5	2374.346782	48.30	3.33	51.63	74.00	22.37	Horizontal
6	2389.322441	47.30	3.40	50.70	74.00	23.30	Horizontal

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2312.12871	38.35	3.35	41.70	54.00	12.30	Vertical
2	2364.860954	45.98	3.29	49.27	54.00	4.73	Vertical
3	2389.359787	42.08	3.40	45.48	54.00	8.52	Vertical
4	2311.68056	52.29	3.35	55.64	74.00	18.36	Vertical
5	2364.375458	56.36	3.29	59.65	74.00	14.35	Vertical
6	2389.434478	52.05	3.40	55.45	74.00	18.55	Vertical

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.71986	33.87	4.25	38.12	54.00	15.88	Horizontal
2	2486.649325	34.04	4.27	38.31	54.00	15.69	Horizontal
3	2490.53927	33.88	4.28	38.16	54.00	15.84	Horizontal
4	2483.671836	44.16	4.25	48.41	74.00	25.59	Horizontal
5	2485.52076	44.48	4.26	48.74	74.00	25.26	Horizontal
6	2490.083042	44.63	4.28	48.91	74.00	25.09	Horizontal

Project Information

Mode:	802.11b	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5998	39.72	4.25	43.97	54.00	10.03	Vertical
2	2487.753877	40.97	4.27	45.24	54.00	8.76	Vertical
3	2494.045023	38.83	4.30	43.13	54.00	10.87	Vertical
4	2483.743872	48.42	4.25	52.67	74.00	21.33	Vertical
5	2486.505253	48.90	4.27	53.17	74.00	20.83	Vertical
6	2493.636818	50.22	4.29	54.51	74.00	19.49	Vertical

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2368.632878	38.71	3.31	42.02	54.00	11.98	Horizontal
2	2381.703901	37.09	3.36	40.45	54.00	13.55	Horizontal
3	2389.359787	37.09	3.40	40.49	54.00	13.51	Horizontal
4	2363.852618	49.27	3.29	52.56	74.00	21.44	Horizontal
5	2385.251751	47.40	3.38	50.78	74.00	23.22	Horizontal
6	2389.135712	47.84	3.40	51.24	74.00	22.76	Horizontal

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:		Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2366.205402	47.92	3.30	51.22	54.00	2.78	Vertical
2	2369.417139	47.29	3.31	50.60	54.00	3.40	Vertical
3	2389.50917	46.83	3.40	50.23	54.00	3.77	Vertical
4	2366.168056	58.25	3.30	61.55	74.00	12.45	Vertical
5	2371.060353	57.14	3.32	60.46	74.00	13.54	Vertical
6	2389.50917	58.22	3.40	61.62	74.00	12.38	Vertical

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.5998	34.61	4.25	38.86	54.00	15.14	Horizontal
2	2488.498249	34.10	4.27	38.37	54.00	15.63	Horizontal
3	2495.845923	34.15	4.30	38.45	54.00	15.55	Horizontal
4	2484.2001	45.20	4.26	49.46	74.00	24.54	Horizontal
5	2489.578789	44.38	4.28	48.66	74.00	25.34	Horizontal
6	2493.876938	46.16	4.30	50.46	74.00	23.54	Horizontal

Project Information

Mode:	802.11g	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.527764	42.95	4.25	47.20	54.00	6.80	Vertical
2	2485.76088	40.18	4.26	44.44	54.00	9.56	Vertical
3	2489.938969	38.98	4.28	43.26	54.00	10.74	Vertical
4	2483.527764	55.00	4.25	59.25	74.00	14.75	Vertical
5	2485.76088	52.95	4.26	57.21	74.00	16.79	Vertical
6	2490.443222	50.37	4.28	54.65	74.00	19.35	Vertical

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2369.865288	38.22	3.31	41.53	54.00	12.47	Horizontal
2	2380.023341	36.98	3.36	40.34	54.00	13.66	Horizontal
3	2389.621207	37.16	3.40	40.56	54.00	13.44	Horizontal
4	2365.757252	48.27	3.29	51.56	74.00	22.44	Horizontal
5	2379.94865	48.18	3.36	51.54	74.00	22.46	Horizontal
6	2389.397132	47.52	3.40	50.92	74.00	23.08	Horizontal

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	1
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2366.13071	46.87	3.30	50.17	54.00	3.83	Vertical
2	2368.670223	46.86	3.31	50.17	54.00	3.83	Vertical
3	2389.695899	47.25	3.40	50.65	54.00	3.35	Vertical
4	2365.86929	58.00	3.29	61.29	74.00	12.71	Vertical
5	2368.96899	57.23	3.31	60.54	74.00	13.46	Vertical
6	2389.397132	59.21	3.40	62.61	74.00	11.39	Vertical

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.296148	35.11	4.26	39.37	54.00	14.63	Horizontal
2	2488.738369	34.04	4.27	38.31	54.00	15.69	Horizontal
3	2494.861431	34.27	4.30	38.57	54.00	15.43	Horizontal
4	2484.896448	45.77	4.26	50.03	74.00	23.97	Horizontal
5	2491.571786	44.75	4.29	49.04	74.00	24.96	Horizontal
6	2493.54077	45.14	4.29	49.43	74.00	24.57	Horizontal

Project Information

Mode:	802.11n20	Band:	/
Bandwidth	20MHZ	Channel	11
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.647824	43.16	4.25	47.41	54.00	6.59	Vertical
2	2486.265133	39.80	4.27	44.07	54.00	9.93	Vertical
3	2499.903952	42.47	4.32	46.79	54.00	7.21	Vertical
4	2483.503752	55.38	4.25	59.63	74.00	14.37	Vertical
5	2486.601301	51.81	4.27	56.08	74.00	17.92	Vertical
6	2499.975988	52.35	4.32	56.67	74.00	17.33	Vertical

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	3
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2368.407469	36.87	3.31	40.18	54.00	13.82	Horizontal
2	2381.611871	36.95	3.36	40.31	54.00	13.69	Horizontal
3	2389.270423	37.55	3.40	40.95	54.00	13.05	Horizontal
4	2375.00967	47.85	3.34	51.19	74.00	22.81	Horizontal
5	2380.863621	47.39	3.36	50.75	74.00	23.25	Horizontal
6	2389.842614	47.33	3.40	50.73	74.00	23.27	Horizontal

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	3
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC PART 15 C

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2384.34078	43.80	3.38	47.18	54.00	6.82	Vertical
2	2386.937646	44.06	3.38	47.44	54.00	6.56	Vertical
3	2389.974658	45.25	3.40	48.65	54.00	5.35	Vertical
4	2382.492164	53.53	3.36	56.89	74.00	17.11	Vertical
5	2386.40947	54.35	3.38	57.73	74.00	16.27	Vertical
6	2388.918306	55.91	3.40	59.31	74.00	14.69	Vertical

Project Information

Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	9
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		

Test Standard: FCC Part 15C

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2484.216108	34.98	4.26	39.24	54.00	14.76	Horizontal
2	2485.814907	34.66	4.26	38.92	54.00	15.08	Horizontal
3	2489.386693	34.58	4.28	38.86	54.00	15.14	Horizontal
4	2483.501751	44.43	4.25	48.68	74.00	25.32	Horizontal
5	2485.644822	45.48	4.26	49.74	74.00	24.26	Horizontal
6	2487.753877	44.55	4.27	48.82	74.00	25.18	Horizontal

Project Information			
Mode:	802.11n40	Band:	/
Bandwidth	40MHZ	Channel	9
IMEI:	868260051937432	Engineer:	申状
Remark:	Polarity: X		
Test Standard: FCC Part 15C			

Test Graph



Data List							
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	2483.705853	42.39	4.25	46.64	54.00	7.36	Vertical
2	2486.529265	41.92	4.27	46.19	54.00	7.81	Vertical
3	2490.475238	41.10	4.28	45.38	54.00	8.62	Vertical
4	2484.148074	52.68	4.26	56.94	74.00	17.06	Vertical
5	2487.753877	52.97	4.27	57.24	74.00	16.76	Vertical
6	2490.441221	51.66	4.28	55.94	74.00	18.06	Vertical

~The End~