




Maximum Conduct Output Power_11N40_5510_Ant1




Maximum Conduct Output Power_11N40_5510_Ant2




Maximum Conduct Output Power_11N40_5590_Ant1




Maximum Conduct Output Power_11N40_5590_Ant2




Maximum Conduct Output Power_11N40_5670_Ant1




Maximum Conduct Output Power_11N40_5670_Ant2




Maximum Conduct Output Power_11N40_5755_Ant1




Maximum Conduct Output Power_11N40_5755_Ant2




Maximum Conduct Output Power_11N40_5795_Ant1




Maximum Conduct Output Power_11N40_5795_Ant2




Maximum Conduct Output Power_11AC20_5180_Ant1




Maximum Conduct Output Power_11AC20_5180_Ant2




Maximum Conduct Output Power_11AC20_5220_Ant1




Maximum Conduct Output Power_11AC20_5220_Ant2



Maximum Conduct Output Power_11AC20_5240_Ant1




Maximum Conduct Output Power_11AC20_5240_Ant2







Maximum Conduct Output Power_11AC20_5260_Ant1




Maximum Conduct Output Power_11AC20_5260_Ant2




Maximum Conduct Output Power_11AC20_5300_Ant1




Maximum Conduct Output Power_11AC20_5300_Ant2




Maximum Conduct Output Power_11AC20_5320_Ant1




Maximum Conduct Output Power_11AC20_5320_Ant2




Maximum Conduct Output Power_11AC20_5500_Ant1




Maximum Conduct Output Power_11AC20_5500_Ant2




Maximum Conduct Output Power_11AC20_5580_Ant1




Maximum Conduct Output Power_11AC20_5580_Ant2




Maximum Conduct Output Power_11AC20_5700_Ant1




Maximum Conduct Output Power_11AC20_5700_Ant2




Maximum Conduct Output Power_11AC20_5745_Ant1




Maximum Conduct Output Power_11AC20_5745_Ant2




Maximum Conduct Output Power_11AC20_5785_Ant1




Maximum Conduct Output Power_11AC20_5785_Ant2




Maximum Conduct Output Power_11AC20_5825_Ant1




Maximum Conduct Output Power_11AC20_5825_Ant2




Maximum Conduct Output Power_11AC80_5210_Ant1




Maximum Conduct Output Power_11AC80_5210_Ant2




| | | | |
|------------------------------|--------|------|------|
| Maximum Conduct Output Power | 11AC80 | 5290 | Ant1 |
|------------------------------|--------|------|------|




Maximum Conduct Output Power_11AC80_5290_Ant2




Maximum Conduct Output Power_11AC80_5530_Ant1




Maximum Conduct Output Power_11AC80_5530_Ant2




Maximum Conduct Output Power_11AC80_5610_Ant1




Maximum Conduct Output Power_11AC80_5610_Ant2




Maximum Conduct Output Power_11AC80_5775_Ant1




Maximum Conduct Output Power_11AC80_5775_Ant2




Maximum Conduct Output Power_11AC40_5190_Ant1




Maximum Conduct Output Power_11AC40_5190_Ant2




Maximum Conduct Output Power_11AC40_5230_Ant1




Maximum Conduct Output Power_11AC40_5230_Ant2




Maximum Conduct Output Power_11AC40_5270_Ant1




Maximum Conduct Output Power_11AC40_5270_Ant2




Maximum Conduct Output Power_11AC40_5310_Ant1




Maximum Conduct Output Power_11AC40_5310_Ant2




Maximum Conduct Output Power_11AC40_5510_Ant1




Maximum Conduct Output Power_11AC40_5510_Ant2




Maximum Conduct Output Power_11AC40_5590_Ant1




Maximum Conduct Output Power_11AC40_5590_Ant2




Maximum Conduct Output Power_11AC40_5670_Ant1




Maximum Conduct Output Power_11AC40_5670_Ant2




Maximum Conduct Output Power_11AC40_5755_Ant1




Maximum Conduct Output Power_11AC40_5755_Ant2



Maximum Conduct Output Power 11AC40 5795 Ant1



Maximum Conduct Output Power_11AC40_5795_Ant2





4. Maximum Power Spectral Density

| Test Mode | Test Channel | Ant | Level [dBm/MHz] | 10log(1/x) Factor [dB] | PSD [dBm/MHz] | Limit [dBm/MHz] | Verdict |
|-----------|--------------|------|-----------------|------------------------|---------------|-----------------|---------|
| 11A | 5180 | Ant1 | 1.73 | 0.67 | 2.4 | <11.00 | PASS |
| 11A | 5180 | Ant2 | 1.53 | 0.67 | 2.2 | <11.00 | PASS |
| 11A | 5220 | Ant1 | 1.8 | 0.67 | 2.47 | <11.00 | PASS |
| 11A | 5220 | Ant2 | 1.85 | 0.67 | 2.52 | <11.00 | PASS |
| 11A | 5240 | Ant1 | 2.39 | 0.67 | 3.06 | <11.00 | PASS |
| 11A | 5240 | Ant2 | 1.93 | 0.67 | 2.6 | <11.00 | PASS |
| 11A | 5260 | Ant1 | 2.1 | 0.67 | 2.77 | <11.00 | PASS |
| 11A | 5260 | Ant2 | 1.63 | 0.67 | 2.3 | <11.00 | PASS |
| 11A | 5300 | Ant1 | 2.1 | 0.67 | 2.77 | <11.00 | PASS |
| 11A | 5300 | Ant2 | 2.44 | 0.67 | 3.11 | <11.00 | PASS |
| 11A | 5320 | Ant1 | 2.01 | 0.67 | 2.68 | <11.00 | PASS |
| 11A | 5320 | Ant2 | 1.84 | 0.67 | 2.51 | <11.00 | PASS |
| 11A | 5500 | Ant1 | 1.89 | 0.67 | 2.56 | <11.00 | PASS |
| 11A | 5500 | Ant2 | 1.16 | 0.67 | 1.83 | <11.00 | PASS |
| 11A | 5580 | Ant1 | 5.56 | 0.67 | 6.23 | <11.00 | PASS |
| 11A | 5580 | Ant2 | 3.72 | 0.67 | 4.39 | <11.00 | PASS |
| 11A | 5700 | Ant1 | 1.88 | 0.67 | 2.55 | <11.00 | PASS |
| 11A | 5700 | Ant2 | 2.01 | 0.67 | 2.68 | <11.00 | PASS |
| 11N20 | 5180 | Ant1 | 1.57 | 0.71 | 2.28 | <11.00 | PASS |
| 11N20 | 5180 | Ant2 | 1.86 | 0.68 | 2.54 | <11.00 | PASS |
| 11N20 | 5220 | Ant1 | 2.2 | 0.71 | 2.91 | <11.00 | PASS |
| 11N20 | 5220 | Ant2 | 2.39 | 0.71 | 3.1 | <11.00 | PASS |
| 11N20 | 5240 | Ant1 | 2.24 | 0.71 | 2.95 | <11.00 | PASS |
| 11N20 | 5240 | Ant2 | 2.33 | 0.71 | 3.04 | <11.00 | PASS |
| 11N20 | 5260 | Ant1 | 2.3 | 0.71 | 3.01 | <11.00 | PASS |
| 11N20 | 5260 | Ant2 | 2.6 | 0.68 | 3.28 | <11.00 | PASS |
| 11N20 | 5300 | Ant1 | 2.13 | 0.71 | 2.84 | <11.00 | PASS |
| 11N20 | 5300 | Ant2 | 2.28 | 0.71 | 2.99 | <11.00 | PASS |
| 11N20 | 5320 | Ant1 | 2.02 | 0.71 | 2.73 | <11.00 | PASS |
| 11N20 | 5320 | Ant2 | 1.95 | 0.71 | 2.66 | <11.00 | PASS |
| 11N20 | 5500 | Ant1 | 1.92 | 0.71 | 2.63 | <11.00 | PASS |



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180800786204

Page: 508 of 635

| | | | | | | | |
|--------|------|------|-------|------|-------|--------|------|
| 11N20 | 5500 | Ant2 | 1.45 | 0.71 | 2.16 | <11.00 | PASS |
| 11N20 | 5580 | Ant1 | 5.92 | 0.71 | 6.63 | <11.00 | PASS |
| 11N20 | 5580 | Ant2 | 4.12 | 0.71 | 4.83 | <11.00 | PASS |
| 11N20 | 5700 | Ant1 | 1.72 | 0.68 | 2.4 | <11.00 | PASS |
| 11N20 | 5700 | Ant2 | 2.16 | 0.68 | 2.84 | <11.00 | PASS |
| 11N40 | 5190 | Ant1 | -1.64 | 1.22 | -0.42 | <11.00 | PASS |
| 11N40 | 5190 | Ant2 | -1.92 | 1.22 | -0.7 | <11.00 | PASS |
| 11N40 | 5230 | Ant1 | -1.31 | 1.22 | -0.09 | <11.00 | PASS |
| 11N40 | 5230 | Ant2 | -1.38 | 1.22 | -0.16 | <11.00 | PASS |
| 11N40 | 5270 | Ant1 | -1.21 | 1.22 | 0.01 | <11.00 | PASS |
| 11N40 | 5270 | Ant2 | -1.32 | 1.22 | -0.1 | <11.00 | PASS |
| 11N40 | 5310 | Ant1 | -1.7 | 1.22 | -0.48 | <11.00 | PASS |
| 11N40 | 5310 | Ant2 | -1.6 | 1.22 | -0.38 | <11.00 | PASS |
| 11N40 | 5510 | Ant1 | -1.18 | 1.22 | 0.04 | <11.00 | PASS |
| 11N40 | 5510 | Ant2 | -1.9 | 1.22 | -0.68 | <11.00 | PASS |
| 11N40 | 5590 | Ant1 | 2.2 | 1.22 | 3.42 | <11.00 | PASS |
| 11N40 | 5590 | Ant2 | 0.29 | 1.22 | 1.51 | <11.00 | PASS |
| 11N40 | 5670 | Ant1 | -1.81 | 1.22 | -0.59 | <11.00 | PASS |
| 11N40 | 5670 | Ant2 | -1.07 | 1.22 | 0.15 | <11.00 | PASS |
| 11AC20 | 5180 | Ant1 | 1.91 | 0.68 | 2.59 | <11.00 | PASS |
| 11AC20 | 5180 | Ant2 | 2.03 | 0.71 | 2.74 | <11.00 | PASS |
| 11AC20 | 5220 | Ant1 | 2.29 | 0.71 | 3 | <11.00 | PASS |
| 11AC20 | 5220 | Ant2 | 1.73 | 0.71 | 2.44 | <11.00 | PASS |
| 11AC20 | 5240 | Ant1 | 2.4 | 0.71 | 3.11 | <11.00 | PASS |
| 11AC20 | 5240 | Ant2 | 1.79 | 0.71 | 2.5 | <11.00 | PASS |
| 11AC20 | 5260 | Ant1 | 2.36 | 0.71 | 3.07 | <11.00 | PASS |
| 11AC20 | 5260 | Ant2 | 2.14 | 0.68 | 2.82 | <11.00 | PASS |
| 11AC20 | 5300 | Ant1 | 2.43 | 0.68 | 3.11 | <11.00 | PASS |
| 11AC20 | 5300 | Ant2 | 1.64 | 0.71 | 2.35 | <11.00 | PASS |
| 11AC20 | 5320 | Ant1 | 2.39 | 0.71 | 3.1 | <11.00 | PASS |
| 11AC20 | 5320 | Ant2 | 2.34 | 0.71 | 3.05 | <11.00 | PASS |
| 11AC20 | 5500 | Ant1 | 1.8 | 0.68 | 2.48 | <11.00 | PASS |
| 11AC20 | 5500 | Ant2 | 1.78 | 0.68 | 2.46 | <11.00 | PASS |
| 11AC20 | 5580 | Ant1 | 5.66 | 0.71 | 6.37 | <11.00 | PASS |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180800786204

Page: 509 of 635

| | | | | | | | |
|--------|------|------|-------|------|-------|--------|------|
| 11AC20 | 5580 | Ant2 | 4.37 | 0.68 | 5.05 | <11.00 | PASS |
| 11AC20 | 5700 | Ant1 | 1.92 | 0.71 | 2.63 | <11.00 | PASS |
| 11AC20 | 5700 | Ant2 | 2.06 | 0.68 | 2.74 | <11.00 | PASS |
| 11AC80 | 5210 | Ant1 | -3.71 | 2.16 | -1.55 | <11.00 | PASS |
| 11AC80 | 5210 | Ant2 | -4.18 | 2.14 | -2.04 | <11.00 | PASS |
| 11AC80 | 5290 | Ant1 | -3.51 | 2.14 | -1.37 | <11.00 | PASS |
| 11AC80 | 5290 | Ant2 | -2.78 | 2.14 | -0.64 | <11.00 | PASS |
| 11AC80 | 5530 | Ant1 | 0.38 | 2.11 | 2.49 | <11.00 | PASS |
| 11AC80 | 5530 | Ant2 | -0.94 | 2.14 | 1.2 | <11.00 | PASS |
| 11AC80 | 5610 | Ant1 | 0.18 | 2.14 | 2.32 | <11.00 | PASS |
| 11AC80 | 5610 | Ant2 | -1.57 | 2.14 | 0.57 | <11.00 | PASS |
| 11AC40 | 5190 | Ant1 | -1.48 | 1.24 | -0.24 | <11.00 | PASS |
| 11AC40 | 5190 | Ant2 | -1.72 | 1.24 | -0.48 | <11.00 | PASS |
| 11AC40 | 5230 | Ant1 | -1.4 | 1.24 | -0.16 | <11.00 | PASS |
| 11AC40 | 5230 | Ant2 | -1.74 | 1.24 | -0.5 | <11.00 | PASS |
| 11AC40 | 5270 | Ant1 | -1.04 | 1.24 | 0.2 | <11.00 | PASS |
| 11AC40 | 5270 | Ant2 | -1.36 | 1.24 | -0.12 | <11.00 | PASS |
| 11AC40 | 5310 | Ant1 | -1.34 | 1.24 | -0.1 | <11.00 | PASS |
| 11AC40 | 5310 | Ant2 | -1.76 | 1.24 | -0.52 | <11.00 | PASS |
| 11AC40 | 5510 | Ant1 | -1.46 | 1.24 | -0.22 | <11.00 | PASS |
| 11AC40 | 5510 | Ant2 | -1.94 | 1.24 | -0.7 | <11.00 | PASS |
| 11AC40 | 5590 | Ant1 | 3.01 | 1.24 | 4.25 | <11.00 | PASS |
| 11AC40 | 5590 | Ant2 | 0.79 | 1.24 | 2.03 | <11.00 | PASS |
| 11AC40 | 5670 | Ant1 | -1.97 | 1.27 | -0.7 | <11.00 | PASS |
| 11AC40 | 5670 | Ant2 | -1.67 | 1.24 | -0.43 | <11.00 | PASS |

| Test Mode | Test Channel | Ant | Level [dBm/500kHz] | 10log(1/x) Factor[dB] | 10log(500kHz/RBW) Factor [dB] | PSD [dBm/500kHz] | Limit [dBm/500kHz] | Verdict |
|-----------|--------------|-------|--------------------|-----------------------|-------------------------------|------------------|--------------------|---------|
| 11A | 5745 | Ant 1 | 3.84 | 0.64 | 0 | 4.48 | <17.00 | PASS |
| 11A | 5745 | Ant 2 | 3.57 | 0.64 | 0 | 4.21 | <17.00 | PASS |
| 11A | 5785 | Ant 1 | 3.06 | 0.67 | 0 | 3.73 | <17.00 | PASS |
| 11A | 5785 | Ant 2 | 2.64 | 0.67 | 0 | 3.31 | <17.00 | PASS |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180800786204

Page: 510 of 635

| | | | | | | | | |
|------------|------|----------|-------|------|---|-------|--------|------|
| 11A | 5825 | Ant 1 | 3.34 | 0.67 | 0 | 4.01 | <17.00 | PASS |
| 11A | 5825 | Ant 2 | 2.3 | 0.64 | 0 | 2.94 | <17.00 | PASS |
| 11N20 | 5745 | Ant 1 | 3.91 | 0.71 | 0 | 4.62 | <17.00 | PASS |
| 11N20 | 5745 | Ant 2 | 3.57 | 0.71 | 0 | 4.28 | <17.00 | PASS |
| 11N20 | 5785 | Ant 1 | 3.18 | 0.71 | 0 | 3.89 | <17.00 | PASS |
| 11N20 | 5785 | Ant 2 | 2.71 | 0.68 | 0 | 3.39 | <17.00 | PASS |
| 11N20 | 5825 | Ant 1 | 3.46 | 0.71 | 0 | 4.17 | <17.00 | PASS |
| 11N20 | 5825 | Ant 2 | 2.49 | 0.68 | 0 | 3.17 | <17.00 | PASS |
| 11N40 | 5755 | Ant 1 | 0.45 | 1.22 | 0 | 1.67 | <17.00 | PASS |
| 11N40 | 5755 | Ant 2 | -0.04 | 1.22 | 0 | 1.18 | <17.00 | PASS |
| 11N40 | 5795 | Ant 1 | 0.51 | 1.22 | 0 | 1.73 | <17.00 | PASS |
| 11N40 | 5795 | Ant 2 | -1.02 | 1.22 | 0 | 0.2 | <17.00 | PASS |
| 11AC2 0 | 5745 | Ant 1 | 4 | 0.68 | 0 | 4.68 | <17.00 | PASS |
| 11AC2 0 | 5745 | Ant 2 | 3.03 | 0.71 | 0 | 3.74 | <17.00 | PASS |
| 11AC2 0 | 5785 | Ant 1 | 3.31 | 0.71 | 0 | 4.02 | <17.00 | PASS |
| 11AC2 0 | 5785 | Ant 2 | 2.79 | 0.71 | 0 | 3.5 | <17.00 | PASS |
| 11AC2 0 | 5825 | Ant 1 | 3.5 | 0.71 | 0 | 4.21 | <17.00 | PASS |
| 11AC2 0 | 5825 | Ant 2 | 2.33 | 0.68 | 0 | 3.01 | <17.00 | PASS |
| 11AC8 0 | 5775 | Ant 1 | -1.88 | 2.11 | 0 | 0.23 | <17.00 | PASS |
| 11AC8 0 | 5775 | Ant 2 | -2.35 | 2.14 | 0 | -0.21 | <17.00 | PASS |
| 11AC4 0 | 5755 | Ant 1 | 0.31 | 1.24 | 0 | 1.55 | <17.00 | PASS |





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180800786204


Page: 511 of 635


| | | | | | | | | |
|------------|------|----------|------|------|---|------|--------|------|
| 11AC4 0 | 5755 | Ant 2 | 0.18 | 1.24 | 0 | 1.42 | <17.00 | PASS |
| 11AC4 0 | 5795 | Ant 1 | 0.49 | 1.27 | 0 | 1.76 | <17.00 | PASS |
| 11AC4 0 | 5795 | Ant 2 | -1.1 | 1.27 | 0 | 0.17 | <17.00 | PASS |















































































































































































5.Duty Cycle (x)

| Test Mode | Test Channel | Ant | Duty Cycle[%] | 10log(1/x) Factor[dB] |
|-----------|--------------|------|---------------|-----------------------|
| 11A | 5180 | Ant1 | 85.71 | 0.67 |
| 11A | 5180 | Ant2 | 85.71 | 0.67 |
| 11A | 5220 | Ant1 | 85.71 | 0.67 |
| 11A | 5220 | Ant2 | 85.71 | 0.67 |
| 11A | 5240 | Ant1 | 85.71 | 0.67 |
| 11A | 5240 | Ant2 | 85.71 | 0.67 |
| 11A | 5260 | Ant1 | 85.71 | 0.67 |
| 11A | 5260 | Ant2 | 85.71 | 0.67 |
| 11A | 5300 | Ant1 | 85.71 | 0.67 |
| 11A | 5300 | Ant2 | 85.71 | 0.67 |
| 11A | 5320 | Ant1 | 85.71 | 0.67 |
| 11A | 5320 | Ant2 | 85.71 | 0.67 |
| 11A | 5500 | Ant1 | 85.71 | 0.67 |
| 11A | 5500 | Ant2 | 85.71 | 0.67 |
| 11A | 5580 | Ant1 | 85.71 | 0.67 |
| 11A | 5580 | Ant2 | 85.71 | 0.67 |
| 11A | 5700 | Ant1 | 85.71 | 0.67 |
| 11A | 5700 | Ant2 | 85.71 | 0.67 |
| 11A | 5745 | Ant1 | 86.25 | 0.64 |
| 11A | 5745 | Ant2 | 86.25 | 0.64 |
| 11A | 5785 | Ant1 | 85.71 | 0.67 |
| 11A | 5785 | Ant2 | 85.71 | 0.67 |
| 11A | 5825 | Ant1 | 85.71 | 0.67 |
| 11A | 5825 | Ant2 | 86.25 | 0.64 |
| 11N20 | 5180 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5180 | Ant2 | 85.53 | 0.68 |
| 11N20 | 5220 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5220 | Ant2 | 84.87 | 0.71 |
| 11N20 | 5240 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5240 | Ant2 | 84.87 | 0.71 |
| 11N20 | 5260 | Ant1 | 84.87 | 0.71 |



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180800786204

Page: 572 of 635

| | | | | |
|-------|------|------|-------|------|
| 11N20 | 5260 | Ant2 | 85.43 | 0.68 |
| 11N20 | 5300 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5300 | Ant2 | 84.87 | 0.71 |
| 11N20 | 5320 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5320 | Ant2 | 84.87 | 0.71 |
| 11N20 | 5500 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5500 | Ant2 | 84.87 | 0.71 |
| 11N20 | 5580 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5580 | Ant2 | 84.87 | 0.71 |
| 11N20 | 5700 | Ant1 | 85.53 | 0.68 |
| 11N20 | 5700 | Ant2 | 85.43 | 0.68 |
| 11N20 | 5745 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5745 | Ant2 | 84.87 | 0.71 |
| 11N20 | 5785 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5785 | Ant2 | 85.43 | 0.68 |
| 11N20 | 5825 | Ant1 | 84.87 | 0.71 |
| 11N20 | 5825 | Ant2 | 85.43 | 0.68 |
| 11N40 | 5190 | Ant1 | 75.43 | 1.22 |
| 11N40 | 5190 | Ant2 | 75.43 | 1.22 |
| 11N40 | 5230 | Ant1 | 75.43 | 1.22 |
| 11N40 | 5230 | Ant2 | 75.57 | 1.22 |
| 11N40 | 5270 | Ant1 | 75.57 | 1.22 |
| 11N40 | 5270 | Ant2 | 75.57 | 1.22 |
| 11N40 | 5310 | Ant1 | 75.57 | 1.22 |
| 11N40 | 5310 | Ant2 | 75.57 | 1.22 |
| 11N40 | 5510 | Ant1 | 75.43 | 1.22 |
| 11N40 | 5510 | Ant2 | 75.43 | 1.22 |
| 11N40 | 5590 | Ant1 | 75.43 | 1.22 |
| 11N40 | 5590 | Ant2 | 75.43 | 1.22 |
| 11N40 | 5670 | Ant1 | 75.57 | 1.22 |
| 11N40 | 5670 | Ant2 | 75.57 | 1.22 |
| 11N40 | 5755 | Ant1 | 75.57 | 1.22 |
| 11N40 | 5755 | Ant2 | 75.43 | 1.22 |
| 11N40 | 5795 | Ant1 | 75.43 | 1.22 |



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180800786204

Page: 573 of 635

| | | | | |
|--------|------|------|-------|------|
| 11N40 | 5795 | Ant2 | 75.43 | 1.22 |
| 11AC20 | 5180 | Ant1 | 85.53 | 0.68 |
| 11AC20 | 5180 | Ant2 | 84.97 | 0.71 |
| 11AC20 | 5220 | Ant1 | 84.97 | 0.71 |
| 11AC20 | 5220 | Ant2 | 84.97 | 0.71 |
| 11AC20 | 5240 | Ant1 | 84.97 | 0.71 |
| 11AC20 | 5240 | Ant2 | 84.97 | 0.71 |
| 11AC20 | 5260 | Ant1 | 84.87 | 0.71 |
| 11AC20 | 5260 | Ant2 | 85.53 | 0.68 |
| 11AC20 | 5300 | Ant1 | 85.53 | 0.68 |
| 11AC20 | 5300 | Ant2 | 84.97 | 0.71 |
| 11AC20 | 5320 | Ant1 | 84.97 | 0.71 |
| 11AC20 | 5320 | Ant2 | 84.97 | 0.71 |
| 11AC20 | 5500 | Ant1 | 85.53 | 0.68 |
| 11AC20 | 5500 | Ant2 | 85.53 | 0.68 |
| 11AC20 | 5580 | Ant1 | 84.97 | 0.71 |
| 11AC20 | 5580 | Ant2 | 85.53 | 0.68 |
| 11AC20 | 5700 | Ant1 | 84.97 | 0.71 |
| 11AC20 | 5700 | Ant2 | 85.53 | 0.68 |
| 11AC20 | 5745 | Ant1 | 85.53 | 0.68 |
| 11AC20 | 5745 | Ant2 | 84.97 | 0.71 |
| 11AC20 | 5785 | Ant1 | 84.87 | 0.71 |
| 11AC20 | 5785 | Ant2 | 84.97 | 0.71 |
| 11AC20 | 5825 | Ant1 | 84.97 | 0.71 |
| 11AC20 | 5825 | Ant2 | 85.53 | 0.68 |
| 11AC80 | 5210 | Ant1 | 60.77 | 2.16 |
| 11AC80 | 5210 | Ant2 | 61.11 | 2.14 |
| 11AC80 | 5290 | Ant1 | 61.11 | 2.14 |
| 11AC80 | 5290 | Ant2 | 61.11 | 2.14 |
| 11AC80 | 5530 | Ant1 | 61.45 | 2.11 |
| 11AC80 | 5530 | Ant2 | 61.11 | 2.14 |
| 11AC80 | 5610 | Ant1 | 61.11 | 2.14 |
| 11AC80 | 5610 | Ant2 | 61.11 | 2.14 |
| 11AC80 | 5775 | Ant1 | 61.45 | 2.11 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


Report No.: SZEM180800786204


Page: 574 of 635


| | | | | |
|--------|------|------|-------|------|
| 11AC80 | 5775 | Ant2 | 61.11 | 2.14 |
| 11AC40 | 5190 | Ant1 | 75.14 | 1.24 |
| 11AC40 | 5190 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5230 | Ant1 | 75.14 | 1.24 |
| 11AC40 | 5230 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5270 | Ant1 | 75.14 | 1.24 |
| 11AC40 | 5270 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5310 | Ant1 | 75.14 | 1.24 |
| 11AC40 | 5310 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5510 | Ant1 | 75.14 | 1.24 |
| 11AC40 | 5510 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5590 | Ant1 | 75.14 | 1.24 |
| 11AC40 | 5590 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5670 | Ant1 | 74.71 | 1.27 |
| 11AC40 | 5670 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5755 | Ant1 | 75.14 | 1.24 |
| 11AC40 | 5755 | Ant2 | 75.14 | 1.24 |
| 11AC40 | 5795 | Ant1 | 74.71 | 1.27 |
| 11AC40 | 5795 | Ant2 | 74.57 | 1.27 |


















































































































































































6. (DFS: Non-occupancy period; DFS: Channel Move Time; DFS: Channel Closing Transmission Time)


Test plots as follows:

Radar Waveform Calibration Result

Radar Type 0 (80MHz / 5530MHz)




80MHz/5530MHz





SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180800786204
Page: 635 of 635



- End of the Report -