



3DH5_Ant1_Low_Hop_2402



3DH5_Ant1_High_Hop_2480




Appendix H: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-2.56	-2.56	---	PASS
			30~1000	-2.56	-58.24	≤ -22.56	PASS
			1000~26500	-2.56	-50.14	≤ -22.56	PASS
		2441	Reference	-1.71	-1.71	---	PASS
			30~1000	-1.71	-57.33	≤ -21.71	PASS
			1000~26500	-1.71	-50.72	≤ -21.71	PASS
		2480	Reference	-1.47	-1.47	---	PASS
			30~1000	-1.47	-57.52	≤ -21.47	PASS
			1000~26500	-1.47	-50.79	≤ -21.47	PASS
2DH5	Ant1	2402	Reference	-2.64	-2.64	---	PASS
			30~1000	-2.64	-57.89	≤ -22.64	PASS
			1000~26500	-2.64	-49.81	≤ -22.64	PASS
		2441	Reference	-1.73	-1.73	---	PASS
			30~1000	-1.73	-58.03	≤ -21.73	PASS
			1000~26500	-1.73	-50.48	≤ -21.73	PASS
		2480	Reference	-1.48	-1.48	---	PASS
			30~1000	-1.48	-57.8	≤ -21.48	PASS
			1000~26500	-1.48	-50.35	≤ -21.48	PASS
3DH5	Ant1	2402	Reference	-2.49	-2.49	---	PASS
			30~1000	-2.49	-58.31	≤ -22.49	PASS
			1000~26500	-2.49	-50.17	≤ -22.49	PASS
		2441	Reference	-1.60	-1.60	---	PASS
			30~1000	-1.60	-58.18	≤ -21.6	PASS
			1000~26500	-1.60	-50.34	≤ -21.6	PASS
		2480	Reference	-1.32	-1.32	---	PASS
			30~1000	-1.32	-58.11	≤ -21.32	PASS
			1000~26500	-1.32	-50.05	≤ -21.32	PASS

Test Graphs






DH5_Ant1_2441_0~Reference



DH5_Ant1_2441_30~1000



DH5_Ant1_2441_1000~26500



DH5_Ant1_2480_0~Reference



DH5_Ant1_2480_30~1000



DH5_Ant1_2480_1000~26500



2DH5_Ant1_2402_0~Reference



2DH5_Ant1_2402_30~1000



2DH5_Ant1_2402_1000~26500



2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500



3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000



3DH5_Ant1_2402_1000~26500



3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000



3DH5_Ant1_2441_1000~26500



3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500



Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Frequency[MHz]	ON Time[ms]	Period[ms]	Duty Cycle[%]
DH5	Ant1	2402	2.90	3.76	77.13
		2441	2.89	3.75	77.07
		2480	2.89	3.75	77.07
2DH5	Ant1	2402	2.89	3.76	76.86
		2441	2.90	3.76	77.13
		2480	2.89	3.75	77.07
3DH5	Ant1	2402	2.89	3.75	77.07
		2441	2.89	3.75	77.07
		2480	2.89	3.75	77.07

Test Graphs






2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480



3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Test Result

Mode:	DH5-2402
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	-21.24	37.87	74.00	36.13	150	306	Horizontal
2	2324.8	-21.13	38.88	74.00	35.12	150	330	Horizontal
3	2364.08	-20.87	41.35	74.00	32.65	150	236	Horizontal
4	2371.2	-20.84	40.47	74.00	33.53	150	236	Horizontal
5	2388.96	-20.74	41.28	74.00	32.72	150	271	Horizontal
6	2390	-20.73	41.94	74.00	32.06	150	74	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	-21.24	36.28	74.00	37.72	150	83	Vertical
2	2337.2	-21.05	38.49	74.00	35.51	150	48	Vertical
3	2365.28	-20.87	42.54	74.00	31.46	150	156	Vertical
4	2368.4	-20.85	43.93	74.00	30.07	150	28	Vertical
5	2372.56	-20.83	42.03	74.00	31.97	150	28	Vertical
6	2390	-20.73	39.32	74.00	34.68	150	356	Vertical

Mode:	DH5-2480
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	-20.33	50.69	74.00	23.31	150	266	Horizontal
2	2483.78	-20.32	41.12	74.00	32.88	104.4	270.1	Horizontal
3	2484.07	-20.32	45.28	74.00	28.72	161.9	216	Horizontal
4	2484.53	-20.33	37.08	74.00	36.92	140.9	279.1	Horizontal
5	2486.02	-20.33	36.05	74.00	37.95	112.1	267.6	Horizontal
6	2500.00	-20.34	37.73	74.00	36.27	150	80	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	-20.33	51.71	74.00	22.29	150	336	Vertical
2	2483.54	-20.33	36.50	74.00	37.50	131.1	67.1	Vertical
3	2484.81	-20.33	52.04	74.00	21.96	147.6	71.6	Vertical
4	2485.15	-20.33	49.86	74.00	24.14	151.6	74.1	Vertical
5	2485.77	-20.33	44.95	74.00	29.05	141.2	36.2	Vertical
6	2500.00	-20.34	37.73	74.00	36.27	150	334	Vertical

Mode:	2DH5-2402
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	-21.24	36.39	74.00	37.61	150	150	Horizontal
2	2332.32	-21.08	37.95	74.00	36.05	150	144	Horizontal
3	2364.64	-20.87	39.85	74.00	34.15	150	141	Horizontal
4	2368.88	-20.84	39.77	74.00	34.23	150	141	Horizontal
5	2373.04	-20.83	38.11	74.00	35.89	150	141	Horizontal
6	2390	-20.73	37.08	74.00	36.92	150	88	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	-21.24	36.06	74.00	37.94	150	110	Vertical
2	2339.2	-21.03	37.13	74.00	36.87	150	278	Vertical
3	2364.96	-20.87	41.10	74.00	32.90	150	338	Vertical
4	2367.84	-20.86	46.02	74.00	27.98	150	0	Vertical
5	2372.88	-20.83	46.43	74.00	27.57	150	0	Vertical
6	2390	-20.73	37.14	74.00	36.86	150	51	Vertical

Mode:	2DH5-2480
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.51	-20.33	51.69	74.00	22.31	107.1	270.4	Horizontal
2	2484.01	-20.32	49.71	74.00	24.29	150.6	263	Horizontal
3	2485.10	-20.33	49.72	74.00	24.28	141.8	267.9	Horizontal
4	2485.77	-20.33	53.39	74.00	20.61	150	97	Horizontal
5	2486.48	-20.33	52.62	74.00	21.38	150	265	Horizontal
6	2500	-20.34	36.94	74.00	37.06	150	209	Horizontal

Mode:	2DH5-2480
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	-20.33	59.19	74.00	14.81	150	356	Vertical
2	2483.54	-20.33	58.66	74.00	15.34	150	356	Vertical
3	2484.85	-20.33	55.49	74.00	18.51	150	356	Vertical
4	2485.76	-20.33	53.51	74.00	20.49	150	18	Vertical
5	2496.10	-20.34	40.11	74.00	33.89	150	153	Vertical
6	2500.00	-20.34	36.87	74.00	37.13	150	8	Vertical

AV Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	-20.33	49.81	54.00	4.19	150	356	Vertical
2	2483.54	-20.33	48.96	54.00	5.04	150	356	Vertical
3	2484.85	-20.33	47.04	54.00	6.96	150	356	Vertical
4	2485.76	-20.33	48.13	54.00	5.87	150	18	Vertical
5	2496.10	-20.34	34.55	54.00	19.45	150	153	Vertical
6	2500.00	-20.34	33.49	54.00	20.51	150	8	Vertical

Mode:	3DH5-2402
-------	-----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	-21.24	35.90	74.00	38.10	150	88	Horizontal
2	2339.76	-21.02	37.00	74.00	37.00	150	164	Horizontal
3	2360.4	-20.90	37.48	74.00	36.52	150	219	Horizontal
4	2380.24	-20.79	37.91	74.00	36.09	150	92	Horizontal
5	2387.12	-20.75	39.79	74.00	34.21	150	258	Horizontal
6	2390	-20.73	39.18	74.00	34.82	150	213	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2310	-21.24	35.54	74.00	38.46	150	0	Vertical
2	2323.28	-21.14	36.80	74.00	37.20	150	176	Vertical
3	2363.52	-20.88	43.53	74.00	30.47	150	218	Vertical
4	2367.68	-20.86	43.36	74.00	30.64	150	215	Vertical
5	2384.96	-20.76	37.70	74.00	36.30	150	149	Vertical
6	2390	-20.73	37.12	74.00	36.88	150	0	Vertical

Mode:	3DH5-2480
-------	-----------


PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.5	-20.33	49.32	74.00	24.68	150	0	Horizontal
2	2484.04	-20.32	48.23	74.00	25.77	150	0	Horizontal
3	2485.43	-20.33	50.85	74.00	23.15	150	0	Horizontal
4	2485.76	-20.33	51.59	74.00	22.41	150	0	Horizontal
5	2486.84	-20.33	40.96	74.00	33.04	150	0	Horizontal
6	2500	-20.34	34.49	74.00	39.51	150	0	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2483.50	-20.33	46.92	74.00	27.08	150	0	Vertical
2	2483.96	-20.32	48.76	74.00	25.24	150	0	Vertical
3	2484.77	-20.33	48.60	74.00	25.40	150	0	Vertical
4	2485.52	-20.33	49.72	74.00	24.28	150	0	Vertical
5	2486.84	-20.33	43.82	74.00	30.18	150	0	Vertical
6	2500.00	-20.34	34.09	74.00	39.91	150	0	Vertical

Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Appendix L: Radiated emissions



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	34.8500	21.19	-16.63	40.00	18.81	100	98	Vertical	PASS
2	58.1300	23.32	-16.47	40.00	16.68	100	171	Vertical	PASS
3	132.820	24.86	-16.87	43.50	18.64	100	54	Vertical	PASS
4	228.850	15.96	-17.83	46.00	30.04	100	352	Vertical	PASS
5	434.490	21.72	-12.22	46.00	24.28	100	24	Vertical	PASS
6	551.860	24.98	-9.94	46.00	21.02	100	223	Vertical	PASS

Mode:

DH5-2402



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	40.6700	14.55	-15.69	40.00	25.45	100	315	Horizontal	PASS
2	55.2200	16.60	-16.33	40.00	23.40	100	0	Horizontal	PASS
3	133.790	18.60	-16.82	43.50	24.90	100	8	Horizontal	PASS
4	287.050	18.95	-15.97	46.00	27.05	100	82	Horizontal	PASS
5	392.780	23.50	-13.16	46.00	22.50	100	82	Horizontal	PASS
6	714.820	26.64	-6.67	46.00	19.36	100	185	Horizontal	PASS

Mode:	DH5-2402
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1250	42.66	2.18	74.00	31.34	150	149	Horizontal
2	2008	45.71	5.94	74.00	28.29	150	241	Horizontal
3	3602.51	53.01	-17.76	74.00	20.99	150	139	Horizontal
4	4804.55	46.81	-14.82	74.00	27.19	150	183	Horizontal
5	9609.71	47.45	-8.41	74.00	26.55	150	88	Horizontal
6	14291.9	49.83	-0.97	74.00	24.17	150	22	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	43.62	2.28	74.00	30.38	150	197	Vertical
2	1786	44.10	4.59	74.00	29.90	150	188	Vertical
3	3602.51	52.64	-17.76	74.00	21.36	150	82	Vertical
4	4804.55	49.43	-14.82	74.00	24.57	150	241	Vertical
5	5254.19	49.06	-14.09	74.00	24.94	150	158	Vertical
6	9606.71	47.59	-8.42	74.00	26.41	150	93	Vertical

Mode:	DH5-2441
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1272	42.53	2.26	74.00	31.47	150	4	Horizontal
2	2078	45.63	6.03	74.00	28.37	150	287	Horizontal
3	3663	48.58	-17.35	74.00	25.42	150	129	Horizontal
4	4881	47.78	-14.63	74.00	26.22	150	183	Horizontal
5	7323	46.92	-11.64	74.00	27.08	150	79	Horizontal
6	11889	48.54	-4.37	74.00	25.46	150	76	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	42.99	2.27	74.00	31.01	150	207	Vertical
2	1640	42.76	2.67	74.00	31.24	150	204	Vertical
3	3660	48.97	-17.31	74.00	25.03	150	265	Vertical
4	4881	49.25	-14.63	74.00	24.75	150	232	Vertical
5	6567	46.11	-12.20	74.00	27.89	150	220	Vertical
6	7323	46.21	-11.64	74.00	27.79	150	39	Vertical

Mode:	DH5-2480
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1352	42.39	2.08	74.00	31.61	150	219	Horizontal
2	1964	45.33	5.70	74.00	28.67	150	180	Horizontal
3	3720	46.00	-17.49	74.00	28.00	150	156	Horizontal
4	4959	47.49	-15.23	74.00	26.51	150	141	Horizontal
5	7440	47.44	-11.61	74.00	26.56	150	260	Horizontal
6	9999	45.60	-7.60	74.00	28.40	150	119	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1394	42.47	2.00	74.00	31.53	150	246	Vertical
2	1886	45.23	5.59	74.00	28.77	150	28	Vertical
3	4434	42.82	-15.73	74.00	31.18	150	64	Vertical
4	4962	47.19	-15.20	74.00	26.81	150	245	Vertical
5	6585	45.34	-12.33	74.00	28.66	150	180	Vertical
6	11184	48.43	-5.62	74.00	25.57	150	46	Vertical

Mode:	2DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	42.56	2.28	74.00	31.44	150	195	Horizontal
2	1912	45.09	5.67	74.00	28.91	150	307	Horizontal
3	3603	49.67	-17.76	74.00	24.33	150	169	Horizontal
4	6768	44.50	-12.07	74.00	29.50	150	180	Horizontal
5	9663	46.43	-8.27	74.00	27.57	150	305	Horizontal
6	10347	47.10	-7.33	74.00	26.90	150	101	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	42.38	2.28	74.00	31.62	150	195	Vertical
2	2038	46.34	5.97	74.00	27.66	150	186	Vertical
3	3603	48.03	-17.76	74.00	25.97	150	43	Vertical
4	4803	46.30	-14.80	74.00	27.70	150	243	Vertical
5	6567	45.90	-12.20	74.00	28.10	150	356	Vertical
6	9609	46.39	-8.41	74.00	27.61	150	91	Vertical

Mode:	2DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	43.06	2.28	74.00	30.94	150	71	Horizontal
2	1862	45.75	5.43	74.00	28.25	150	216	Horizontal
3	3660	44.10	-17.31	74.00	29.90	150	261	Horizontal
4	5736	43.14	-13.44	74.00	30.86	150	39	Horizontal
5	6717	44.26	-12.28	74.00	29.74	150	127	Horizontal
6	9762	46.48	-7.71	74.00	27.52	150	285	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	42.92	2.27	74.00	31.08	150	219	Vertical
2	2090	45.30	6.05	74.00	28.70	150	50	Vertical
3	4881	47.08	-14.63	74.00	26.92	150	240	Vertical
4	7323	45.00	-11.64	74.00	29.00	150	133	Vertical
5	9216	45.34	-8.86	74.00	28.66	150	0	Vertical
6	12021	47.82	-4.88	74.00	26.18	150	23	Vertical

Mode:	2DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	43.10	2.27	74.00	30.90	150	304	Horizontal
2	2034	45.66	5.97	74.00	28.34	150	280	Horizontal
3	5298	43.59	-13.76	74.00	30.41	150	280	Horizontal
4	8847	45.15	-10.19	74.00	28.85	150	7	Horizontal
5	10329	46.08	-7.46	74.00	27.92	150	36	Horizontal
6	11832	47.34	-4.51	74.00	26.66	150	225	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1340	43.37	2.14	74.00	30.63	150	233	Vertical
2	1886	45.91	5.59	74.00	28.09	150	115	Vertical
3	3951	45.67	-17.26	74.00	28.33	150	188	Vertical
4	5274	46.64	-13.94	74.00	27.36	150	128	Vertical
5	6561	44.89	-12.15	74.00	29.11	150	0	Vertical
6	7998	47.36	-11.18	74.00	26.64	150	114	Vertical

Mode:	3DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1240	42.40	2.17	74.00	31.60	150	12	Horizontal
2	2394	51.70	14.16	74.00	22.30	150	254	Horizontal
3	4341	40.77	-16.20	74.00	33.23	150	270	Horizontal
4	6153	42.83	-13.14	74.00	31.17	150	270	Horizontal
5	8340	44.26	-10.14	74.00	29.74	150	270	Horizontal
6	9636	43.19	-8.29	74.00	30.81	150	270	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1260	40.81	2.22	74.00	33.19	150	270	Vertical
2	1866	43.24	5.45	74.00	30.76	150	270	Vertical
3	3603	45.05	-17.76	74.00	28.95	150	0	Vertical
4	5259	47.27	-14.05	74.00	26.73	150	119	Vertical
5	6444	43.73	-12.47	74.00	30.27	150	136	Vertical
6	9657	45.49	-8.25	74.00	28.51	150	19	Vertical

Mode:	3DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1282	43.11	2.30	74.00	30.89	150	89	Horizontal
2	1860	45.33	5.42	74.00	28.67	150	48	Horizontal
3	3663	42.66	-17.35	74.00	31.34	150	18	Horizontal
4	5025	43.34	-14.55	74.00	30.66	150	250	Horizontal
5	7305	44.49	-11.73	74.00	29.51	150	215	Horizontal
6	10632	47.06	-6.80	74.00	26.94	150	215	Horizontal


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	42.58	2.27	74.00	31.42	150	242	Vertical
2	1886	46.70	5.59	74.00	27.30	150	4	Vertical
3	4746	47.34	-14.52	74.00	26.66	150	156	Vertical
4	6819	43.93	-12.05	74.00	30.07	150	63	Vertical
5	9222	45.70	-8.93	74.00	28.30	150	11	Vertical
6	12783	48.43	-3.80	74.00	25.57	150	236	Vertical

Mode:	3DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1292	42.51	2.34	74.00	31.49	150	39	Horizontal
2	2038	46.15	5.97	74.00	27.85	150	107	Horizontal
3	4083	40.31	-16.86	74.00	33.69	150	270	Horizontal
4	6126	42.28	-12.89	74.00	31.72	150	270	Horizontal
5	8643	43.36	-10.19	74.00	30.64	150	270	Horizontal
6	12699	46.32	-4.02	74.00	27.68	150	270	Horizontal


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1238	41.96	2.17	74.00	32.04	150	270	Vertical
2	1886	44.14	5.59	74.00	29.86	150	270	Vertical
3	4152	42.76	-16.13	74.00	31.24	150	38	Vertical
4	5253	48.31	-14.10	74.00	25.69	150	177	Vertical
5	8250	43.91	-10.17	74.00	30.09	150	105	Vertical
6	10608	47.67	-6.65	74.00	26.33	150	49	Vertical

Appendix K: Conducted emission AC power port



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1503	10.25	29.61	65.98	36.37	20.24	55.98	35.74	L1	PASS
2	0.4306	10.25	28.27	57.24	28.97	22.79	47.24	24.45	L1	PASS
3	2.1114	10.28	23.97	56.00	32.03	19.61	46.00	26.39	L1	PASS
4	4.3568	10.31	29.10	56.00	26.90	23.17	46.00	22.83	L1	PASS
5	8.1249	10.43	31.36	60.00	28.64	27.09	50.00	22.91	L1	PASS
6	12.7535	10.51	27.77	60.00	32.23	23.71	50.00	26.29	L1	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1556	10.25	30.63	65.70	35.07	19.45	55.70	36.25	N	PASS
2	0.4423	10.25	31.46	57.02	25.56	26.26	47.02	20.76	N	PASS
3	2.1045	10.29	25.40	56.00	30.60	21.18	46.00	24.82	N	PASS
4	3.4089	10.36	26.44	56.00	29.56	21.18	46.00	24.82	N	PASS
5	12.4201	10.50	34.88	60.00	25.12	30.39	50.00	19.61	N	PASS
6	12.6782	10.50	34.93	60.00	25.07	30.22	50.00	19.78	N	PASS