


802.11n HT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5143.50	44.47	1.60	42.87	54.00	-9.53	100	100	Average	Horizontal		
2 *	5240.00	100.95	58.07	42.88	54.00	46.95	100	100	Average	Horizontal		
3	5398.00	44.67	1.51	43.16	54.00	-9.33	100	100	Average	Horizontal		

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5117.00	44.12	1.78	42.34	54.00	-9.88	299	218	Average	Vertical		
2 *	5240.00	101.51	58.97	42.54	54.00	47.51	299	218	Average	Vertical		
3	5356.00	45.14	2.40	42.74	54.00	-8.86	299	218	Average	Vertical		


802.11n HT40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5150.00	66.54	23.67	42.87	68.20	-1.66	159	105	Peak	Horizontal		
2	5190.00	102.89	59.91	42.98	68.20	34.69	159	105	Peak	Horizontal		
3	5397.50	56.71	13.55	43.16	74.00	-17.29	159	105	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	5140.50	60.29	17.93	42.36	74.00	-13.71	288	217	Peak	Vertical		
2	5190.00	101.24	58.76	42.48	68.20	33.04	288	217	Peak	Vertical		
3	5376.50	56.65	13.90	42.75	74.00	-17.35	288	217	Peak	Vertical		


802.11n HT40

CH 38 (Horizontal) Average

CH 38 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	52.92	10.05	42.87	54.00	-1.08	159	105	Average	Horizontal		
2	5190.00	92.67	49.69	42.98	54.00	38.67	159	105	Average	Horizontal		
3	5362.50	44.49	1.58	42.91	54.00	-9.51	159	105	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.00	48.11	5.74	42.37	54.00	-5.89	288	217	Average	Vertical		
2	5190.00	91.78	49.30	42.48	54.00	37.78	288	217	Average	Vertical		
3	5363.50	44.34	1.60	42.74	54.00	-9.66	288	217	Average	Vertical		


802.11n HT40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.00	60.49	17.62	42.87	74.00	-13.51	123	58	Peak	Horizontal		
2 *	5230.00	102.52	59.60	42.92	68.20	34.32	123	58	Peak	Horizontal		
3	5357.50	57.44	14.55	42.89	74.00	-16.56	123	58	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5147.50	65.11	22.74	42.37	74.00	-8.89	296	217	Peak	Vertical		
2 *	5230.00	108.18	65.64	42.54	68.20	39.98	296	217	Peak	Vertical		
3	5360.00	59.80	17.06	42.74	74.00	-14.20	296	217	Peak	Vertical		

802.11n HT40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	48.78	5.91	42.87	54.00	-5.22	123	58	Average	Horizontal		
2	5230.00	92.37	49.45	42.92	54.00	38.37	123	58	Average	Horizontal		
3	5358.50	44.44	1.55	42.89	54.00	-9.56	123	58	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	52.20	9.83	42.37	54.00	-1.80	296	217	Average	Vertical		
2	5230.00	98.59	56.05	42.54	54.00	44.59	296	217	Average	Vertical		
3	5351.00	46.26	3.53	42.73	54.00	-7.74	296	217	Average	Vertical		

Mask, 5.725GHz ~ 5.85GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5538.50	56.97	13.68	43.29	68.20	-11.23	105	104 Peak	Horizontal	
2	5695.50	60.54	17.34	43.20	101.88	-41.34	105	104 Peak	Horizontal	
3	5719.00	74.31	31.04	43.27	110.52	-36.21	105	104 Peak	Horizontal	
4	5724.50	83.28	39.99	43.29	121.06	-37.78	105	104 Peak	Horizontal	
5	5745.00	100.83	65.49	43.34	122.20	-13.37	105	104 Peak	Horizontal	
6	5852.50	56.15	12.60	43.55	116.50	-60.35	105	104 Peak	Horizontal	
7	5864.00	57.58	13.97	43.61	108.28	-50.70	105	104 Peak	Horizontal	
8	5902.00	57.22	13.44	43.78	85.18	-27.96	105	104 Peak	Horizontal	
9	5943.50	57.20	13.30	43.90	68.20	-11.00	105	104 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5532.50	57.44	14.36	43.08	68.20	-10.76	286	220 Peak	Vertical	
2	5700.00	59.30	16.08	43.22	105.20	-45.90	286	220 Peak	Vertical	
3	5720.00	75.57	32.26	43.31	110.80	-35.23	286	220 Peak	Vertical	
4	5724.00	83.24	39.98	43.34	119.92	-36.68	286	220 Peak	Vertical	
5	5745.00	110.18	66.75	43.43	122.20	-12.02	286	220 Peak	Vertical	
6	5851.50	57.18	13.44	43.74	118.78	-61.60	286	220 Peak	Vertical	
7	5869.50	56.51	12.72	43.79	106.74	-50.23	286	220 Peak	Vertical	
8	5881.50	57.55	13.73	43.82	100.37	-42.82	286	220 Peak	Vertical	
9	5996.00	56.78	12.83	43.95	68.20	-11.42	286	220 Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5643.50	57.29	14.18	43.11	68.20	-10.91	214	104 Peak	Horizontal		
2	5700.00	57.05	13.83	43.22	105.20	-48.15	214	104 Peak	Horizontal		
3	5700.00	57.05	13.83	43.22	105.20	-48.15	214	104 Peak	Horizontal		
4	5721.00	56.73	13.46	43.27	113.08	-56.35	214	104 Peak	Horizontal		
5	5825.00	107.14	63.62	43.52	122.20	-15.06	214	104 Peak	Horizontal		
6	5851.50	69.03	25.48	43.55	118.78	-49.75	214	104 Peak	Horizontal		
7	5857.50	64.35	20.78	43.57	110.10	-45.75	214	104 Peak	Horizontal		
8	5878.00	57.70	14.03	43.67	102.97	-45.27	214	104 Peak	Horizontal		
9	5955.00	57.55	13.63	43.92	68.20	-10.65	214	104 Peak	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5610.50	58.50	15.36	43.14	68.20	-9.70	291	218 Peak	Vertical		
2	5681.50	56.54	13.34	43.20	91.55	-35.01	291	218 Peak	Vertical		
3	5710.50	56.49	13.22	43.27	108.14	-51.65	291	218 Peak	Vertical		
4	5722.00	55.97	12.65	43.32	115.36	-59.39	291	218 Peak	Vertical		
5	5825.00	109.00	65.41	43.67	122.20	-13.12	291	218 Peak	Vertical		
6	5851.50	69.78	26.04	43.74	118.78	-49.00	291	218 Peak	Vertical		
7	5855.00	64.96	21.21	43.75	110.80	-45.84	291	218 Peak	Vertical		
8	5894.50	58.17	14.31	43.86	90.73	-32.56	291	218 Peak	Vertical		
9	5937.50	57.25	13.42	43.83	68.20	-10.95	291	218 Peak	Vertical		

802.11n HT20
CH 149 (Horizontal) Peak
CH 149 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 439-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5577.00	57.48	14.16	43.32	68.20	-10.72	110	104	Peak	Horizontal		
2	5697.00	60.54	17.34	43.20	102.99	-42.45	110	104	Peak	Horizontal		
3	5718.50	75.03	31.76	43.27	110.38	-35.35	110	104	Peak	Horizontal		
4	5724.50	83.73	40.44	43.29	121.06	-37.33	110	104	Peak	Horizontal		
5	5745.00	109.19	65.85	43.34	122.20	-13.01	110	104	Peak	Horizontal		
6	5854.50	56.01	12.45	43.56	111.94	-55.93	110	104	Peak	Horizontal		
7	5874.00	57.14	13.48	43.66	105.48	-48.34	110	104	Peak	Horizontal		
8	5896.00	56.82	13.06	43.76	89.62	-32.80	110	104	Peak	Horizontal		
9	5929.00	57.64	13.78	43.86	68.20	-10.56	110	104	Peak	Horizontal		


 TÜV Rheinland Taiwan Ltd.
 No. 439-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5551.00	57.26	14.16	43.10	68.20	-10.94	243	219	Peak	Vertical		
2	5698.00	60.90	17.68	43.22	103.73	-42.83	243	219	Peak	Vertical		
3	5720.00	77.34	34.03	43.31	110.80	-33.46	243	219	Peak	Vertical		
4	5724.50	84.93	41.59	43.34	121.06	-36.13	243	219	Peak	Vertical		
5	5745.00	110.16	66.73	43.43	122.20	-12.04	243	219	Peak	Vertical		
6	5854.50	57.28	13.53	43.75	111.94	-54.66	243	219	Peak	Vertical		
7	5858.00	56.98	13.22	43.76	109.96	-52.98	243	219	Peak	Vertical		
8	5880.00	57.65	13.83	43.82	101.49	-43.84	243	219	Peak	Vertical		
9	5958.50	59.14	15.29	43.85	68.20	-9.06	243	219	Peak	Vertical		


802.11n HT20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5567.00	57.86	14.55	43.31	68.20	-10.34	325	103	Peak	Horizontal		
2	5668.50	56.50	13.37	43.13	81.93	-25.43	325	103	Peak	Horizontal		
3	5701.00	57.02	13.00	43.22	105.48	-48.46	325	103	Peak	Horizontal		
4	5721.50	56.41	13.14	43.27	114.22	-57.81	325	103	Peak	Horizontal		
5	5825.00	107.16	63.64	43.52	122.20	-15.04	325	103	Peak	Horizontal		
6	5850.00	72.31	28.77	43.54	122.20	-49.89	325	103	Peak	Horizontal		
7	5855.00	64.47	20.91	43.56	110.80	-46.33	325	103	Peak	Horizontal		
8	5875.50	58.36	14.70	43.66	104.83	-46.47	325	103	Peak	Horizontal		
9	5962.00	57.83	13.90	43.93	68.20	-10.37	325	103	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5542.50	57.02	13.93	43.09	68.20	-11.18	292	219	Peak	Vertical		
2	5680.00	57.51	14.31	43.20	90.44	-32.93	292	219	Peak	Vertical		
3	5700.50	57.33	14.11	43.22	105.34	-48.01	292	219	Peak	Vertical		
4	5722.00	55.73	12.41	43.32	115.36	-59.63	292	219	Peak	Vertical		
5	5825.00	108.41	64.74	43.67	122.20	-13.79	292	219	Peak	Vertical		
6	5850.00	71.31	27.57	43.74	122.20	-50.89	292	219	Peak	Vertical		
7	5856.00	66.51	22.76	43.75	110.52	-44.01	292	219	Peak	Vertical		
8	5876.00	58.04	14.23	43.81	104.46	-46.42	292	219	Peak	Vertical		
9	5925.50	57.27	13.42	43.85	68.20	-10.93	292	219	Peak	Vertical		


802.11n HT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.00	57.15	14.07	43.08	68.20	-11.05	100	104 Peak	Horizontal	
2	5700.00	68.95	25.73	43.22	105.20	-36.25	100	104 Peak	Horizontal	
3	5719.50	83.50	40.23	43.27	110.66	-27.16	100	104 Peak	Horizontal	
4	5722.50	86.54	43.26	43.28	116.50	-29.96	100	104 Peak	Horizontal	
5	5755.00	106.35	62.98	43.37	122.20	-15.85	100	104 Peak	Horizontal	
6	5852.00	57.83	14.28	43.55	117.64	-59.81	100	104 Peak	Horizontal	
7	5871.50	57.77	14.12	43.65	106.18	-48.41	100	104 Peak	Horizontal	
8	5902.50	57.03	13.25	43.78	84.81	-27.78	100	104 Peak	Horizontal	
9	5926.50	57.62	13.77	43.85	68.20	-10.58	100	104 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5646.50	57.57	14.40	43.17	68.20	-10.63	290	220 Peak	Vertical	
2	5699.50	70.56	27.34	43.22	104.83	-34.27	290	220 Peak	Vertical	
3	5719.50	85.68	42.37	43.31	110.66	-24.98	290	220 Peak	Vertical	
4	5723.50	87.75	44.42	43.35	118.78	-31.03	290	220 Peak	Vertical	
5	5755.00	108.44	64.97	43.47	122.20	-13.76	290	220 Peak	Vertical	
6	5852.00	60.29	16.55	43.74	117.64	-57.35	290	220 Peak	Vertical	
7	5859.00	60.06	16.29	43.77	109.68	-49.62	290	220 Peak	Vertical	
8	5878.50	58.07	14.25	43.82	102.60	-44.53	290	220 Peak	Vertical	
9	5938.50	57.05	13.22	43.83	68.20	-11.15	290	220 Peak	Vertical	


802.11n HT40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 439-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5482.00	57.19	14.02	43.17	68.20	-11.01	204	103 Peak	Horizontal	
2	5696.00	56.86	13.66	43.20	102.25	-45.39	204	103 Peak	Horizontal	
3	5720.00	59.07	15.00	43.27	110.00	-51.73	204	103 Peak	Horizontal	
4	5723.50	60.34	17.05	43.29	118.78	-58.44	204	103 Peak	Horizontal	
5	5795.00	105.04	61.56	43.48	122.20	-17.16	204	103 Peak	Horizontal	
6	5850.50	65.08	21.54	43.54	121.06	-55.98	204	103 Peak	Horizontal	
7	5860.00	63.93	20.34	43.59	109.40	-45.47	204	103 Peak	Horizontal	
8	5876.50	58.40	14.73	43.67	104.09	-45.69	204	103 Peak	Horizontal	
9	5955.00	57.37	13.45	43.92	68.20	-10.83	204	103 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 439-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5637.50	56.75	13.58	43.17	68.20	-11.45	256	118 Peak	Vertical	
2	5664.00	57.42	14.23	43.19	78.59	-21.17	256	118 Peak	Vertical	
3	5711.50	59.56	16.28	43.28	108.42	-48.86	256	118 Peak	Vertical	
4	5722.50	61.55	18.22	43.33	116.50	-54.95	256	118 Peak	Vertical	
5	5795.00	107.14	63.56	43.58	122.20	-15.06	256	118 Peak	Vertical	
6	5852.50	69.31	25.57	43.74	116.50	-47.19	256	118 Peak	Vertical	
7	5855.50	67.69	23.94	43.75	110.66	-42.97	256	118 Peak	Vertical	
8	5876.50	59.97	16.16	43.81	104.09	-44.12	256	118 Peak	Vertical	
9	5945.00	57.65	13.82	43.83	68.20	-10.55	256	118 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	60.51	63.08	-2.57	68.20	-7.69	100	318	Peak	Horizontal	
2	15540.00	49.11	43.85	5.26	54.00	-4.89	200	319	Average	Horizontal	
3	15540.00	58.66	53.40	5.26	74.00	-15.34	200	319	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	57.01	59.64	-2.63	68.20	-11.19	200	108	Peak	Vertical	
2	15540.00	52.34	47.06	5.28	74.00	-21.66	100	335	Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	61.37	63.82	-2.45	68.20	-6.83	300	42	Peak	Horizontal		
2	15600.00	48.46	43.17	5.29	54.00	-5.54	200	320	Average	Horizontal		
3	15600.00	60.88	55.59	5.29	74.00	-13.12	200	320	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	56.63	59.18	-2.55	68.20	-11.57	300	169	Peak	Vertical		
2	15600.00	44.23	38.74	5.49	54.00	-9.77	300	336	Average	Vertical		
3	15600.00	54.93	49.44	5.49	74.00	-19.07	300	336	Peak	Vertical		


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10488.00	60.82	63.20	-2.38	68.20	-7.38		200	314	Peak	Horizontal	
2	15720.00	51.86	46.16	5.70	54.00	-2.14		200	291	Average	Horizontal	
3	15720.00	63.58	57.88	5.70	74.00	-10.42		200	291	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10488.00	46.56	48.96	-2.40	54.00	-7.44		279	360	Average	Vertical	
2	15720.00	46.93	41.23	5.70	74.00	-27.07		100	11	Peak	Vertical	
3	15720.00	57.22	51.52	5.70	74.00	-16.78		100	11	Peak	Vertical	


802.11n HT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	61.68	64.25	-2.57	68.20	-6.52	100	21	Peak	Horizontal	
2	15540.00	50.34	45.08	5.26	54.00	-3.66	200	290	Average	Horizontal	
3	15540.00	59.19	53.93	5.26	74.00	-14.81	200	290	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	56.52	59.15	-2.63	68.20	-11.68	200	115	Peak	Vertical	
2	15540.00	53.43	48.15	5.28	74.00	-20.57	100	337	Peak	Vertical	


802.11n HT20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	52.68	55.13	-2.45	54.00	-1.32	200	314	Average	Horizontal	
2	15600.00	49.93	44.64	5.29	54.00	-4.07	200	311	Average	Horizontal	
3	15600.00	60.75	55.46	5.29	74.00	-13.25	200	311	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10400.00	46.32	48.87	-2.55	54.00	-7.68	200	112	Average	Vertical	
2	15600.00	44.19	38.70	5.49	54.00	-9.81	200	323	Average	Vertical	
3	15600.00	56.14	50.65	5.49	74.00	-17.86	200	323	Peak	Vertical	


802.11n HT20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10480.00	60.71	63.09	-2.38	68.20	-7.49	200	306	Peak	Horizontal	
2	15720.00	51.74	46.04	5.70	54.00	-2.26	100	18	Average	Horizontal	
3	15720.00	60.28	54.58	5.70	74.00	-13.72	100	18	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10480.00	56.50	58.90	-2.40	68.20	-11.70	300	360	Peak	Vertical	
2	15720.00	46.67	40.97	5.70	54.00	-7.33	100	341	Average	Vertical	
3	15720.00	57.13	51.43	5.70	74.00	-16.67	100	341	Peak	Vertical	


802.11n HT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10380.00	57.38	59.88	-2.50	68.20	-10.82	200	304	Peak	Horizontal		
2 15570.00	46.68	41.40	5.28	54.00	-7.32	200	304	Average	Horizontal		
3 15570.00	55.33	50.05	5.28	74.00	-18.67	200	304	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 10380.00	52.89	55.47	-2.58	68.20	-15.31	200	106	Peak	Vertical		
2 15570.00	52.28	46.89	5.39	74.00	-21.72	300	137	Peak	Vertical		


802.11n HT40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10460.00	56.57	58.97	-2.40	68.20	-11.63	100	124	Peak	Horizontal	
2	15690.00	46.88	41.26	5.62	54.00	-7.12	200	313	Average	Horizontal	
3	15690.00	57.91	52.29	5.62	74.00	-16.09	200	313	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10460.00	53.79	56.23	-2.44	68.20	-14.41	300	360	Peak	Vertical	
2	15690.00	53.25	47.61	5.64	74.00	-20.75	300	326	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	49.15	49.62	-0.47	54.00	-4.85		200	16	Average	Horizontal	
2	11490.00	61.60	62.07	-0.47	74.00	-12.40		200	16	Peak	Horizontal	
3	17235.00	56.40	48.39	8.01	68.20	-11.80		212	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11490.00	44.55	45.21	-0.66	54.00	-9.45		100	360	Average	Vertical	
2	11490.00	55.40	56.06	-0.66	74.00	-18.60		100	360	Peak	Vertical	
3	17235.00	53.41	45.38	8.03	68.20	-14.79		199	41	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11578.00	46.85	47.16	-0.31	54.00	-7.15	187	360	Average	Horizontal		
2	11578.00	60.06	60.37	-0.31	74.00	-13.94	187	360	Peak	Horizontal		
3	17355.00	58.17	49.97	8.20	68.20	-10.03	300		34 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11578.00	52.27	52.71	-0.44	74.00	-21.73	300	10	Peak	Vertical		
2	17355.00	54.91	46.84	8.07	68.20	-13.29	300	302	Peak	Vertical		

802.11a

CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	45.03	45.19	-0.16	54.00	-8.97	123	360	Average	Horizontal		
2	11650.00	56.74	56.90	-0.16	74.00	-17.26	123	360	Peak	Horizontal		
3	17475.00	56.22	47.82	8.40	68.20	-11.98	200	12	Peak	Horizontal		

CH 165 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11650.00	52.79	53.00	-0.21	74.00	-21.21	100	124	Peak	Vertical		
2	17475.00	51.77	43.51	8.26	68.20	-16.43	200	44	Peak	Vertical		


802.11n HT20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	49.90	50.37	-0.47	54.00	-4.10	200	11 Average	Horizontal	
2	11490.00	61.25	61.72	-0.47	74.00	-12.75	200	11 Peak	Horizontal	
3	17235.00	57.79	49.78	8.01	68.20	-10.41	200	21 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	11490.00	46.69	47.35	-0.66	54.00	-7.31	118	360 Average	Vertical	
2	11490.00	54.69	55.35	-0.66	74.00	-19.31	118	360 Peak	Vertical	
3	17235.00	52.69	44.66	8.03	68.20	-15.51	252	14 Peak	Vertical	


802.11n HT20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
1	11578.00	58.08	58.39	-0.31	74.00	-15.92	164	10 Peak	Horizontal	
2	11578.00	46.74	47.05	-0.31	74.00	-27.26	164	10 Peak	Horizontal	
3	17355.00	56.82	48.62	8.20	68.20	-11.38	300	24 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
1	11578.00	50.81	51.25	-0.44	74.00	-23.19	300	360 Peak	Vertical	
2	17355.00	53.73	45.66	8.07	68.20	-14.47	200	58 Peak	Vertical	