










Condition	Antenna	Mode	Frequency(MHz)	MIMO_Conducted_Power(dBm)	Limit(dBm)	Result
NVNT	MIMO_TX	802.11n(HT20)	5500.00	14.63	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	5600.00	14.40	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	5700.00	14.23	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5500.00	14.71	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5600.00	14.38	30	Pass
NVNT	MIMO_TX	802.11ac(VHT20)	5700.00	14.15	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	5510.00	14.49	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	5590.00	14.27	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	5670.00	13.99	30	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5510.00	14.60	30	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5590.00	14.37	30	Pass
NVNT	MIMO_TX	802.11ac(VHT40)	5670.00	14.03	30	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5530.00	14.33	30	Pass
NVNT	MIMO_TX	802.11ac(VHT80)	5610.00	13.72	30	Pass






4. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	-1.17	0.18	-0.99	11	Pass
NVNT	ANT2	802.11a	5500.00	1.45	0.12	1.56	11	Pass
NVNT	ANT1	802.11a	5600.00	-1.64	0.18	-1.46	11	Pass
NVNT	ANT2	802.11a	5600.00	0.35	0.12	0.47	11	Pass
NVNT	ANT1	802.11a	5700.00	-1.83	0.18	-1.65	11	Pass
NVNT	ANT2	802.11a	5700.00	0.28	0.18	0.46	11	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	-3.97	0.13	-3.84	11	Pass
NVNT	ANT2	802.11n(HT20)	5500.00	-2.00	0.13	-1.88	11	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	-4.32	0.20	-4.12	11	Pass
NVNT	ANT2	802.11n(HT20)	5600.00	-2.22	0.20	-2.02	11	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	-4.99	0.20	-4.79	11	Pass
NVNT	ANT2	802.11n(HT20)	5700.00	-2.99	0.20	-2.79	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	-3.38	0.19	-3.19	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5500.00	-1.41	0.19	-1.22	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	-4.47	0.13	-4.34	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5600.00	-1.15	0.19	-0.96	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	-3.70	0.20	-3.50	11	Pass
NVNT	ANT2	802.11ac(VHT20)	5700.00	-2.09	0.19	-1.90	11	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	-9.23	0.39	-8.84	11	Pass
NVNT	ANT2	802.11n(HT40)	5510.00	-5.34	0.39	-4.95	11	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	-10.03	0.39	-9.64	11	Pass
NVNT	ANT2	802.11n(HT40)	5590.00	-6.49	0.39	-6.10	11	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	-10.16	0.26	-9.90	11	Pass
NVNT	ANT2	802.11n(HT40)	5670.00	-6.28	0.39	-5.89	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	-9.05	0.38	-8.67	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5510.00	-5.84	0.39	-5.45	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	-9.29	0.39	-8.90	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5590.00	-5.93	0.39	-5.54	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	-9.39	0.39	-9.00	11	Pass
NVNT	ANT2	802.11ac(VHT40)	5670.00	-7.23	0.38	-6.85	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	-14.26	0.75	-13.51	11	Pass
NVNT	ANT2	802.11ac(VHT80)	5530.00	-11.29	0.51	-10.78	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	-15.65	0.75	-14.90	11	Pass
NVNT	ANT2	802.11ac(VHT80)	5610.00	-12.47	0.48	-11.99	11	Pass



























































Condition	Antenna	Mode	Frequency (MHz)	MIMO PSD(dBm/MHz)	Limit(dBm/MHz)	Result
NVNT	MIMO TX	802.11n(HT20)	5500.00	-0.11	11	Pass
NVNT	MIMO TX	802.11n(HT20)	5600.00	-0.56	11	Pass
NVNT	MIMO TX	802.11n(HT20)	5700.00	-1.02	11	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5500.00	0.33	11	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5600.00	0.42	11	Pass
NVNT	MIMO TX	802.11ac(VHT20)	5700.00	-0.52	11	Pass
NVNT	MIMO TX	802.11n(HT40)	5510.00	-4.15	11	Pass
NVNT	MIMO TX	802.11n(HT40)	5590.00	-4.89	11	Pass
NVNT	MIMO TX	802.11n(HT40)	5670.00	-4.91	11	Pass
NVNT	MIMO TX	802.11ac(VHT40)	5510.00	-4.41	11	Pass
NVNT	MIMO TX	802.11ac(VHT40)	5590.00	-4.48	11	Pass
NVNT	MIMO TX	802.11ac(VHT40)	5670.00	-5.27	11	Pass
NVNT	MIMO TX	802.11ac(VHT80)	5530.00	-10.14	11	Pass
NVNT	MIMO TX	802.11ac(VHT80)	5610.00	-10.87	11	Pass









NVNT_MIMO_TX_802_11n(HT20)_Power_Spectral_Density_5600

























5. Bandedge



Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	5469.96	-40.89	-27	Pass
NVNT	ANT2	802.11a	5500.00	5415.60	-39.20	-27	Pass
NVNT	ANT1	802.11a	5700.00	5725.32	-35.15	-27	Pass
NVNT	ANT2	802.11a	5700.00	5725.32	-36.33	-27	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	5466.24	-41.38	-27	Pass
NVNT	ANT2	802.11n(HT20)	5500.00	5468.64	-40.17	-27	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	5725.10	-37.26	-27	Pass
NVNT	ANT2	802.11n(HT20)	5700.00	5725.32	-37.58	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	5414.88	-41.49	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5500.00	5409.60	-40.21	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	5725.10	-37.56	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5700.00	5725.10	-36.06	-27	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	5439.75	-41.59	-27	Pass
NVNT	ANT2	802.11n(HT40)	5510.00	5468.55	-40.00	-27	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	5732.60	-40.50	-27	Pass
NVNT	ANT2	802.11n(HT40)	5670.00	5728.01	-41.06	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	5434.20	-41.69	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5510.00	5463.15	-40.00	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	5726.39	-40.56	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5670.00	5736.11	-39.83	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	5469.72	-39.21	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5530.00	5466.36	-37.07	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	5832.10	-42.07	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5610.00	5738.30	-41.65	-27	Pass



Bandedge_NVNT_ANT1_802_11a_5500







Bandedge_NVNT_ANT2_802_11a_5500










































6. Spurious Emission



Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5500.00	24805.92	-31.04	-27	Pass
NVNT	ANT2	802.11a	5500.00	26208.83	-31.92	-27	Pass
NVNT	ANT1	802.11a	5600.00	26208.83	-32.31	-27	Pass
NVNT	ANT2	802.11a	5600.00	26208.83	-31.85	-27	Pass
NVNT	ANT1	802.11a	5700.00	26076.48	-31.78	-27	Pass
NVNT	ANT2	802.11a	5700.00	24779.45	-31.00	-27	Pass
NVNT	ANT1	802.11n(HT20)	5500.00	24805.92	-31.39	-27	Pass
NVNT	ANT2	802.11n(HT20)	5500.00	24726.51	-31.63	-27	Pass
NVNT	ANT1	802.11n(HT20)	5600.00	26155.89	-30.52	-27	Pass
NVNT	ANT2	802.11n(HT20)	5600.00	26235.30	-31.85	-27	Pass
NVNT	ANT1	802.11n(HT20)	5700.00	24700.04	-31.64	-27	Pass
NVNT	ANT2	802.11n(HT20)	5700.00	26208.83	-31.44	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5500.00	24752.98	-30.86	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5500.00	26129.42	-31.99	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5600.00	26235.30	-31.51	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5600.00	26473.53	-31.67	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5700.00	26155.89	-32.10	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5700.00	26155.89	-32.05	-27	Pass
NVNT	ANT1	802.11n(HT40)	5510.00	26473.53	-31.81	-27	Pass
NVNT	ANT2	802.11n(HT40)	5510.00	26235.30	-31.79	-27	Pass
NVNT	ANT1	802.11n(HT40)	5590.00	25626.49	-32.31	-27	Pass
NVNT	ANT2	802.11n(HT40)	5590.00	26182.36	-32.38	-27	Pass
NVNT	ANT1	802.11n(HT40)	5670.00	24541.22	-32.08	-27	Pass
NVNT	ANT2	802.11n(HT40)	5670.00	26182.36	-31.72	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5510.00	26261.77	-30.66	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5510.00	26235.30	-31.09	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5590.00	26182.36	-31.25	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5590.00	26208.83	-31.56	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5670.00	24117.70	-31.91	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5670.00	24885.33	-31.80	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5530.00	24832.39	-31.60	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5530.00	24805.92	-32.06	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5610.00	26261.77	-32.65	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5610.00	26155.89	-31.92	-27	Pass



Spurious Emission_NVNT_ANT1_802_11a_5500







Spurious Emission_NVNT_ANT2_802_11a_5500






























































7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.80V	ANT1	802.11a	5500.00	5499.996	5491.432	5508.560	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11a	5500.00	5499.992	5491.688	5508.296	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11a	5500.00	5499.990	5491.848	5508.132	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5500.00	5500.008	5491.960	5508.056	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11a	5500.00	5500.014	5492.044	5507.984	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11a	5500.00	5500.002	5492.104	5507.900	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11a	5500.00	5500.014	5492.176	5507.852	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11a	5500.00	5500.010	5492.252	5507.768	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11a	5500.00	5500.016	5492.328	5507.704	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5500.00	5500.034	5492.412	5507.656	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11a	5500.00	5500.030	5492.480	5507.580	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11a	5500.00	5499.990	5491.520	5508.460	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11a	5500.00	5500.008	5491.780	5508.236	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11a	5500.00	5500.008	5491.880	5508.136	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11a	5500.00	5500.010	5491.944	5508.076	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11a	5500.00	5500.002	5492.004	5508.000	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11a	5500.00	5499.998	5492.068	5507.928	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11a	5500.00	5499.982	5492.148	5507.816	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11a	5500.00	5499.976	5492.232	5507.720	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11a	5500.00	5499.990	5492.304	5507.676	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11a	5500.00	5499.994	5492.376	5507.612	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11a	5500.00	5499.986	5492.436	5507.536	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11a	5600.00	5600.032	5591.488	5608.576	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11a	5600.00	5600.032	5591.760	5608.304	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11a	5600.00	5600.036	5591.896	5608.176	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5600.00	5600.036	5592.000	5608.072	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11a	5600.00	5600.036	5592.084	5607.988	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11a	5600.00	5600.052	5592.188	5607.916	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11a	5600.00	5600.072	5592.304	5607.840	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11a	5600.00	5600.076	5592.408	5607.744	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11a	5600.00	5600.118	5592.512	5607.724	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5600.00	5600.102	5592.580	5607.624	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11a	5600.00	5600.126	5592.656	5607.596	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11a	5600.00	5599.984	5591.492	5608.476	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11a	5600.00	5599.988	5591.744	5608.232	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11a	5600.00	5599.998	5591.860	5608.136	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11a	5600.00	5600.002	5591.936	5608.068	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11a	5600.00	5600.000	5592.008	5607.992	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11a	5600.00	5599.992	5592.072	5607.912	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11a	5600.00	5599.980	5592.148	5607.812	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11a	5600.00	5600.002	5592.224	5607.780	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11a	5600.00	5599.994	5592.292	5607.696	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11a	5600.00	5599.968	5592.364	5607.572	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11a	5600.00	5599.996	5592.424	5607.568	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11a	5700.00	5700.070	5691.204	5708.936	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11a	5700.00	5700.032	5691.612	5708.452	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11a	5700.00	5700.012	5691.784	5708.240	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5700.00	5700.008	5691.912	5708.104	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11a	5700.00	5700.028	5692.004	5708.052	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11a	5700.00	5700.030	5692.084	5707.976	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11a	5700.00	5700.024	5692.144	5707.904	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11a	5700.00	5700.020	5692.220	5707.820	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11a	5700.00	5700.038	5692.284	5707.792	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11a	5700.00	5700.032	5692.364	5707.700	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11a	5700.00	5700.034	5692.452	5707.616	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11a	5700.00	5699.980	5691.420	5708.540	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11a	5700.00	5699.996	5691.728	5708.264	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11a	5700.00	5700.010	5691.864	5708.156	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11a	5700.00	5700.000	5691.944	5708.056	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11a	5700.00	5700.018	5692.016	5708.020	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11a	5700.00	5700.002	5692.080	5707.924	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11a	5700.00	5699.998	5692.144	5707.852	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11a	5700.00	5700.006	5692.216	5707.796	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11a	5700.00	5700.004	5692.284	5707.724	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11a	5700.00	5700.006	5692.356	5707.656	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11a	5700.00	5700.008	5692.424	5707.592	5470~5725	Pass

ShenZhen BANTEK Testing Co.,Ltd.

Add : A5&A6, Building B1&B2, No.45 Gangtou Road, Bogang Community, Shajing Street

Bao'an District, Shenzhen, Guangdong, China 518104

Tel : +(86)755-2334 4200

E-mail : Service@btek-lab.com

Web : www.btek-lab.com



55degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.016	5490.984	5509.048	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.004	5491.204	5508.804	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.020	5491.316	5508.724	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.016	5491.412	5508.620	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.014	5491.500	5508.528	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.022	5491.572	5508.472	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.014	5491.648	5508.380	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.010	5491.712	5508.308	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5500.00	5500.024	5491.788	5508.260	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5500.00	5500.030	5491.868	5508.192	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5500.00	5500.008	5491.948	5508.068	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.002	5491.068	5508.936	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.018	5491.232	5508.804	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.018	5491.348	5508.688	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.034	5491.452	5508.616	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.026	5491.552	5508.500	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.034	5491.660	5508.408	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.008	5491.712	5508.304	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5500.028	5491.780	5508.276	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5500.00	5500.024	5491.832	5508.216	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5500.00	5499.992	5491.896	5508.088	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5500.00	5500.008	5491.964	5508.052	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.004	5590.952	5609.056	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.006	5591.180	5608.832	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.016	5591.308	5608.724	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.016	5591.400	5608.632	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.012	5591.480	5608.544	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.014	5591.560	5608.468	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.026	5591.632	5608.420	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.018	5591.692	5608.344	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5600.00	5600.026	5591.788	5608.264	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5600.00	5600.032	5591.876	5608.188	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5600.00	5600.052	5591.952	5608.152	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5599.998	5591.044	5608.952	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5600.016	5591.224	5608.808	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5600.020	5591.328	5608.712	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5599.990	5591.408	5608.572	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5599.996	5591.480	5608.512	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5599.984	5591.572	5608.396	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5599.968	5591.660	5608.276	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5599.990	5591.740	5608.240	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5600.00	5599.980	5591.812	5608.148	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5600.00	5599.964	5591.852	5608.076	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5600.00	5599.976	5591.928	5608.024	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.058	5691.100	5709.016	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.078	5691.272	5708.884	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.078	5691.408	5708.748	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.108	5691.552	5708.664	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.114	5691.640	5708.588	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.142	5691.772	5708.512	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.162	5691.900	5708.424	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.198	5692.012	5708.384	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5700.00	5700.192	5692.104	5708.280	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5700.00	5700.230	5692.232	5708.228	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5700.00	5700.256	5692.368	5708.144	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.016	5691.036	5708.996	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.012	5691.224	5708.800	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.018	5691.324	5708.712	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.024	5691.432	5708.616	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.014	5691.528	5708.500	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.018	5691.640	5708.396	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.026	5691.744	5708.308	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.046	5691.816	5708.276	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5700.00	5700.008	5691.860	5708.156	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5700.00	5700.020	5691.932	5708.108	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5700.00	5700.022	5692.008	5708.036	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.012	5490.976	5509.048	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.014	5491.200	5508.828	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.020	5491.324	5508.716	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.016	5491.408	5508.624	5470~5725	Pass

ShenZhen BANTEK Testing Co.,Ltd.

Add : A5&A6, Building B1&B2, No.45 Gangtou Road, Bogang Community, Shajing Street
Bao'an District, Shenzhen, Guangdong, China 518104

Tel : +(86)755-2334 4200 E-mail : Service@btek-lab.com Web : www.btek-lab.com



15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.012	5491.484	5508.540	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.016	5491.572	5508.460	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.030	5491.644	5508.416	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5500.022	5491.708	5508.336	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5500.00	5499.998	5491.784	5508.212	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5500.00	5499.998	5491.860	5508.136	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5500.00	5500.022	5491.952	5508.092	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.014	5491.080	5508.948	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.012	5491.248	5508.776	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.010	5491.336	5508.684	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.028	5491.428	5508.628	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.024	5491.520	5508.528	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.012	5491.624	5508.400	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.010	5491.708	5508.312	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.022	5491.804	5508.240	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5500.00	5500.048	5491.900	5508.196	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5500.00	5500.030	5491.952	5508.108	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5500.00	5500.050	5492.012	5508.088	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5600.000	5590.928	5609.072	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.994	5591.152	5608.836	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5600.004	5591.276	5608.732	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.996	5591.368	5608.624	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5600.000	5591.448	5608.552	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.986	5591.512	5608.460	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.974	5591.576	5608.372	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5599.980	5591.652	5608.308	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5600.00	5599.984	5591.720	5608.248	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5600.00	5600.002	5591.800	5608.204	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5600.00	5599.964	5591.880	5608.048	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5599.986	5591.044	5608.928	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5599.996	5591.216	5608.776	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5600.004	5591.316	5608.692	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5600.000	5591.412	5608.588	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5599.994	5591.504	5608.484	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5599.994	5591.596	5608.392	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5599.984	5591.684	5608.284	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5600.010	5591.744	5608.276	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5600.00	5599.990	5591.808	5608.172	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5600.00	5599.974	5591.884	5608.064	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5600.00	5600.002	5591.964	5608.040	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.016	5690.968	5709.064	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.036	5691.212	5708.860	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.040	5691.324	5708.756	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.044	5691.420	5708.668	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.048	5691.524	5708.572	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.070	5691.616	5708.524	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.062	5691.708	5708.416	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.086	5691.800	5708.372	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5700.00	5700.090	5691.880	5708.300	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5700.00	5700.092	5691.960	5708.224	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5700.00	5700.062	5692.032	5708.092	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5700.016	5691.056	5708.976	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5700.008	5691.220	5708.796	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5700.010	5691.328	5708.692	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5700.022	5691.420	5708.624	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5700.014	5691.508	5708.520	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5700.012	5691.604	5708.420	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5699.986	5691.684	5708.288	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5699.982	5691.740	5708.224	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5700.00	5699.984	5691.824	5708.144	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5700.00	5700.006	5691.896	5708.116	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5700.00	5699.988	5691.964	5708.012	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.040	5491.872	5528.208	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.052	5492.112	5527.992	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.088	5492.320	5527.856	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.104	5492.536	5527.672	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.120	5492.664	5527.576	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.100	5492.784	5527.416	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.060	5492.928	5527.192	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.032	5493.088	5526.976	5470~5725	Pass



C&&3.80V								
25degrees C&&4.37V	ANT1	802.11n(HT40)	5510.00	5510.044	5493.232	5526.856	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5510.00	5510.052	5493.360	5526.744	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5510.00	5510.080	5493.504	5526.656	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.072	5491.896	5528.248	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.036	5492.072	5528.000	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.044	5492.232	5527.856	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.132	5492.440	5527.824	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.076	5492.568	5527.584	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.080	5492.680	5527.480	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.140	5492.912	5527.368	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.108	5493.064	5527.152	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5510.00	5510.112	5493.240	5526.984	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5510.00	5510.196	5493.448	5526.944	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5510.00	5510.192	5493.608	5526.776	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.060	5571.872	5608.248	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.036	5572.080	5607.992	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.052	5572.232	5607.872	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.036	5572.392	5607.680	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.064	5572.560	5607.568	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.036	5572.696	5607.376	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.000	5572.824	5607.176	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5590.004	5572.960	5607.048	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5590.00	5589.992	5573.104	5606.880	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5590.00	5589.956	5573.240	5606.672	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5590.00	5589.972	5573.376	5606.568	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.076	5571.888	5608.264	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.044	5572.056	5608.032	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.068	5572.232	5607.904	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.088	5572.440	5607.736	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.068	5572.600	5607.536	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.044	5572.768	5607.320	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.116	5572.960	5607.272	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.104	5573.096	5607.112	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5590.00	5590.084	5573.240	5606.928	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5590.00	5590.108	5573.344	5606.872	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5590.00	5590.104	5573.528	5606.680	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.068	5651.808	5688.328	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.076	5652.072	5688.080	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.076	5652.272	5687.880	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.092	5652.464	5687.720	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.140	5652.632	5687.648	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.172	5652.832	5687.512	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.128	5652.968	5687.288	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.132	5653.128	5687.136	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5670.00	5670.156	5653.272	5687.040	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5670.00	5670.156	5653.472	5686.840	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5670.00	5670.164	5653.624	5686.704	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.056	5651.888	5688.224	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.088	5652.064	5688.112	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.088	5652.264	5687.912	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.108	5652.472	5687.744	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.088	5652.608	5687.568	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.104	5652.792	5687.416	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.160	5652.944	5687.376	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.128	5653.104	5687.152	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5670.00	5670.120	5653.208	5687.032	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5670.00	5670.144	5653.336	5686.952	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5670.00	5670.164	5653.520	5686.808	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.044	5491.880	5528.208	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.044	5492.104	5527.984	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.072	5492.312	5527.832	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.112	5492.536	5527.688	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.112	5492.672	5527.552	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.068	5492.824	5527.312	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.068	5492.960	5527.176	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.036	5493.104	5526.968	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5510.00	5510.072	5493.256	5526.888	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5510.00	5510.064	5493.400	5526.728	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5510.00	5510.028	5493.544	5526.512	5470~5725	Pass



55degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.076	5491.888	5528.264	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.068	5492.072	5528.064	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.044	5492.256	5527.832	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.032	5492.456	5527.608	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.072	5492.600	5527.544	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.128	5492.800	5527.456	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.116	5493.008	5527.224	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.152	5493.176	5527.128	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5510.00	5510.112	5493.320	5526.904	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5510.00	5510.200	5493.504	5526.896	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5510.00	5510.184	5493.656	5526.712	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5590.028	5571.832	5608.224	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5590.016	5572.064	5607.968	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5590.036	5572.248	5607.824	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5590.060	5572.440	5607.680	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5590.040	5572.568	5607.512	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5590.036	5572.680	5607.392	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.964	5572.800	5607.128	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.928	5572.920	5606.936	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5590.00	5589.948	5573.080	5606.816	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5590.00	5589.948	5573.224	5606.672	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5590.00	5589.968	5573.384	5606.552	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.056	5571.880	5608.232	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.044	5572.048	5608.040	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.068	5572.216	5607.920	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.064	5572.408	5607.720	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.028	5572.536	5607.520	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.056	5572.664	5607.448	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.016	5572.808	5607.224	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5590.024	5572.952	5607.096	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5590.00	5590.020	5573.088	5606.952	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5590.00	5589.976	5573.192	5606.760	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5590.00	5589.992	5573.296	5606.688	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.064	5651.808	5688.320	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.064	5652.064	5688.064	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.068	5652.256	5687.880	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.124	5652.472	5687.776	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.088	5652.592	5687.584	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.092	5652.744	5687.440	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.088	5652.848	5687.328	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.048	5652.984	5687.112	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5670.00	5670.092	5653.152	5687.032	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5670.00	5670.120	5653.336	5686.904	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5670.00	5670.116	5653.496	5686.736	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.084	5651.896	5688.272	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.108	5652.120	5688.096	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.184	5652.368	5688.000	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.092	5652.536	5687.648	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.156	5652.736	5687.576	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.152	5652.912	5687.392	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.152	5653.048	5687.256	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.168	5653.184	5687.152	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5670.00	5670.116	5653.288	5686.944	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5670.00	5670.140	5653.432	5686.848	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5670.00	5670.192	5653.624	5686.760	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.114	5492.104	5568.124	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.168	5492.476	5567.860	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.156	5492.728	5567.584	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.222	5493.040	5567.404	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.174	5493.352	5566.996	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.228	5493.688	5566.768	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.240	5493.976	5566.504	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.198	5494.204	5566.192	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5530.00	5530.246	5494.492	5566.000	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5530.00	5530.228	5494.816	5565.640	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5530.00	5530.174	5495.080	5565.268	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.102	5492.152	5568.052	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.114	5492.512	5567.716	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.102	5492.752	5567.452	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.102	5493.040	5567.164	5470~5725	Pass

ShenZhen BANTEK Testing Co.,Ltd.

Add : A5&A6, Building B1&B2, No.45 Gangtou Road, Bogang Community, Shajing Street
Bao'an District, Shenzhen, Guangdong, China 518104

Tel : +(86)755-2334 4200 E-mail : Service@btek-lab.com Web : www.btek-lab.com



15degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.090	5493.268	5566.912	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.018	5493.520	5566.516	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.054	5493.784	5566.324	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5530.000	5494.024	5565.976	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT80)	5530.00	5530.000	5494.348	5565.652	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5530.00	5529.976	5494.636	5565.316	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT80)	5530.00	5529.988	5494.888	5565.088	5470~5725	Pass
55degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.114	5572.044	5648.184	5470~5725	Pass
45degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.108	5572.356	5647.860	5470~5725	Pass
35degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.144	5572.608	5647.680	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.120	5572.848	5647.392	5470~5725	Pass
15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.156	5573.148	5647.164	5470~5725	Pass
5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.150	5573.412	5646.888	5470~5725	Pass
-5degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.168	5573.652	5646.684	5470~5725	Pass
-15degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.120	5573.868	5646.372	5470~5725	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5610.00	5610.084	5574.084	5646.084	5470~5725	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5610.00	5610.090	5574.312	5645.868	5470~5725	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5610.00	5610.156	5574.600	5645.712	5470~5725	Pass
55degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5610.108	5572.140	5648.076	5470~5725	Pass
45degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5610.090	5572.488	5647.692	5470~5725	Pass
35degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5610.096	5572.716	5647.476	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5610.054	5572.980	5647.128	5470~5725	Pass
15degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5610.066	5573.352	5646.780	5470~5725	Pass
5degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5610.024	5573.592	5646.456	5470~5725	Pass
-5degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5610.018	5573.820	5646.216	5470~5725	Pass
-15degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5609.976	5574.012	5645.940	5470~5725	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT80)	5610.00	5610.012	5574.312	5645.712	5470~5725	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5610.00	5609.874	5574.528	5645.220	5470~5725	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT80)	5610.00	5609.958	5574.768	5645.148	5470~5725	Pass

