



802.11g CHANNEL 2, CARRIER LEVEL




802.11g CHANNEL 2, REFERENCE LEVEL




802.11g CHANNEL 2, BAND EDGE



802.11g CHANNEL 3, CARRIER LEVEL



802.11g CHANNEL 3, REFERENCE LEVEL




802.11g CHANNEL 3, BAND EDGE



802.11g CHANNEL 4, CARRIER LEVEL




802.11g CHANNEL 4, REFERENCE LEVEL




802.11g CHANNEL 4, BAND EDGE




802.11g CHANNEL 8, CARRIER LEVEL




802.11g CHANNEL 8, REFERENCE LEVEL




802.11g CHANNEL 8, BAND EDGE




802.11g CHANNEL 9, CARRIER LEVEL



802.11g CHANNEL 9, REFERENCE LEVEL




802.11g CHANNEL 9, BAND EDGE



802.11g CHANNEL 10, CARRIER LEVEL




802.11g CHANNEL 10, REFERENCE LEVEL




802.11g CHANNEL 10, BAND EDGE



802.11g CHANNEL 11, CARRIER LEVEL




802.11g CHANNEL 11, REFERENCE LEVEL



802.11g CHANNEL 11, BAND EDGE




802.11n-20 MHz CHANNEL 1, CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, REFERENCE LEVEL



802.11n-20 MHz CHANNEL 1, BAND EDGE




802.11n-20 MHz CHANNEL 2, CARRIER LEVEL




802.11n-20 MHz CHANNEL 2, BAND EDGE


802.11n-20 MHz CHANNEL 2, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 3, CARRIER LEVEL




802.11n-20 MHz CHANNEL 3, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 3, BAND EDGE



802.11n-20 MHz CHANNEL 4, CARRIER LEVEL




802.11n-20 MHz CHANNEL 4, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 4, BAND EDGE



802.11n-20 MHz CHANNEL 5, CARRIER LEVEL




802.11n-20 MHz CHANNEL 5, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 5, BAND EDGE




802.11n-20 MHz CHANNEL 7, CARRIER LEVEL




802.11n-20 MHz CHANNEL 7, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 7, BAND EDGE




802.11n-20 MHz CHANNEL 8, CARRIER LEVEL




802.11n-20 MHz CHANNEL 8, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 8, BAND EDGE




802.11n-20 MHz CHANNEL 9, CARRIER LEVEL




802.11n-20 MHz CHANNEL 9, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 9, BAND EDGE




802.11n-20 MHz CHANNEL 10, CARRIER LEVEL




802.11n-20 MHz CHANNEL 10, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 10, BAND EDGE




802.11n-20 MHz CHANNEL 11, CARRIER LEVEL




802.11n-20 MHz CHANNEL 11, REFERENCE LEVEL



802.11n-20 MHz CHANNEL 11, BAND EDGE




802.11n-40 MHz CHANNEL 3, CARRIER LEVEL




802.11n-40 MHz CHANNEL 3, BAND EDGE




802.11n-40 MHz CHANNEL 4, CARRIER LEVEL




802.11n-40 MHz CHANNEL 4, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 4, BAND EDGE




802.11n-40 MHz CHANNEL 5, CARRIER LEVEL




802.11n-40 MHz CHANNEL 5, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 5, BAND EDGE




802.11n-40 MHz CHANNEL 7, CARRIER LEVEL




802.11n-40 MHz CHANNEL 7, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 7, BAND EDGE



802.11n-40 MHz CHANNEL 8, CARRIER LEVEL




802.11n-40 MHz CHANNEL 8, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 8, BAND EDGE




802.11n-40 MHz CHANNEL 9, CARRIER LEVEL



802.11n-40 MHz CHANNEL 9,
REFERENCE LEVEL

802.11n-40 MHz CHANNEL 9, BAND EDGE




A.5 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.180	43.00	10.97	64.49	-21.49	Peak	L	Pass
1**	0.180	28.73	10.97	54.49	-25.76	AV	L	Pass
2	0.212	44.58	10.95	63.13	-18.55	Peak	L	Pass
2**	0.212	26.76	10.95	53.13	-26.37	AV	L	Pass
3	0.652	36.16	10.85	56.00	-19.84	Peak	L	Pass
3**	0.652	24.87	10.85	46.00	-21.13	AV	L	Pass
4	1.456	35.31	10.72	56.00	-20.69	Peak	L	Pass
4**	1.456	23.78	10.72	46.00	-22.22	AV	L	Pass
5	3.832	36.13	10.72	56.00	-19.87	Peak	L	Pass
5**	3.832	24.64	10.72	46.00	-21.36	AV	L	Pass
6	11.116	36.86	10.66	60.00	-23.14	Peak	L	Pass
6**	11.116	24.27	10.66	50.00	-25.73	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_ Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.168	38.49	10.98	65.06	-26.57	Peak	N	Pass
1**	0.168	28.60	10.98	55.06	-26.46	AV	N	Pass
2	0.266	41.92	10.91	61.24	-19.32	Peak	N	Pass
2**	0.266	26.60	10.91	51.24	-24.64	AV	N	Pass
3	0.636	36.14	10.86	56.00	-19.86	Peak	N	Pass
3**	0.636	24.79	10.86	46.00	-21.21	AV	N	Pass
4	2.328	35.60	10.73	56.00	-20.40	Peak	N	Pass
4**	2.328	24.27	10.73	46.00	-21.73	AV	N	Pass
5	4.744	36.60	10.69	56.00	-19.40	Peak	N	Pass
5**	4.744	24.38	10.69	46.00	-21.62	AV	N	Pass
6	12.400	36.47	10.68	60.00	-23.53	Peak	N	Pass
6**	12.400	23.94	10.68	50.00	-26.06	AV	N	Pass

A.6 Radiated Emission

Note ¹: The symbol of “--” in the table which means not application.


Note ²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	95.863	22.41	-24.74	43.5	-21.09	Peak	191.70	200	Horizontal	Pass
2	127.825	20.20	-27.24	43.5	-23.30	Peak	174.50	200	Horizontal	Pass
3	180.544	21.76	-25.98	43.5	-21.74	Peak	30.30	200	Horizontal	Pass
4	210.517	22.40	-23.92	43.5	-21.10	Peak	325.30	100	Horizontal	Pass
5	359.121	21.46	-19.77	46.0	-24.54	Peak	226.20	100	Horizontal	Pass
6	492.011	28.14	-17.08	46.0	-17.86	Peak	302.70	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	63.950	22.34	-24.92	40.0	-17.66	Peak	211.20	100	Vertical	Pass
2	95.863	26.88	-24.74	43.5	-16.62	Peak	109.20	100	Vertical	Pass
3	212.311	26.67	-24.23	43.5	-16.83	Peak	232.60	100	Vertical	Pass
4	450.058	28.73	-17.87	47.0	-18.27	Peak	0.00	200	Vertical	Pass
5	492.011	33.32	-17.08	46.0	-12.68	Peak	173.40	100	Vertical	Pass
6	655.941	30.53	-13.70	46.0	-15.47	Peak	169.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.100	44.25	-18.39	74.0	-29.75	Peak	72.00	150	Horizontal	Pass
1**	1608.100	37.21	-18.39	54.0	-16.79	AV	72.00	150	Horizontal	Pass
2	2410.800	103.89	-13.66	74.0	29.89	Peak	287.00	150	Horizontal	N/A
2**	2410.800	100.98	-13.66	54.0	46.98	AV	287.00	150	Horizontal	N/A
3	4824.200	52.30	-5.17	74.0	-21.70	Peak	350.00	150	Horizontal	Pass
3**	4824.200	50.90	-5.17	54.0	-3.10	AV	350.00	150	Horizontal	Pass
4	6982.800	51.05	-2.54	74.0	-22.95	Peak	3.00	150	Horizontal	Pass
4**	6982.800	40.81	-2.54	54.0	-13.19	AV	3.00	150	Horizontal	Pass
5	10618.188	49.14	-1.25	74.0	-24.86	Peak	360.00	150	Horizontal	Pass
5**	10618.188	40.49	-1.25	54.0	-13.51	AV	360.00	150	Horizontal	Pass
6	17350.312	52.18	2.58	74.0	-21.82	Peak	294.00	150	Horizontal	Pass
6**	17350.312	42.92	2.58	54.0	-11.08	AV	294.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.400	45.62	-18.17	74.0	-28.38	Peak	159.00	150	Vertical	Pass
1**	1593.400	35.30	-18.17	54.0	-18.70	AV	159.00	150	Vertical	Pass
2	2410.700	97.05	-13.67	74.0	23.05	Peak	220.00	150	Vertical	N/A
2**	2410.700	94.01	-13.67	54.0	40.01	AV	220.00	150	Vertical	N/A
3	4824.000	48.21	-5.17	74.0	-25.79	Peak	179.00	150	Vertical	Pass
3**	4824.000	45.42	-5.17	54.0	-8.58	AV	179.00	150	Vertical	Pass
4	6387.600	50.67	-3.81	74.0	-23.33	Peak	241.00	150	Vertical	Pass
4**	6387.600	40.70	-3.81	54.0	-13.30	AV	241.00	150	Vertical	Pass
5	9311.213	48.40	-3.11	74.0	-25.60	Peak	254.00	150	Vertical	Pass
5**	9311.213	38.62	-3.11	54.0	-15.38	AV	254.00	150	Vertical	Pass
6	16426.051	52.35	1.26	74.0	-21.65	Peak	162.00	150	Vertical	Pass
6**	16426.051	42.84	1.26	54.0	-11.16	AV	162.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.000	44.67	-17.64	74.0	-29.33	Peak	153.00	150	Horizontal	Pass
1**	1794.000	32.36	-17.64	54.0	-21.64	AV	153.00	150	Horizontal	Pass
2	2435.500	104.63	-13.19	74.0	30.63	Peak	286.00	150	Horizontal	N/A
2**	2435.500	101.74	-13.19	54.0	47.74	AV	286.00	150	Horizontal	N/A
3	4874.200	52.13	-4.89	74.0	-21.87	Peak	268.00	150	Horizontal	Pass
3**	4874.200	48.66	-4.89	54.0	-5.34	AV	268.00	150	Horizontal	Pass
4	6867.000	51.15	-3.08	74.0	-22.85	Peak	92.00	150	Horizontal	Pass
4**	6867.000	41.42	-3.08	54.0	-12.58	AV	92.00	150	Horizontal	Pass
5	9678.638	48.29	-1.44	74.0	-25.71	Peak	95.00	150	Horizontal	Pass
5**	9678.638	38.53	-1.44	54.0	-15.47	AV	95.00	150	Horizontal	Pass
6	16500.863	52.14	1.91	74.0	-21.86	Peak	84.00	150	Horizontal	Pass
6**	16500.863	42.52	1.91	54.0	-11.48	AV	84.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.900	45.13	-18.22	74.0	-28.87	Peak	171.00	150	Vertical	Pass
1**	1461.900	31.87	-18.22	54.0	-22.13	AV	171.00	150	Vertical	Pass
2	2435.800	96.42	-13.24	74.0	22.42	Peak	220.00	150	Vertical	N/A
2**	2435.800	93.49	-13.24	54.0	39.49	AV	220.00	150	Vertical	N/A
3	4874.400	47.77	-4.88	74.0	-26.23	Peak	151.00	150	Vertical	Pass
3**	4874.400	43.21	-4.88	54.0	-10.79	AV	151.00	150	Vertical	Pass
4	6773.600	51.07	-2.63	74.0	-22.93	Peak	97.00	150	Vertical	Pass
4**	6773.600	41.35	-2.63	54.0	-12.65	AV	97.00	150	Vertical	Pass
5	10618.474	49.66	-1.25	74.0	-24.34	Peak	360.00	150	Vertical	Pass
5**	10618.474	39.63	-1.25	54.0	-14.37	AV	360.00	150	Vertical	Pass
6	16814.026	52.13	1.99	74.0	-21.87	Peak	271.00	150	Vertical	Pass
6**	16814.026	42.08	1.99	54.0	-11.92	AV	271.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1795.500	46.51	-17.63	74.0	-27.49	Peak	224.00	150	Horizontal	Pass
1**	1795.500	33.56	-17.63	54.0	-20.44	AV	224.00	150	Horizontal	Pass
2	2460.700	103.96	-14.16	74.0	29.96	Peak	281.00	150	Horizontal	N/A
2**	2460.700	101.08	-14.16	54.0	47.08	AV	281.00	150	Horizontal	N/A
3	4924.000	50.49	-4.77	74.0	-23.51	Peak	266.00	150	Horizontal	Pass
3**	4924.000	46.30	-4.77	54.0	-7.70	AV	266.00	150	Horizontal	Pass
4	6804.400	50.88	-2.25	74.0	-23.12	Peak	304.00	150	Horizontal	Pass
4**	6804.400	41.85	-2.25	54.0	-12.15	AV	304.00	150	Horizontal	Pass
5	11082.500	49.18	-1.32	74.0	-24.82	Peak	360.00	150	Horizontal	Pass
5**	11082.500	39.86	-1.32	54.0	-14.14	AV	360.00	150	Horizontal	Pass
6	16915.875	52.40	2.49	74.0	-21.60	Peak	202.00	150	Horizontal	Pass
6**	16915.875	43.78	2.49	54.0	-10.22	AV	202.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1400.000	46.37	-17.99	74.0	-27.63	Peak	172.00	150	Vertical	Pass
1**	1400.000	32.70	-17.99	54.0	-21.30	AV	172.00	150	Vertical	Pass
2	2460.600	97.16	-14.15	74.0	23.16	Peak	217.00	150	Vertical	N/A
2**	2460.600	94.19	-14.15	54.0	40.19	AV	217.00	150	Vertical	N/A
3	5253.400	50.46	-4.46	74.0	-23.54	Peak	88.00	150	Vertical	Pass
3**	5253.400	40.76	-4.46	54.0	-13.24	AV	88.00	150	Vertical	Pass
4	6754.200	50.84	-2.71	74.0	-23.16	Peak	103.00	150	Vertical	Pass
4**	6754.200	41.45	-2.71	54.0	-12.55	AV	103.00	150	Vertical	Pass
5	10121.675	48.90	-0.93	74.0	-25.10	Peak	95.00	150	Vertical	Pass
5**	10121.675	39.87	-0.93	54.0	-14.13	AV	95.00	150	Vertical	Pass
6	17287.051	52.53	2.86	74.0	-21.47	Peak	0.00	150	Vertical	Pass
6**	17287.051	42.54	2.86	54.0	-11.46	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1816.300	42.68	-17.62	74.0	-31.32	Peak	217.00	150	Horizontal	Pass
1**	1816.300	31.63	-17.62	54.0	-22.37	AV	217.00	150	Horizontal	Pass
2	2406.700	106.72	-13.64	74.0	32.72	Peak	104.00	150	Horizontal	N/A
2**	2406.700	98.36	-13.64	54.0	44.36	AV	104.00	150	Horizontal	N/A
3	4825.400	49.83	-5.17	74.0	-24.17	Peak	266.00	150	Horizontal	Pass
3**	4825.400	44.82	-5.17	54.0	-9.18	AV	266.00	150	Horizontal	Pass
4	6797.000	50.97	-2.28	74.0	-23.03	Peak	211.00	150	Horizontal	Pass
4**	6797.000	42.14	-2.28	54.0	-11.86	AV	211.00	150	Horizontal	Pass
5	10787.237	48.96	-1.57	74.0	-25.04	Peak	262.00	150	Horizontal	Pass
5**	10787.237	38.95	-1.57	54.0	-15.05	AV	262.00	150	Horizontal	Pass
6	16478.812	51.82	1.80	74.0	-22.18	Peak	62.00	150	Horizontal	Pass
6**	16478.812	42.04	1.80	54.0	-11.96	AV	62.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.800	46.37	-18.33	74.0	-27.63	Peak	165.00	150	Vertical	Pass
1**	1596.800	31.76	-18.33	54.0	-22.24	AV	165.00	150	Vertical	Pass
2	2405.900	99.23	-13.52	74.0	25.23	Peak	220.00	150	Vertical	N/A
2**	2405.900	91.41	-13.52	54.0	37.41	AV	220.00	150	Vertical	N/A
3	5207.200	50.28	-4.85	74.0	-23.72	Peak	144.00	150	Vertical	Pass
3**	5207.200	40.55	-4.85	54.0	-13.45	AV	144.00	150	Vertical	Pass
4	6902.600	50.92	-3.41	74.0	-23.08	Peak	289.00	150	Vertical	Pass
4**	6902.600	41.71	-3.41	54.0	-12.29	AV	289.00	150	Vertical	Pass
5	10776.600	49.38	-1.41	74.0	-24.62	Peak	208.00	150	Vertical	Pass
5**	10776.600	39.91	-1.41	54.0	-14.09	AV	208.00	150	Vertical	Pass
6	16681.725	53.17	2.90	74.0	-20.83	Peak	93.00	150	Vertical	Pass
6**	16681.725	43.80	2.90	54.0	-10.20	AV	93.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.96	-18.42	74.0	-31.04	Peak	212.00	150	Horizontal	Pass
1**	1600.000	35.66	-18.42	54.0	-18.34	AV	212.00	150	Horizontal	Pass
2	2419.900	106.42	-13.89	74.0	32.42	Peak	276.00	150	Horizontal	N/A
2**	2419.900	98.28	-13.89	54.0	44.28	AV	276.00	150	Horizontal	N/A
3	4835.800	51.12	-4.93	74.0	-22.88	Peak	261.00	150	Horizontal	Pass
3**	4835.800	41.72	-4.93	54.0	-12.28	AV	261.00	150	Horizontal	Pass
4	6796.200	51.04	-2.30	74.0	-22.96	Peak	306.00	150	Horizontal	Pass
4**	6796.200	41.41	-2.30	54.0	-12.59	AV	306.00	150	Horizontal	Pass
5	11757.550	49.14	-2.11	74.0	-24.86	Peak	109.00	150	Horizontal	Pass
5**	11757.550	39.89	-2.11	54.0	-14.11	AV	109.00	150	Horizontal	Pass
6	16736.588	52.16	1.57	74.0	-21.84	Peak	294.00	150	Horizontal	Pass
6**	16736.588	41.77	1.57	54.0	-12.23	AV	294.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.400	43.56	-18.10	74.0	-30.44	Peak	321.00	150	Vertical	Pass
1**	1677.400	32.82	-18.10	54.0	-21.18	AV	321.00	150	Vertical	Pass
2	2412.500	99.69	-13.63	74.0	25.69	Peak	136.00	150	Vertical	N/A
2**	2412.500	91.22	-13.63	54.0	37.22	AV	136.00	150	Vertical	N/A
3	4861.800	48.92	-4.56	74.0	-25.08	Peak	153.00	150	Vertical	Pass
3**	4861.800	38.96	-4.56	54.0	-15.04	AV	153.00	150	Vertical	Pass
4	6399.200	51.04	-3.49	74.0	-22.96	Peak	60.00	150	Vertical	Pass
4**	6399.200	41.24	-3.49	54.0	-12.76	AV	60.00	150	Vertical	Pass
5	10456.037	48.75	-1.12	74.0	-25.25	Peak	331.00	150	Vertical	Pass
5**	10456.037	39.24	-1.12	54.0	-14.76	AV	331.00	150	Vertical	Pass
6	16690.387	52.80	2.66	74.0	-21.20	Peak	163.00	150	Vertical	Pass
6**	16690.387	43.28	2.66	54.0	-10.72	AV	163.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.800	40.87	-18.22	74.0	-33.13	Peak	6.00	150	Horizontal	Pass
1**	1597.800	31.25	-18.22	54.0	-22.75	AV	6.00	150	Horizontal	Pass
2	2425.800	106.63	-13.83	74.0	32.63	Peak	278.00	150	Horizontal	N/A
2**	2425.800	98.24	-13.83	54.0	44.24	AV	278.00	150	Horizontal	N/A
3	4846.800	49.85	-4.68	74.0	-24.15	Peak	296.00	150	Horizontal	Pass
3**	4846.800	45.09	-4.68	54.0	-8.91	AV	296.00	150	Horizontal	Pass
4	6806.600	51.29	-2.45	74.0	-22.71	Peak	219.00	150	Horizontal	Pass
4**	6806.600	41.10	-2.45	54.0	-12.90	AV	219.00	150	Horizontal	Pass
5	12050.513	48.88	-2.52	74.0	-25.12	Peak	0.00	150	Horizontal	Pass
5**	12050.513	39.25	-2.52	54.0	-14.75	AV	0.00	150	Horizontal	Pass
6	16505.850	51.89	1.66	74.0	-22.11	Peak	258.00	150	Horizontal	Pass
6**	16505.850	42.67	1.66	54.0	-11.33	AV	258.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.100	42.53	-18.40	74.0	-31.47	Peak	161.00	150	Vertical	Pass
1**	1596.100	32.57	-18.40	54.0	-21.43	AV	161.00	150	Vertical	Pass
2	2425.700	99.71	-13.84	74.0	25.71	Peak	139.00	150	Vertical	N/A
2**	2425.700	92.18	-13.84	54.0	38.18	AV	139.00	150	Vertical	N/A
3	4774.200	49.18	-4.81	74.0	-24.82	Peak	204.00	150	Vertical	Pass
3**	4774.200	37.92	-4.81	54.0	-16.08	AV	204.00	150	Vertical	Pass
4	6902.000	51.33	-3.37	74.0	-22.67	Peak	343.00	150	Vertical	Pass
4**	6902.000	41.67	-3.37	54.0	-12.33	AV	343.00	150	Vertical	Pass
5	11062.950	49.37	-1.46	74.0	-24.63	Peak	244.00	150	Vertical	Pass
5**	11062.950	39.72	-1.46	54.0	-14.28	AV	244.00	150	Vertical	Pass
6	16900.912	51.89	2.33	74.0	-22.11	Peak	278.00	150	Vertical	Pass
6**	16900.912	42.73	2.33	54.0	-11.27	AV	278.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.300	42.70	-18.19	74.0	-31.30	Peak	183.00	150	Horizontal	Pass
1**	1594.300	36.46	-18.19	54.0	-17.54	AV	183.00	150	Horizontal	Pass
2	2430.000	106.91	-13.87	74.0	32.91	Peak	267.00	150	Horizontal	N/A
2**	2430.000	98.61	-13.87	54.0	44.61	AV	267.00	150	Horizontal	N/A
3	4847.800	47.90	-4.64	74.0	-26.10	Peak	261.00	150	Horizontal	Pass
3**	4847.800	44.33	-4.64	54.0	-9.67	AV	261.00	150	Horizontal	Pass
4	6873.200	50.97	-3.19	74.0	-23.03	Peak	87.00	150	Horizontal	Pass
4**	6873.200	41.49	-3.19	54.0	-12.51	AV	87.00	150	Horizontal	Pass
5	11115.275	49.32	-2.06	74.0	-24.68	Peak	18.00	150	Horizontal	Pass
5**	11115.275	38.78	-2.06	54.0	-15.22	AV	18.00	150	Horizontal	Pass
6	15197.813	51.45	0.42	74.0	-22.55	Peak	170.00	150	Horizontal	Pass
6**	15197.813	42.36	0.42	54.0	-11.64	AV	170.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.600	44.09	-18.24	74.0	-29.91	Peak	171.00	150	Vertical	Pass
1**	1598.600	32.68	-18.24	54.0	-21.32	AV	171.00	150	Vertical	Pass
2	2422.500	101.45	-13.83	74.0	27.45	Peak	136.00	150	Vertical	N/A
2**	2422.500	92.64	-13.83	54.0	38.64	AV	136.00	150	Vertical	N/A
3	5325.000	50.19	-4.20	74.0	-23.81	Peak	155.00	150	Vertical	Pass
3**	5325.000	41.71	-4.20	54.0	-12.29	AV	155.00	150	Vertical	Pass
4	6781.000	51.61	-2.43	74.0	-22.39	Peak	0.00	150	Vertical	Pass
4**	6781.000	41.94	-2.43	54.0	-12.06	AV	0.00	150	Vertical	Pass
5	11796.938	49.18	-2.03	74.0	-24.82	Peak	85.00	150	Vertical	Pass
5**	11796.938	39.67	-2.03	54.0	-14.33	AV	85.00	150	Vertical	Pass
6	16688.812	52.99	2.70	74.0	-21.01	Peak	3.00	150	Vertical	Pass
6**	16688.812	44.21	2.70	54.0	-9.79	AV	3.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.900	42.80	-17.98	74.0	-31.20	Peak	60.00	150	Horizontal	Pass
1**	1399.900	31.56	-17.98	54.0	-22.44	AV	60.00	150	Horizontal	Pass
2	2438.000	106.91	-13.55	74.0	32.91	Peak	281.00	150	Horizontal	N/A
2**	2438.000	98.98	-13.55	54.0	44.98	AV	281.00	150	Horizontal	N/A
3	4872.200	49.42	-4.85	74.0	-24.58	Peak	313.00	150	Horizontal	Pass
3**	4872.200	40.42	-4.85	54.0	-13.58	AV	313.00	150	Horizontal	Pass
4	6789.600	50.87	-2.36	74.0	-23.13	Peak	313.00	150	Horizontal	Pass
4**	6789.600	41.75	-2.36	54.0	-12.25	AV	313.00	150	Horizontal	Pass
5	10616.750	48.61	-1.26	74.0	-25.39	Peak	237.00	150	Horizontal	Pass
5**	10616.750	39.83	-1.26	54.0	-14.17	AV	237.00	150	Horizontal	Pass
6	16447.051	52.17	1.33	74.0	-21.83	Peak	0.00	150	Horizontal	Pass
6**	16447.051	42.72	1.33	54.0	-11.28	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.900	45.12	-17.93	74.0	-28.88	Peak	269.00	150	Vertical	Pass
1**	1397.900	33.18	-17.93	54.0	-20.82	AV	269.00	150	Vertical	Pass
2	2435.800	98.73	-13.24	74.0	24.73	Peak	223.00	150	Vertical	N/A
2**	2435.800	91.67	-13.24	54.0	37.67	AV	223.00	150	Vertical	N/A
3	5305.200	50.13	-4.98	74.0	-23.87	Peak	198.00	150	Vertical	Pass
3**	5305.200	40.31	-4.98	54.0	-13.69	AV	198.00	150	Vertical	Pass
4	6798.000	52.63	-2.25	74.0	-21.37	Peak	361.00	150	Vertical	Pass
4**	6798.000	42.11	-2.25	54.0	-11.89	AV	361.00	150	Vertical	Pass
5	10631.700	48.70	-1.57	74.0	-25.30	Peak	230.00	150	Vertical	Pass
5**	10631.700	39.26	-1.57	54.0	-14.74	AV	230.00	150	Vertical	Pass
6	16699.574	52.62	2.40	74.0	-21.38	Peak	72.00	150	Vertical	Pass
6**	16699.574	43.23	2.40	54.0	-10.77	AV	72.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	40.83	-18.41	74.0	-33.17	Peak	14.00	150	Horizontal	Pass
1**	1599.900	34.95	-18.41	54.0	-19.05	AV	14.00	150	Horizontal	Pass
2	2450.000	107.66	-13.36	74.0	33.66	Peak	274.00	150	Horizontal	N/A
2**	2450.000	99.36	-13.36	54.0	45.36	AV	274.00	150	Horizontal	N/A
3	4892.600	47.04	-5.66	74.0	-26.96	Peak	268.00	150	Horizontal	Pass
3**	4892.600	43.08	-5.66	54.0	-10.92	AV	268.00	150	Horizontal	Pass
4	6481.600	51.47	-2.91	74.0	-22.53	Peak	350.00	150	Horizontal	Pass
4**	6481.600	41.07	-2.91	54.0	-12.93	AV	350.00	150	Horizontal	Pass
5	12456.175	49.46	-2.22	74.0	-24.54	Peak	360.00	150	Horizontal	Pass
5**	12456.175	39.91	-2.22	54.0	-14.09	AV	360.00	150	Horizontal	Pass
6	17269.987	52.63	3.12	74.0	-21.37	Peak	222.00	150	Horizontal	Pass
6**	17269.987	42.36	3.12	54.0	-11.64	AV	222.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.000	42.59	-18.21	74.0	-31.41	Peak	156.00	150	Vertical	Pass
1**	1564.000	33.15	-18.21	54.0	-20.85	AV	156.00	150	Vertical	Pass
2	2442.300	100.58	-13.38	74.0	26.58	Peak	129.00	150	Vertical	N/A
2**	2442.300	92.09	-13.38	54.0	38.09	AV	129.00	150	Vertical	N/A
3	5233.600	50.09	-4.35	74.0	-23.91	Peak	129.00	150	Vertical	Pass
3**	5233.600	41.39	-4.35	54.0	-12.61	AV	129.00	150	Vertical	Pass
4	6857.200	50.93	-2.82	74.0	-23.07	Peak	54.00	150	Vertical	Pass
4**	6857.200	41.73	-2.82	54.0	-12.27	AV	54.00	150	Vertical	Pass
5	11133.674	49.24	-2.26	74.0	-24.76	Peak	17.00	150	Vertical	Pass
5**	11133.674	38.61	-2.26	54.0	-15.39	AV	17.00	150	Vertical	Pass
6	16903.011	51.61	2.35	74.0	-22.39	Peak	314.00	150	Vertical	Pass
6**	16903.011	42.27	2.35	54.0	-11.73	AV	314.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.000	42.67	-18.15	74.0	-31.33	Peak	0.00	150	Horizontal	Pass
1**	1594.000	32.66	-18.15	54.0	-21.34	AV	0.00	150	Horizontal	Pass
2	2452.900	106.79	-13.72	74.0	32.79	Peak	275.00	150	Horizontal	N/A
2**	2452.900	98.55	-13.72	54.0	44.55	AV	275.00	150	Horizontal	N/A
3	4897.200	49.19	-5.28	74.0	-24.81	Peak	283.00	150	Horizontal	Pass
3**	4897.200	40.45	-5.28	54.0	-13.55	AV	283.00	150	Horizontal	Pass
4	6640.200	51.15	-2.82	74.0	-22.85	Peak	246.00	150	Horizontal	Pass
4**	6640.200	40.71	-2.82	54.0	-13.29	AV	246.00	150	Horizontal	Pass
5	11789.175	49.12	-2.13	74.0	-24.88	Peak	331.00	150	Horizontal	Pass
5**	11789.175	39.51	-2.13	54.0	-14.49	AV	331.00	150	Horizontal	Pass
6	16486.688	51.95	1.85	74.0	-22.05	Peak	360.00	150	Horizontal	Pass
6**	16486.688	42.17	1.85	54.0	-11.83	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	42.43	-18.41	74.0	-31.57	Peak	190.00	150	Vertical	Pass
1**	1599.900	35.26	-18.41	54.0	-18.74	AV	190.00	150	Vertical	Pass
2	2447.300	100.48	-13.56	74.0	26.48	Peak	141.00	150	Vertical	N/A
2**	2447.300	91.49	-13.56	54.0	37.49	AV	141.00	150	Vertical	N/A
3	5250.200	50.64	-4.44	74.0	-23.36	Peak	328.00	150	Vertical	Pass
3**	5250.200	41.72	-4.44	54.0	-12.28	AV	328.00	150	Vertical	Pass
4	6807.000	51.18	-2.46	74.0	-22.82	Peak	94.00	150	Vertical	Pass
4**	6807.000	42.01	-2.46	54.0	-11.99	AV	94.00	150	Vertical	Pass
5	12115.200	48.75	-2.17	74.0	-25.25	Peak	141.00	150	Vertical	Pass
5**	12115.200	39.06	-2.17	54.0	-14.94	AV	141.00	150	Vertical	Pass
6	16490.100	51.74	1.88	74.0	-22.26	Peak	173.00	150	Vertical	Pass
6**	16490.100	42.87	1.88	54.0	-11.13	AV	173.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.77	-18.43	74.0	-32.23	Peak	45.00	150	Horizontal	Pass
1**	1600.100	35.55	-18.43	54.0	-18.45	AV	45.00	150	Horizontal	Pass
2	2449.900	106.46	-13.37	74.0	32.46	Peak	275.00	150	Horizontal	N/A
2**	2449.900	98.49	-13.37	54.0	44.49	AV	275.00	150	Horizontal	N/A
3	4909.200	48.68	-5.34	74.0	-25.32	Peak	343.00	150	Horizontal	Pass
3**	4909.200	39.11	-5.34	54.0	-14.89	AV	343.00	150	Horizontal	Pass
4	6891.800	50.95	-3.23	74.0	-23.05	Peak	313.00	150	Horizontal	Pass
4**	6891.800	41.17	-3.23	54.0	-12.83	AV	313.00	150	Horizontal	Pass
5	11061.224	49.64	-1.48	74.0	-24.36	Peak	349.00	150	Horizontal	Pass
5**	11061.224	39.21	-1.48	54.0	-14.79	AV	349.00	150	Horizontal	Pass
6	16909.574	51.98	2.42	74.0	-22.02	Peak	317.00	150	Horizontal	Pass
6**	16909.574	42.27	2.42	54.0	-11.73	AV	317.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	43.38	-18.38	74.0	-30.62	Peak	222.00	150	Vertical	Pass
1**	1599.700	34.30	-18.38	54.0	-19.70	AV	222.00	150	Vertical	Pass
2	2452.300	98.55	-13.59	74.0	24.55	Peak	146.00	150	Vertical	N/A
2**	2452.300	90.25	-13.59	54.0	36.25	AV	146.00	150	Vertical	N/A
3	5181.400	50.34	-4.16	74.0	-23.66	Peak	343.00	150	Vertical	Pass
3**	5181.400	42.10	-4.16	54.0	-11.90	AV	343.00	150	Vertical	Pass
4	6867.400	51.17	-3.08	74.0	-22.83	Peak	11.00	150	Vertical	Pass
4**	6867.400	42.03	-3.08	54.0	-11.97	AV	11.00	150	Vertical	Pass
5	12373.950	49.10	-2.85	74.0	-24.90	Peak	129.00	150	Vertical	Pass
5**	12373.950	38.68	-2.85	54.0	-15.32	AV	129.00	150	Vertical	Pass
6	17305.688	51.90	2.90	74.0	-22.10	Peak	350.00	150	Vertical	Pass
6**	17305.688	42.30	2.90	54.0	-11.70	AV	350.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.100	43.70	-18.81	74.0	-30.30	Peak	170.00	150	Horizontal	Pass
1**	1195.100	30.66	-18.81	54.0	-23.34	AV	170.00	150	Horizontal	Pass
2	2456.700	106.37	-13.87	74.0	32.37	Peak	116.00	150	Horizontal	N/A
2**	2456.700	99.08	-13.87	54.0	45.08	AV	116.00	150	Horizontal	N/A
3	5185.800	49.98	-4.42	74.0	-24.02	Peak	176.00	150	Horizontal	Pass
3**	5185.800	40.54	-4.42	54.0	-13.46	AV	176.00	150	Horizontal	Pass
4	6751.600	51.11	-2.58	74.0	-22.89	Peak	291.00	150	Horizontal	Pass
4**	6751.600	41.23	-2.58	54.0	-12.77	AV	291.00	150	Horizontal	Pass
5	10244.437	48.66	-1.44	74.0	-25.34	Peak	333.00	150	Horizontal	Pass
5**	10244.437	38.30	-1.44	54.0	-15.70	AV	333.00	150	Horizontal	Pass
6	17275.238	51.66	2.94	74.0	-22.34	Peak	132.00	150	Horizontal	Pass
6**	17275.238	41.93	2.94	54.0	-12.07	AV	132.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.800	44.05	-18.26	74.0	-29.95	Peak	263.00	150	Vertical	Pass
1**	1463.800	32.18	-18.26	54.0	-21.82	AV	263.00	150	Vertical	Pass
2	2463.800	99.58	-14.16	74.0	25.58	Peak	219.00	150	Vertical	N/A
2**	2463.800	91.44	-14.16	54.0	37.44	AV	219.00	150	Vertical	N/A
3	5246.600	50.06	-4.39	74.0	-23.94	Peak	139.00	150	Vertical	Pass
3**	5246.600	40.53	-4.39	54.0	-13.47	AV	139.00	150	Vertical	Pass
4	6946.200	50.96	-2.32	74.0	-23.04	Peak	264.00	150	Vertical	Pass
4**	6946.200	42.00	-2.32	54.0	-12.00	AV	264.00	150	Vertical	Pass
5	10298.488	49.17	-1.16	74.0	-24.83	Peak	299.00	150	Vertical	Pass
5**	10298.488	39.49	-1.16	54.0	-14.51	AV	299.00	150	Vertical	Pass
6	16777.012	52.15	2.04	74.0	-21.85	Peak	266.00	150	Vertical	Pass
6**	16777.012	42.60	2.04	54.0	-11.40	AV	266.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1197.400	44.84	-18.68	74.0	-29.16	Peak	193.00	150	Horizontal	Pass
1**	1197.400	34.11	-18.68	54.0	-19.89	AV	193.00	150	Horizontal	Pass
2	2413.100	105.69	-13.71	74.0	31.69	Peak	282.00	150	Horizontal	N/A
2**	2413.100	97.80	-13.71	54.0	43.80	AV	282.00	150	Horizontal	N/A
3	4817.000	51.57	-4.90	74.0	-22.43	Peak	340.00	150	Horizontal	Pass
3**	4817.000	41.84	-4.90	54.0	-12.16	AV	340.00	150	Horizontal	Pass
4	6802.400	51.23	-2.40	74.0	-22.77	Peak	340.00	150	Horizontal	Pass
4**	6802.400	41.40	-2.40	54.0	-12.60	AV	340.00	150	Horizontal	Pass
5	9819.800	48.30	-1.35	74.0	-25.70	Peak	200.00	150	Horizontal	Pass
5**	9819.800	38.86	-1.35	54.0	-15.14	AV	200.00	150	Horizontal	Pass
6	16905.375	51.62	2.38	74.0	-22.38	Peak	338.00	150	Horizontal	Pass
6**	16905.375	42.77	2.38	54.0	-11.23	AV	338.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1792.600	45.88	-17.65	74.0	-28.12	Peak	144.00	150	Vertical	Pass
1**	1792.600	32.36	-17.65	54.0	-21.64	AV	144.00	150	Vertical	Pass
2	2408.700	98.42	-13.77	74.0	24.42	Peak	220.00	150	Vertical	N/A
2**	2408.700	90.44	-13.77	54.0	36.44	AV	220.00	150	Vertical	N/A
3	5158.000	50.23	-4.28	74.0	-23.77	Peak	144.00	150	Vertical	Pass
3**	5158.000	41.79	-4.28	54.0	-12.21	AV	144.00	150	Vertical	Pass
4	6797.400	51.17	-2.27	74.0	-22.83	Peak	204.00	150	Vertical	Pass
4**	6797.400	41.54	-2.27	54.0	-12.46	AV	204.00	150	Vertical	Pass
5	9415.862	48.36	-2.83	74.0	-25.64	Peak	63.00	150	Vertical	Pass
5**	9415.862	38.35	-2.83	54.0	-15.65	AV	63.00	150	Vertical	Pass
6	17305.688	52.33	2.90	74.0	-21.67	Peak	187.00	150	Vertical	Pass
6**	17305.688	42.50	2.90	54.0	-11.50	AV	187.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1394.600	43.19	-17.88	74.0	-30.81	Peak	246.00	150	Horizontal	Pass
1**	1394.600	33.78	-17.88	54.0	-20.22	AV	246.00	150	Horizontal	Pass
2	2422.000	105.12	-13.85	74.0	31.12	Peak	271.00	150	Horizontal	N/A
2**	2422.000	97.55	-13.85	54.0	43.55	AV	271.00	150	Horizontal	N/A
3	4832.800	50.17	-5.26	74.0	-23.83	Peak	267.00	150	Horizontal	Pass
3**	4832.800	40.96	-5.26	54.0	-13.04	AV	267.00	150	Horizontal	Pass
4	6800.600	51.58	-2.20	74.0	-22.42	Peak	252.00	150	Horizontal	Pass
4**	6800.600	41.98	-2.20	54.0	-12.02	AV	252.00	150	Horizontal	Pass
5	14274.076	51.83	0.75	74.0	-22.17	Peak	185.00	150	Horizontal	Pass
5**	14274.076	40.78	0.75	54.0	-13.22	AV	185.00	150	Horizontal	Pass
6	17756.137	52.30	2.24	74.0	-21.70	Peak	347.00	150	Horizontal	Pass
6**	17756.137	42.03	2.24	54.0	-11.97	AV	347.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1350.700	43.43	-18.19	74.0	-30.57	Peak	253.00	150	Vertical	Pass
1**	1350.700	35.55	-18.19	54.0	-18.45	AV	253.00	150	Vertical	Pass
2	2424.500	96.97	-13.97	74.0	22.97	Peak	140.00	150	Vertical	N/A
2**	2424.500	89.28	-13.97	54.0	35.28	AV	140.00	150	Vertical	N/A
3	5232.200	50.82	-4.48	74.0	-23.18	Peak	2.00	150	Vertical	Pass
3**	5232.200	40.73	-4.48	54.0	-13.27	AV	2.00	150	Vertical	Pass
4	6804.400	51.27	-2.25	74.0	-22.73	Peak	358.00	150	Vertical	Pass
4**	6804.400	42.20	-2.25	54.0	-11.80	AV	358.00	150	Vertical	Pass
5	12277.925	48.82	-2.03	74.0	-25.18	Peak	253.00	150	Vertical	Pass
5**	12277.925	38.98	-2.03	54.0	-15.02	AV	253.00	150	Vertical	Pass
6	16685.137	52.89	2.80	74.0	-21.11	Peak	3.00	150	Vertical	Pass
6**	16685.137	43.14	2.80	54.0	-10.86	AV	3.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.100	42.01	-18.29	74.0	-31.99	Peak	121.00	150	Horizontal	Pass
1**	1595.100	31.55	-18.29	54.0	-22.45	AV	121.00	150	Horizontal	Pass
2	2425.200	106.54	-13.92	74.0	32.54	Peak	280.00	150	Horizontal	N/A
2**	2425.200	98.30	-13.92	54.0	44.30	AV	280.00	150	Horizontal	N/A
3	4844.800	48.11	-4.95	74.0	-25.89	Peak	274.00	150	Horizontal	Pass
3**	4844.800	43.58	-4.95	54.0	-10.42	AV	274.00	150	Horizontal	Pass
4	6780.400	50.98	-2.46	74.0	-23.02	Peak	319.00	150	Horizontal	Pass
4**	6780.400	40.99	-2.46	54.0	-13.01	AV	319.00	150	Horizontal	Pass
5	11133.388	49.76	-2.26	74.0	-24.24	Peak	262.00	150	Horizontal	Pass
5**	11133.388	39.74	-2.26	54.0	-14.26	AV	262.00	150	Horizontal	Pass
6	16910.887	53.34	2.44	74.0	-20.66	Peak	224.00	150	Horizontal	Pass
6**	16910.887	41.67	2.44	54.0	-12.33	AV	224.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.29	-18.39	74.0	-31.71	Peak	254.00	150	Vertical	Pass
1**	1599.800	34.80	-18.39	54.0	-19.20	AV	254.00	150	Vertical	Pass
2	2425.800	97.81	-13.83	74.0	23.81	Peak	141.00	150	Vertical	N/A
2**	2425.800	90.04	-13.83	54.0	36.04	AV	141.00	150	Vertical	N/A
3	5363.800	50.16	-4.79	74.0	-23.84	Peak	0.00	150	Vertical	Pass
3**	5363.800	40.93	-4.79	54.0	-13.07	AV	0.00	150	Vertical	Pass
4	6830.800	51.21	-3.20	74.0	-22.79	Peak	343.00	150	Vertical	Pass
4**	6830.800	40.63	-3.20	54.0	-13.37	AV	343.00	150	Vertical	Pass
5	11118.151	49.49	-2.16	74.0	-24.51	Peak	121.00	150	Vertical	Pass
5**	11118.151	39.35	-2.16	54.0	-14.65	AV	121.00	150	Vertical	Pass
6	17319.338	51.93	2.60	74.0	-22.07	Peak	53.00	150	Vertical	Pass
6**	17319.338	42.41	2.60	54.0	-11.59	AV	53.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.65	-18.44	74.0	-32.35	Peak	217.00	150	Horizontal	Pass
1**	1600.200	35.27	-18.44	54.0	-18.73	AV	217.00	150	Horizontal	Pass
2	2430.100	105.70	-13.85	74.0	31.70	Peak	266.00	150	Horizontal	N/A
2**	2430.100	97.95	-13.85	54.0	43.95	AV	266.00	150	Horizontal	N/A
3	4850.600	49.62	-4.72	74.0	-24.38	Peak	264.00	150	Horizontal	Pass
3**	4850.600	40.67	-4.72	54.0	-13.33	AV	264.00	150	Horizontal	Pass
4	6996.600	51.51	-2.61	74.0	-22.49	Peak	296.00	150	Horizontal	Pass
4**	6996.600	41.50	-2.61	54.0	-12.50	AV	296.00	150	Horizontal	Pass
5	11450.500	49.34	-2.01	74.0	-24.66	Peak	292.00	150	Horizontal	Pass
5**	11450.500	40.45	-2.01	54.0	-13.55	AV	292.00	150	Horizontal	Pass
6	16680.937	52.02	2.92	74.0	-21.98	Peak	260.00	150	Horizontal	Pass
6**	16680.937	42.89	2.92	54.0	-11.11	AV	260.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.700	43.14	-18.25	74.0	-30.86	Peak	166.00	150	Vertical	Pass
1**	1598.700	32.25	-18.25	54.0	-21.75	AV	166.00	150	Vertical	Pass
2	2431.000	97.91	-13.71	74.0	23.91	Peak	142.00	150	Vertical	N/A
2**	2431.000	91.04	-13.71	54.0	37.04	AV	142.00	150	Vertical	N/A
3	5350.400	51.57	-4.34	74.0	-22.43	Peak	185.00	150	Vertical	Pass
3**	5350.400	42.85	-4.34	54.0	-11.15	AV	185.00	150	Vertical	Pass
4	6759.000	51.38	-2.92	74.0	-22.62	Peak	154.00	150	Vertical	Pass
4**	6759.000	43.10	-2.92	54.0	-10.90	AV	154.00	150	Vertical	Pass
5	10778.613	49.01	-1.39	74.0	-24.99	Peak	229.00	150	Vertical	Pass
5**	10778.613	39.63	-1.39	54.0	-14.37	AV	229.00	150	Vertical	Pass
6	16689.599	52.37	2.68	74.0	-21.63	Peak	13.00	150	Vertical	Pass
6**	16689.599	43.37	2.68	54.0	-10.63	AV	13.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	41.82	-18.44	74.0	-32.18	Peak	214.00	150	Horizontal	Pass
1**	1600.200	35.47	-18.44	54.0	-18.53	AV	214.00	150	Horizontal	Pass
2	2435.300	106.73	-13.18	74.0	32.73	Peak	282.00	150	Horizontal	N/A
2**	2435.300	99.32	-13.18	54.0	45.32	AV	282.00	150	Horizontal	N/A
3	4858.000	47.71	-4.72	74.0	-26.29	Peak	262.00	150	Horizontal	Pass
3**	4858.000	43.27	-4.72	54.0	-10.73	AV	262.00	150	Horizontal	Pass
4	6787.400	50.85	-2.17	74.0	-23.15	Peak	13.00	150	Horizontal	Pass
4**	6787.400	42.55	-2.17	54.0	-11.45	AV	13.00	150	Horizontal	Pass
5	11703.213	49.27	-2.57	74.0	-24.73	Peak	7.00	150	Horizontal	Pass
5**	11703.213	39.84	-2.57	54.0	-14.16	AV	7.00	150	Horizontal	Pass
6	17309.624	52.60	2.81	74.0	-21.40	Peak	64.00	150	Horizontal	Pass
6**	17309.624	42.45	2.81	54.0	-11.55	AV	64.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.900	42.73	-18.32	74.0	-31.27	Peak	214.00	150	Vertical	Pass
1**	1596.900	31.97	-18.32	54.0	-22.03	AV	214.00	150	Vertical	Pass
2	2433.800	98.66	-13.47	74.0	24.66	Peak	142.00	150	Vertical	N/A
2**	2433.800	90.82	-13.47	54.0	36.82	AV	142.00	150	Vertical	N/A
3	5433.200	49.71	-3.29	74.0	-24.29	Peak	166.00	150	Vertical	Pass
3**	5433.200	39.85	-3.29	54.0	-14.15	AV	166.00	150	Vertical	Pass
4	6807.400	51.32	-2.47	74.0	-22.68	Peak	127.00	150	Vertical	Pass
4**	6807.400	41.58	-2.47	54.0	-12.42	AV	127.00	150	Vertical	Pass
5	10613.875	48.97	-1.27	74.0	-25.03	Peak	220.00	150	Vertical	Pass
5**	10613.875	39.26	-1.27	54.0	-14.74	AV	220.00	150	Vertical	Pass
6	16171.425	51.70	0.73	74.0	-22.30	Peak	278.00	150	Vertical	Pass
6**	16171.425	41.13	0.73	54.0	-12.87	AV	278.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.800	43.53	-18.82	74.0	-30.47	Peak	193.00	150	Horizontal	Pass
1**	1195.800	30.45	-18.82	54.0	-23.55	AV	193.00	150	Horizontal	Pass
2	2433.500	106.58	-13.52	74.0	32.58	Peak	112.00	150	Horizontal	N/A
2**	2433.500	98.77	-13.52	54.0	44.77	AV	112.00	150	Horizontal	N/A
3	4874.400	47.92	-4.88	74.0	-26.08	Peak	264.00	150	Horizontal	Pass
3**	4874.400	43.16	-4.88	54.0	-10.84	AV	264.00	150	Horizontal	Pass
4	6811.200	50.83	-2.51	74.0	-23.17	Peak	296.00	150	Horizontal	Pass
4**	6811.200	40.91	-2.51	54.0	-13.09	AV	296.00	150	Horizontal	Pass
5	10632.563	49.09	-1.59	74.0	-24.91	Peak	9.00	150	Horizontal	Pass
5**	10632.563	39.41	-1.59	54.0	-14.59	AV	9.00	150	Horizontal	Pass
6	16688.812	52.10	2.70	74.0	-21.90	Peak	179.00	150	Horizontal	Pass
6**	16688.812	42.83	2.70	54.0	-11.17	AV	179.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1791.600	45.15	-17.64	74.0	-28.85	Peak	237.00	150	Vertical	Pass
1**	1791.600	32.45	-17.64	54.0	-21.55	AV	237.00	150	Vertical	Pass
2	2435.300	98.77	-13.18	74.0	24.77	Peak	218.00	150	Vertical	N/A
2**	2435.300	91.26	-13.18	54.0	37.26	AV	218.00	150	Vertical	N/A
3	5346.200	50.29	-4.25	74.0	-23.71	Peak	361.00	150	Vertical	Pass
3**	5346.200	41.04	-4.25	54.0	-12.96	AV	361.00	150	Vertical	Pass
4	6942.600	50.80	-2.36	74.0	-23.20	Peak	281.00	150	Vertical	Pass
4**	6942.600	41.29	-2.36	54.0	-12.71	AV	281.00	150	Vertical	Pass
5	10897.350	49.04	-1.82	74.0	-24.96	Peak	197.00	150	Vertical	Pass
5**	10897.350	39.40	-1.82	54.0	-14.60	AV	197.00	150	Vertical	Pass
6	16500.600	52.02	1.92	74.0	-21.98	Peak	237.00	150	Vertical	Pass
6**	16500.600	42.18	1.92	54.0	-11.82	AV	237.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	41.86	-18.39	74.0	-32.14	Peak	69.00	150	Horizontal	Pass
1**	1599.800	34.68	-18.39	54.0	-19.32	AV	69.00	150	Horizontal	Pass
2	2443.400	106.17	-13.46	74.0	32.17	Peak	275.00	150	Horizontal	N/A
2**	2443.400	98.62	-13.46	54.0	44.62	AV	275.00	150	Horizontal	N/A
3	4881.000	48.47	-5.17	74.0	-25.53	Peak	252.00	150	Horizontal	Pass
3**	4881.000	43.78	-5.17	54.0	-10.22	AV	252.00	150	Horizontal	Pass
4	6557.800	50.70	-3.90	74.0	-23.30	Peak	92.00	150	Horizontal	Pass
4**	6557.800	40.04	-3.90	54.0	-13.96	AV	92.00	150	Horizontal	Pass
5	10821.450	49.29	-2.25	74.0	-24.71	Peak	85.00	150	Horizontal	Pass
5**	10821.450	38.79	-2.25	54.0	-15.21	AV	85.00	150	Horizontal	Pass
6	16774.125	52.53	1.96	74.0	-21.47	Peak	235.00	150	Horizontal	Pass
6**	16774.125	42.02	1.96	54.0	-11.98	AV	235.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.400	43.35	-18.20	74.0	-30.65	Peak	211.00	150	Vertical	Pass
1**	1594.400	32.53	-18.20	54.0	-21.47	AV	211.00	150	Vertical	Pass
2	2435.900	99.91	-13.26	74.0	25.91	Peak	143.00	150	Vertical	N/A
2**	2435.900	91.95	-13.26	54.0	37.95	AV	143.00	150	Vertical	N/A
3	5302.200	50.83	-5.14	74.0	-23.17	Peak	276.00	150	Vertical	Pass
3**	5302.200	39.91	-5.14	54.0	-14.09	AV	276.00	150	Vertical	Pass
4	6866.600	51.37	-3.08	74.0	-22.63	Peak	306.00	150	Vertical	Pass
4**	6866.600	42.12	-3.08	54.0	-11.88	AV	306.00	150	Vertical	Pass
5	10622.213	49.19	-1.30	74.0	-24.81	Peak	222.00	150	Vertical	Pass
5**	10622.213	39.77	-1.30	54.0	-14.23	AV	222.00	150	Vertical	Pass
6	16719.526	51.69	1.70	74.0	-22.31	Peak	296.00	150	Vertical	Pass
6**	16719.526	41.84	1.70	54.0	-12.16	AV	296.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.95	-18.41	74.0	-32.05	Peak	222.00	150	Horizontal	Pass
1**	1599.900	35.59	-18.41	54.0	-18.41	AV	222.00	150	Horizontal	Pass
2	2450.900	105.79	-13.41	74.0	31.79	Peak	288.00	150	Horizontal	N/A
2**	2450.900	98.93	-13.41	54.0	44.93	AV	288.00	150	Horizontal	N/A
3	4891.000	49.10	-5.66	74.0	-24.90	Peak	246.00	150	Horizontal	Pass
3**	4891.000	41.50	-5.66	54.0	-12.50	AV	246.00	150	Horizontal	Pass
4	6787.400	50.93	-2.17	74.0	-23.07	Peak	336.00	150	Horizontal	Pass
4**	6787.400	42.92	-2.17	54.0	-11.08	AV	336.00	150	Horizontal	Pass
5	12091.050	48.93	-2.41	74.0	-25.07	Peak	6.00	150	Horizontal	Pass
5**	12091.050	37.66	-2.41	54.0	-16.34	AV	6.00	150	Horizontal	Pass
6	16662.563	51.59	3.15	74.0	-22.41	Peak	360.00	150	Horizontal	Pass
6**	16662.563	41.56	3.15	54.0	-12.44	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.900	42.49	-18.39	74.0	-31.51	Peak	222.00	150	Vertical	Pass
1**	1595.900	31.44	-18.39	54.0	-22.56	AV	222.00	150	Vertical	Pass
2	2439.200	98.66	-13.58	74.0	24.66	Peak	139.00	150	Vertical	N/A
2**	2439.200	90.56	-13.58	54.0	36.56	AV	139.00	150	Vertical	N/A
3	5221.400	50.07	-4.70	74.0	-23.93	Peak	253.00	150	Vertical	Pass
3**	5221.400	40.68	-4.70	54.0	-13.32	AV	253.00	150	Vertical	Pass
4	6580.400	50.96	-3.49	74.0	-23.04	Peak	313.00	150	Vertical	Pass
4**	6580.400	40.94	-3.49	54.0	-13.06	AV	313.00	150	Vertical	Pass
5	12061.725	49.00	-2.56	74.0	-25.00	Peak	39.00	150	Vertical	Pass
5**	12061.725	38.97	-2.56	54.0	-15.03	AV	39.00	150	Vertical	Pass
6	16689.338	52.14	2.69	74.0	-21.86	Peak	309.00	150	Vertical	Pass
6**	16689.338	41.63	2.69	54.0	-12.37	AV	309.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.000	42.90	-18.42	74.0	-31.10	Peak	227.00	150	Horizontal	Pass
1**	1600.000	35.91	-18.42	54.0	-18.09	AV	227.00	150	Horizontal	Pass
2	2450.200	106.39	-13.34	74.0	32.39	Peak	276.00	150	Horizontal	N/A
2**	2450.200	98.66	-13.34	54.0	44.66	AV	276.00	150	Horizontal	N/A
3	4905.400	49.69	-5.35	74.0	-24.31	Peak	258.00	150	Horizontal	Pass
3**	4905.400	40.11	-5.35	54.0	-13.89	AV	258.00	150	Horizontal	Pass
4	6870.200	51.49	-3.24	74.0	-22.51	Peak	334.00	150	Horizontal	Pass
4**	6870.200	41.56	-3.24	54.0	-12.44	AV	334.00	150	Horizontal	Pass
5	11797.224	48.67	-2.02	74.0	-25.33	Peak	238.00	150	Horizontal	Pass
5**	11797.224	40.30	-2.02	54.0	-13.70	AV	238.00	150	Horizontal	Pass
6	16693.801	52.35	2.56	74.0	-21.65	Peak	296.00	150	Horizontal	Pass
6**	16693.801	42.43	2.56	54.0	-11.57	AV	296.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.19	-18.41	74.0	-32.81	Peak	72.00	150	Vertical	Pass
1**	1599.900	35.16	-18.41	54.0	-18.84	AV	72.00	150	Vertical	Pass
2	2448.900	98.27	-13.51	74.0	24.27	Peak	142.00	150	Vertical	N/A
2**	2448.900	90.88	-13.51	54.0	36.88	AV	142.00	150	Vertical	N/A
3	5180.800	50.66	-4.19	74.0	-23.34	Peak	94.00	150	Vertical	Pass
3**	5180.800	40.76	-4.19	54.0	-13.24	AV	94.00	150	Vertical	Pass
4	6380.600	51.22	-3.89	74.0	-22.78	Peak	313.00	150	Vertical	Pass
4**	6380.600	40.43	-3.89	54.0	-13.57	AV	313.00	150	Vertical	Pass
5	11094.287	49.05	-1.48	74.0	-24.95	Peak	227.00	150	Vertical	Pass
5**	11094.287	38.90	-1.48	54.0	-15.10	AV	227.00	150	Vertical	Pass
6	16680.675	52.05	2.93	74.0	-21.95	Peak	243.00	150	Vertical	Pass
6**	16680.675	43.58	2.93	54.0	-10.42	AV	243.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.900	41.99	-18.41	74.0	-32.01	Peak	90.00	150	Horizontal	Pass
1**	1599.900	34.95	-18.41	54.0	-19.05	AV	90.00	150	Horizontal	Pass
2	2460.100	105.97	-14.10	74.0	31.97	Peak	277.00	150	Horizontal	N/A
2**	2460.100	97.70	-14.10	54.0	43.70	AV	277.00	150	Horizontal	N/A
3	5235.200	50.54	-4.43	74.0	-23.46	Peak	281.00	150	Horizontal	Pass
3**	5235.200	42.14	-4.43	54.0	-11.86	AV	281.00	150	Horizontal	Pass
4	6896.600	50.51	-3.33	74.0	-23.49	Peak	162.00	150	Horizontal	Pass
4**	6896.600	41.28	-3.33	54.0	-12.72	AV	162.00	150	Horizontal	Pass
5	11139.713	49.19	-2.28	74.0	-24.81	Peak	195.00	150	Horizontal	Pass
5**	11139.713	39.46	-2.28	54.0	-14.54	AV	195.00	150	Horizontal	Pass
6	16686.713	51.83	2.76	74.0	-22.17	Peak	33.00	150	Horizontal	Pass
6**	16686.713	43.22	2.76	54.0	-10.78	AV	33.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.500	43.31	-18.34	74.0	-30.69	Peak	220.00	150	Vertical	Pass
1**	1595.500	32.53	-18.34	54.0	-21.47	AV	220.00	150	Vertical	Pass
2	2460.800	96.66	-14.17	74.0	22.66	Peak	142.00	150	Vertical	N/A
2**	2460.800	89.00	-14.17	54.0	35.00	AV	142.00	150	Vertical	N/A
3	5363.000	50.33	-4.76	74.0	-23.67	Peak	252.00	150	Vertical	Pass
3**	5363.000	39.45	-4.76	54.0	-14.55	AV	252.00	150	Vertical	Pass
4	6761.800	51.15	-2.91	74.0	-22.85	Peak	358.00	150	Vertical	Pass
4**	6761.800	39.91	-2.91	54.0	-14.09	AV	358.00	150	Vertical	Pass
5	10773.724	49.13	-1.43	74.0	-24.87	Peak	360.00	150	Vertical	Pass
5**	10773.724	39.24	-1.43	54.0	-14.76	AV	360.00	150	Vertical	Pass
6	16691.438	52.35	2.63	74.0	-21.65	Peak	350.00	150	Vertical	Pass
6**	16691.438	42.71	2.63	54.0	-11.29	AV	350.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.100	43.75	-18.83	74.0	-30.25	Peak	149.00	150	Horizontal	Pass
1**	1196.100	30.28	-18.83	54.0	-23.72	AV	149.00	150	Horizontal	Pass
2	2456.700	106.08	-13.87	74.0	32.08	Peak	111.00	150	Horizontal	N/A
2**	2456.700	98.48	-13.87	54.0	44.48	AV	111.00	150	Horizontal	N/A
3	5176.000	49.63	-4.55	74.0	-24.37	Peak	226.00	150	Horizontal	Pass
3**	5176.000	40.98	-4.55	54.0	-13.02	AV	226.00	150	Horizontal	Pass
4	6810.200	51.00	-2.54	74.0	-23.00	Peak	157.00	150	Horizontal	Pass
4**	6810.200	42.49	-2.54	54.0	-11.51	AV	157.00	150	Horizontal	Pass
5	10659.013	48.78	-2.31	74.0	-25.22	Peak	345.00	150	Horizontal	Pass
5**	10659.013	39.33	-2.31	54.0	-14.67	AV	345.00	150	Horizontal	Pass
6	16451.775	52.88	1.46	74.0	-21.12	Peak	282.00	150	Horizontal	Pass
6**	16451.775	42.19	1.46	54.0	-11.81	AV	282.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.000	46.22	-18.27	74.0	-27.78	Peak	250.00	150	Vertical	Pass
1**	1464.000	31.68	-18.27	54.0	-22.32	AV	250.00	150	Vertical	Pass
2	2463.000	99.66	-14.14	74.0	25.66	Peak	217.00	150	Vertical	N/A
2**	2463.000	92.18	-14.14	54.0	38.18	AV	217.00	150	Vertical	N/A
3	5251.200	50.64	-4.39	74.0	-23.36	Peak	25.00	150	Vertical	Pass
3**	5251.200	40.46	-4.39	54.0	-13.54	AV	25.00	150	Vertical	Pass
4	6857.000	51.08	-2.83	74.0	-22.92	Peak	232.00	150	Vertical	Pass
4**	6857.000	41.77	-2.83	54.0	-12.23	AV	232.00	150	Vertical	Pass
5	10550.050	49.39	-2.27	74.0	-24.61	Peak	218.00	150	Vertical	Pass
5**	10550.050	39.27	-2.27	54.0	-14.73	AV	218.00	150	Vertical	Pass
6	16906.425	52.29	2.39	74.0	-21.71	Peak	286.00	150	Vertical	Pass
6**	16906.425	44.11	2.39	54.0	-9.89	AV	286.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1806.000	42.54	-17.75	74.0	-31.46	Peak	212.00	150	Horizontal	Pass
1**	1806.000	31.96	-17.75	54.0	-22.04	AV	212.00	150	Horizontal	Pass
2	2420.700	102.51	-13.90	74.0	28.51	Peak	284.00	150	Horizontal	N/A
2**	2420.700	93.65	-13.90	54.0	39.65	AV	284.00	150	Horizontal	N/A
3	4839.200	48.00	-5.00	74.0	-26.00	Peak	276.00	150	Horizontal	Pass
3**	4839.200	39.22	-5.00	54.0	-14.78	AV	276.00	150	Horizontal	Pass
4	6657.000	50.10	-2.69	74.0	-23.90	Peak	84.00	150	Horizontal	Pass
4**	6657.000	39.68	-2.69	54.0	-14.32	AV	84.00	150	Horizontal	Pass
5	11113.263	47.85	-2.00	74.0	-26.15	Peak	238.00	150	Horizontal	Pass
5**	11113.263	38.98	-2.00	54.0	-15.02	AV	238.00	150	Horizontal	Pass
6	16858.386	51.02	1.84	74.0	-22.98	Peak	330.00	150	Horizontal	Pass
6**	16858.386	40.98	1.84	54.0	-13.02	AV	330.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1394.000	45.54	-17.86	74.0	-28.46	Peak	233.00	150	Vertical	Pass
1**	1394.000	34.34	-17.86	54.0	-19.66	AV	233.00	150	Vertical	Pass
2	2426.100	94.09	-13.78	74.0	20.09	Peak	218.00	150	Vertical	N/A
2**	2426.100	87.20	-13.78	54.0	33.20	AV	218.00	150	Vertical	N/A
3	5186.600	49.05	-4.42	74.0	-24.95	Peak	11.00	150	Vertical	Pass
3**	5186.600	40.32	-4.42	54.0	-13.68	AV	11.00	150	Vertical	Pass
4	6762.600	50.42	-2.89	74.0	-23.58	Peak	3.00	150	Vertical	Pass
4**	6762.600	39.27	-2.89	54.0	-14.73	AV	3.00	150	Vertical	Pass
5	10786.950	47.76	-1.56	74.0	-26.24	Peak	112.00	150	Vertical	Pass
5**	10786.950	38.78	-1.56	54.0	-15.22	AV	112.00	150	Vertical	Pass
6	17339.812	51.27	2.53	74.0	-22.73	Peak	360.00	150	Vertical	Pass
6**	17339.812	41.33	2.53	54.0	-12.67	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	42.12	-18.43	74.0	-31.88	Peak	199.00	150	Horizontal	Pass
1**	1600.500	34.11	-18.43	54.0	-19.89	AV	199.00	150	Horizontal	Pass
2	2435.500	101.95	-13.19	74.0	27.95	Peak	274.00	150	Horizontal	N/A
2**	2435.500	94.50	-13.19	54.0	40.50	AV	274.00	150	Horizontal	N/A
3	5166.600	49.91	-4.48	74.0	-24.09	Peak	180.00	150	Horizontal	Pass
3**	5166.600	41.14	-4.48	54.0	-12.86	AV	180.00	150	Horizontal	Pass
4	6791.000	50.89	-2.32	74.0	-23.11	Peak	188.00	150	Horizontal	Pass
4**	6791.000	42.12	-2.32	54.0	-11.88	AV	188.00	150	Horizontal	Pass
5	11773.650	49.31	-2.20	74.0	-24.69	Peak	128.00	150	Horizontal	Pass
5**	11773.650	39.57	-2.20	54.0	-14.43	AV	128.00	150	Horizontal	Pass
6	16689.599	52.47	2.68	74.0	-21.53	Peak	281.00	150	Horizontal	Pass
6**	16689.599	43.46	2.68	54.0	-10.54	AV	281.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	44.37	-18.36	74.0	-29.63	Peak	164.00	150	Vertical	Pass
1**	1596.500	32.85	-18.36	54.0	-21.15	AV	164.00	150	Vertical	Pass
2	2435.300	92.37	-13.18	74.0	18.37	Peak	142.00	150	Vertical	N/A
2**	2435.300	85.72	-13.18	54.0	31.72	AV	142.00	150	Vertical	N/A
3	5140.000	50.05	-4.19	74.0	-23.95	Peak	306.00	150	Vertical	Pass
3**	5140.000	40.89	-4.19	54.0	-13.11	AV	306.00	150	Vertical	Pass
4	6772.400	50.89	-2.56	74.0	-23.11	Peak	225.00	150	Vertical	Pass
4**	6772.400	41.51	-2.56	54.0	-12.49	AV	225.00	150	Vertical	Pass
5	11123.900	48.82	-2.23	74.0	-25.18	Peak	251.00	150	Vertical	Pass
5**	11123.900	39.00	-2.23	54.0	-15.00	AV	251.00	150	Vertical	Pass
6	16699.837	52.79	2.40	74.0	-21.21	Peak	65.00	150	Vertical	Pass
6**	16699.837	43.34	2.40	54.0	-10.66	AV	65.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.100	41.46	-18.43	74.0	-32.54	Peak	224.00	150	Horizontal	Pass
1**	1600.100	35.58	-18.43	54.0	-18.42	AV	224.00	150	Horizontal	Pass
2	2429.200	102.23	-13.99	74.0	28.23	Peak	273.00	150	Horizontal	N/A
2**	2429.200	93.85	-13.99	54.0	39.85	AV	273.00	150	Horizontal	N/A
3	5215.800	50.34	-4.67	74.0	-23.66	Peak	356.00	150	Horizontal	Pass
3**	5215.800	40.65	-4.67	54.0	-13.35	AV	356.00	150	Horizontal	Pass
4	6782.000	51.01	-2.57	74.0	-22.99	Peak	135.00	150	Horizontal	Pass
4**	6782.000	41.71	-2.57	54.0	-12.29	AV	135.00	150	Horizontal	Pass
5	11389.550	48.94	-1.85	74.0	-25.06	Peak	128.00	150	Horizontal	Pass
5**	11389.550	39.08	-1.85	54.0	-14.92	AV	128.00	150	Horizontal	Pass
6	16495.088	51.96	1.91	74.0	-22.04	Peak	55.00	150	Horizontal	Pass
6**	16495.088	43.75	1.91	54.0	-10.25	AV	56.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.400	42.92	-18.20	74.0	-31.08	Peak	162.00	150	Vertical	Pass
1**	1594.400	34.23	-18.20	54.0	-19.77	AV	162.00	150	Vertical	Pass
2	2435.400	92.33	-13.18	74.0	18.33	Peak	140.00	150	Vertical	N/A
2**	2435.400	84.61	-13.18	54.0	30.61	AV	140.00	150	Vertical	N/A
3	5273.000	50.76	-4.38	74.0	-23.24	Peak	358.00	150	Vertical	Pass
3**	5273.000	41.62	-4.38	54.0	-12.38	AV	358.00	150	Vertical	Pass
4	6814.800	51.30	-2.72	74.0	-22.70	Peak	343.00	150	Vertical	Pass
4**	6814.800	40.97	-2.72	54.0	-13.03	AV	343.00	150	Vertical	Pass
5	10618.188	50.70	-1.25	74.0	-23.30	Peak	130.00	150	Vertical	Pass
5**	10618.188	39.91	-1.25	54.0	-14.09	AV	130.00	150	Vertical	Pass
6	16923.225	52.39	2.64	74.0	-21.61	Peak	89.00	150	Vertical	Pass
6**	16923.225	42.41	2.64	54.0	-11.59	AV	89.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1909.700	44.54	-16.54	74.0	-29.46	Peak	190.00	150	Horizontal	Pass
1**	1909.700	33.09	-16.54	54.0	-20.91	AV	190.00	150	Horizontal	Pass
2	2435.200	104.67	-13.20	74.0	30.67	Peak	270.00	150	Horizontal	N/A
2**	2435.200	96.40	-13.20	54.0	42.40	AV	270.00	150	Horizontal	N/A
3	5166.800	50.40	-4.50	74.0	-23.60	Peak	356.00	150	Horizontal	Pass
3**	5166.800	40.59	-4.50	54.0	-13.41	AV	356.00	150	Horizontal	Pass
4	6790.000	51.22	-2.35	74.0	-22.78	Peak	282.00	150	Horizontal	Pass
4**	6790.000	42.26	-2.35	54.0	-11.74	AV	282.00	150	Horizontal	Pass
5	10775.451	48.63	-1.42	74.0	-25.37	Peak	340.00	150	Horizontal	Pass
5**	10775.451	39.40	-1.42	54.0	-14.60	AV	340.00	150	Horizontal	Pass
6	16888.574	51.79	2.01	74.0	-22.21	Peak	179.00	150	Horizontal	Pass
6**	16888.574	43.61	2.01	54.0	-10.39	AV	179.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1399.000	47.25	-17.93	74.0	-26.75	Peak	240.00	150	Vertical	Pass
1**	1399.000	34.48	-17.93	54.0	-19.52	AV	240.00	150	Vertical	Pass
2	2448.100	96.58	-13.61	74.0	22.58	Peak	220.00	150	Vertical	N/A
2**	2448.100	89.34	-13.61	54.0	35.34	AV	220.00	150	Vertical	N/A
3	5234.200	49.89	-4.34	74.0	-24.11	Peak	201.00	150	Vertical	Pass
3**	5234.200	41.44	-4.34	54.0	-12.56	AV	201.00	150	Vertical	Pass
4	6859.000	50.67	-2.92	74.0	-23.33	Peak	244.00	150	Vertical	Pass
4**	6859.000	41.89	-2.92	54.0	-12.11	AV	244.00	150	Vertical	Pass
5	10620.775	49.15	-1.26	74.0	-24.85	Peak	353.00	150	Vertical	Pass
5**	10620.775	40.54	-1.26	54.0	-13.46	AV	353.00	150	Vertical	Pass
6	16662.563	52.19	3.15	74.0	-21.81	Peak	124.00	150	Vertical	Pass
6**	16662.563	41.98	3.15	54.0	-12.02	AV	124.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.500	42.45	-18.43	74.0	-31.55	Peak	315.00	150	Horizontal	Pass
1**	1600.500	33.92	-18.43	54.0	-20.08	AV	315.00	150	Horizontal	Pass
2	2431.000	102.58	-13.71	74.0	28.58	Peak	272.00	150	Horizontal	N/A
2**	2431.000	94.69	-13.71	54.0	40.69	AV	272.00	150	Horizontal	N/A
3	5234.800	50.06	-4.40	74.0	-23.94	Peak	323.00	150	Horizontal	Pass
3**	5234.800	40.98	-4.40	54.0	-13.02	AV	323.00	150	Horizontal	Pass
4	6781.600	51.29	-2.51	74.0	-22.71	Peak	48.00	150	Horizontal	Pass
4**	6781.600	42.07	-2.51	54.0	-11.93	AV	48.00	150	Horizontal	Pass
5	11958.799	48.96	-2.94	74.0	-25.04	Peak	308.00	150	Horizontal	Pass
5**	11958.799	38.80	-2.94	54.0	-15.20	AV	308.00	150	Horizontal	Pass
6	16911.675	52.02	2.45	74.0	-21.98	Peak	19.00	150	Horizontal	Pass
6**	16911.675	42.64	2.45	54.0	-11.36	AV	19.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.000	44.46	-18.40	74.0	-29.54	Peak	163.00	150	Vertical	Pass
1**	1596.000	33.63	-18.40	54.0	-20.37	AV	163.00	150	Vertical	Pass
2	2434.900	93.56	-13.25	74.0	19.56	Peak	140.00	150	Vertical	N/A
2**	2434.900	85.84	-13.25	54.0	31.84	AV	140.00	150	Vertical	N/A
3	4795.400	49.04	-4.91	74.0	-24.96	Peak	109.00	150	Vertical	Pass
3**	4795.400	41.34	-4.91	54.0	-12.66	AV	109.00	150	Vertical	Pass
4	6375.800	51.59	-4.18	74.0	-22.41	Peak	357.00	150	Vertical	Pass
4**	6375.800	40.30	-4.18	54.0	-13.70	AV	357.00	150	Vertical	Pass
5	13954.612	50.90	-0.93	74.0	-23.10	Peak	359.00	150	Vertical	Pass
5**	13954.612	42.52	-0.93	54.0	-11.48	AV	359.00	150	Vertical	Pass
6	16681.725	52.15	2.90	74.0	-21.85	Peak	301.00	150	Vertical	Pass
6**	16681.725	43.49	2.90	54.0	-10.51	AV	301.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.55	-18.38	74.0	-31.45	Peak	337.00	150	Horizontal	Pass
1**	1599.700	35.07	-18.38	54.0	-18.93	AV	337.00	150	Horizontal	Pass
2	2436.100	102.38	-13.29	74.0	28.38	Peak	275.00	150	Horizontal	N/A
2**	2436.100	94.40	-13.29	54.0	40.40	AV	275.00	150	Horizontal	N/A
3	5268.800	50.45	-4.53	74.0	-23.55	Peak	273.00	150	Horizontal	Pass
3**	5268.800	40.86	-4.53	54.0	-13.14	AV	273.00	150	Horizontal	Pass
4	6794.600	50.82	-2.38	74.0	-23.18	Peak	117.00	150	Horizontal	Pass
4**	6794.600	41.57	-2.38	54.0	-12.43	AV	117.00	150	Horizontal	Pass
5	10895.625	49.17	-1.85	74.0	-24.83	Peak	359.00	150	Horizontal	Pass
5**	10895.625	39.39	-1.85	54.0	-14.61	AV	359.00	150	Horizontal	Pass
6	16790.662	51.97	2.05	74.0	-22.03	Peak	360.00	150	Horizontal	Pass
6**	16790.662	41.20	2.05	54.0	-12.80	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.100	42.41	-18.30	74.0	-31.59	Peak	169.00	150	Vertical	Pass
1**	1599.100	32.31	-18.30	54.0	-21.69	AV	169.00	150	Vertical	Pass
2	2434.900	91.65	-13.25	74.0	17.65	Peak	141.00	150	Vertical	N/A
2**	2434.900	83.88	-13.25	54.0	29.88	AV	141.00	150	Vertical	N/A
3	5275.200	50.07	-4.58	74.0	-23.93	Peak	76.00	150	Vertical	Pass
3**	5275.200	40.06	-4.58	54.0	-13.94	AV	76.00	150	Vertical	Pass
4	6895.000	51.73	-3.20	74.0	-22.27	Peak	31.00	150	Vertical	Pass
4**	6895.000	42.22	-3.20	54.0	-11.78	AV	31.00	150	Vertical	Pass
5	11067.263	49.20	-1.42	74.0	-24.80	Peak	27.00	150	Vertical	Pass
5**	11067.263	39.65	-1.42	54.0	-14.35	AV	27.00	150	Vertical	Pass
6	16681.463	52.72	2.90	74.0	-21.28	Peak	305.00	150	Vertical	Pass
6**	16681.463	43.38	2.90	54.0	-10.62	AV	305.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1394.200	41.74	-17.85	74.0	-32.26	Peak	220.00	150	Horizontal	Pass
1**	1394.200	30.14	-17.85	54.0	-23.86	AV	220.00	150	Horizontal	Pass
2	2450.600	102.90	-13.37	74.0	28.90	Peak	100.00	150	Horizontal	N/A
2**	2450.600	94.31	-13.37	54.0	40.31	AV	100.00	150	Horizontal	N/A
3	5150.600	49.31	-3.96	74.0	-24.69	Peak	105.00	150	Horizontal	Pass
3**	5150.600	39.86	-3.96	54.0	-14.14	AV	105.00	150	Horizontal	Pass
4	6781.000	50.32	-2.43	74.0	-23.68	Peak	50.00	150	Horizontal	Pass
4**	6781.000	40.40	-2.43	54.0	-13.60	AV	50.00	150	Horizontal	Pass
5	10781.200	47.71	-1.41	74.0	-26.29	Peak	172.00	150	Horizontal	Pass
5**	10781.200	39.47	-1.41	54.0	-14.53	AV	172.00	150	Horizontal	Pass
6	16911.675	51.38	2.45	74.0	-22.62	Peak	56.00	150	Horizontal	Pass
6**	16911.675	41.84	2.45	54.0	-12.16	AV	56.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.600	43.72	-18.24	74.0	-30.28	Peak	164.00	150	Vertical	Pass
1**	1578.600	30.89	-18.24	54.0	-23.11	AV	164.00	150	Vertical	Pass
2	2460.500	94.95	-14.14	74.0	20.95	Peak	219.00	150	Vertical	N/A
2**	2460.500	88.05	-14.14	54.0	34.05	AV	219.00	150	Vertical	N/A
3	5230.800	49.04	-4.61	74.0	-24.96	Peak	81.00	150	Vertical	Pass
3**	5230.800	39.65	-4.61	54.0	-14.35	AV	81.00	150	Vertical	Pass
4	6774.000	49.59	-2.65	74.0	-24.41	Peak	321.00	150	Vertical	Pass
4**	6774.000	40.47	-2.65	54.0	-13.53	AV	321.00	150	Vertical	Pass
5	10615.026	48.23	-1.27	74.0	-25.77	Peak	0.00	150	Vertical	Pass
5**	10615.026	38.56	-1.27	54.0	-15.44	AV	0.00	150	Vertical	Pass
6	16685.925	50.95	2.78	74.0	-23.05	Peak	323.00	150	Vertical	Pass
6**	16685.925	42.01	2.78	54.0	-11.99	AV	323.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)


Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Test Data and Plots

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.97	-1.52	74.0	-14.03	Peak	281.00	150	Horizontal	Pass
1**	2390.000	50.38	-1.52	54.0	-3.62	AV	281.00	150	Horizontal	Pass
2	2380.500	62.23	-1.13	74.0	-11.77	Peak	281.00	150	Horizontal	Pass
2**	2380.500	50.67	-1.13	54.0	-3.33	AV	281.00	150	Horizontal	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.78	-1.18	74.0	-13.22	Peak	283.00	150	Horizontal	Pass
1**	2483.500	50.13	-1.18	54.0	-3.87	AV	283.00	150	Horizontal	Pass
2	2485.100	61.96	-1.11	74.0	-12.04	Peak	112.00	150	Horizontal	Pass
2**	2485.100	49.80	-1.11	54.0	-4.20	AV	112.00	150	Horizontal	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.88	-1.52	74.0	-13.12	Peak	109.00	150	Horizontal	Pass
1**	2390.000	50.28	-1.52	54.0	-3.72	AV	109.00	150	Horizontal	Pass
2	2388.833	64.29	-1.31	74.0	-9.71	Peak	286.00	150	Horizontal	Pass
2**	2388.833	49.60	-1.31	54.0	-4.40	AV	286.00	150	Horizontal	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.29	-1.52	74.0	-8.71	Peak	284.00	150	Horizontal	Pass
1**	2390.000	49.74	-1.52	54.0	-4.26	AV	284.00	150	Horizontal	Pass

802.11g CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.68	-1.52	74.0	-9.32	Peak	100.00	150	Horizontal	Pass
1**	2390.000	50.79	-1.52	54.0	-3.21	AV	100.00	150	Horizontal	Pass
2	2387.500	65.07	-1.26	74.0	-8.93	Peak	271.00	150	Horizontal	Pass
2**	2387.500	49.86	-1.26	54.0	-4.14	AV	271.00	150	Horizontal	Pass

802.11g CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.51	-1.52	74.0	-11.49	Peak	99.00	150	Horizontal	Pass
1**	2390.000	49.86	-1.52	54.0	-4.14	AV	99.00	150	Horizontal	Pass
2	2386.833	64.30	-1.25	74.0	-9.70	Peak	284.00	150	Horizontal	Pass
2**	2386.833	50.69	-1.25	54.0	-3.31	AV	284.00	150	Horizontal	Pass

802.11g CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.58	-1.18	74.0	-12.42	Peak	290.00	150	Horizontal	Pass
1**	2483.500	49.74	-1.18	54.0	-4.26	AV	290.00	150	Horizontal	Pass
2	2484.150	66.47	-1.12	74.0	-7.53	Peak	295.00	150	Horizontal	Pass
2**	2484.150	49.89	-1.12	54.0	-4.11	AV	295.00	150	Horizontal	Pass

802.11g CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.36	-1.18	74.0	-9.64	Peak	285.00	150	Horizontal	Pass
1**	2483.500	50.59	-1.18	54.0	-3.41	AV	285.00	150	Horizontal	Pass
2	2483.650	65.73	-1.17	74.0	-8.27	Peak	293.00	150	Horizontal	Pass
2**	2483.650	50.82	-1.17	54.0	-3.18	AV	293.00	150	Horizontal	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.93	-1.18	74.0	-10.07	Peak	110.00	150	Horizontal	Pass
1**	2483.500	50.68	-1.18	54.0	-3.32	AV	110.00	150	Horizontal	Pass
2	2484.300	63.98	-1.11	74.0	-10.02	Peak	107.00	150	Horizontal	Pass
2**	2484.300	50.08	-1.11	54.0	-3.92	AV	107.00	150	Horizontal	Pass

802.11n20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.80	-1.52	74.0	-11.20	Peak	114.00	150	Horizontal	Pass
1**	2390.000	50.78	-1.52	54.0	-3.22	AV	114.00	150	Horizontal	Pass
2	2389.333	65.32	-1.40	74.0	-8.68	Peak	108.00	150	Horizontal	Pass
2**	2389.333	50.29	-1.40	54.0	-3.71	AV	108.00	150	Horizontal	Pass

802.11n20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.30	-1.52	74.0	-14.70	Peak	254.00	150	Horizontal	Pass
1**	2390.000	50.30	-1.52	54.0	-3.70	AV	254.00	150	Horizontal	Pass
2	2389.833	62.19	-1.49	74.0	-11.81	Peak	285.00	150	Horizontal	Pass
2**	2389.833	50.50	-1.49	54.0	-3.50	AV	285.00	150	Horizontal	Pass

802.11n20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.51	-1.52	74.0	-14.49	Peak	276.00	150	Horizontal	Pass
1**	2390.000	49.68	-1.52	54.0	-4.32	AV	276.00	150	Horizontal	Pass
2	2382.667	61.01	-1.19	74.0	-12.99	Peak	281.00	150	Horizontal	Pass
2**	2382.667	49.76	-1.19	54.0	-4.24	AV	281.00	150	Horizontal	Pass

802.11n20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.13	-1.52	74.0	-14.87	Peak	276.00	150	Horizontal	Pass
1**	2390.000	49.32	-1.52	54.0	-4.68	AV	276.00	150	Horizontal	Pass
2	2378.667	61.88	-1.29	74.0	-12.12	Peak	276.00	150	Horizontal	Pass
2**	2378.667	49.67	-1.29	54.0	-4.33	AV	276.00	150	Horizontal	Pass

802.11n20 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.15	-1.52	74.0	-13.85	Peak	262.00	150	Horizontal	Pass
1**	2390.000	50.73	-1.52	54.0	-3.27	AV	262.00	150	Horizontal	Pass
2	2379.167	61.98	-1.24	74.0	-12.02	Peak	279.00	150	Horizontal	Pass
2**	2379.167	50.60	-1.24	54.0	-3.40	AV	279.00	150	Horizontal	Pass

802.11n20 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.97	-1.18	74.0	-12.03	Peak	278.00	150	Horizontal	Pass
1**	2483.500	50.97	-1.18	54.0	-3.03	AV	278.00	150	Horizontal	Pass
2	2485.850	62.84	-1.12	74.0	-11.16	Peak	278.00	150	Horizontal	Pass
2**	2485.850	50.31	-1.12	54.0	-3.69	AV	278.00	150	Horizontal	Pass

802.11n20 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.37	-1.18	74.0	-11.63	Peak	272.00	150	Horizontal	Pass
1**	2483.500	49.73	-1.18	54.0	-4.27	AV	272.00	150	Horizontal	Pass
2	2487.350	62.60	-1.07	74.0	-11.40	Peak	262.00	150	Horizontal	Pass
2**	2487.350	50.36	-1.07	54.0	-3.64	AV	262.00	150	Horizontal	Pass

802.11n20 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.50	-1.18	74.0	-9.50	Peak	269.00	150	Horizontal	Pass
1**	2483.500	50.83	-1.18	54.0	-3.17	AV	269.00	150	Horizontal	Pass
2	2483.650	65.35	-1.17	74.0	-8.65	Peak	276.00	150	Horizontal	Pass
2**	2483.650	50.54	-1.17	54.0	-3.46	AV	276.00	150	Horizontal	Pass

802.11n20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.23	-1.18	74.0	-10.77	Peak	277.00	150	Horizontal	Pass
1**	2483.500	50.31	-1.18	54.0	-3.69	AV	277.00	150	Horizontal	Pass

802.11n20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.02	-1.18	74.0	-11.98	Peak	281.00	150	Horizontal	Pass
1**	2483.500	50.44	-1.18	54.0	-3.56	AV	281.00	150	Horizontal	Pass
2	2484.500	63.03	-1.11	74.0	-10.97	Peak	267.00	150	Horizontal	Pass
2**	2484.500	49.15	-1.11	54.0	-4.85	AV	267.00	150	Horizontal	Pass

802.11n40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.38	-1.52	74.0	-8.62	Peak	106.00	150	Horizontal	Pass
1**	2390.000	50.81	-1.52	54.0	-3.19	AV	106.00	150	Horizontal	Pass
2	2388.667	67.66	-1.29	74.0	-6.34	Peak	278.00	150	Horizontal	Pass
2**	2388.667	50.01	-1.29	54.0	-3.99	AV	278.00	150	Horizontal	Pass

802.11n40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.77	-1.52	74.0	-10.23	Peak	264.00	150	Horizontal	Pass
1**	2390.000	50.66	-1.52	54.0	-3.34	AV	264.00	150	Horizontal	Pass
2	2389.500	65.71	-1.43	74.0	-8.29	Peak	281.00	150	Horizontal	Pass
2**	2389.500	50.83	-1.43	54.0	-3.17	AV	281.00	150	Horizontal	Pass

802.11n40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.06	-1.52	74.0	-14.94	Peak	280.00	150	Horizontal	Pass
1**	2390.000	49.64	-1.52	54.0	-4.36	AV	280.00	150	Horizontal	Pass
2	2387.833	60.66	-1.27	74.0	-13.34	Peak	280.00	150	Horizontal	Pass
2**	2387.833	49.42	-1.27	54.0	-4.58	AV	280.00	150	Horizontal	Pass

802.11n40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.28	-1.18	74.0	-10.72	Peak	274.00	150	Horizontal	Pass
1**	2483.500	50.60	-1.18	54.0	-3.40	AV	274.00	150	Horizontal	Pass
2	2485.150	63.39	-1.11	74.0	-10.61	Peak	271.00	150	Horizontal	Pass
2**	2485.150	49.96	-1.11	54.0	-4.04	AV	271.00	150	Horizontal	Pass

802.11n40 CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.47	-1.18	74.0	-9.53	Peak	267.00	150	Horizontal	Pass
1**	2483.500	50.81	-1.18	54.0	-3.19	AV	267.00	150	Horizontal	Pass
2	2484.150	65.15	-1.12	74.0	-8.85	Peak	266.00	150	Horizontal	Pass
2**	2484.150	50.62	-1.12	54.0	-3.38	AV	266.00	150	Horizontal	Pass

802.11n40 CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.47	-1.18	74.0	-9.53	Peak	110.00	150	Horizontal	Pass
1**	2483.500	50.92	-1.18	54.0	-3.08	AV	110.00	150	Horizontal	Pass
2	2485.000	67.19	-1.11	74.0	-6.81	Peak	284.00	150	Horizontal	Pass
2**	2485.000	50.61	-1.11	54.0	-3.39	AV	284.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-18.80	8
6	-19.03	8
11	-19.06	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-24.07	8
2	-22.42	8
3	-20.83	8
4	-20.32	8
6	-20.51	8
8	-20.70	8
9	-21.31	8
10	-22.63	8
11	-24.48	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
1	-25.34	8
2	-23.93	8
3	-23.89	8
4	-23.72	8
5	-22.74	8
6	-21.60	8
7	-21.66	8
8	-22.19	8
9	-22.30	8
10	-23.88	8
11	-26.19	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
3	-30.13	8
4	-30.18	8
5	-29.87	8
6	-24.11	8
7	-28.26	8
8	-29.99	8
9	-29.81	8

Test Plots

802.11b CHANNEL 1




802.11b CHANNEL 6



802.11b CHANNEL 11



802.11g CHANNEL 1



802.11g CHANNEL 2



802.11g CHANNEL 3



802.11g CHANNEL 4



802.11g CHANNEL 6



802.11g CHANNEL 8



802.11g CHANNEL 9



802.11g CHANNEL 10



802.11g CHANNEL 11



802.11n-20 MHz CHANNEL 1



802.11n-20 MHz CHANNEL 2



802.11n-20 MHz CHANNEL 3



802.11n-20 MHz CHANNEL 4



802.11n-20 MHz CHANNEL 5




802.11n-20 MHz CHANNEL 6



802.11n-20 MHz CHANNEL 7




802.11n-20 MHz CHANNEL 8



802.11n-20 MHz CHANNEL 9




802.11n-20 MHz CHANNEL 10



802.11n-20 MHz CHANNEL 11



802.11n-40 MHz CHANNEL 3




802.11n-40 MHz CHANNEL 4




802.11n-40 MHz CHANNEL 5




802.11n-40 MHz CHANNEL 6



802.11n-40 MHz CHANNEL 7



802.11n-40 MHz CHANNEL 8



802.11n-40 MHz CHANNEL 9



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ21B0836-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ21B0836-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ21B0836-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--