

SPECIFICATION

SHEET FOR APPROVAL

(Revision: R: A0)

	CUSTOMER	HESUNG	
	CS P/N	DR-HAC008S	
	PART NAME	WIFI antenna	
	FREQUENCY	2400~2500MHz	
	ZTX NO.	2.00000641	
	DATE	2023-12-22	

CUSTOMER			
QA CHECKED	ME CHECKED	RF CHECKED	MANAGER CHECKED

Remark:

Sign:

Shenzhen ZTX Communication Technology Co., Ltd				
MANAGER CHECKED	MANAGER CHECKED	ME CHECKED	RF CHECKED	LISTER
		柯友杰	刘刚	



Shenzhen ZTX Communication Technology Co., Ltd

post: 518000
fax: 0755-27588045

tel: 0755-27588320
<http://www.chinaztx.com>

ANTENNA SPECIFICATION

CUS P/N :DR-HAC008S WIFI

Application Date:Dec,22,2023

Rev: R:A0

ZTX P/N :DR-HAC008S WIFI

Editor:

Page 1 of 8

Revision history

edition	date	state
A0	2023-12-22	first edition

ANTENNA SPECIFICATION

CUS P/N :DR-HAC008S WIFI

Application Date:Dec,22,2023

Rev: R:A0

ZTX P/N :DR-HAC008S WIFI

Editor:

Page 2 of 8

Index

		Revision history	1
		Index	2
1		Mechanical Specification	3
	1-1	Mechanical Specification(WIFI)	3
2		Test equipment	4
3		Test Results Surmmary	5
	3-1	Active Test	5
	3-2	VSWR	5
	3-3	No-source test data	6
	3-4	2D/3D Radiation Pattern Results	7
	3-5	Environmental treatment	8

ANTENNA SPECIFICATION

CUS P/N :DR-HAC008S WIFI

ZTX P/N :DR-HAC008S WIFI



Application Date:Dec,22,2023

Editor:

Rev: R:A0

Page 4 of 8


2. Test equipment



Owned 6 microwave dark room, equipped 2 sets world leading France Satimo SG24 OTA certification test systems (one in SHENZHEN, another one in Shanghai), ETS OTA Standard test system, Blue test reverberation test system which is High repeatability, high accuracy and high resolution. It can quickly provide accurate test reports, fully meet the CTIA standards.

Testing range:

Support active, passive testing of GSM/CDMA/WCDMA/TD-SCDMA/LTE/WIFI/WLAN/WiMax/BT/GPS/MIMO/UWB within 0.4-6G.



ANTENNA SPECIFICATION

CUS P/N :DR-HAC008S WIFI
ZTX P/N :DR-HAC008S WIFI


Application Date:Dec,22,2023
Editor:

Rev: R:A0
Page 5 of 8

3.Test Results Summary 3-1 Active Test

11b	Channels	TRP (11M)	TIS (11M)
	1	15.58	-83.67
	6	15.68	-83.82
	11	15.89	-83.73
11g	Channels	TRP (54M)	TIS (54M)
	1	12.03	-70.78
	6	12.11	-70.77
	11	12.45	-70.86
11n	Channels	TRP (MCS7)	TIS (MCS7)
	1	11.89	-66.44
	6	12.07	-66.53
	11	12.38	-66.88

3-2 VSWR



ANTENNA SPECIFICATION

CUS P/N :DR-HAC008S WIFI

Application Date:Dec,22,2023

Rev: R:A0

ZTX P/N :DR-HAC008S WIFI

Editor:

Page 6 of 8

3-3 No-source test data

Frequency	Efficiency	Efficiency (dB)	Gain (dB)
2400MHz	63%	-1.98	5.95
2410MHz	64%	-1.95	5.52
2420MHz	65%	-1.85	5.63
2430MHz	66%	-1.83	5.53
2440MHz	65%	-1.89	5.58
2450MHz	65%	-1.86	5.74
2460MHz	66%	-1.83	5.91
2470MHz	65%	-1.88	6.02
2480MHz	65%	-1.89	5.92
2490MHz	64%	-1.96	5.96
2500MHz	63%	-2.01	6.06

ANTENNA SPECIFICATION

CUS P/N :DR-HAC008S WIFI

Application Date:Dec,22,2023


Rev: R:A0

ZTX P/N :DR-HAC008S WIFI


Editor:

Page 7 of 8


3-4 2D/3D Radiation Pattern Results





xoy



yoz



xoz



ANTENNA SPECIFICATION

CUS P/N :DR-HAC008S WIFI

Application Date:Dec,22,2023

Rev: R:A0

ZTX P/N :DR-HAC008S WIFI

Editor:

Page 8 of 8

3-5 Environmental treatment

