







Mode	73																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_5530MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.63</td><td>53.96</td><td>74.00</td><td>-20.04</td><td>39.74</td><td>35.97</td><td>10.93</td><td>32.68</td><td>116 172 PEAK</td></tr><tr><td>2</td><td>5465.13</td><td>53.79</td><td>68.30</td><td>-14.51</td><td>39.38</td><td>35.96</td><td>11.14</td><td>32.69</td><td>116 172 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5413.63	53.96	74.00	-20.04	39.74	35.97	10.93	32.68	116 172 PEAK	2	5465.13	53.79	68.30	-14.51	39.38	35.96	11.14	32.69	116 172 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.21</td><td>-----</td><td>-----</td><td>88.41</td><td>36.14</td><td>11.37</td><td>32.71</td><td>116 172 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.21	-----	-----	88.41	36.14	11.37	32.71	116 172 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5413.63	53.96	74.00	-20.04	39.74	35.97	10.93	32.68	116 172 PEAK																																																																																			
2	5465.13	53.79	68.30	-14.51	39.38	35.96	11.14	32.69	116 172 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	103.21	-----	-----	88.41	36.14	11.37	32.71	116 172 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>29.46</td><td>35.94</td><td>11.12</td><td>32.69</td><td>116 172 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	43.83	54.00	-10.17	29.46	35.94	11.12	32.69	116 172 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>92.85</td><td>-----</td><td>-----</td><td>77.87</td><td>36.20</td><td>11.50</td><td>32.72</td><td>116 172 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.85	-----	-----	77.87	36.20	11.50	32.72	116 172 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5459.98	43.83	54.00	-10.17	29.46	35.94	11.12	32.69	116 172 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	92.85	-----	-----	77.87	36.20	11.50	32.72	116 172 AVERAGE																																																																																			



		74																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5439.86</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>38.41</td><td>35.92</td><td>11.04</td><td>32.69</td><td>400</td><td>125 PEAK</td></tr><tr><td>2 5467.68</td><td>52.86</td><td>68.30</td><td>-15.44</td><td>38.43</td><td>35.97</td><td>11.15</td><td>32.69</td><td>400</td><td>125 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5439.86	52.68	74.00	-21.32	38.41	35.92	11.04	32.69	400	125 PEAK	2 5467.68	52.86	68.30	-15.44	38.43	35.97	11.15	32.69	400	125 PEAK	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>100.20</td><td>-----</td><td>-----</td><td>84.86</td><td>36.39</td><td>11.70</td><td>32.75</td><td>400</td><td>125 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	100.20	-----	-----	84.86	36.39	11.70	32.75	400	125 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5439.86	52.68	74.00	-21.32	38.41	35.92	11.04	32.69	400	125 PEAK																																																																																											
2 5467.68	52.86	68.30	-15.44	38.43	35.97	11.15	32.69	400	125 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5610.00	100.20	-----	-----	84.86	36.39	11.70	32.75	400	125 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5400.86</td><td>42.61</td><td>54.00</td><td>-11.39</td><td>28.39</td><td>36.00</td><td>10.90</td><td>32.68</td><td>400</td><td>125 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5400.86	42.61	54.00	-11.39	28.39	36.00	10.90	32.68	400	125 AVERAGE	 Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>90.83</td><td>-----</td><td>-----</td><td>75.49</td><td>36.39</td><td>11.70</td><td>32.75</td><td>400</td><td>125 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5610.00	90.83	-----	-----	75.49	36.39	11.70	32.75	400	125 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5400.86	42.61	54.00	-11.39	28.39	36.00	10.90	32.68	400	125 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 5610.00	90.83	-----	-----	75.49	36.39	11.70	32.75	400	125 AVERAGE																																																																																											



Mode	74	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Date: 2025-02-22 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5732.53 54.25 68.30 -14.05 38.72 36.67 11.65 32.79 400 125 PEAK	Blank



Mode	74																																																																										
	Band Edge - L																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz																																																																										
ANT	1+2																																																																										
Pol.	Vertical	Fundamental																																																																									
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.44</td><td>52.89</td><td>74.00</td><td>-21.11</td><td>38.63</td><td>35.93</td><td>11.02</td><td>32.69</td><td>118</td><td>171 PEAK</td></tr><tr><td>2</td><td>5467.13</td><td>54.03</td><td>68.30</td><td>-14.27</td><td>39.60</td><td>35.97</td><td>11.15</td><td>32.69</td><td>118</td><td>171 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5435.44	52.89	74.00	-21.11	38.63	35.93	11.02	32.69	118	171 PEAK	2	5467.13	54.03	68.30	-14.27	39.60	35.97	11.15	32.69	118	171 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.53</td><td>-----</td><td>-----</td><td>87.27</td><td>36.30</td><td>11.70</td><td>32.74</td><td>118</td><td>171 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5610.00	102.53	-----	-----	87.27	36.30	11.70	32.74	118	171 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5435.44	52.89	74.00	-21.11	38.63	35.93	11.02	32.69	118	171 PEAK																																																																	
2	5467.13	54.03	68.30	-14.27	39.60	35.97	11.15	32.69	118	171 PEAK																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5610.00	102.53	-----	-----	87.27	36.30	11.70	32.74	118	171 PEAK																																																																	
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.94</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>29.09</td><td>35.92</td><td>11.10</td><td>32.69</td><td>118</td><td>171 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5454.94	43.42	54.00	-10.58	29.09	35.92	11.10	32.69	118	171 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.57</td><td>-----</td><td>-----</td><td>78.38</td><td>36.28</td><td>11.65</td><td>32.74</td><td>118</td><td>171 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg	1	5610.00	93.57	-----	-----	78.38	36.28	11.65	32.74	118	171 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5454.94	43.42	54.00	-10.58	29.09	35.92	11.10	32.69	118	171 AVERAGE																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	dB	cm	deg																																																																		
1	5610.00	93.57	-----	-----	78.38	36.28	11.65	32.74	118	171 AVERAGE																																																																	



Mode	74																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_5610MHz																																																			
ANT	1+2																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.70</td><td>54.93</td><td>68.30</td><td>-13.37</td><td>39.40</td><td>36.67</td><td>11.65</td><td>32.79</td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>171 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5732.70	54.93	68.30	-13.37	39.40	36.67	11.65	32.79	118										171 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5732.70	54.93	68.30	-13.37	39.40	36.67	11.65	32.79	118																																											
									171 PEAK																																											



Mode	75																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5042.38</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>39.08</td><td>35.80</td><td>11.15</td><td>32.61</td><td>400</td><td>125</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5042.38	53.42	74.00	-20.58	39.08	35.80	11.15	32.61	400	125	PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>92.07</td><td>-----</td><td>-----</td><td>77.90</td><td>35.80</td><td>11.02</td><td>32.65</td><td>400</td><td>125</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	92.07	-----	-----	77.90	35.80	11.02	32.65	400	125	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5042.38	53.42	74.00	-20.58	39.08	35.80	11.15	32.61	400	125	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5250.00	92.07	-----	-----	77.90	35.80	11.02	32.65	400	125	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.88</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>28.86</td><td>35.74</td><td>11.10</td><td>32.63</td><td>400</td><td>125</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5129.88	43.07	54.00	-10.93	28.86	35.74	11.10	32.63	400	125	AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>84.05</td><td>-----</td><td>-----</td><td>69.88</td><td>35.80</td><td>11.02</td><td>32.65</td><td>400</td><td>125</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	84.05	-----	-----	69.88	35.80	11.02	32.65	400	125	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5129.88	43.07	54.00	-10.93	28.86	35.74	11.10	32.63	400	125	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5250.00	84.05	-----	-----	69.88	35.80	11.02	32.65	400	125	AVERAGE																																																																															



Mode	75																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.06</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>38.61</td><td>35.97</td><td>10.94</td><td>32.68</td><td>400 125 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5417.06	52.84	74.00	-21.16	38.61	35.97	10.94	32.68	400 125 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5417.06	52.84	74.00	-21.16	38.61	35.97	10.94	32.68	400 125 PEAK																																	
Avg	Date: 2025-02-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5402.80</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>28.80</td><td>35.99</td><td>10.90</td><td>32.68</td><td>400 125 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5402.80	43.01	54.00	-10.99	28.80	35.99	10.90	32.68	400 125 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5402.80	43.01	54.00	-10.99	28.80	35.99	10.90	32.68	400 125 AVERAGE																																	



Mode	75																																																																													
	Band Edge - L																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz																																																																													
ANT	1+2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5112.88</td><td>54.47</td><td>74.00</td><td>-19.53</td><td>40.21</td><td>35.77</td><td>11.11</td><td>32.62</td><td>158</td><td>176 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5112.88	54.47	74.00	-19.53	40.21	35.77	11.11	32.62	158	176 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>97.54</td><td>-----</td><td>-----</td><td>83.37</td><td>35.80</td><td>11.02</td><td>32.65</td><td>158</td><td>176 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	97.54	-----	-----	83.37	35.80	11.02	32.65	158	176 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5112.88	54.47	74.00	-19.53	40.21	35.77	11.11	32.62	158	176 PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5250.00	97.54	-----	-----	83.37	35.80	11.02	32.65	158	176 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5112.38</td><td>45.16</td><td>54.00</td><td>-8.84</td><td>30.89</td><td>35.78</td><td>11.11</td><td>32.62</td><td>158</td><td>176 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5112.38	45.16	54.00	-8.84	30.89	35.78	11.11	32.62	158	176 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5250.00</td><td>88.72</td><td>-----</td><td>-----</td><td>74.55</td><td>35.80</td><td>11.02</td><td>32.65</td><td>158</td><td>176 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5250.00	88.72	-----	-----	74.55	35.80	11.02	32.65	158	176 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5112.38	45.16	54.00	-8.84	30.89	35.78	11.11	32.62	158	176 AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5250.00	88.72	-----	-----	74.55	35.80	11.02	32.65	158	176 AVERAGE																																																																					



Mode	75									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz									
ANT	1+2									
Pol.	Vertical					Fundamental				
Peak	<									



Mode	75																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_5250MHz																																																																																																																					
ANT	1+2																																																																																																																					
Pol.	Horizontal										Vertical																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-02-24 Frequency (MHz)										Level (dBuV/m) Date: 2025-02-24 Frequency (MHz)																																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.19</td><td>68.30</td><td>-21.11</td><td>46.15</td><td>38.20</td><td>14.24</td><td>51.40</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>42.81</td><td>40.65</td><td>17.02</td><td>52.65</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.19	68.30	-21.11	46.15	38.20	14.24	51.40	---	Peak	2	15750.00	47.83	74.00	-26.17	42.81	40.65	17.02	52.65	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>47.69</td><td>68.30</td><td>-20.61</td><td>46.65</td><td>38.20</td><td>14.24</td><td>51.40</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15750.00</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>42.29</td><td>40.65</td><td>17.02</td><td>52.65</td><td>---</td><td>Peak</td></tr></table>								Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	47.69	68.30	-20.61	46.65	38.20	14.24	51.40	---	Peak	2	15750.00	47.31	74.00	-26.69	42.29	40.65	17.02	52.65	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10500.00	47.19	68.30	-21.11	46.15	38.20	14.24	51.40	---	Peak																																																																																																												
2	15750.00	47.83	74.00	-26.17	42.81	40.65	17.02	52.65	---	Peak																																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10500.00	47.69	68.30	-20.61	46.65	38.20	14.24	51.40	---	Peak																																																																																																												
2	15750.00	47.31	74.00	-26.69	42.29	40.65	17.02	52.65	---	Peak																																																																																																												



Mode	76																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5404.89</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>38.53</td><td>35.99</td><td>10.90</td><td>32.68</td><td>391 130 PEAK</td></tr><tr><td>2</td><td>5461.43</td><td>52.63</td><td>68.30</td><td>-15.67</td><td>38.24</td><td>35.95</td><td>11.13</td><td>32.69</td><td>391 130 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5404.89	52.74	74.00	-21.26	38.53	35.99	10.90	32.68	391 130 PEAK	2	5461.43	52.63	68.30	-15.67	38.24	35.95	11.13	32.69	391 130 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>92.49</td><td>-----</td><td>-----</td><td>77.44</td><td>36.23</td><td>11.55</td><td>32.73</td><td>391 130 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	92.49	-----	-----	77.44	36.23	11.55	32.73	391 130 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5404.89	52.74	74.00	-21.26	38.53	35.99	10.90	32.68	391 130 PEAK																																																																																			
2	5461.43	52.63	68.30	-15.67	38.24	35.95	11.13	32.69	391 130 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5570.00	92.49	-----	-----	77.44	36.23	11.55	32.73	391 130 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.55</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>28.79</td><td>35.92</td><td>11.03</td><td>32.69</td><td>391 130 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5438.55	43.05	54.00	-10.95	28.79	35.92	11.03	32.69	391 130 AVERAGE	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>83.53</td><td>-----</td><td>-----</td><td>68.48</td><td>36.23</td><td>11.55</td><td>32.73</td><td>391 130 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	83.53	-----	-----	68.48	36.23	11.55	32.73	391 130 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5438.55	43.05	54.00	-10.95	28.79	35.92	11.03	32.69	391 130 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5570.00	83.53	-----	-----	68.48	36.23	11.55	32.73	391 130 AVERAGE																																																																																			



Mode	76																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.11</td><td>54.01</td><td>68.30</td><td>-14.29</td><td>38.48</td><td>36.67</td><td>11.65</td><td>32.79</td><td>391 130 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5734.11	54.01	68.30	-14.29	38.48	36.67	11.65	32.79	391 130 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5734.11	54.01	68.30	-14.29	38.48	36.67	11.65	32.79	391 130 PEAK																																	



		76																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 535053945438548255265570 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5414.81</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>41.04</td><td>35.97</td><td>10.93</td><td>32.68</td><td>141 171 PEAK</td></tr><tr><td>2</td><td>5462.29</td><td>54.19</td><td>68.30</td><td>-14.11</td><td>39.80</td><td>35.95</td><td>11.13</td><td>32.69</td><td>141 171 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.70</td><td>-----</td><td>-----</td><td>81.65</td><td>36.23</td><td>11.55</td><td>32.73</td><td>141 171 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5414.81	55.26	74.00	-18.74	41.04	35.97	10.93	32.68	141 171 PEAK	2	5462.29	54.19	68.30	-14.11	39.80	35.95	11.13	32.69	141 171 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.70	-----	-----	81.65	36.23	11.55	32.73	141 171 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5414.81	55.26	74.00	-18.74	41.04	35.97	10.93	32.68	141 171 PEAK																																																																																											
2	5462.29	54.19	68.30	-14.11	39.80	35.95	11.13	32.69	141 171 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	96.70	-----	-----	81.65	36.23	11.55	32.73	141 171 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 535053945438548255265570 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.05</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>30.97</td><td>35.93</td><td>11.02</td><td>32.69</td><td>141 171 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-22 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>87.95</td><td>-----</td><td>-----</td><td>72.87</td><td>36.24</td><td>11.57</td><td>32.73</td><td>141 171 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5435.05	45.23	54.00	-8.77	30.97	35.93	11.02	32.69	141 171 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	87.95	-----	-----	72.87	36.24	11.57	32.73	141 171 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5435.05	45.23	54.00	-8.77	30.97	35.93	11.02	32.69	141 171 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	87.95	-----	-----	72.87	36.24	11.57	32.73	141 171 AVERAGE																																																																																											



Mode	76																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																										
ANT	1+2																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-02-22 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.32</td><td>54.33</td><td>68.30</td><td>-13.97</td><td>38.81</td><td>36.66</td><td>11.65</td><td>32.79</td><td>141</td><td>171 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5732.32	54.33	68.30	-13.97	38.81	36.66	11.65	32.79	141	171 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5732.32	54.33	68.30	-13.97	38.81	36.66	11.65	32.79	141	171 PEAK																																	



Mode	76																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_5570MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg	Date: 2025-02-24						Date: 2025-02-24																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11140.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>45.51</td><td>38.04</td><td>14.62</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>47.74</td><td>68.30</td><td>-20.56</td><td>41.76</td><td>41.41</td><td>17.42</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11140.00	47.44	74.00	-26.56	45.51	38.04	14.62	50.73	---	---	Peak	2	16710.00	47.74	68.30	-20.56	41.76	41.41	17.42	52.85	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11140.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>45.75</td><td>38.04</td><td>14.62</td><td>50.73</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16710.00</td><td>47.88</td><td>68.30</td><td>-20.42</td><td>41.90</td><td>41.41</td><td>17.42</td><td>52.85</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11140.00	47.68	74.00	-26.32	45.75	38.04	14.62	50.73	---	---	Peak	2	16710.00	47.88	68.30	-20.42	41.90	41.41	17.42	52.85	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	11140.00	47.44	74.00	-26.56	45.51	38.04	14.62	50.73	---	---	Peak																																																																																																					
2	16710.00	47.74	68.30	-20.56	41.76	41.41	17.42	52.85	---	---	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																							
1	11140.00	47.68	74.00	-26.32	45.75	38.04	14.62	50.73	---	---	Peak																																																																																																					
2	16710.00	47.88	68.30	-20.42	41.90	41.41	17.42	52.85	---	---	Peak																																																																																																					







Mode	77																																																					
	Band Edge																																																					
	U-NII-1_5.25-5.35_802.11be EHT20_CH36_Single RU 52RU37_5180MHz																																																					
ANT	1+2																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
	Date: 2025-03-03																																																					
<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5140.58</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>39.03</td><td>35.72</td><td>11.09</td><td>32.63</td><td>168</td><td>113 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5140.58	53.21	74.00	-20.79	39.03	35.72	11.09	32.63	168	113 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																													
1	5140.58	53.21	74.00	-20.79	39.03	35.72	11.09	32.63	168	113 PEAK																																												
Avg	Date: 2025-03-03																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5061.20</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>28.51</td><td>35.80</td><td>11.14</td><td>32.61</td><td>168</td><td>113 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5061.20	42.84	54.00	-11.16	28.51	35.80	11.14	32.61	168
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																													
1	5061.20	42.84	54.00	-11.16	28.51	35.80	11.14	32.61	168	113 AVERAGE																																												
Peak	Date: 2025-03-03																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>104.83</td><td>-----</td><td>-----</td><td>90.65</td><td>35.75</td><td>11.07</td><td>32.64</td><td>168</td><td>113 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	104.83	-----	-----	90.65	35.75	11.07	32.64	168
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	104.83	-----	-----	90.65	35.75	11.07	32.64	168	113 PEAK																																												
Avg	Date: 2025-03-03																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>95.37</td><td>-----</td><td>-----</td><td>81.19</td><td>35.74</td><td>11.07</td><td>32.63</td><td>168</td><td>113 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	95.37	-----	-----	81.19	35.74	11.07	32.63	168
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	95.37	-----	-----	81.19	35.74	11.07	32.63	168	113 AVERAGE																																												



		77																																																																																									
Mode	Band Edge																																																																																										
	U-NII-1_5.25-5.35_802.11be EHT20_CH36_Single RU 52RU37_5180MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5069.84</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>39.67</td><td>35.80</td><td>11.13</td><td>32.61</td><td>108</td><td>169</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5069.84	53.99	74.00	-20.01	39.67	35.80	11.13	32.61	108	169	PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.99</td><td>-----</td><td>-----</td><td>95.81</td><td>35.74</td><td>11.07</td><td>32.63</td><td>108</td><td>169</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.99	-----	-----	95.81	35.74	11.07	32.63	108	169	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5069.84	53.99	74.00	-20.01	39.67	35.80	11.13	32.61	108	169	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	109.99	-----	-----	95.81	35.74	11.07	32.63	108	169	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.56</td><td>43.67</td><td>54.00</td><td>-10.33</td><td>29.48</td><td>35.73</td><td>11.09</td><td>32.63</td><td>108</td><td>169</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5133.56	43.67	54.00	-10.33	29.48	35.73	11.09	32.63	108	169	AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.72</td><td>-----</td><td>-----</td><td>87.54</td><td>35.74</td><td>11.07</td><td>32.63</td><td>108</td><td>169</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.72	-----	-----	87.54	35.74	11.07	32.63	108	169	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5133.56	43.67	54.00	-10.33	29.48	35.73	11.09	32.63	108	169	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	101.72	-----	-----	87.54	35.74	11.07	32.63	108	169	AVERAGE																																																																																



		78																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Single RU 52RU40_5320MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5374.32</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>38.30</td><td>36.05</td><td>10.93</td><td>32.67</td><td>161</td><td>109 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5374.32	52.61	74.00	-21.39	38.30	36.05	10.93	32.67	161	109 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>101.88</td><td>-----</td><td>-----</td><td>87.63</td><td>35.96</td><td>10.96</td><td>32.67</td><td>161</td><td>109 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.88	-----	-----	87.63	35.96	10.96	32.67	161
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5374.32	52.61	74.00	-21.39	38.30	36.05	10.93	32.67	161	109 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	101.88	-----	-----	87.63	35.96	10.96	32.67	161	109 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5453.00</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>28.26</td><td>35.91</td><td>11.09</td><td>32.69</td><td>161</td><td>109 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5453.00	42.57	54.00	-11.43	28.26	35.91	11.09	32.69	161	109 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>94.13</td><td>-----</td><td>-----</td><td>79.88</td><td>35.96</td><td>10.96</td><td>32.67</td><td>161</td><td>109 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	94.13	-----	-----	79.88	35.96	10.96	32.67	161
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5453.00	42.57	54.00	-11.43	28.26	35.91	11.09	32.69	161	109 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	94.13	-----	-----	79.88	35.96	10.96	32.67	161	109 AVERAGE																																																																																



		78																																																																																
Mode		Band Edge																																																																																
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Single RU 52RU40_5320MHz																																																																																
ANT		1+2																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5448.94</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>38.81</td><td>35.90</td><td>11.07</td><td>32.69</td><td>108 167 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5448.94	53.09	74.00	-20.91	38.81	35.90	11.07	32.69	108 167 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>108.65</td><td>-----</td><td>-----</td><td>94.40</td><td>35.96</td><td>10.96</td><td>32.67</td><td>108 168 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	108.65	-----	-----	94.40	35.96	10.96	32.67	108 168 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5448.94	53.09	74.00	-20.91	38.81	35.90	11.07	32.69	108 167 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	108.65	-----	-----	94.40	35.96	10.96	32.67	108 168 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5352.76</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>28.65</td><td>36.09</td><td>10.94</td><td>32.67</td><td>108 167 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5352.76	43.01	54.00	-10.99	28.65	36.09	10.94	32.67	108 167 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>100.09</td><td>-----</td><td>-----</td><td>85.84</td><td>35.96</td><td>10.96</td><td>32.67</td><td>108 168 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.09	-----	-----	85.84	35.96	10.96	32.67	108 168 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5352.76	43.01	54.00	-10.99	28.65	36.09	10.94	32.67	108 167 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5320.00	100.09	-----	-----	85.84	35.96	10.96	32.67	108 168 AVERAGE																																																																										



		79																																																																																																												
Mode	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Single RU 106RU53_5500MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5391.70</td><td>52.25</td><td>74.00</td><td>-21.75</td><td>38.00</td><td>36.02</td><td>10.91</td><td>32.68</td><td>174</td><td>143 PEAK</td></tr><tr><td>2</td><td>5462.95</td><td>52.19</td><td>68.30</td><td>-16.11</td><td>37.80</td><td>35.95</td><td>11.13</td><td>32.69</td><td>174</td><td>143 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5391.70	52.25	74.00	-21.75	38.00	36.02	10.91	32.68	174	143 PEAK	2	5462.95	52.19	68.30	-16.11	37.80	35.95	11.13	32.69	174	143 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.41</td><td>-----</td><td>-----</td><td>84.77</td><td>36.08</td><td>11.26</td><td>32.70</td><td>174</td><td>143 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5500.00	99.41	-----	-----	84.77	36.08	11.26	32.70	174	143 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5391.70	52.25	74.00	-21.75	38.00	36.02	10.91	32.68	174	143 PEAK																																																																																																				
2	5462.95	52.19	68.30	-16.11	37.80	35.95	11.13	32.69	174	143 PEAK																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	99.41	-----	-----	84.77	36.08	11.26	32.70	174	143 PEAK																																																																																																				
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5385.85</td><td>42.26</td><td>54.00</td><td>-11.74</td><td>27.99</td><td>36.03</td><td>10.92</td><td>32.68</td><td>174</td><td>143 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5385.85	42.26	54.00	-11.74	27.99	36.03	10.92	32.68	174	143 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>90.46</td><td>-----</td><td>-----</td><td>75.82</td><td>36.08</td><td>11.26</td><td>32.70</td><td>174</td><td>143 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5500.00	90.46	-----	-----	75.82	36.08	11.26	32.70	174	143 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5385.85	42.26	54.00	-11.74	27.99	36.03	10.92	32.68	174	143 AVERAGE																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	90.46	-----	-----	75.82	36.08	11.26	32.70	174	143 AVERAGE																																																																																																				



		79																																																																																										
Mode	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Single RU 106RU53_5500MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) 12 PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.05</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>38.91</td><td>35.94</td><td>11.12</td><td>32.69</td><td>102</td><td>173 PEAK</td></tr><tr><td>2 5461.75</td><td>53.16</td><td>68.30</td><td>-15.14</td><td>38.77</td><td>35.95</td><td>11.13</td><td>32.69</td><td>102</td><td>173 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5459.05	53.28	74.00	-20.72	38.91	35.94	11.12	32.69	102	173 PEAK	2 5461.75	53.16	68.30	-15.14	38.77	35.95	11.13	32.69	102	173 PEAK	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) 1 PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>109.42</td><td>-----</td><td>-----</td><td>94.78</td><td>36.08</td><td>11.26</td><td>32.70</td><td>102</td><td>173 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	109.42	-----	-----	94.78	36.08	11.26	32.70	102	173 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5459.05	53.28	74.00	-20.72	38.91	35.94	11.12	32.69	102	173 PEAK																																																																																			
2 5461.75	53.16	68.30	-15.14	38.77	35.95	11.13	32.69	102	173 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5500.00	109.42	-----	-----	94.78	36.08	11.26	32.70	102	173 PEAK																																																																																			
Avg	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) 1 PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5453.50</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>28.54</td><td>35.91</td><td>11.09</td><td>32.69</td><td>102</td><td>173 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5453.50	42.85	54.00	-11.15	28.54	35.91	11.09	32.69	102	173 AVERAGE	Date: 2025-03-04 Level (dBuV/m) Frequency (MHz) 1 PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>100.37</td><td>-----</td><td>-----</td><td>85.73</td><td>36.08</td><td>11.26</td><td>32.70</td><td>102</td><td>173 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	100.37	-----	-----	85.73	36.08	11.26	32.70	102	173 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5453.50	42.85	54.00	-11.15	28.54	35.91	11.09	32.69	102	173 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5500.00	100.37	-----	-----	85.73	36.08	11.26	32.70	102	173 AVERAGE																																																																																			







Mode	80																																																																																
	Band Edge																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 52RU40_5700MHz																																																																																
ANT	1+2																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.94</td><td>53.85</td><td>68.30</td><td>-14.45</td><td>38.31</td><td>36.70</td><td>11.64</td><td>32.80</td><td>177 114 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5751.94	53.85	68.30	-14.45	38.31	36.70	11.64	32.80	177 114 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.27</td><td>-----</td><td>82.77</td><td>36.62</td><td>11.66</td><td>32.78</td><td>177 114 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.27	-----	82.77	36.62	11.66	32.78	177 114 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5751.94	53.85	68.30	-14.45	38.31	36.70	11.64	32.80	177 114 PEAK																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	98.27	-----	82.77	36.62	11.66	32.78	177 114 PEAK																																																																									
Avg	Blank	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>91.00</td><td>-----</td><td>75.51</td><td>36.61</td><td>11.66</td><td>32.78</td><td>177 114 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	91.00	-----	75.51	36.61	11.66	32.78	177 114 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5700.00	91.00	-----	75.51	36.61	11.66	32.78	177 114 AVERAGE																																																																									







Mode	80																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 52RU40_5700MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.36</td><td>54.72</td><td>68.30</td><td>-13.58</td><td>39.20</td><td>36.66</td><td>11.65</td><td>32.79</td><td>155</td><td>152 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5730.36	54.72	68.30	-13.58	39.20	36.66	11.65	32.79	155	152 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>108.23</td><td>-----</td><td>-----</td><td>92.74</td><td>36.61</td><td>11.66</td><td>32.78</td><td>155</td><td>152 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.23	-----	-----	92.74	36.61	11.66	32.78	155	152 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5730.36	54.72	68.30	-13.58	39.20	36.66	11.65	32.79	155	152 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	108.23	-----	-----	92.74	36.61	11.66	32.78	155	152 PEAK																																																																																		
Avg	Blank					Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.96</td><td>-----</td><td>-----</td><td>83.46</td><td>36.62</td><td>11.66</td><td>32.78</td><td>155</td><td>152 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.96	-----	-----	83.46	36.62	11.66	32.78	155	152 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	98.96	-----	-----	83.46	36.62	11.66	32.78	155	152 AVERAGE																																																																																		







Mode	81																																																																																										
	Band Edge																																																																																										
	U-NII-1_5.25-5.35_802.11be EHT20_CH36_Small RU 106+26_OFDMA1_5180MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.62</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>39.37</td><td>35.71</td><td>11.09</td><td>32.63</td><td>168</td><td>112 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5145.62	53.54	74.00	-20.46	39.37	35.71	11.09	32.63	168	112 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.29</td><td>-----</td><td>-----</td><td>88.11</td><td>35.75</td><td>11.07</td><td>32.64</td><td>168</td><td>112 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.29	-----	-----	88.11	35.75	11.07	32.64	168
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5145.62	53.54	74.00	-20.46	39.37	35.71	11.09	32.63	168	112 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	102.29	-----	-----	88.11	35.75	11.07	32.64	168	112 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5068.04</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>28.56</td><td>35.80</td><td>11.13</td><td>32.61</td><td>168</td><td>112 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5068.04	42.88	54.00	-11.12	28.56	35.80	11.13	32.61	168	112 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.09</td><td>-----</td><td>-----</td><td>80.91</td><td>35.74</td><td>11.07</td><td>32.63</td><td>168</td><td>112 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.09	-----	-----	80.91	35.74	11.07	32.63	168
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5068.04	42.88	54.00	-11.12	28.56	35.80	11.13	32.61	168	112 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	95.09	-----	-----	80.91	35.74	11.07	32.63	168	112 AVERAGE																																																																																	







		81																																																																																							
Mode		Band Edge																																																																																							
		U-NII-1_5.25-5.35_802.11be EHT20_CH36_Small RU 106+26_OFDMA1_5180MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.88</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>39.14</td><td>35.76</td><td>11.10</td><td>32.62</td><td>100 177 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5119.88	53.38	74.00	-20.62	39.14	35.76	11.10	32.62	100 177 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.01</td><td>-----</td><td>-----</td><td>93.83</td><td>35.75</td><td>11.07</td><td>32.64</td><td>100 177 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.01	-----	-----	93.83	35.75	11.07	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5119.88	53.38	74.00	-20.62	39.14	35.76	11.10	32.62	100 177 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	108.01	-----	-----	93.83	35.75	11.07	32.64	100 177 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.94</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>28.87</td><td>35.74</td><td>11.10</td><td>32.63</td><td>100 177 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5131.94	43.08	54.00	-10.92	28.87	35.74	11.10	32.63	100 177 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.14</td><td>-----</td><td>-----</td><td>85.96</td><td>35.75</td><td>11.07</td><td>32.64</td><td>100 177 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.14	-----	-----	85.96	35.75	11.07	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5131.94	43.08	54.00	-10.92	28.87	35.74	11.10	32.63	100 177 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5180.00	100.14	-----	-----	85.96	35.75	11.07	32.64	100 177 AVERAGE																																																																																



		82																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 106+26_OFDMA2_5320MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5381.74</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>38.12</td><td>36.04</td><td>10.92</td><td>32.68</td><td>161</td><td>111 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5381.74	52.40	74.00	-21.60	38.12	36.04	10.92	32.68	161	111 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>102.04</td><td>-----</td><td>-----</td><td>87.79</td><td>35.96</td><td>10.96</td><td>32.67</td><td>161</td><td>111 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	102.04	-----	-----	87.79	35.96	10.96	32.67	161
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5381.74	52.40	74.00	-21.60	38.12	36.04	10.92	32.68	161	111 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	102.04	-----	-----	87.79	35.96	10.96	32.67	161	111 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5363.96</td><td>41.97</td><td>54.00</td><td>-12.03</td><td>27.64</td><td>36.07</td><td>10.93</td><td>32.67</td><td>161</td><td>111 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5363.96	41.97	54.00	-12.03	27.64	36.07	10.93	32.67	161	111 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>93.77</td><td>-----</td><td>-----</td><td>79.52</td><td>35.96</td><td>10.96</td><td>32.67</td><td>161</td><td>111 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	93.77	-----	-----	79.52	35.96	10.96	32.67	161
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5363.96	41.97	54.00	-12.03	27.64	36.07	10.93	32.67	161	111 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	93.77	-----	-----	79.52	35.96	10.96	32.67	161	111 AVERAGE																																																																																







		82																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 106+26_OFDMA2_5320MHz																																																																																																			
ANT		1+2																																																																																																			
Pol.		Vertical					Fundamental																																																																																														
Peak		Level (dBuV/m) Date: 2025-03-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.90</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>39.07</td><td>36.09</td><td>10.94</td><td>32.67</td><td>100 169 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.90	53.43	74.00	-20.57	39.07	36.09	10.94	32.67	100 169 PEAK	Level (dBuV/m) Date: 2025-03-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.62</td><td>-----</td><td>-----</td><td>94.37</td><td>35.96</td><td>10.96</td><td>32.67</td><td>100 169 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.62	-----	-----	94.37	35.96	10.96	32.67	100 169 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5352.90	53.43	74.00	-20.57	39.07	36.09	10.94	32.67	100 169 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5320.00	108.62	-----	-----	94.37	35.96	10.96	32.67	100 169 PEAK																																																																																												
Avg		Level (dBuV/m) Date: 2025-03-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.68</td><td>42.75</td><td>54.00</td><td>-11.25</td><td>28.39</td><td>36.09</td><td>10.94</td><td>32.67</td><td>100 169 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.68	42.75	54.00	-11.25	28.39	36.09	10.94	32.67	100 169 AVERAGE	Level (dBuV/m) Date: 2025-03-04  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.82</td><td>-----</td><td>-----</td><td>85.57</td><td>35.96</td><td>10.96</td><td>32.67</td><td>100 169 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.82	-----	-----	85.57	35.96	10.96	32.67	100 169 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5356.68	42.75	54.00	-11.25	28.39	36.09	10.94	32.67	100 169 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5320.00	99.82	-----	-----	85.57	35.96	10.96	32.67	100 169 AVERAGE																																																																																												



		83																																																																																																					
Mode		Band Edge																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Small RU 106+26_OFDMA1_5500MHz																																																																																																					
ANT		1+2																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>38.05</td><td>35.94</td><td>11.12</td><td>32.69</td><td>159</td><td>112 PEAK</td></tr><tr><td>2</td><td>5467.30</td><td>52.35</td><td>68.30</td><td>-15.95</td><td>37.92</td><td>35.97</td><td>11.15</td><td>32.69</td><td>159</td><td>112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.90	52.42	74.00	-21.58	38.05	35.94	11.12	32.69	159	112 PEAK	2	5467.30	52.35	68.30	-15.95	37.92	35.97	11.15	32.69	159	112 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.85</td><td>-----</td><td>-----</td><td>83.16</td><td>36.10</td><td>11.29</td><td>32.70</td><td>159</td><td>112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.85	-----	-----	83.16	36.10	11.29	32.70	159	112 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.90	52.42	74.00	-21.58	38.05	35.94	11.12	32.69	159	112 PEAK																																																																																													
2	5467.30	52.35	68.30	-15.95	37.92	35.97	11.15	32.69	159	112 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	97.85	-----	-----	83.16	36.10	11.29	32.70	159	112 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.75</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>28.03</td><td>35.94</td><td>11.11</td><td>32.69</td><td>159</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.75	42.39	54.00	-11.61	28.03	35.94	11.11	32.69	159	112 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>89.56</td><td>-----</td><td>-----</td><td>74.87</td><td>36.10</td><td>11.29</td><td>32.70</td><td>159</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	89.56	-----	-----	74.87	36.10	11.29	32.70	159	112 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.75	42.39	54.00	-11.61	28.03	35.94	11.11	32.69	159	112 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	89.56	-----	-----	74.87	36.10	11.29	32.70	159	112 AVERAGE																																																																																													



		83																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Small RU 106+26_OFDMA1_5500MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5389.15</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>38.73</td><td>36.02</td><td>10.91</td><td>32.68</td><td>100 175 PEAK</td></tr><tr><td>2</td><td>5465.35</td><td>52.00</td><td>68.30</td><td>-16.30</td><td>37.59</td><td>35.96</td><td>11.14</td><td>32.69</td><td>100 175 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.25</td><td>-----</td><td>-----</td><td>93.61</td><td>36.08</td><td>11.26</td><td>32.70</td><td>100 175 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5389.15	52.98	74.00	-21.02	38.73	36.02	10.91	32.68	100 175 PEAK	2	5465.35	52.00	68.30	-16.30	37.59	35.96	11.14	32.69	100 175 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.25	-----	-----	93.61	36.08	11.26	32.70	100 175 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5389.15	52.98	74.00	-21.02	38.73	36.02	10.91	32.68	100 175 PEAK																																																																																											
2	5465.35	52.00	68.30	-16.30	37.59	35.96	11.14	32.69	100 175 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	108.25	-----	-----	93.61	36.08	11.26	32.70	100 175 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5357.05</td><td>42.71</td><td>54.00</td><td>-11.29</td><td>28.35</td><td>36.09</td><td>10.94</td><td>32.67</td><td>100 175 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-03-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.81</td><td>-----</td><td>-----</td><td>85.17</td><td>36.08</td><td>11.26</td><td>32.70</td><td>100 175 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5357.05	42.71	54.00	-11.29	28.35	36.09	10.94	32.67	100 175 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.81	-----	-----	85.17	36.08	11.26	32.70	100 175 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5357.05	42.71	54.00	-11.29	28.35	36.09	10.94	32.67	100 175 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	99.81	-----	-----	85.17	36.08	11.26	32.70	100 175 AVERAGE																																																																																											



Mode	84																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Small RU 106+26_OFDMA2_5700MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.26</td><td>53.14</td><td>68.30</td><td>-15.16</td><td>37.61</td><td>36.69</td><td>11.64</td><td>32.80</td><td>159</td><td>110° PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5747.26	53.14	68.30	-15.16	37.61	36.69	11.64	32.80	159	110° PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.09</td><td>-----</td><td>-----</td><td>83.60</td><td>36.61</td><td>11.66</td><td>32.78</td><td>159</td><td>110° PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.09	-----	-----	83.60	36.61	11.66	32.78	159	110° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5747.26	53.14	68.30	-15.16	37.61	36.69	11.64	32.80	159	110° PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	99.09	-----	-----	83.60	36.61	11.66	32.78	159	110° PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>90.29</td><td>-----</td><td>-----</td><td>74.80</td><td>36.61</td><td>11.66</td><td>32.78</td><td>159</td><td>110° AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	90.29	-----	-----	74.80	36.61	11.66	32.78	159	110° AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	90.29	-----	-----	74.80	36.61	11.66	32.78	159	110° AVERAGE																																																																										





Mode	84																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Small RU 106+26_OFDMA2_5700MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5759.22</td><td>54.35</td><td>68.30</td><td>-13.95</td><td>38.83</td><td>36.68</td><td>11.64</td><td>32.80</td><td>108</td><td>155 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5759.22	54.35	68.30	-13.95	38.83	36.68	11.64	32.80	108	155 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.64</td><td>-----</td><td>-----</td><td>91.15</td><td>36.61</td><td>11.66</td><td>32.78</td><td>108</td><td>155 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.64	-----	-----	91.15	36.61	11.66	32.78	108	155 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5759.22	54.35	68.30	-13.95	38.83	36.68	11.64	32.80	108	155 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	106.64	-----	-----	91.15	36.61	11.66	32.78	108	155 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.34</td><td>-----</td><td>-----</td><td>82.84</td><td>36.62</td><td>11.66</td><td>32.78</td><td>108</td><td>155 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.34	-----	-----	82.84	36.62	11.66	32.78	108	155 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	98.34	-----	-----	82.84	36.62	11.66	32.78	108	155 AVERAGE																																																																										





Mode	85																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-02-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>44.76</td><td>38.20</td><td>14.83</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.63</td><td>68.30</td><td>-19.67</td><td>41.39</td><td>42.69</td><td>17.57</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.48	74.00	-26.52	44.76	38.20	14.83	50.31	---	---	Peak	2	17235.00	48.63	68.30	-19.67	41.39	42.69	17.57	53.02	---	---	Peak	Level (dBuV/m) Date: 2025-02-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>45.15</td><td>38.20</td><td>14.83</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.54</td><td>68.30</td><td>-19.76</td><td>41.30</td><td>42.69</td><td>17.57</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.87	74.00	-26.13	45.15	38.20	14.83	50.31	---	---	Peak	2	17235.00	48.54	68.30	-19.76	41.30	42.69	17.57	53.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
1	11490.00	47.48	74.00	-26.52	44.76	38.20	14.83	50.31	---	---	Peak																																																																																	
2	17235.00	48.63	68.30	-19.67	41.39	42.69	17.57	53.02	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
1	11490.00	47.87	74.00	-26.13	45.15	38.20	14.83	50.31	---	---	Peak																																																																																	
2	17235.00	48.54	68.30	-19.76	41.30	42.69	17.57	53.02	---	---	Peak																																																																																	



Mode	86																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																									
ANT	1+2																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>44.45</td><td>38.20</td><td>14.88</td><td>50.24</td><td>--- --- Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.94</td><td>68.30</td><td>-19.36</td><td>42.38</td><td>42.24</td><td>17.60</td><td>53.28</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11570.00	47.29	74.00	-26.71	44.45	38.20	14.88	50.24	--- --- Peak	2	17355.00	48.94	68.30	-19.36	42.38	42.24	17.60	53.28	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>43.93</td><td>38.20</td><td>14.88</td><td>50.24</td><td>--- --- Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.05</td><td>68.30</td><td>-20.25</td><td>41.49</td><td>42.24</td><td>17.60</td><td>53.28</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11570.00	46.77	74.00	-27.23	43.93	38.20	14.88	50.24	--- --- Peak	2	17355.00	48.05	68.30	-20.25	41.49	42.24	17.60	53.28	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11570.00	47.29	74.00	-26.71	44.45	38.20	14.88	50.24	--- --- Peak																																																																																																	
2	17355.00	48.94	68.30	-19.36	42.38	42.24	17.60	53.28	--- --- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11570.00	46.77	74.00	-27.23	43.93	38.20	14.88	50.24	--- --- Peak																																																																																																	
2	17355.00	48.05	68.30	-20.25	41.49	42.24	17.60	53.28	--- --- Peak																																																																																																	



Mode	87																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>43.91</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>48.34</td><td>68.30</td><td>-19.96</td><td>41.90</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	46.86	74.00	-27.14	43.91	38.20	14.93	2	17475.00	48.34	68.30	-19.96	41.90	42.35	17.63	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>44.54</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.89</td><td>68.30</td><td>-20.41</td><td>41.45</td><td>42.35</td><td>17.63</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11650.00	47.49	74.00	-26.51	44.54	38.20	14.93	2	17475.00	47.89	68.30	-20.41	41.45	42.35	17.63
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	46.86	74.00	-27.14	43.91	38.20	14.93																																																																																									
2	17475.00	48.34	68.30	-19.96	41.90	42.35	17.63																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11650.00	47.49	74.00	-26.51	44.54	38.20	14.93																																																																																									
2	17475.00	47.89	68.30	-20.41	41.45	42.35	17.63																																																																																									





Mode	88																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5618.36</td><td>55.61</td><td>68.30</td><td>-12.69</td><td>40.29</td><td>36.37</td><td>11.70</td><td>32.75</td><td>393</td><td>119 PEAK</td></tr><tr><td>2</td><td>5650.01</td><td>54.07</td><td>68.31</td><td>-14.24</td><td>38.64</td><td>36.50</td><td>11.69</td><td>32.76</td><td>393</td><td>119 PEAK</td></tr><tr><td>3</td><td>5719.99</td><td>68.08</td><td>110.80</td><td>-42.72</td><td>52.57</td><td>36.64</td><td>11.66</td><td>32.79</td><td>393</td><td>119 PEAK</td></tr><tr><td>4</td><td>5721.02</td><td>73.25</td><td>113.12</td><td>-39.87</td><td>57.74</td><td>36.64</td><td>11.66</td><td>32.79</td><td>393</td><td>119 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5618.36	55.61	68.30	-12.69	40.29	36.37	11.70	32.75	393	119 PEAK	2	5650.01	54.07	68.31	-14.24	38.64	36.50	11.69	32.76	393	119 PEAK	3	5719.99	68.08	110.80	-42.72	52.57	36.64	11.66	32.79	393	119 PEAK	4	5721.02	73.25	113.12	-39.87	57.74	36.64	11.66	32.79	393	119 PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>114.23</td><td>-----</td><td>-----</td><td>98.69</td><td>36.70</td><td>11.64</td><td>32.80</td><td>393</td><td>119 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	114.23	-----	-----	98.69	36.70	11.64	32.80	393	119 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5618.36	55.61	68.30	-12.69	40.29	36.37	11.70	32.75	393	119 PEAK																																																																																																																			
2	5650.01	54.07	68.31	-14.24	38.64	36.50	11.69	32.76	393	119 PEAK																																																																																																																			
3	5719.99	68.08	110.80	-42.72	52.57	36.64	11.66	32.79	393	119 PEAK																																																																																																																			
4	5721.02	73.25	113.12	-39.87	57.74	36.64	11.66	32.79	393	119 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	114.23	-----	-----	98.69	36.70	11.64	32.80	393	119 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.03</td><td>-----</td><td>-----</td><td>91.49</td><td>36.70</td><td>11.64</td><td>32.80</td><td>393</td><td>119 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.03	-----	-----	91.49	36.70	11.64	32.80	393	119 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	107.03	-----	-----	91.49	36.70	11.64	32.80	393	119 AVERAGE																																																																																																																			





Mode	88																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																														
ANT	1+2																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-02-22 PEAK_BE(BA)_10-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.41</td><td>54.21</td><td>68.30</td><td>-14.09</td><td>38.81</td><td>36.47</td><td>11.69</td><td>32.76</td><td>121</td><td>142 PEAK</td></tr><tr><td>2</td><td>5650.01</td><td>53.01</td><td>68.31</td><td>-15.30</td><td>37.58</td><td>36.50</td><td>11.69</td><td>32.76</td><td>121</td><td>142 PEAK</td></tr><tr><td>3</td><td>5703.62</td><td>55.56</td><td>106.21</td><td>-50.65</td><td>40.07</td><td>36.61</td><td>11.66</td><td>32.78</td><td>121</td><td>142 PEAK</td></tr><tr><td>4</td><td>5721.58</td><td>63.43</td><td>114.41</td><td>-50.98</td><td>47.93</td><td>36.64</td><td>11.65</td><td>32.79</td><td>121</td><td>142 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5642.41	54.21	68.30	-14.09	38.81	36.47	11.69	32.76	121	142 PEAK	2	5650.01	53.01	68.31	-15.30	37.58	36.50	11.69	32.76	121	142 PEAK	3	5703.62	55.56	106.21	-50.65	40.07	36.61	11.66	32.78	121	142 PEAK	4	5721.58	63.43	114.41	-50.98	47.93	36.64	11.65	32.79	121	142 PEAK	Level (dBuV/m) Date: 2025-02-22 PART 15.407 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.46</td><td>-----</td><td>-----</td><td>88.93</td><td>36.67</td><td>11.65</td><td>32.79</td><td>121</td><td>142 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.46	-----	-----	88.93	36.67	11.65	32.79	121	142 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5642.41	54.21	68.30	-14.09	38.81	36.47	11.69	32.76	121	142 PEAK																																																																																																																					
2	5650.01	53.01	68.31	-15.30	37.58	36.50	11.69	32.76	121	142 PEAK																																																																																																																					
3	5703.62	55.56	106.21	-50.65	40.07	36.61	11.66	32.78	121	142 PEAK																																																																																																																					
4	5721.58	63.43	114.41	-50.98	47.93	36.64	11.65	32.79	121	142 PEAK																																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	104.46	-----	-----	88.93	36.67	11.65	32.79	121	142 PEAK																																																																																																																					
Avg	Blank						Level (dBuV/m) Date: 2025-02-22 PART 15.407 AVG Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>97.94</td><td>-----</td><td>-----</td><td>82.41</td><td>36.67</td><td>11.65</td><td>32.79</td><td>121</td><td>142 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.94	-----	-----	82.41	36.67	11.65	32.79	121	142 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5745.00	97.94	-----	-----	82.41	36.67	11.65	32.79	121	142 AVERAGE																																																																																																																					



Mode	88																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																							
ANT	1+2																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>45.18</td><td>38.20</td><td>14.83</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.31</td><td>68.30</td><td>-19.99</td><td>41.07</td><td>42.69</td><td>17.57</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.90	74.00	-26.10	45.18	38.20	14.83	50.31	---	---	Peak	2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57	53.02	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>44.87</td><td>38.20</td><td>14.83</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.46</td><td>68.30</td><td>-19.84</td><td>41.22</td><td>42.69</td><td>17.57</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.59	74.00	-26.41	44.87	38.20	14.83	50.31	---	---	Peak	2	17235.00	48.46	68.30	-19.84	41.22	42.69	17.57	53.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11490.00	47.90	74.00	-26.10	45.18	38.20	14.83	50.31	---	---	Peak																																																																																																													
2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57	53.02	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11490.00	47.59	74.00	-26.41	44.87	38.20	14.83	50.31	---	---	Peak																																																																																																													
2	17235.00	48.46	68.30	-19.84	41.22	42.69	17.57	53.02	---	---	Peak																																																																																																													



Mode	89																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																	
ANT	1+2																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.87</td><td>74.00</td><td>-26.13</td><td>45.03</td><td>38.20</td><td>14.88</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>48.54</td><td>68.30</td><td>-19.76</td><td>41.98</td><td>42.24</td><td>17.60</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11570.00	47.87	74.00	-26.13	45.03	38.20	14.88	50.24	---	---	Peak	2	17355.00	48.54	68.30	-19.76	41.98	42.24	17.60	53.28	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>44.85</td><td>38.20</td><td>14.88</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>40.88</td><td>42.24</td><td>17.60</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11570.00	47.69	74.00	-26.31	44.85	38.20	14.88	50.24	---	---	Peak	2	17355.00	47.44	68.30	-20.86	40.88	42.24	17.60	53.28	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	11570.00	47.87	74.00	-26.13	45.03	38.20	14.88	50.24	---	---	Peak																																																																																																							
2	17355.00	48.54	68.30	-19.76	41.98	42.24	17.60	53.28	---	---	Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	11570.00	47.69	74.00	-26.31	44.85	38.20	14.88	50.24	---	---	Peak																																																																																																							
2	17355.00	47.44	68.30	-20.86	40.88	42.24	17.60	53.28	---	---	Peak																																																																																																							



Mode	90																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5850.01</td><td>68.73</td><td>122.17</td><td>-53.44</td><td>53.54</td><td>36.50</td><td>11.53</td><td>32.84</td><td>397</td><td>117 PEAK</td></tr><tr><td>2 5874.83</td><td>54.46</td><td>105.25</td><td>-50.79</td><td>39.27</td><td>36.55</td><td>11.49</td><td>32.85</td><td>397</td><td>117 PEAK</td></tr><tr><td>3 5923.94</td><td>55.98</td><td>68.98</td><td>-13.00</td><td>40.79</td><td>36.65</td><td>11.41</td><td>32.87</td><td>397</td><td>117 PEAK</td></tr><tr><td>4 5937.19</td><td>55.05</td><td>68.30</td><td>-13.25</td><td>39.87</td><td>36.67</td><td>11.38</td><td>32.87</td><td>397</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5850.01	68.73	122.17	-53.44	53.54	36.50	11.53	32.84	397	117 PEAK	2 5874.83	54.46	105.25	-50.79	39.27	36.55	11.49	32.85	397	117 PEAK	3 5923.94	55.98	68.98	-13.00	40.79	36.65	11.41	32.87	397	117 PEAK	4 5937.19	55.05	68.30	-13.25	39.87	36.67	11.38	32.87	397	117 PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>114.26</td><td>-----</td><td>-----</td><td>98.98</td><td>36.54</td><td>11.57</td><td>32.83</td><td>397</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	114.26	-----	-----	98.98	36.54	11.57	32.83	397	117 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5850.01	68.73	122.17	-53.44	53.54	36.50	11.53	32.84	397	117 PEAK																																																																																																							
2 5874.83	54.46	105.25	-50.79	39.27	36.55	11.49	32.85	397	117 PEAK																																																																																																							
3 5923.94	55.98	68.98	-13.00	40.79	36.65	11.41	32.87	397	117 PEAK																																																																																																							
4 5937.19	55.05	68.30	-13.25	39.87	36.67	11.38	32.87	397	117 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	114.26	-----	-----	98.98	36.54	11.57	32.83	397	117 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.55</td><td>-----</td><td>-----</td><td>92.27</td><td>36.54</td><td>11.57</td><td>32.83</td><td>397</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	107.55	-----	-----	92.27	36.54	11.57	32.83	397	117 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	107.55	-----	-----	92.27	36.54	11.57	32.83	397	117 AVERAGE																																																																																																							



Mode	90																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>54.11</td><td>110.80</td><td>-56.69</td><td>38.92</td><td>36.51</td><td>11.52</td><td>32.84</td><td>121</td><td>147 PEAK</td></tr><tr><td>2 5872.94</td><td>54.53</td><td>105.78</td><td>-51.25</td><td>39.34</td><td>36.55</td><td>11.49</td><td>32.85</td><td>121</td><td>147 PEAK</td></tr><tr><td>3 5924.33</td><td>54.28</td><td>68.70</td><td>-14.42</td><td>39.10</td><td>36.65</td><td>11.40</td><td>32.87</td><td>121</td><td>147 PEAK</td></tr><tr><td>4 5941.33</td><td>53.53</td><td>68.30</td><td>-14.77</td><td>38.35</td><td>36.68</td><td>11.38</td><td>32.88</td><td>121</td><td>147 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5855.00	54.11	110.80	-56.69	38.92	36.51	11.52	32.84	121	147 PEAK	2 5872.94	54.53	105.78	-51.25	39.34	36.55	11.49	32.85	121	147 PEAK	3 5924.33	54.28	68.70	-14.42	39.10	36.65	11.40	32.87	121	147 PEAK	4 5941.33	53.53	68.30	-14.77	38.35	36.68	11.38	32.88	121	147 PEAK	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.33</td><td>-----</td><td>-----</td><td>89.02</td><td>36.56</td><td>11.58</td><td>32.83</td><td>121</td><td>147 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	104.33	-----	-----	89.02	36.56	11.58	32.83	121	147 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5855.00	54.11	110.80	-56.69	38.92	36.51	11.52	32.84	121	147 PEAK																																																																																																							
2 5872.94	54.53	105.78	-51.25	39.34	36.55	11.49	32.85	121	147 PEAK																																																																																																							
3 5924.33	54.28	68.70	-14.42	39.10	36.65	11.40	32.87	121	147 PEAK																																																																																																							
4 5941.33	53.53	68.30	-14.77	38.35	36.68	11.38	32.88	121	147 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	104.33	-----	-----	89.02	36.56	11.58	32.83	121	147 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2025-02-22 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.66</td><td>-----</td><td>-----</td><td>82.35</td><td>36.56</td><td>11.58</td><td>32.83</td><td>121</td><td>147 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	97.66	-----	-----	82.35	36.56	11.58	32.83	121	147 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	97.66	-----	-----	82.35	36.56	11.58	32.83	121	147 AVERAGE																																																																																																							



Mode	90																																																																																						
	Harmonic																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																						
ANT	1+2																																																																																						
Pol.	Horizontal								Vertical																																																																														
Peak Avg	Date: 2025-02-24								Date: 2025-02-24																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11650.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>44.95</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>47.97</td><td>68.30</td><td>-20.33</td><td>41.53</td><td>42.35</td><td>53.54</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11650.00	47.90	74.00	-26.10	44.95	38.20	14.93	2	17475.00	47.97	68.30	-20.33	41.53	42.35	53.54	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11650.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>44.97</td><td>38.20</td><td>14.93</td></tr><tr><td>2</td><td>17475.00</td><td>48.64</td><td>68.30</td><td>-19.66</td><td>42.20</td><td>42.35</td><td>53.54</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11650.00	47.92	74.00	-26.08	44.97	38.20	14.93	2	17475.00	48.64	68.30	-19.66	42.20	42.35	53.54							
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
1	11650.00	47.90	74.00	-26.10	44.95	38.20	14.93																																																																																
2	17475.00	47.97	68.30	-20.33	41.53	42.35	53.54																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
1	11650.00	47.92	74.00	-26.08	44.97	38.20	14.93																																																																																
2	17475.00	48.64	68.30	-19.66	42.20	42.35	53.54																																																																																
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11650.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>44.95</td><td>38.20</td><td>14.93</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.97</td><td>68.30</td><td>-20.33</td><td>41.53</td><td>42.35</td><td>17.63</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	11650.00	47.90	74.00	-26.10	44.95	38.20	14.93	50.18	---	---	Peak	2	17475.00	47.97	68.30	-20.33	41.53	42.35	17.63	53.54	---	---	Peak	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11650.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>44.97</td><td>38.20</td><td>14.93</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.64</td><td>68.30</td><td>-19.66</td><td>42.20</td><td>42.35</td><td>17.63</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark	1	11650.00	47.92	74.00	-26.08	44.97	38.20	14.93	50.18	---	---	Peak	2	17475.00	48.64	68.30	-19.66	42.20	42.35	17.63	53.54	---	---	Peak
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																												
1	11650.00	47.90	74.00	-26.10	44.95	38.20	14.93	50.18	---	---	Peak																																																																												
2	17475.00	47.97	68.30	-20.33	41.53	42.35	17.63	53.54	---	---	Peak																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Remark																																																																												
1	11650.00	47.92	74.00	-26.08	44.97	38.20	14.93	50.18	---	---	Peak																																																																												
2	17475.00	48.64	68.30	-19.66	42.20	42.35	17.63	53.54	---	---	Peak																																																																												



Mode	91																																																																																																																																																																																	
	Band Edge - L																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																	
Pol.	Horizontal										Fundamental																																																																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5600 5631 5662 5693 5724 5755 PEAK_BE[BA]_10-24 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5600 5631 5662 5693 5724 5755 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.90</td><td>56.51</td><td>68.30</td><td>-11.79</td><td>41.08</td><td>36.50</td><td>11.69</td><td>32.76</td><td>391</td><td>117 PEAK</td></tr><tr><td>2</td><td>5650.16</td><td>54.68</td><td>68.42</td><td>-13.74</td><td>39.25</td><td>36.50</td><td>11.69</td><td>32.76</td><td>391</td><td>117 PEAK</td></tr><tr><td>3</td><td>5719.91</td><td>70.20</td><td>110.77</td><td>-40.57</td><td>54.69</td><td>36.64</td><td>11.66</td><td>32.79</td><td>391</td><td>117 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.18</td><td>110.80</td><td>-40.62</td><td>54.67</td><td>36.64</td><td>11.66</td><td>32.79</td><td>391</td><td>117 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-02-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 PART 15.407 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>108.62</td><td>-----</td><td>-----</td><td>93.09</td><td>36.69</td><td>11.64</td><td>32.80</td><td>391</td><td>117 PEAK</td></tr></table> <tr><td rowspan="2">Avg</td><td colspan="10">Blank</td><td> Level (dBuV/m) Date: 2025-02-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 PART 15.407 AVG 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.35</td><td>-----</td><td>-----</td><td>86.82</td><td>36.69</td><td>11.64</td><td>32.80</td><td>391</td><td>117 AVERAGE</td></tr></table> </td></tr>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5648.90	56.51	68.30	-11.79	41.08	36.50	11.69	32.76	391	117 PEAK	2	5650.16	54.68	68.42	-13.74	39.25	36.50	11.69	32.76	391	117 PEAK	3	5719.91	70.20	110.77	-40.57	54.69	36.64	11.66	32.79	391	117 PEAK	4	5720.00	70.18	110.80	-40.62	54.67	36.64	11.66	32.79	391	117 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	108.62	-----	-----	93.09	36.69	11.64	32.80	391	117 PEAK	Avg	Blank										Level (dBuV/m) Date: 2025-02-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 PART 15.407 AVG 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.35</td><td>-----</td><td>-----</td><td>86.82</td><td>36.69</td><td>11.64</td><td>32.80</td><td>391</td><td>117 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.35	-----	-----	86.82	36.69	11.64	32.80	391	117 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	5648.90	56.51	68.30	-11.79	41.08	36.50	11.69	32.76	391	117 PEAK																																																																																																																																																																								
2	5650.16	54.68	68.42	-13.74	39.25	36.50	11.69	32.76	391	117 PEAK																																																																																																																																																																								
3	5719.91	70.20	110.77	-40.57	54.69	36.64	11.66	32.79	391	117 PEAK																																																																																																																																																																								
4	5720.00	70.18	110.80	-40.62	54.67	36.64	11.66	32.79	391	117 PEAK																																																																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	5755.00	108.62	-----	-----	93.09	36.69	11.64	32.80	391	117 PEAK																																																																																																																																																																								
Avg	Blank										Level (dBuV/m) Date: 2025-02-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 PART 15.407 AVG 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.35</td><td>-----</td><td>-----</td><td>86.82</td><td>36.69</td><td>11.64</td><td>32.80</td><td>391</td><td>117 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.35	-----	-----	86.82	36.69	11.64	32.80	391	117 AVERAGE																																																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																									
1	5755.00	102.35	-----	-----	86.82	36.69	11.64	32.80	391	117 AVERAGE																																																																																																																																																																								



Mode	91																																																								
	Band Edge - R																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Date: 2025-02-23 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.74</td><td>55.20</td><td>111.39</td><td>-56.19</td><td>40.01</td><td>36.51</td><td>11.52</td><td>32.84</td><td>391</td><td>117 PEAK</td></tr><tr><td>2</td><td>5874.07</td><td>55.63</td><td>105.46</td><td>-49.83</td><td>40.44</td><td>36.55</td><td>11.49</td><td>32.85</td><td>391</td><td>117 PEAK</td></tr><tr><td>3</td><td>5924.94</td><td>52.46</td><td>68.24</td><td>-15.78</td><td>37.28</td><td>36.65</td><td>11.40</td><td>32.87</td><td>391</td><td>117 PEAK</td></tr><tr><td>4</td><td>5949.90</td><td>53.90</td><td>68.30</td><td>-14.40</td><td>38.72</td><td>36.70</td><td>11.36</td><td>32.88</td><td>391</td><td>117 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5854.74	55.20	111.39	-56.19	40.01	36.51	11.52	32.84	391	117 PEAK	2	5874.07	55.63	105.46	-49.83	40.44	36.55	11.49	32.85	391	117 PEAK	3	5924.94	52.46	68.24	-15.78	37.28	36.65	11.40	32.87	391	117 PEAK	4	5949.90	53.90	68.30	-14.40	38.72	36.70	11.36	32.88	391	117 PEAK	Blank
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																
1	5854.74	55.20	111.39	-56.19	40.01	36.51	11.52	32.84	391	117 PEAK																																															
2	5874.07	55.63	105.46	-49.83	40.44	36.55	11.49	32.85	391	117 PEAK																																															
3	5924.94	52.46	68.24	-15.78	37.28	36.65	11.40	32.87	391	117 PEAK																																															
4	5949.90	53.90	68.30	-14.40	38.72	36.70	11.36	32.88	391	117 PEAK																																															



Mode	91																																																																																																																																																														
	Band Edge - L																																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																																														
ANT	1+2																																																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																																																													
Peak	Date: 2025-02-23 Level (dBuV/m) PEAK_BE[94]_10-24 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5615.90</td><td>55.68</td><td>68.30</td><td>-12.62</td><td>40.37</td><td>36.36</td><td>11.70</td><td>32.75</td><td>153</td><td>144 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.12</td><td>68.30</td><td>-15.18</td><td>37.69</td><td>36.50</td><td>11.69</td><td>32.76</td><td>153</td><td>144 PEAK</td></tr><tr><td>3</td><td>5709.06</td><td>62.16</td><td>107.74</td><td>-45.58</td><td>46.66</td><td>36.62</td><td>11.66</td><td>32.78</td><td>153</td><td>144 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.93</td><td>110.80</td><td>-49.87</td><td>45.42</td><td>36.64</td><td>11.66</td><td>32.79</td><td>153</td><td>144 PEAK</td></tr></tbody></table> Date: 2025-02-23 Level (dBuV/m) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.94</td><td>-----</td><td>-----</td><td>87.41</td><td>36.69</td><td>11.64</td><td>32.80</td><td>153</td><td>144 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5615.90	55.68	68.30	-12.62	40.37	36.36	11.70	32.75	153	144 PEAK	2	5650.00	53.12	68.30	-15.18	37.69	36.50	11.69	32.76	153	144 PEAK	3	5709.06	62.16	107.74	-45.58	46.66	36.62	11.66	32.78	153	144 PEAK	4	5720.00	60.93	110.80	-49.87	45.42	36.64	11.66	32.79	153	144 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.94	-----	-----	87.41	36.69	11.64	32.80	153	144 PEAK	Avg	Date: 2025-02-23 Level (dBuV/m) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.37</td><td>-----</td><td>-----</td><td>80.84</td><td>36.69</td><td>11.64</td><td>32.80</td><td>153</td><td>144 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	96.37	-----	-----	80.84	36.69	11.64	32.80	153	144 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	5615.90	55.68	68.30	-12.62	40.37	36.36	11.70	32.75	153	144 PEAK																																																																																																																																																					
2	5650.00	53.12	68.30	-15.18	37.69	36.50	11.69	32.76	153	144 PEAK																																																																																																																																																					
3	5709.06	62.16	107.74	-45.58	46.66	36.62	11.66	32.78	153	144 PEAK																																																																																																																																																					
4	5720.00	60.93	110.80	-49.87	45.42	36.64	11.66	32.79	153	144 PEAK																																																																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	5755.00	102.94	-----	-----	87.41	36.69	11.64	32.80	153	144 PEAK																																																																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																						
1	5755.00	96.37	-----	-----	80.84	36.69	11.64	32.80	153	144 AVERAGE																																																																																																																																																					



Mode	92																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																									
ANT	1+2																																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.82</td><td>54.99</td><td>68.30</td><td>-13.31</td><td>39.59</td><td>36.47</td><td>11.69</td><td>32.76</td><td>400</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5650.04</td><td>55.12</td><td>68.33</td><td>-13.21</td><td>39.69</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5701.50</td><td>56.02</td><td>105.62</td><td>-49.60</td><td>40.54</td><td>36.60</td><td>11.66</td><td>32.78</td><td>400</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5720.41</td><td>55.71</td><td>111.74</td><td>-56.03</td><td>40.20</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>117</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5642.82	54.99	68.30	-13.31	39.59	36.47	11.69	32.76	400	117	PEAK	2	5650.04	55.12	68.33	-13.21	39.69	36.50	11.69	32.76	400	117	PEAK	3	5701.50	56.02	105.62	-49.60	40.54	36.60	11.66	32.78	400	117	PEAK	4	5720.41	55.71	111.74	-56.03	40.20	36.64	11.66	32.79	400	117	PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>109.03</td><td>-----</td><td>-----</td><td>93.62</td><td>36.61</td><td>11.62</td><td>32.82</td><td>400</td><td>117</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.03	-----	-----	93.62	36.61	11.62	32.82	400	117	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5642.82	54.99	68.30	-13.31	39.59	36.47	11.69	32.76	400	117	PEAK																																																																																																															
2	5650.04	55.12	68.33	-13.21	39.69	36.50	11.69	32.76	400	117	PEAK																																																																																																															
3	5701.50	56.02	105.62	-49.60	40.54	36.60	11.66	32.78	400	117	PEAK																																																																																																															
4	5720.41	55.71	111.74	-56.03	40.20	36.64	11.66	32.79	400	117	PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5795.00	109.03	-----	-----	93.62	36.61	11.62	32.82	400	117	PEAK																																																																																																															
Avg	Blank	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>102.30</td><td>-----</td><td>-----</td><td>86.89</td><td>36.61</td><td>11.62</td><td>32.82</td><td>400</td><td>117</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.30	-----	-----	86.89	36.61	11.62	32.82	400	117	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5795.00	102.30	-----	-----	86.89	36.61	11.62	32.82	400	117	AVERAGE																																																																																																															



Mode	92																																																																												
	Band Edge - R																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																												
ANT	1+2																																																																												
Pol.	Horizontal	Fundamental																																																																											
Peak	Date: 2025-02-23 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.06</td><td>110.83</td><td>-56.77</td><td>38.87</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5873.82</td><td>53.42</td><td>105.53</td><td>-52.11</td><td>38.23</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5924.66</td><td>54.62</td><td>68.45</td><td>-13.83</td><td>39.44</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5927.45</td><td>54.97</td><td>68.30</td><td>-13.33</td><td>39.79</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>117</td><td>PEAK</td></tr></table> Blank	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.99	54.06	110.83	-56.77	38.87	36.51	11.52	32.84	400	117	PEAK	2	5873.82	53.42	105.53	-52.11	38.23	36.55	11.49	32.85	400	117	PEAK	3	5924.66	54.62	68.45	-13.83	39.44	36.65	11.40	32.87	400	117	PEAK	4	5927.45	54.97	68.30	-13.33	39.79	36.65	11.40	32.87	400	117	PEAK
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5854.99	54.06	110.83	-56.77	38.87	36.51	11.52	32.84	400	117	PEAK																																																																		
2	5873.82	53.42	105.53	-52.11	38.23	36.55	11.49	32.85	400	117	PEAK																																																																		
3	5924.66	54.62	68.45	-13.83	39.44	36.65	11.40	32.87	400	117	PEAK																																																																		
4	5927.45	54.97	68.30	-13.33	39.79	36.65	11.40	32.87	400	117	PEAK																																																																		




Mode	92																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																				
ANT	1+2																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.94</td><td>54.35</td><td>68.30</td><td>-13.95</td><td>39.04</td><td>36.36</td><td>11.70</td><td>32.75</td><td>153</td><td>144 PEAK</td></tr><tr><td>2</td><td>5650.02</td><td>52.46</td><td>68.31</td><td>-15.85</td><td>37.03</td><td>36.50</td><td>11.69</td><td>32.76</td><td>153</td><td>144 PEAK</td></tr><tr><td>3</td><td>5700.74</td><td>53.90</td><td>105.41</td><td>-51.51</td><td>38.42</td><td>36.60</td><td>11.66</td><td>32.78</td><td>153</td><td>144 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.65</td><td>110.81</td><td>-57.16</td><td>38.14</td><td>36.64</td><td>11.66</td><td>32.79</td><td>153</td><td>144 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5613.94	54.35	68.30	-13.95	39.04	36.36	11.70	32.75	153	144 PEAK	2	5650.02	52.46	68.31	-15.85	37.03	36.50	11.69	32.76	153	144 PEAK	3	5700.74	53.90	105.41	-51.51	38.42	36.60	11.66	32.78	153	144 PEAK	4	5720.00	53.65	110.81	-57.16	38.14	36.64	11.66	32.79	153	144 PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>103.04</td><td>-----</td><td>-----</td><td>87.63</td><td>36.61</td><td>11.62</td><td>32.82</td><td>153</td><td>144 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.04	-----	-----	87.63	36.61	11.62	32.82	153	144 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5613.94	54.35	68.30	-13.95	39.04	36.36	11.70	32.75	153	144 PEAK																																																																																																											
2	5650.02	52.46	68.31	-15.85	37.03	36.50	11.69	32.76	153	144 PEAK																																																																																																											
3	5700.74	53.90	105.41	-51.51	38.42	36.60	11.66	32.78	153	144 PEAK																																																																																																											
4	5720.00	53.65	110.81	-57.16	38.14	36.64	11.66	32.79	153	144 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	103.04	-----	-----	87.63	36.61	11.62	32.82	153	144 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.21</td><td>-----</td><td>-----</td><td>80.83</td><td>36.59</td><td>11.61</td><td>32.82</td><td>153</td><td>144 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.21	-----	-----	80.83	36.59	11.61	32.82	153	144 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	96.21	-----	-----	80.83	36.59	11.61	32.82	153	144 AVERAGE																																																																																																											



Mode	93									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz									
ANT	1+2									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2025-02-23									





Mode	93																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Date: 2025-02-23 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.73</td><td>68.31</td><td>111.42</td><td>-43.11</td><td>53.12</td><td>36.51</td><td>11.52</td><td>32.84</td><td>390</td><td>121 PEAK</td></tr><tr><td>2</td><td>5858.04</td><td>68.49</td><td>109.95</td><td>-41.46</td><td>53.29</td><td>36.52</td><td>11.52</td><td>32.84</td><td>390</td><td>121 PEAK</td></tr><tr><td>3</td><td>5923.31</td><td>53.83</td><td>69.44</td><td>-15.61</td><td>38.64</td><td>36.65</td><td>11.41</td><td>32.87</td><td>390</td><td>121 PEAK</td></tr><tr><td>4</td><td>5931.03</td><td>53.69</td><td>68.30</td><td>-14.61</td><td>38.51</td><td>36.66</td><td>11.39</td><td>32.87</td><td>390</td><td>121 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.73	68.31	111.42	-43.11	53.12	36.51	11.52	32.84	390	121 PEAK	2	5858.04	68.49	109.95	-41.46	53.29	36.52	11.52	32.84	390	121 PEAK	3	5923.31	53.83	69.44	-15.61	38.64	36.65	11.41	32.87	390	121 PEAK	4	5931.03	53.69	68.30	-14.61	38.51	36.66	11.39	32.87	390	121 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5854.73	68.31	111.42	-43.11	53.12	36.51	11.52	32.84	390	121 PEAK																																																																		
2	5858.04	68.49	109.95	-41.46	53.29	36.52	11.52	32.84	390	121 PEAK																																																																		
3	5923.31	53.83	69.44	-15.61	38.64	36.65	11.41	32.87	390	121 PEAK																																																																		
4	5931.03	53.69	68.30	-14.61	38.51	36.66	11.39	32.87	390	121 PEAK																																																																		





Mode	94																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-02-23 PEAK_BE(B4)_10-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.49</td><td>56.96</td><td>68.30</td><td>-11.34</td><td>41.54</td><td>36.49</td><td>11.69</td><td>32.76</td><td>390</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5650.24</td><td>55.37</td><td>68.48</td><td>-13.11</td><td>39.94</td><td>36.50</td><td>11.69</td><td>32.76</td><td>390</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5701.86</td><td>57.58</td><td>105.72</td><td>-48.14</td><td>42.10</td><td>36.60</td><td>11.66</td><td>32.78</td><td>390</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5720.15</td><td>61.39</td><td>111.14</td><td>-49.75</td><td>45.88</td><td>36.64</td><td>11.66</td><td>32.79</td><td>390</td><td>118</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5646.49	56.96	68.30	-11.34	41.54	36.49	11.69	32.76	390	118	PEAK	2	5650.24	55.37	68.48	-13.11	39.94	36.50	11.69	32.76	390	118	PEAK	3	5701.86	57.58	105.72	-48.14	42.10	36.60	11.66	32.78	390	118	PEAK	4	5720.15	61.39	111.14	-49.75	45.88	36.64	11.66	32.79	390	118	PEAK	Level (dBuV/m) Date: 2025-02-23 PART 15.407 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.36</td><td>-----</td><td>-----</td><td>97.83</td><td>36.67</td><td>11.65</td><td>32.79</td><td>390</td><td>118</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.36	-----	-----	97.83	36.67	11.65	32.79	390	118	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5646.49	56.96	68.30	-11.34	41.54	36.49	11.69	32.76	390	118	PEAK																																																																																																																							
2	5650.24	55.37	68.48	-13.11	39.94	36.50	11.69	32.76	390	118	PEAK																																																																																																																							
3	5701.86	57.58	105.72	-48.14	42.10	36.60	11.66	32.78	390	118	PEAK																																																																																																																							
4	5720.15	61.39	111.14	-49.75	45.88	36.64	11.66	32.79	390	118	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5745.00	113.36	-----	-----	97.83	36.67	11.65	32.79	390	118	PEAK																																																																																																																							
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 PART 15.407 AVG Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.93</td><td>-----</td><td>-----</td><td>89.40</td><td>36.69</td><td>11.64</td><td>32.80</td><td>390</td><td>118</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.93	-----	-----	89.40	36.69	11.64	32.80	390	118	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5745.00	104.93	-----	-----	89.40	36.69	11.64	32.80	390	118	AVERAGE																																																																																																																							



Mode	94																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz																																																																																																																			
ANT	1+2																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>44.63</td><td>38.20</td><td>14.83</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.71</td><td>68.30</td><td>-19.59</td><td>41.47</td><td>42.69</td><td>17.57</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.35	74.00	-26.65	44.63	38.20	14.83	50.31	---	---	Peak	2	17235.00	48.71	68.30	-19.59	41.47	42.69	17.57	53.02	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>44.68</td><td>38.20</td><td>14.83</td><td>50.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.24</td><td>68.30</td><td>-20.06</td><td>41.00</td><td>42.69</td><td>17.57</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.40	74.00	-26.60	44.68	38.20	14.83	50.31	---	---	Peak	2	17235.00	48.24	68.30	-20.06	41.00	42.69	17.57	53.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11490.00	47.35	74.00	-26.65	44.63	38.20	14.83	50.31	---	---	Peak																																																																																																									
2	17235.00	48.71	68.30	-19.59	41.47	42.69	17.57	53.02	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11490.00	47.40	74.00	-26.60	44.68	38.20	14.83	50.31	---	---	Peak																																																																																																									
2	17235.00	48.24	68.30	-20.06	41.00	42.69	17.57	53.02	---	---	Peak																																																																																																									



Mode	95																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>44.56</td><td>38.20</td><td>14.88</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.77</td><td>68.30</td><td>-20.53</td><td>41.21</td><td>42.24</td><td>17.60</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11570.00	47.40	74.00	-26.60	44.56	38.20	14.88	50.24	---	---	Peak	2	17355.00	47.77	68.30	-20.53	41.21	42.24	17.60	53.28	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>45.01</td><td>38.20</td><td>14.88</td><td>50.24</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>49.08</td><td>68.30</td><td>-19.22</td><td>42.52</td><td>42.24</td><td>17.60</td><td>53.28</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11570.00	47.85	74.00	-26.15	45.01	38.20	14.88	50.24	---	---	Peak	2	17355.00	49.08	68.30	-19.22	42.52	42.24	17.60	53.28	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11570.00	47.40	74.00	-26.60	44.56	38.20	14.88	50.24	---	---	Peak																																																																																																																							
2	17355.00	47.77	68.30	-20.53	41.21	42.24	17.60	53.28	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11570.00	47.85	74.00	-26.15	45.01	38.20	14.88	50.24	---	---	Peak																																																																																																																							
2	17355.00	49.08	68.30	-19.22	42.52	42.24	17.60	53.28	---	---	Peak																																																																																																																							





Mode	96																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.94</td><td>59.02</td><td>110.94</td><td>-51.92</td><td>43.83</td><td>36.51</td><td>11.52</td><td>32.84</td><td>396</td><td>121 PEAK</td></tr><tr><td>2</td><td>5860.19</td><td>60.25</td><td>109.35</td><td>-49.10</td><td>45.06</td><td>36.52</td><td>11.51</td><td>32.84</td><td>396</td><td>121 PEAK</td></tr><tr><td>3</td><td>5924.83</td><td>54.77</td><td>68.33</td><td>-13.56</td><td>39.59</td><td>36.65</td><td>11.40</td><td>32.87</td><td>396</td><td>121 PEAK</td></tr><tr><td>4</td><td>5939.83</td><td>55.27</td><td>68.30</td><td>-13.03</td><td>40.09</td><td>36.68</td><td>11.38</td><td>32.88</td><td>396</td><td>121 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5854.94	59.02	110.94	-51.92	43.83	36.51	11.52	32.84	396	121 PEAK	2	5860.19	60.25	109.35	-49.10	45.06	36.52	11.51	32.84	396	121 PEAK	3	5924.83	54.77	68.33	-13.56	39.59	36.65	11.40	32.87	396	121 PEAK	4	5939.83	55.27	68.30	-13.03	40.09	36.68	11.38	32.88	396	121 PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>113.22</td><td>-----</td><td>-----</td><td>97.89</td><td>36.57</td><td>11.59</td><td>32.83</td><td>396</td><td>121 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5825.00	113.22	-----	-----	97.89	36.57	11.59	32.83	396	121 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5854.94	59.02	110.94	-51.92	43.83	36.51	11.52	32.84	396	121 PEAK																																																																																																																										
2	5860.19	60.25	109.35	-49.10	45.06	36.52	11.51	32.84	396	121 PEAK																																																																																																																										
3	5924.83	54.77	68.33	-13.56	39.59	36.65	11.40	32.87	396	121 PEAK																																																																																																																										
4	5939.83	55.27	68.30	-13.03	40.09	36.68	11.38	32.88	396	121 PEAK																																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	113.22	-----	-----	97.89	36.57	11.59	32.83	396	121 PEAK																																																																																																																										
Avg	Blank						Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>104.81</td><td>-----</td><td>-----</td><td>89.48</td><td>36.57</td><td>11.59</td><td>32.83</td><td>396</td><td>121 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5825.00	104.81	-----	-----	89.48	36.57	11.59	32.83	396	121 AVERAGE																																																																													
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	104.81	-----	-----	89.48	36.57	11.59	32.83	396	121 AVERAGE																																																																																																																										



Mode	96																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-23 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>52.28</td><td>110.80</td><td>-58.52</td><td>37.09</td><td>36.51</td><td>11.52</td><td>32.84</td><td>104</td><td>150 PEAK</td></tr><tr><td>2</td><td>5874.83</td><td>52.66</td><td>105.25</td><td>-52.59</td><td>37.47</td><td>36.55</td><td>11.49</td><td>32.85</td><td>104</td><td>150 PEAK</td></tr><tr><td>3</td><td>5924.69</td><td>53.20</td><td>68.43</td><td>-15.23</td><td>38.02</td><td>36.65</td><td>11.40</td><td>32.87</td><td>104</td><td>150 PEAK</td></tr><tr><td>4</td><td>5925.69</td><td>54.13</td><td>68.30</td><td>-14.17</td><td>38.95</td><td>36.65</td><td>11.40</td><td>32.87</td><td>104</td><td>150 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	52.28	110.80	-58.52	37.09	36.51	11.52	32.84	104	150 PEAK	2	5874.83	52.66	105.25	-52.59	37.47	36.55	11.49	32.85	104	150 PEAK	3	5924.69	53.20	68.43	-15.23	38.02	36.65	11.40	32.87	104	150 PEAK	4	5925.69	54.13	68.30	-14.17	38.95	36.65	11.40	32.87	104	150 PEAK	Level (dBuV/m) Date: 2025-02-23 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.37</td><td>-----</td><td>-----</td><td>91.09</td><td>36.54</td><td>11.57</td><td>32.83</td><td>104</td><td>150 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.37	-----	-----	91.09	36.54	11.57	32.83	104	150 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5855.00	52.28	110.80	-58.52	37.09	36.51	11.52	32.84	104	150 PEAK																																																																																																																			
2	5874.83	52.66	105.25	-52.59	37.47	36.55	11.49	32.85	104	150 PEAK																																																																																																																			
3	5924.69	53.20	68.43	-15.23	38.02	36.65	11.40	32.87	104	150 PEAK																																																																																																																			
4	5925.69	54.13	68.30	-14.17	38.95	36.65	11.40	32.87	104	150 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	106.37	-----	-----	91.09	36.54	11.57	32.83	104	150 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.97</td><td>-----</td><td>-----</td><td>81.64</td><td>36.57</td><td>11.59</td><td>32.83</td><td>104</td><td>150 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.97	-----	-----	81.64	36.57	11.59	32.83	104	150 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	96.97	-----	-----	81.64	36.57	11.59	32.83	104	150 AVERAGE																																																																																																																			



Mode	96																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz																																																																																																																					
ANT	1+2																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11650.00</td><td>48.27</td><td>74.00</td><td>-25.73</td><td>45.32</td><td>38.20</td><td>14.93</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.32</td><td>68.30</td><td>-19.98</td><td>41.88</td><td>42.35</td><td>17.63</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.27	74.00	-25.73	45.32	38.20	14.93	50.18	---	---	Peak	2	17475.00	48.32	68.30	-19.98	41.88	42.35	17.63	53.54	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11650.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>45.15</td><td>38.20</td><td>14.93</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.07</td><td>68.30</td><td>-20.23</td><td>41.63</td><td>42.35</td><td>17.63</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.10	74.00	-25.90	45.15	38.20	14.93	50.18	---	---	Peak	2	17475.00	48.07	68.30	-20.23	41.63	42.35	17.63	53.54	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11650.00	48.27	74.00	-25.73	45.32	38.20	14.93	50.18	---	---	Peak																																																																																																											
2	17475.00	48.32	68.30	-19.98	41.88	42.35	17.63	53.54	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11650.00	48.10	74.00	-25.90	45.15	38.20	14.93	50.18	---	---	Peak																																																																																																											
2	17475.00	48.07	68.30	-20.23	41.63	42.35	17.63	53.54	---	---	Peak																																																																																																											




Mode	97									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz									
ANT	1+2									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-02-23 <									



Mode	98										
	Band Edge - L										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz										
ANT	1+2										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2025-02-23										



Mode	98																																																								
	Band Edge - R																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																								
ANT	1+2																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	Date: 2025-02-23  Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5854.99</td><td>54.92</td><td>110.83</td><td>-55.91</td><td>39.73</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>121 PEAK</td></tr><tr><td>2</td><td>5873.99</td><td>54.49</td><td>105.48</td><td>-50.99</td><td>39.30</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>121 PEAK</td></tr><tr><td>3</td><td>5923.11</td><td>55.22</td><td>69.59</td><td>-14.37</td><td>40.03</td><td>36.65</td><td>11.41</td><td>32.87</td><td>400</td><td>121 PEAK</td></tr><tr><td>4</td><td>5926.98</td><td>55.01</td><td>68.30</td><td>-13.29</td><td>39.83</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>121 PEAK</td></tr></table>		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	Remark	1	5854.99	54.92	110.83	-55.91	39.73	36.51	11.52	32.84	400	121 PEAK	2	5873.99	54.49	105.48	-50.99	39.30	36.55	11.49	32.85	400	121 PEAK	3	5923.11	55.22	69.59	-14.37	40.03	36.65	11.41	32.87	400	121 PEAK	4	5926.98	55.01	68.30	-13.29	39.83	36.65	11.40	32.87	400	121 PEAK	Blank
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	Remark																																															
1	5854.99	54.92	110.83	-55.91	39.73	36.51	11.52	32.84	400	121 PEAK																																															
2	5873.99	54.49	105.48	-50.99	39.30	36.55	11.49	32.85	400	121 PEAK																																															
3	5923.11	55.22	69.59	-14.37	40.03	36.65	11.41	32.87	400	121 PEAK																																															
4	5926.98	55.01	68.30	-13.29	39.83	36.65	11.40	32.87	400	121 PEAK																																															



Mode	98																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																				
ANT	1+2																																																																																																																				
Pol.	Vertical	Fundamental																																																																																																																			
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5631.71</td><td>54.72</td><td>68.30</td><td>-13.58</td><td>39.34</td><td>36.43</td><td>11.70</td><td>32.75</td><td>142</td><td>137 PEAK</td></tr><tr><td>2</td><td>5650.02</td><td>52.67</td><td>68.31</td><td>-15.64</td><td>37.24</td><td>36.50</td><td>11.69</td><td>32.76</td><td>142</td><td>137 PEAK</td></tr><tr><td>3</td><td>5700.33</td><td>54.01</td><td>105.29</td><td>-51.28</td><td>38.53</td><td>36.60</td><td>11.66</td><td>32.78</td><td>142</td><td>137 PEAK</td></tr><tr><td>4</td><td>5720.02</td><td>53.88</td><td>110.85</td><td>-56.97</td><td>38.37</td><td>36.64</td><td>11.66</td><td>32.79</td><td>142</td><td>137 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5631.71	54.72	68.30	-13.58	39.34	36.43	11.70	32.75	142	137 PEAK	2	5650.02	52.67	68.31	-15.64	37.24	36.50	11.69	32.76	142	137 PEAK	3	5700.33	54.01	105.29	-51.28	38.53	36.60	11.66	32.78	142	137 PEAK	4	5720.02	53.88	110.85	-56.97	38.37	36.64	11.66	32.79	142	137 PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>102.93</td><td>-----</td><td>-----</td><td>87.51</td><td>36.62</td><td>11.62</td><td>32.82</td><td>142</td><td>137 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.93	-----	-----	87.51	36.62	11.62	32.82	142	137 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5631.71	54.72	68.30	-13.58	39.34	36.43	11.70	32.75	142	137 PEAK																																																																																																											
2	5650.02	52.67	68.31	-15.64	37.24	36.50	11.69	32.76	142	137 PEAK																																																																																																											
3	5700.33	54.01	105.29	-51.28	38.53	36.60	11.66	32.78	142	137 PEAK																																																																																																											
4	5720.02	53.88	110.85	-56.97	38.37	36.64	11.66	32.79	142	137 PEAK																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	102.93	-----	-----	87.51	36.62	11.62	32.82	142	137 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>94.28</td><td>-----</td><td>-----</td><td>78.83</td><td>36.63</td><td>11.63</td><td>32.81</td><td>142</td><td>137 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.28	-----	-----	78.83	36.63	11.63	32.81	142	137 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	5795.00	94.28	-----	-----	78.83	36.63	11.63	32.81	142	137 AVERAGE																																																																																																											






Mode	99																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																																			
ANT	1+2																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-23 PEAK_BE(BA)_10-24 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5600.11</td><td>54.73</td><td>68.30</td><td>-13.57</td><td>39.47</td><td>36.30</td><td>11.70</td><td>32.74</td><td>141</td><td>142</td><td>PEAK</td></tr><tr><td>2</td><td>5650.16</td><td>53.60</td><td>68.41</td><td>-14.81</td><td>38.17</td><td>36.50</td><td>11.69</td><td>32.76</td><td>141</td><td>142</td><td>PEAK</td></tr><tr><td>3</td><td>5708.96</td><td>60.36</td><td>107.71</td><td>-47.35</td><td>44.86</td><td>36.62</td><td>11.66</td><td>32.78</td><td>141</td><td>142</td><td>PEAK</td></tr><tr><td>4</td><td>5720.02</td><td>58.26</td><td>110.83</td><td>-52.57</td><td>42.75</td><td>36.64</td><td>11.66</td><td>32.79</td><td>141</td><td>142</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5600.11	54.73	68.30	-13.57	39.47	36.30	11.70	32.74	141	142	PEAK	2	5650.16	53.60	68.41	-14.81	38.17	36.50	11.69	32.76	141	142	PEAK	3	5708.96	60.36	107.71	-47.35	44.86	36.62	11.66	32.78	141	142	PEAK	4	5720.02	58.26	110.83	-52.57	42.75	36.64	11.66	32.79	141	142	PEAK	Level (dBuV/m) Date: 2025-02-23 PART 15.407 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>100.98</td><td>-----</td><td>-----</td><td>85.46</td><td>36.68</td><td>11.64</td><td>32.80</td><td>141</td><td>142</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	100.98	-----	-----	85.46	36.68	11.64	32.80	141	142	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5600.11	54.73	68.30	-13.57	39.47	36.30	11.70	32.74	141	142	PEAK																																																																																																																									
2	5650.16	53.60	68.41	-14.81	38.17	36.50	11.69	32.76	141	142	PEAK																																																																																																																									
3	5708.96	60.36	107.71	-47.35	44.86	36.62	11.66	32.78	141	142	PEAK																																																																																																																									
4	5720.02	58.26	110.83	-52.57	42.75	36.64	11.66	32.79	141	142	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	100.98	-----	-----	85.46	36.68	11.64	32.80	141	142	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-02-23 PART 15.407 AVG Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>91.30</td><td>-----</td><td>-----</td><td>75.77</td><td>36.69</td><td>11.64</td><td>32.80</td><td>141</td><td>142</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	91.30	-----	-----	75.77	36.69	11.64	32.80	141	142	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5775.00	91.30	-----	-----	75.77	36.69	11.64	32.80	141	142	AVERAGE																																																																																																																									






Mode	100																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 52RU37_5745MHz																																																																																																																							
ANT	1+2																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5629.29</td><td>53.33</td><td>68.30</td><td>-14.97</td><td>37.96</td><td>36.42</td><td>11.70</td><td>32.75</td><td>395</td><td>116 PEAK</td></tr><tr><td>2 5650.90</td><td>52.89</td><td>68.96</td><td>-16.07</td><td>37.46</td><td>36.50</td><td>11.69</td><td>32.76</td><td>395</td><td>116 PEAK</td></tr><tr><td>3 5700.78</td><td>53.80</td><td>105.42</td><td>-51.62</td><td>38.32</td><td>36.60</td><td>11.66</td><td>32.78</td><td>395</td><td>116 PEAK</td></tr><tr><td>4 5720.50</td><td>53.33</td><td>111.93</td><td>-58.60</td><td>37.82</td><td>36.64</td><td>11.66</td><td>32.79</td><td>395</td><td>116 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5629.29	53.33	68.30	-14.97	37.96	36.42	11.70	32.75	395	116 PEAK	2 5650.90	52.89	68.96	-16.07	37.46	36.50	11.69	32.76	395	116 PEAK	3 5700.78	53.80	105.42	-51.62	38.32	36.60	11.66	32.78	395	116 PEAK	4 5720.50	53.33	111.93	-58.60	37.82	36.64	11.66	32.79	395	116 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>108.14</td><td>-----</td><td>-----</td><td>92.61</td><td>36.67</td><td>11.65</td><td>32.79</td><td>395</td><td>116 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	108.14	-----	-----	92.61	36.67	11.65	32.79	395	116 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5629.29	53.33	68.30	-14.97	37.96	36.42	11.70	32.75	395	116 PEAK																																																																																																															
2 5650.90	52.89	68.96	-16.07	37.46	36.50	11.69	32.76	395	116 PEAK																																																																																																															
3 5700.78	53.80	105.42	-51.62	38.32	36.60	11.66	32.78	395	116 PEAK																																																																																																															
4 5720.50	53.33	111.93	-58.60	37.82	36.64	11.66	32.79	395	116 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	108.14	-----	-----	92.61	36.67	11.65	32.79	395	116 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>100.93</td><td>-----</td><td>-----</td><td>85.40</td><td>36.67</td><td>11.65</td><td>32.79</td><td>395</td><td>116 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	100.93	-----	-----	85.40	36.67	11.65	32.79	395	116 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	100.93	-----	-----	85.40	36.67	11.65	32.79	395	116 AVERAGE																																																																																																															



Mode	100																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU 52RU37_5745MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Date: 2025-03-04  Level (dBuV/m) Frequency (MHz) PEAK_BE(BA)_10-24 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.27</td><td>53.75</td><td>68.30</td><td>-14.55</td><td>38.33</td><td>36.49</td><td>11.69</td><td>32.76</td><td>400</td><td>171 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.73</td><td>68.32</td><td>-15.59</td><td>37.30</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>171 PEAK</td></tr><tr><td>3</td><td>5700.63</td><td>53.18</td><td>105.38</td><td>-52.20</td><td>37.70</td><td>36.60</td><td>11.66</td><td>32.78</td><td>400</td><td>171 PEAK</td></tr><tr><td>4</td><td>5720.64</td><td>54.09</td><td>112.26</td><td>-58.17</td><td>38.58</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>171 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5647.27	53.75	68.30	-14.55	38.33	36.49	11.69	32.76	400	171 PEAK	2	5650.03	52.73	68.32	-15.59	37.30	36.50	11.69	32.76	400	171 PEAK	3	5700.63	53.18	105.38	-52.20	37.70	36.60	11.66	32.78	400	171 PEAK	4	5720.64	54.09	112.26	-58.17	38.58	36.64	11.66	32.79	400	171 PEAK	Date: 2025-03-04  Level (dBuV/m) Frequency (MHz) PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.76</td><td>-----</td><td>-----</td><td>85.23</td><td>36.68</td><td>11.65</td><td>32.80</td><td>400</td><td>171 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.76	-----	-----	85.23	36.68	11.65	32.80	400	171 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5647.27	53.75	68.30	-14.55	38.33	36.49	11.69	32.76	400	171 PEAK																																																																																																																			
2	5650.03	52.73	68.32	-15.59	37.30	36.50	11.69	32.76	400	171 PEAK																																																																																																																			
3	5700.63	53.18	105.38	-52.20	37.70	36.60	11.66	32.78	400	171 PEAK																																																																																																																			
4	5720.64	54.09	112.26	-58.17	38.58	36.64	11.66	32.79	400	171 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	100.76	-----	-----	85.23	36.68	11.65	32.80	400	171 PEAK																																																																																																																			
Avg	Blank					Date: 2025-03-04  Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.43</td><td>-----</td><td>-----</td><td>76.90</td><td>36.67</td><td>11.65</td><td>32.79</td><td>400</td><td>171 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	92.43	-----	-----	76.90	36.67	11.65	32.79	400	171 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	92.43	-----	-----	76.90	36.67	11.65	32.79	400	171 AVERAGE																																																																																																																			



Mode	101																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU 52RU40_5825MHz																																																																																																																							
ANT	1+2																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04  PEAK_BE(B4)_16-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>52.40</td><td>111.08</td><td>-58.68</td><td>37.21</td><td>36.51</td><td>11.52</td><td>32.84</td><td>397</td><td>117 PEAK</td></tr><tr><td>2 5874.38</td><td>52.03</td><td>105.37</td><td>-53.34</td><td>36.84</td><td>36.55</td><td>11.49</td><td>32.85</td><td>397</td><td>117 PEAK</td></tr><tr><td>3 5924.13</td><td>52.86</td><td>68.84</td><td>-15.98</td><td>37.68</td><td>36.65</td><td>11.40</td><td>32.87</td><td>397</td><td>117 PEAK</td></tr><tr><td>4 5945.63</td><td>53.83</td><td>68.30</td><td>-14.47</td><td>38.65</td><td>36.69</td><td>11.37</td><td>32.88</td><td>397</td><td>117 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.88	52.40	111.08	-58.68	37.21	36.51	11.52	32.84	397	117 PEAK	2 5874.38	52.03	105.37	-53.34	36.84	36.55	11.49	32.85	397	117 PEAK	3 5924.13	52.86	68.84	-15.98	37.68	36.65	11.40	32.87	397	117 PEAK	4 5945.63	53.83	68.30	-14.47	38.65	36.69	11.37	32.88	397	117 PEAK	Level (dBuV/m) Date: 2025-03-04  PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.46</td><td>-----</td><td>-----</td><td>93.19</td><td>36.54</td><td>11.56</td><td>32.83</td><td>397</td><td>117 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	108.46	-----	-----	93.19	36.54	11.56	32.83	397	117 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.88	52.40	111.08	-58.68	37.21	36.51	11.52	32.84	397	117 PEAK																																																																																																															
2 5874.38	52.03	105.37	-53.34	36.84	36.55	11.49	32.85	397	117 PEAK																																																																																																															
3 5924.13	52.86	68.84	-15.98	37.68	36.65	11.40	32.87	397	117 PEAK																																																																																																															
4 5945.63	53.83	68.30	-14.47	38.65	36.69	11.37	32.88	397	117 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	108.46	-----	-----	93.19	36.54	11.56	32.83	397	117 PEAK																																																																																																															
Avg	Blank					Level (dBuV/m) Date: 2025-03-04  PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.55</td><td>-----</td><td>-----</td><td>85.28</td><td>36.54</td><td>11.56</td><td>32.83</td><td>397</td><td>117 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.55	-----	-----	85.28	36.54	11.56	32.83	397	117 AVERAGE																																																																						
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	100.55	-----	-----	85.28	36.54	11.56	32.83	397	117 AVERAGE																																																																																																															



Mode	101																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU 52RU40_5825MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>51.55</td><td>110.80</td><td>-59.25</td><td>36.36</td><td>36.51</td><td>11.52</td><td>32.84</td><td>340</td><td>197 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>53.23</td><td>106.04</td><td>-52.81</td><td>38.05</td><td>36.54</td><td>11.49</td><td>32.85</td><td>340</td><td>197 PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.45</td><td>68.38</td><td>-16.93</td><td>36.27</td><td>36.65</td><td>11.40</td><td>32.87</td><td>340</td><td>197 PEAK</td></tr><tr><td>4</td><td>5939.63</td><td>52.90</td><td>68.30</td><td>-15.40</td><td>37.72</td><td>36.68</td><td>11.38</td><td>32.88</td><td>340</td><td>197 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	51.55	110.80	-59.25	36.36	36.51	11.52	32.84	340	197 PEAK	2	5872.00	53.23	106.04	-52.81	38.05	36.54	11.49	32.85	340	197 PEAK	3	5924.75	51.45	68.38	-16.93	36.27	36.65	11.40	32.87	340	197 PEAK	4	5939.63	52.90	68.30	-15.40	37.72	36.68	11.38	32.88	340	197 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.30</td><td>-----</td><td>-----</td><td>86.05</td><td>36.53</td><td>11.55</td><td>32.83</td><td>340</td><td>197 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.30	-----	-----	86.05	36.53	11.55	32.83	340	197 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5855.00	51.55	110.80	-59.25	36.36	36.51	11.52	32.84	340	197 PEAK																																																																																																																			
2	5872.00	53.23	106.04	-52.81	38.05	36.54	11.49	32.85	340	197 PEAK																																																																																																																			
3	5924.75	51.45	68.38	-16.93	36.27	36.65	11.40	32.87	340	197 PEAK																																																																																																																			
4	5939.63	52.90	68.30	-15.40	37.72	36.68	11.38	32.88	340	197 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	101.30	-----	-----	86.05	36.53	11.55	32.83	340	197 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>92.92</td><td>-----</td><td>-----</td><td>77.65</td><td>36.54</td><td>11.56</td><td>32.83</td><td>340</td><td>197 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	92.92	-----	-----	77.65	36.54	11.56	32.83	340	197 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	92.92	-----	-----	77.65	36.54	11.56	32.83	340	197 AVERAGE																																																																																																																			



Mode	102																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5626.19</td><td>55.65</td><td>68.30</td><td>-12.65</td><td>40.30</td><td>36.40</td><td>11.70</td><td>32.75</td><td>394</td><td>120 PEAK</td></tr><tr><td>2</td><td>5651.11</td><td>54.35</td><td>69.12</td><td>-14.77</td><td>38.92</td><td>36.50</td><td>11.69</td><td>32.76</td><td>394</td><td>120 PEAK</td></tr><tr><td>3</td><td>5718.99</td><td>66.62</td><td>110.52</td><td>-43.90</td><td>51.11</td><td>36.64</td><td>11.66</td><td>32.79</td><td>394</td><td>120 PEAK</td></tr><tr><td>4</td><td>5721.15</td><td>69.82</td><td>113.42</td><td>-43.60</td><td>54.31</td><td>36.64</td><td>11.66</td><td>32.79</td><td>394</td><td>120 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5626.19	55.65	68.30	-12.65	40.30	36.40	11.70	32.75	394	120 PEAK	2	5651.11	54.35	69.12	-14.77	38.92	36.50	11.69	32.76	394	120 PEAK	3	5718.99	66.62	110.52	-43.90	51.11	36.64	11.66	32.79	394	120 PEAK	4	5721.15	69.82	113.42	-43.60	54.31	36.64	11.66	32.79	394	120 PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.13</td><td>-----</td><td>-----</td><td>97.60</td><td>36.67</td><td>11.65</td><td>32.79</td><td>394</td><td>120 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.13	-----	-----	97.60	36.67	11.65	32.79	394	120 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5626.19	55.65	68.30	-12.65	40.30	36.40	11.70	32.75	394	120 PEAK																																																																																																																			
2	5651.11	54.35	69.12	-14.77	38.92	36.50	11.69	32.76	394	120 PEAK																																																																																																																			
3	5718.99	66.62	110.52	-43.90	51.11	36.64	11.66	32.79	394	120 PEAK																																																																																																																			
4	5721.15	69.82	113.42	-43.60	54.31	36.64	11.66	32.79	394	120 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	113.13	-----	-----	97.60	36.67	11.65	32.79	394	120 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.95</td><td>-----</td><td>-----</td><td>88.42</td><td>36.69</td><td>11.64</td><td>32.80</td><td>394</td><td>120 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.95	-----	-----	88.42	36.69	11.64	32.80	394	120 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	103.95	-----	-----	88.42	36.69	11.64	32.80	394	120 AVERAGE																																																																																																																			





Mode	102									
	Band Edge									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz									
ANT	1+2									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-02-23 </									



Mode	102																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full RU_5745MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>45.12</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>48.31</td><td>68.30</td><td>-19.99</td><td>41.07</td><td>42.69</td><td>17.57</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.84	74.00	-26.16	45.12	38.20	14.83	2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>45.23</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>48.68</td><td>68.30</td><td>-19.62</td><td>41.44</td><td>42.69</td><td>17.57</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.95	74.00	-26.05	45.23	38.20	14.83	2	17235.00	48.68	68.30	-19.62	41.44	42.69	17.57
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
1	11490.00	47.84	74.00	-26.16	45.12	38.20	14.83																																																																									
2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11490.00	47.95	74.00	-26.05	45.23	38.20	14.83																																																																									
2	17235.00	48.68	68.30	-19.62	41.44	42.69	17.57																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>45.12</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>48.31</td><td>68.30</td><td>-19.99</td><td>41.07</td><td>42.69</td><td>17.57</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.84	74.00	-26.16	45.12	38.20	14.83	2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>45.23</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>48.68</td><td>68.30</td><td>-19.62</td><td>41.44</td><td>42.69</td><td>17.57</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.95	74.00	-26.05	45.23	38.20	14.83	2	17235.00	48.68	68.30	-19.62	41.44	42.69	17.57	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11490.00	47.84	74.00	-26.16	45.12	38.20	14.83																																																																									
2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11490.00	47.95	74.00	-26.05	45.23	38.20	14.83																																																																									
2	17235.00	48.68	68.30	-19.62	41.44	42.69	17.57																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>45.12</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>48.31</td><td>68.30</td><td>-19.99</td><td>41.07</td><td>42.69</td><td>17.57</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.84	74.00	-26.16	45.12	38.20	14.83	2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11490.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>45.23</td><td>38.20</td><td>14.83</td></tr><tr><td>2</td><td>17235.00</td><td>48.68</td><td>68.30</td><td>-19.62</td><td>41.44</td><td>42.69</td><td>17.57</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11490.00	47.95	74.00	-26.05	45.23	38.20	14.83	2	17235.00	48.68	68.30	-19.62	41.44	42.69	17.57	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11490.00	47.84	74.00	-26.16	45.12	38.20	14.83																																																																									
2	17235.00	48.31	68.30	-19.99	41.07	42.69	17.57																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11490.00	47.95	74.00	-26.05	45.23	38.20	14.83																																																																									
2	17235.00	48.68	68.30	-19.62	41.44	42.69	17.57																																																																									



Mode	103																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full RU_5785MHz																																																																																															
ANT	1+2																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>45.07</td><td>38.20</td><td>14.88</td><td>50.24</td></tr><tr><td>2</td><td>17355.00</td><td>48.04</td><td>68.30</td><td>-20.26</td><td>41.48</td><td>42.24</td><td>17.60</td><td>53.28</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	47.91	74.00	-26.09	45.07	38.20	14.88	50.24	2	17355.00	48.04	68.30	-20.26	41.48	42.24	17.60	53.28	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11570.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>44.31</td><td>38.20</td><td>14.88</td><td>50.24</td></tr><tr><td>2</td><td>17355.00</td><td>48.96</td><td>68.30</td><td>-19.34</td><td>42.40</td><td>42.24</td><td>17.60</td><td>53.28</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11570.00	47.15	74.00	-26.85	44.31	38.20	14.88	50.24	2	17355.00	48.96	68.30	-19.34	42.40	42.24	17.60	53.28
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11570.00	47.91	74.00	-26.09	45.07	38.20	14.88	50.24																																																																																								
2	17355.00	48.04	68.30	-20.26	41.48	42.24	17.60	53.28																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	11570.00	47.15	74.00	-26.85	44.31	38.20	14.88	50.24																																																																																								
2	17355.00	48.96	68.30	-19.34	42.40	42.24	17.60	53.28																																																																																								





Mode	104																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.83</td><td>64.47</td><td>111.20</td><td>-46.73</td><td>49.28</td><td>36.51</td><td>11.52</td><td>32.84</td><td>396</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>5856.44</td><td>64.85</td><td>110.40</td><td>-45.55</td><td>49.66</td><td>36.51</td><td>11.52</td><td>32.84</td><td>396</td><td>118</td><td>PEAK</td></tr><tr><td>3</td><td>5922.69</td><td>55.16</td><td>69.90</td><td>-14.74</td><td>39.97</td><td>36.65</td><td>11.41</td><td>32.87</td><td>396</td><td>118</td><td>PEAK</td></tr><tr><td>4</td><td>5941.44</td><td>54.81</td><td>68.30</td><td>-13.49</td><td>39.63</td><td>36.68</td><td>11.38</td><td>32.88</td><td>396</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.83	64.47	111.20	-46.73	49.28	36.51	11.52	32.84	396	118	PEAK	2	5856.44	64.85	110.40	-45.55	49.66	36.51	11.52	32.84	396	118	PEAK	3	5922.69	55.16	69.90	-14.74	39.97	36.65	11.41	32.87	396	118	PEAK	4	5941.44	54.81	68.30	-13.49	39.63	36.68	11.38	32.88	396	118	PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.46</td><td>-----</td><td>-----</td><td>98.18</td><td>36.54</td><td>11.57</td><td>32.83</td><td>396</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.46	-----	-----	98.18	36.54	11.57	32.83	396	118	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5854.83	64.47	111.20	-46.73	49.28	36.51	11.52	32.84	396	118	PEAK																																																																																																																							
2	5856.44	64.85	110.40	-45.55	49.66	36.51	11.52	32.84	396	118	PEAK																																																																																																																							
3	5922.69	55.16	69.90	-14.74	39.97	36.65	11.41	32.87	396	118	PEAK																																																																																																																							
4	5941.44	54.81	68.30	-13.49	39.63	36.68	11.38	32.88	396	118	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	113.46	-----	-----	98.18	36.54	11.57	32.83	396	118	PEAK																																																																																																																							
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.87</td><td>-----</td><td>-----</td><td>88.58</td><td>36.55</td><td>11.57</td><td>32.83</td><td>396</td><td>118</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.87	-----	-----	88.58	36.55	11.57	32.83	396	118	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	103.87	-----	-----	88.58	36.55	11.57	32.83	396	118	AVERAGE																																																																																																																							



Mode	104																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.94</td><td>53.50</td><td>110.94</td><td>-57.44</td><td>38.31</td><td>36.51</td><td>11.52</td><td>32.84</td><td>386</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5872.83</td><td>53.54</td><td>105.81</td><td>-52.27</td><td>38.35</td><td>36.55</td><td>11.49</td><td>32.85</td><td>386</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5924.44</td><td>52.71</td><td>68.61</td><td>-15.90</td><td>37.53</td><td>36.65</td><td>11.40</td><td>32.87</td><td>386</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5945.58</td><td>53.28</td><td>68.30</td><td>-15.02</td><td>38.10</td><td>36.69</td><td>11.37</td><td>32.88</td><td>386</td><td>172</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.94	53.50	110.94	-57.44	38.31	36.51	11.52	32.84	386	172	PEAK	2	5872.83	53.54	105.81	-52.27	38.35	36.55	11.49	32.85	386	172	PEAK	3	5924.44	52.71	68.61	-15.90	37.53	36.65	11.40	32.87	386	172	PEAK	4	5945.58	53.28	68.30	-15.02	38.10	36.69	11.37	32.88	386	172	PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.05</td><td>-----</td><td>-----</td><td>91.74</td><td>36.56</td><td>11.58</td><td>32.83</td><td>386</td><td>172</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.05	-----	-----	91.74	36.56	11.58	32.83	386	172	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5854.94	53.50	110.94	-57.44	38.31	36.51	11.52	32.84	386	172	PEAK																																																																																																																							
2	5872.83	53.54	105.81	-52.27	38.35	36.55	11.49	32.85	386	172	PEAK																																																																																																																							
3	5924.44	52.71	68.61	-15.90	37.53	36.65	11.40	32.87	386	172	PEAK																																																																																																																							
4	5945.58	53.28	68.30	-15.02	38.10	36.69	11.37	32.88	386	172	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	107.05	-----	-----	91.74	36.56	11.58	32.83	386	172	PEAK																																																																																																																							
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.04</td><td>-----</td><td>-----</td><td>82.71</td><td>36.57</td><td>11.59</td><td>32.83</td><td>386</td><td>172</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.04	-----	-----	82.71	36.57	11.59	32.83	386	172	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5825.00	98.04	-----	-----	82.71	36.57	11.59	32.83	386	172	AVERAGE																																																																																																																							




Mode	104																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full RU_5825MHz																																																																																																																					
ANT	1+2																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-02-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>44.32</td><td>38.20</td><td>14.93</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.59</td><td>68.30</td><td>-19.71</td><td>42.15</td><td>42.35</td><td>17.63</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	47.27	74.00	-26.73	44.32	38.20	14.93	50.18	---	---	Peak	2	17475.00	48.59	68.30	-19.71	42.15	42.35	17.63	53.54	---	---	Peak	Level (dBuV/m) Date: 2025-02-24 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>43.82</td><td>38.20</td><td>14.93</td><td>50.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.94</td><td>68.30</td><td>-20.36</td><td>41.50</td><td>42.35</td><td>17.63</td><td>53.54</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.77	74.00	-27.23	43.82	38.20	14.93	50.18	---	---	Peak	2	17475.00	47.94	68.30	-20.36	41.50	42.35	17.63	53.54	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11650.00	47.27	74.00	-26.73	44.32	38.20	14.93	50.18	---	---	Peak																																																																																																											
2	17475.00	48.59	68.30	-19.71	42.15	42.35	17.63	53.54	---	---	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11650.00	46.77	74.00	-27.23	43.82	38.20	14.93	50.18	---	---	Peak																																																																																																											
2	17475.00	47.94	68.30	-20.36	41.50	42.35	17.63	53.54	---	---	Peak																																																																																																											



Mode	105																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.07</td><td>57.97</td><td>68.30</td><td>-10.33</td><td>42.58</td><td>36.46</td><td>11.69</td><td>32.76</td><td>391</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>5650.93</td><td>57.42</td><td>68.99</td><td>-11.57</td><td>41.99</td><td>36.50</td><td>11.69</td><td>32.76</td><td>391</td><td>121</td><td>PEAK</td></tr><tr><td>3</td><td>5718.20</td><td>69.99</td><td>110.30</td><td>-40.31</td><td>54.48</td><td>36.64</td><td>11.66</td><td>32.79</td><td>391</td><td>121</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>66.67</td><td>110.94</td><td>-44.27</td><td>51.16</td><td>36.64</td><td>11.66</td><td>32.79</td><td>391</td><td>121</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5640.07	57.97	68.30	-10.33	42.58	36.46	11.69	32.76	391	121	PEAK	2	5650.93	57.42	68.99	-11.57	41.99	36.50	11.69	32.76	391	121	PEAK	3	5718.20	69.99	110.30	-40.31	54.48	36.64	11.66	32.79	391	121	PEAK	4	5720.06	66.67	110.94	-44.27	51.16	36.64	11.66	32.79	391	121	PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>111.33</td><td>-----</td><td>-----</td><td>95.80</td><td>36.69</td><td>11.64</td><td>32.80</td><td>391</td><td>121</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	111.33	-----	-----	95.80	36.69	11.64	32.80	391	121	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5640.07	57.97	68.30	-10.33	42.58	36.46	11.69	32.76	391	121	PEAK																																																																																																																							
2	5650.93	57.42	68.99	-11.57	41.99	36.50	11.69	32.76	391	121	PEAK																																																																																																																							
3	5718.20	69.99	110.30	-40.31	54.48	36.64	11.66	32.79	391	121	PEAK																																																																																																																							
4	5720.06	66.67	110.94	-44.27	51.16	36.64	11.66	32.79	391	121	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	111.33	-----	-----	95.80	36.69	11.64	32.80	391	121	PEAK																																																																																																																							
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.70</td><td>-----</td><td>-----</td><td>87.18</td><td>36.68</td><td>11.64</td><td>32.80</td><td>391</td><td>121</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.70	-----	-----	87.18	36.68	11.64	32.80	391	121	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	102.70	-----	-----	87.18	36.68	11.64	32.80	391	121	AVERAGE																																																																																																																							



Mode	105																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Date: 2025-02-23 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>55.51</td><td>110.81</td><td>-55.30</td><td>40.32</td><td>36.51</td><td>11.52</td><td>32.84</td><td>391</td><td>121 PEAK</td></tr><tr><td>2</td><td>5874.65</td><td>56.15</td><td>105.30</td><td>-49.15</td><td>40.96</td><td>36.55</td><td>11.49</td><td>32.85</td><td>391</td><td>121 PEAK</td></tr><tr><td>3</td><td>5923.99</td><td>52.91</td><td>68.95</td><td>-16.04</td><td>37.72</td><td>36.65</td><td>11.41</td><td>32.87</td><td>391</td><td>121 PEAK</td></tr><tr><td>4</td><td>5929.82</td><td>54.09</td><td>68.30</td><td>-14.21</td><td>38.90</td><td>36.66</td><td>11.40</td><td>32.87</td><td>391</td><td>121 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	55.51	110.81	-55.30	40.32	36.51	11.52	32.84	391	121 PEAK	2	5874.65	56.15	105.30	-49.15	40.96	36.55	11.49	32.85	391	121 PEAK	3	5923.99	52.91	68.95	-16.04	37.72	36.65	11.41	32.87	391	121 PEAK	4	5929.82	54.09	68.30	-14.21	38.90	36.66	11.40	32.87	391	121 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5855.00	55.51	110.81	-55.30	40.32	36.51	11.52	32.84	391	121 PEAK																																																																		
2	5874.65	56.15	105.30	-49.15	40.96	36.55	11.49	32.85	391	121 PEAK																																																																		
3	5923.99	52.91	68.95	-16.04	37.72	36.65	11.41	32.87	391	121 PEAK																																																																		
4	5929.82	54.09	68.30	-14.21	38.90	36.66	11.40	32.87	391	121 PEAK																																																																		



Mode	105									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full RU_5755MHz									
ANT	1+2									
Pol.	Vertical					Fundamental				
Peak										



Mode	106											
	Band Edge - L											
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz											
ANT	1+2											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m) Date: 2025-02-23 <											



Mode	106																																																																																																																																																																																																														
	Band Edge - L																																																																																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full RU_5795MHz																																																																																																																																																																																																														
ANT	1+2																																																																																																																																																																																																														
Pol.	Vertical	Fundamental																																																																																																																																																																																																													
Peak	Date: 2025-02-23 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.58</td><td>53.89</td><td>68.30</td><td>-14.41</td><td>38.49</td><td>36.47</td><td>11.69</td><td>32.76</td><td>393</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>5650.02</td><td>52.38</td><td>68.31</td><td>-15.93</td><td>36.95</td><td>36.50</td><td>11.69</td><td>32.76</td><td>393</td><td>168</td><td>PEAK</td></tr><tr><td>3</td><td>5700.15</td><td>53.60</td><td>105.24</td><td>-51.64</td><td>38.12</td><td>36.60</td><td>11.66</td><td>32.78</td><td>393</td><td>168</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.89</td><td>110.81</td><td>-57.92</td><td>37.38</td><td>36.64</td><td>11.66</td><td>32.79</td><td>393</td><td>168</td><td>PEAK</td></tr></tbody></table> Date: 2025-02-23 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.53</td><td>-----</td><td>-----</td><td>89.08</td><td>36.63</td><td>11.63</td><td>32.81</td><td>393</td><td>168</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5643.58	53.89	68.30	-14.41	38.49	36.47	11.69	32.76	393	168	PEAK	2	5650.02	52.38	68.31	-15.93	36.95	36.50	11.69	32.76	393	168	PEAK	3	5700.15	53.60	105.24	-51.64	38.12	36.60	11.66	32.78	393	168	PEAK	4	5720.00	52.89	110.81	-57.92	37.38	36.64	11.66	32.79	393	168	PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.53	-----	-----	89.08	36.63	11.63	32.81	393	168	PEAK	Avg	Date: 2025-02-23 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.37</td><td>-----</td><td>-----</td><td>79.92</td><td>36.63</td><td>11.63</td><td>32.81</td><td>393</td><td>168</td><td>AVERAGE</td></tr></tbody></table> Date: 2025-02-23 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.53</td><td>-----</td><td>-----</td><td>89.08</td><td>36.63</td><td>11.63</td><td>32.81</td><td>393</td><td>168</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.37	-----	-----	79.92	36.63	11.63	32.81	393	168	AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.53	-----	-----	89.08	36.63	11.63	32.81	393	168	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	5643.58	53.89	68.30	-14.41	38.49	36.47	11.69	32.76	393	168	PEAK																																																																																																																																																																																																				
2	5650.02	52.38	68.31	-15.93	36.95	36.50	11.69	32.76	393	168	PEAK																																																																																																																																																																																																				
3	5700.15	53.60	105.24	-51.64	38.12	36.60	11.66	32.78	393	168	PEAK																																																																																																																																																																																																				
4	5720.00	52.89	110.81	-57.92	37.38	36.64	11.66	32.79	393	168	PEAK																																																																																																																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	5795.00	104.53	-----	-----	89.08	36.63	11.63	32.81	393	168	PEAK																																																																																																																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	5795.00	95.37	-----	-----	79.92	36.63	11.63	32.81	393	168	AVERAGE																																																																																																																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	5795.00	104.53	-----	-----	89.08	36.63	11.63	32.81	393	168	PEAK																																																																																																																																																																																																				



Mode	107																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																																		
ANT	1+2																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak	Date: 2025-02-23 Level (dBuV/m)						Date: 2025-02-23 Level (dBuV/m)																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5640.86</td><td>58.57</td><td>68.30</td><td>-9.73</td><td>43.18</td><td>36.46</td><td>11.69</td><td>32.76</td><td>383</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>5650.02</td><td>57.06</td><td>68.31</td><td>-11.25</td><td>41.63</td><td>36.50</td><td>11.69</td><td>32.76</td><td>383</td><td>148</td><td>PEAK</td></tr><tr><td>3</td><td>5702.81</td><td>61.68</td><td>105.99</td><td>-44.31</td><td>46.19</td><td>36.61</td><td>11.66</td><td>32.78</td><td>383</td><td>148</td><td>PEAK</td></tr><tr><td>4</td><td>5720.02</td><td>62.47</td><td>110.83</td><td>-48.36</td><td>46.96</td><td>36.64</td><td>11.66</td><td>32.79</td><td>383</td><td>148</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5640.86	58.57	68.30	-9.73	43.18	36.46	11.69	32.76	383	148	PEAK	2	5650.02	57.06	68.31	-11.25	41.63	36.50	11.69	32.76	383	148	PEAK	3	5702.81	61.68	105.99	-44.31	46.19	36.61	11.66	32.78	383	148	PEAK	4	5720.02	62.47	110.83	-48.36	46.96	36.64	11.66	32.79	383	148	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>106.60</td><td>-----</td><td>-----</td><td>91.08</td><td>36.68</td><td>11.64</td><td>32.80</td><td>383</td><td>148</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.60	-----	-----	91.08	36.68	11.64	32.80	383	148
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5640.86	58.57	68.30	-9.73	43.18	36.46	11.69	32.76	383	148	PEAK																																																																																																																								
2	5650.02	57.06	68.31	-11.25	41.63	36.50	11.69	32.76	383	148	PEAK																																																																																																																								
3	5702.81	61.68	105.99	-44.31	46.19	36.61	11.66	32.78	383	148	PEAK																																																																																																																								
4	5720.02	62.47	110.83	-48.36	46.96	36.64	11.66	32.79	383	148	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	106.60	-----	-----	91.08	36.68	11.64	32.80	383	148	PEAK																																																																																																																								
Avg	Blank						Date: 2025-02-23 Level (dBuV/m)																																																																																																																												
							<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>97.89</td><td>-----</td><td>-----</td><td>82.37</td><td>36.68</td><td>11.64</td><td>32.80</td><td>383</td><td>148</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.89	-----	-----	82.37	36.68	11.64	32.80	383	148	AVERAGE																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	97.89	-----	-----	82.37	36.68	11.64	32.80	383	148	AVERAGE																																																																																																																								



Mode	107																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full RU_5775MHz																																																																																																																																	
ANT	1+2																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5622.49</td><td>54.80</td><td>68.30</td><td>-13.50</td><td>39.46</td><td>36.39</td><td>11.70</td><td>32.75</td><td>400</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5650.02</td><td>53.46</td><td>68.31</td><td>-14.85</td><td>38.03</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>135</td><td>PEAK</td></tr><tr><td>3</td><td>5700.54</td><td>55.12</td><td>105.35</td><td>-50.23</td><td>39.64</td><td>36.60</td><td>11.66</td><td>32.78</td><td>400</td><td>135</td><td>PEAK</td></tr><tr><td>4</td><td>5720.02</td><td>55.03</td><td>110.83</td><td>-55.80</td><td>39.52</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>135</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5622.49	54.80	68.30	-13.50	39.46	36.39	11.70	32.75	400	135	PEAK	2	5650.02	53.46	68.31	-14.85	38.03	36.50	11.69	32.76	400	135	PEAK	3	5700.54	55.12	105.35	-50.23	39.64	36.60	11.66	32.78	400	135	PEAK	4	5720.02	55.03	110.83	-55.80	39.52	36.64	11.66	32.79	400	135	PEAK	Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>101.35</td><td>-----</td><td>-----</td><td>85.93</td><td>36.62</td><td>11.62</td><td>32.82</td><td>400</td><td>135</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.35	-----	-----	85.93	36.62	11.62	32.82	400	135	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5622.49	54.80	68.30	-13.50	39.46	36.39	11.70	32.75	400	135	PEAK																																																																																																																							
2	5650.02	53.46	68.31	-14.85	38.03	36.50	11.69	32.76	400	135	PEAK																																																																																																																							
3	5700.54	55.12	105.35	-50.23	39.64	36.60	11.66	32.78	400	135	PEAK																																																																																																																							
4	5720.02	55.03	110.83	-55.80	39.52	36.64	11.66	32.79	400	135	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5775.00	101.35	-----	-----	85.93	36.62	11.62	32.82	400	135	PEAK																																																																																																																							
Avg	Blank					Level (dBuV/m) Date: 2025-02-23 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>91.66</td><td>-----</td><td>-----</td><td>76.21</td><td>36.63</td><td>11.63</td><td>32.81</td><td>400</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5775.00	91.66	-----	-----	76.21	36.63	11.63	32.81	400	135	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5775.00	91.66	-----	-----	76.21	36.63	11.63	32.81	400	135	AVERAGE																																																																																																																							



Mode	108																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 52RU37_5745MHz																																																																																																																																		
ANT	1+2																																																																																																																																		
Pol.	Horizontal										Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-03-04 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5600 5629 5658 5687 5716 5745 PEAK_BE[B4]_16-24 1 2 3 4 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5618.13</td><td>55.36</td><td>68.30</td><td>-12.94</td><td>40.04</td><td>36.37</td><td>11.70</td><td>32.75</td><td>396</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>53.13</td><td>68.32</td><td>-15.19</td><td>37.70</td><td>36.50</td><td>11.69</td><td>32.76</td><td>396</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>5700.78</td><td>53.49</td><td>105.42</td><td>-51.93</td><td>38.01</td><td>36.60</td><td>11.66</td><td>32.78</td><td>396</td><td>117</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.88</td><td>110.94</td><td>-58.06</td><td>37.37</td><td>36.64</td><td>11.66</td><td>32.79</td><td>396</td><td>117</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5618.13	55.36	68.30	-12.94	40.04	36.37	11.70	32.75	396	117	PEAK	2	5650.03	53.13	68.32	-15.19	37.70	36.50	11.69	32.76	396	117	PEAK	3	5700.78	53.49	105.42	-51.93	38.01	36.60	11.66	32.78	396	117	PEAK	4	5720.06	52.88	110.94	-58.06	37.37	36.64	11.66	32.79	396	117	PEAK	Level (dBuV/m) Date: 2025-03-04 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 PART 15.407 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>108.37</td><td>-----</td><td>-----</td><td>92.84</td><td>36.67</td><td>11.65</td><td>32.79</td><td>396</td><td>117</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.37	-----	-----	92.84	36.67	11.65	32.79	396	117	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5618.13	55.36	68.30	-12.94	40.04	36.37	11.70	32.75	396	117	PEAK																																																																																																																								
2	5650.03	53.13	68.32	-15.19	37.70	36.50	11.69	32.76	396	117	PEAK																																																																																																																								
3	5700.78	53.49	105.42	-51.93	38.01	36.60	11.66	32.78	396	117	PEAK																																																																																																																								
4	5720.06	52.88	110.94	-58.06	37.37	36.64	11.66	32.79	396	117	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	108.37	-----	-----	92.84	36.67	11.65	32.79	396	117	PEAK																																																																																																																								
Avg	Blank										Level (dBuV/m) Date: 2025-03-04 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200 3400 4600 5800 7000 PART 15.407 AVG 1 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.06</td><td>-----</td><td>-----</td><td>84.53</td><td>36.67</td><td>11.65</td><td>32.79</td><td>396</td><td>117</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.06	-----	-----	84.53	36.67	11.65	32.79	396	117	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5745.00	100.06	-----	-----	84.53	36.67	11.65	32.79	396	117	AVERAGE																																																																																																																								



Mode	108																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 52RU37_5745MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-03-04 PEAK_BE[B4]_10-24 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.62</td><td>53.96</td><td>68.30</td><td>-14.34</td><td>38.56</td><td>36.47</td><td>11.69</td><td>32.76</td><td>400</td><td>176 PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>52.18</td><td>68.53</td><td>-16.35</td><td>36.75</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>176 PEAK</td></tr><tr><td>3</td><td>5700.05</td><td>53.37</td><td>105.21</td><td>-51.84</td><td>37.89</td><td>36.60</td><td>11.66</td><td>32.78</td><td>400</td><td>176 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>53.08</td><td>110.94</td><td>-57.86</td><td>37.57</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>176 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5641.62	53.96	68.30	-14.34	38.56	36.47	11.69	32.76	400	176 PEAK	2	5650.32	52.18	68.53	-16.35	36.75	36.50	11.69	32.76	400	176 PEAK	3	5700.05	53.37	105.21	-51.84	37.89	36.60	11.66	32.78	400	176 PEAK	4	5720.06	53.08	110.94	-57.86	37.57	36.64	11.66	32.79	400	176 PEAK	Level (dBuV/m) Date: 2025-03-04 PART 15.407 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.76</td><td>-----</td><td>-----</td><td>84.23</td><td>36.67</td><td>11.65</td><td>32.79</td><td>400</td><td>176 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.76	-----	-----	84.23	36.67	11.65	32.79	400	176 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5641.62	53.96	68.30	-14.34	38.56	36.47	11.69	32.76	400	176 PEAK																																																																																																																			
2	5650.32	52.18	68.53	-16.35	36.75	36.50	11.69	32.76	400	176 PEAK																																																																																																																			
3	5700.05	53.37	105.21	-51.84	37.89	36.60	11.66	32.78	400	176 PEAK																																																																																																																			
4	5720.06	53.08	110.94	-57.86	37.57	36.64	11.66	32.79	400	176 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	99.76	-----	-----	84.23	36.67	11.65	32.79	400	176 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-03-04 PART 15.407 AVG <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.40</td><td>-----</td><td>-----</td><td>76.87</td><td>36.67</td><td>11.65</td><td>32.79</td><td>400</td><td>176 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	92.40	-----	-----	76.87	36.67	11.65	32.79	400	176 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	92.40	-----	-----	76.87	36.67	11.65	32.79	400	176 AVERAGE																																																																																																																			






Mode	109																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 52RU40_5825MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>52.39</td><td>111.08</td><td>-58.69</td><td>37.20</td><td>36.51</td><td>11.52</td><td>32.84</td><td>396</td><td>119 PEAK</td></tr><tr><td>2 5873.38</td><td>52.66</td><td>105.65</td><td>-52.99</td><td>37.47</td><td>36.55</td><td>11.49</td><td>32.85</td><td>396</td><td>119 PEAK</td></tr><tr><td>3 5924.13</td><td>53.55</td><td>68.84</td><td>-15.29</td><td>38.37</td><td>36.65</td><td>11.40</td><td>32.87</td><td>396</td><td>119 PEAK</td></tr><tr><td>4 5937.50</td><td>53.08</td><td>68.30</td><td>-15.22</td><td>37.91</td><td>36.67</td><td>11.38</td><td>32.88</td><td>396</td><td>119 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.88	52.39	111.08	-58.69	37.20	36.51	11.52	32.84	396	119 PEAK	2 5873.38	52.66	105.65	-52.99	37.47	36.55	11.49	32.85	396	119 PEAK	3 5924.13	53.55	68.84	-15.29	38.37	36.65	11.40	32.87	396	119 PEAK	4 5937.50	53.08	68.30	-15.22	37.91	36.67	11.38	32.88	396	119 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.02</td><td>-----</td><td>-----</td><td>92.75</td><td>36.54</td><td>11.56</td><td>32.83</td><td>396</td><td>119 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	108.02	-----	-----	92.75	36.54	11.56	32.83	396	119 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.88	52.39	111.08	-58.69	37.20	36.51	11.52	32.84	396	119 PEAK																																																																																																							
2 5873.38	52.66	105.65	-52.99	37.47	36.55	11.49	32.85	396	119 PEAK																																																																																																							
3 5924.13	53.55	68.84	-15.29	38.37	36.65	11.40	32.87	396	119 PEAK																																																																																																							
4 5937.50	53.08	68.30	-15.22	37.91	36.67	11.38	32.88	396	119 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	108.02	-----	-----	92.75	36.54	11.56	32.83	396	119 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.99</td><td>-----</td><td>-----</td><td>84.72</td><td>36.54</td><td>11.56</td><td>32.83</td><td>396</td><td>119 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	99.99	-----	-----	84.72	36.54	11.56	32.83	396	119 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	99.99	-----	-----	84.72	36.54	11.56	32.83	396	119 AVERAGE																																																																																																							



Mode	109																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 52RU40_5825MHz																																																																																																																												
ANT	1+2																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>51.29</td><td>110.80</td><td>-59.51</td><td>36.10</td><td>36.51</td><td>11.52</td><td>32.84</td><td>340</td><td>197 PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>52.04</td><td>105.20</td><td>-53.16</td><td>36.85</td><td>36.55</td><td>11.49</td><td>32.85</td><td>340</td><td>197 PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>51.44</td><td>68.38</td><td>-16.94</td><td>36.26</td><td>36.65</td><td>11.40</td><td>32.87</td><td>340</td><td>197 PEAK</td></tr><tr><td>4</td><td>5932.88</td><td>52.81</td><td>68.30</td><td>-15.49</td><td>37.62</td><td>36.67</td><td>11.39</td><td>32.87</td><td>340</td><td>197 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	51.29	110.80	-59.51	36.10	36.51	11.52	32.84	340	197 PEAK	2	5875.00	52.04	105.20	-53.16	36.85	36.55	11.49	32.85	340	197 PEAK	3	5924.75	51.44	68.38	-16.94	36.26	36.65	11.40	32.87	340	197 PEAK	4	5932.88	52.81	68.30	-15.49	37.62	36.67	11.39	32.87	340	197 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.18</td><td>-----</td><td>-----</td><td>87.91</td><td>36.54</td><td>11.56</td><td>32.83</td><td>340</td><td>197 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.18	-----	-----	87.91	36.54	11.56	32.83	340	197 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5855.00	51.29	110.80	-59.51	36.10	36.51	11.52	32.84	340	197 PEAK																																																																																																																			
2	5875.00	52.04	105.20	-53.16	36.85	36.55	11.49	32.85	340	197 PEAK																																																																																																																			
3	5924.75	51.44	68.38	-16.94	36.26	36.65	11.40	32.87	340	197 PEAK																																																																																																																			
4	5932.88	52.81	68.30	-15.49	37.62	36.67	11.39	32.87	340	197 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	103.18	-----	-----	87.91	36.54	11.56	32.83	340	197 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.37</td><td>-----</td><td>-----</td><td>78.12</td><td>36.53</td><td>11.55</td><td>32.83</td><td>340</td><td>197 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	93.37	-----	-----	78.12	36.53	11.55	32.83	340	197 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	93.37	-----	-----	78.12	36.53	11.55	32.83	340	197 AVERAGE																																																																																																																			



Mode	110																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU 106+26_OFDMA1_5745MHz																																																																																																																							
ANT	1+2																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	Date: 2025-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5620.45</td><td>54.77</td><td>68.30</td><td>-13.53</td><td>39.44</td><td>36.38</td><td>11.70</td><td>32.75</td><td>400</td><td>165 PEAK</td></tr><tr><td>2 5650.32</td><td>52.60</td><td>68.53</td><td>-15.93</td><td>37.17</td><td>36.50</td><td>11.69</td><td>32.76</td><td>400</td><td>165 PEAK</td></tr><tr><td>3 5700.49</td><td>53.39</td><td>105.34</td><td>-51.95</td><td>37.91</td><td>36.60</td><td>11.66</td><td>32.78</td><td>400</td><td>165 PEAK</td></tr><tr><td>4 5720.50</td><td>54.52</td><td>111.93</td><td>-57.41</td><td>39.01</td><td>36.64</td><td>11.66</td><td>32.79</td><td>400</td><td>165 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5620.45	54.77	68.30	-13.53	39.44	36.38	11.70	32.75	400	165 PEAK	2 5650.32	52.60	68.53	-15.93	37.17	36.50	11.69	32.76	400	165 PEAK	3 5700.49	53.39	105.34	-51.95	37.91	36.60	11.66	32.78	400	165 PEAK	4 5720.50	54.52	111.93	-57.41	39.01	36.64	11.66	32.79	400	165 PEAK	Date: 2025-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.29</td><td>-----</td><td>-----</td><td>85.76</td><td>36.67</td><td>11.65</td><td>32.79</td><td>400</td><td>165 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	101.29	-----	-----	85.76	36.67	11.65	32.79	400	165 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5620.45	54.77	68.30	-13.53	39.44	36.38	11.70	32.75	400	165 PEAK																																																																																																															
2 5650.32	52.60	68.53	-15.93	37.17	36.50	11.69	32.76	400	165 PEAK																																																																																																															
3 5700.49	53.39	105.34	-51.95	37.91	36.60	11.66	32.78	400	165 PEAK																																																																																																															
4 5720.50	54.52	111.93	-57.41	39.01	36.64	11.66	32.79	400	165 PEAK																																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	101.29	-----	-----	85.76	36.67	11.65	32.79	400	165 PEAK																																																																																																															
Avg	Blank					Date: 2025-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.28</td><td>-----</td><td>-----</td><td>77.75</td><td>36.67</td><td>11.65</td><td>32.79</td><td>400</td><td>165 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5745.00	93.28	-----	-----	77.75	36.67	11.65	32.79	400	165 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5745.00	93.28	-----	-----	77.75	36.67	11.65	32.79	400	165 AVERAGE																																																																																																															







Mode	111																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 106+26_OFDMA2_5825MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>52.11</td><td>111.08</td><td>-58.97</td><td>36.92</td><td>36.51</td><td>11.52</td><td>32.84</td><td>379</td><td>125 PEAK</td></tr><tr><td>2 5875.00</td><td>52.72</td><td>105.20</td><td>-52.48</td><td>37.53</td><td>36.55</td><td>11.49</td><td>32.85</td><td>379</td><td>125 PEAK</td></tr><tr><td>3 5924.75</td><td>52.41</td><td>68.38</td><td>-15.97</td><td>37.23</td><td>36.65</td><td>11.40</td><td>32.87</td><td>379</td><td>125 PEAK</td></tr><tr><td>4 5933.13</td><td>53.95</td><td>68.30</td><td>-14.35</td><td>38.76</td><td>36.67</td><td>11.39</td><td>32.87</td><td>379</td><td>125 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5854.88	52.11	111.08	-58.97	36.92	36.51	11.52	32.84	379	125 PEAK	2 5875.00	52.72	105.20	-52.48	37.53	36.55	11.49	32.85	379	125 PEAK	3 5924.75	52.41	68.38	-15.97	37.23	36.65	11.40	32.87	379	125 PEAK	4 5933.13	53.95	68.30	-14.35	38.76	36.67	11.39	32.87	379	125 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>110.05</td><td>-----</td><td>-----</td><td>94.80</td><td>36.53</td><td>11.55</td><td>32.83</td><td>379</td><td>125 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	110.05	-----	-----	94.80	36.53	11.55	32.83	379	125 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.88	52.11	111.08	-58.97	36.92	36.51	11.52	32.84	379	125 PEAK																																																																																																							
2 5875.00	52.72	105.20	-52.48	37.53	36.55	11.49	32.85	379	125 PEAK																																																																																																							
3 5924.75	52.41	68.38	-15.97	37.23	36.65	11.40	32.87	379	125 PEAK																																																																																																							
4 5933.13	53.95	68.30	-14.35	38.76	36.67	11.39	32.87	379	125 PEAK																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	110.05	-----	-----	94.80	36.53	11.55	32.83	379	125 PEAK																																																																																																							
Avg	Blank	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.11</td><td>-----</td><td>-----</td><td>84.84</td><td>36.54</td><td>11.56</td><td>32.83</td><td>379</td><td>125 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.11	-----	-----	84.84	36.54	11.56	32.83	379	125 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	100.11	-----	-----	84.84	36.54	11.56	32.83	379	125 AVERAGE																																																																																																							



Mode	111																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 106+26_OFDMA2_5825MHz																																																																																																																																		
ANT	1+2																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>51.24</td><td>110.80</td><td>-59.56</td><td>36.05</td><td>36.51</td><td>11.52</td><td>32.84</td><td>400</td><td>189</td><td>PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>51.99</td><td>105.27</td><td>-53.28</td><td>36.80</td><td>36.55</td><td>11.49</td><td>32.85</td><td>400</td><td>189</td><td>PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>52.78</td><td>68.57</td><td>-15.79</td><td>37.60</td><td>36.65</td><td>11.40</td><td>32.87</td><td>400</td><td>189</td><td>PEAK</td></tr><tr><td>4</td><td>5930.88</td><td>53.93</td><td>68.30</td><td>-14.37</td><td>38.75</td><td>36.66</td><td>11.39</td><td>32.87</td><td>400</td><td>189</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5855.00	51.24	110.80	-59.56	36.05	36.51	11.52	32.84	400	189	PEAK	2	5874.75	51.99	105.27	-53.28	36.80	36.55	11.49	32.85	400	189	PEAK	3	5924.50	52.78	68.57	-15.79	37.60	36.65	11.40	32.87	400	189	PEAK	4	5930.88	53.93	68.30	-14.37	38.75	36.66	11.39	32.87	400	189	PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.85</td><td>-----</td><td>-----</td><td>84.58</td><td>36.54</td><td>11.56</td><td>32.83</td><td>400</td><td>189</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.85	-----	-----	84.58	36.54	11.56	32.83	400	189	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5855.00	51.24	110.80	-59.56	36.05	36.51	11.52	32.84	400	189	PEAK																																																																																																																								
2	5874.75	51.99	105.27	-53.28	36.80	36.55	11.49	32.85	400	189	PEAK																																																																																																																								
3	5924.50	52.78	68.57	-15.79	37.60	36.65	11.40	32.87	400	189	PEAK																																																																																																																								
4	5930.88	53.93	68.30	-14.37	38.75	36.66	11.39	32.87	400	189	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	99.85	-----	-----	84.58	36.54	11.56	32.83	400	189	PEAK																																																																																																																								
Avg	Blank						Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>91.10</td><td>-----</td><td>-----</td><td>75.85</td><td>36.53</td><td>11.55</td><td>32.83</td><td>400</td><td>189</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	91.10	-----	-----	75.85	36.53	11.55	32.83	400	189	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	91.10	-----	-----	75.85	36.53	11.55	32.83	400	189	AVERAGE																																																																																																																								



		112																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_4_5210MHz																																																																																							
ANT		1+2																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.95</td><td>56.90</td><td>74.00</td><td>-17.10</td><td>42.73</td><td>35.71</td><td>11.09</td><td>32.63</td><td>400 128 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5145.95	56.90	74.00	-17.10	42.73	35.71	11.09	32.63	400 128 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>98.74</td><td>-----</td><td>-----</td><td>84.55</td><td>35.76</td><td>11.07</td><td>32.64</td><td>400 128 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	98.74	-----	-----	84.55	35.76	11.07	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5145.95	56.90	74.00	-17.10	42.73	35.71	11.09	32.63	400 128 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	98.74	-----	-----	84.55	35.76	11.07	32.64	400 128 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-04  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>30.33</td><td>35.70</td><td>11.09</td><td>32.63</td><td>400 128 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5148.89	44.49	54.00	-9.51	30.33	35.70	11.09	32.63	400 128 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.31</td><td>-----</td><td>-----</td><td>76.12</td><td>35.76</td><td>11.07</td><td>32.64</td><td>400 128 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5210.00	90.31	-----	-----	76.12	35.76	11.07	32.64
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5148.89	44.49	54.00	-9.51	30.33	35.70	11.09	32.63	400 128 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5210.00	90.31	-----	-----	76.12	35.76	11.07	32.64	400 128 AVERAGE																																																																																



Mode	112																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_4_5210MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.00</td><td>52.49</td><td>74.00</td><td>-21.51</td><td>38.18</td><td>36.05</td><td>10.93</td><td>32.67</td><td>400 128 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5374.00	52.49	74.00	-21.51	38.18	36.05	10.93	32.67	400 128 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5374.00	52.49	74.00	-21.51	38.18	36.05	10.93	32.67	400 128 PEAK																																	
Avg	Date: 2025-03-04 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.50</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>28.09</td><td>36.06</td><td>10.93</td><td>32.67</td><td>400 128 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5367.50	42.41	54.00	-11.59	28.09	36.06	10.93	32.67	400 128 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5367.50	42.41	54.00	-11.59	28.09	36.06	10.93	32.67	400 128 AVERAGE																																	



Mode	112																																																																																			
	Band Edge - L																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_4_5210MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.42</td><td>60.34</td><td>74.00</td><td>-13.66</td><td>46.17</td><td>35.71</td><td>11.09</td><td>32.63</td><td>400</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5147.42	60.34	74.00	-13.66	46.17	35.71	11.09	32.63	400	177 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>106.72</td><td>-----</td><td>-----</td><td>92.54</td><td>35.74</td><td>11.07</td><td>32.63</td><td>400</td><td>177 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	106.72	-----	-----	92.54	35.74	11.07	32.63	400	177 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5147.42	60.34	74.00	-13.66	46.17	35.71	11.09	32.63	400	177 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	106.72	-----	-----	92.54	35.74	11.07	32.63	400	177 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>32.59</td><td>35.70</td><td>11.09</td><td>32.63</td><td>400</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	46.75	54.00	-7.25	32.59	35.70	11.09	32.63	400	177 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.56</td><td>-----</td><td>-----</td><td>82.38</td><td>35.74</td><td>11.07</td><td>32.63</td><td>400</td><td>177 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	96.56	-----	-----	82.38	35.74	11.07	32.63	400	177 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5149.94	46.75	54.00	-7.25	32.59	35.70	11.09	32.63	400	177 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5210.00	96.56	-----	-----	82.38	35.74	11.07	32.63	400	177 AVERAGE																																																																										



Mode	113																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242_1_5290MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5037.27</td><td>53.06</td><td>74.00</td><td>-20.94</td><td>38.72</td><td>35.80</td><td>11.15</td><td>32.61</td><td>161 110 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5037.27	53.06	74.00	-20.94	38.72	35.80	11.15	32.61	161 110 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>101.20</td><td>-----</td><td>-----</td><td>87.07</td><td>35.80</td><td>10.99</td><td>32.66</td><td>161 110 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.20	-----	-----	87.07	35.80	10.99	32.66	161 110 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5037.27	53.06	74.00	-20.94	38.72	35.80	11.15	32.61	161 110 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5290.00	101.20	-----	-----	87.07	35.80	10.99	32.66	161 110 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.34</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>28.90</td><td>35.73</td><td>11.09</td><td>32.63</td><td>161 110 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5137.34	43.09	54.00	-10.91	28.90	35.73	11.09	32.63	161 110 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.32</td><td>-----</td><td>-----</td><td>76.16</td><td>35.80</td><td>11.01</td><td>32.65</td><td>161 110 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.32	-----	-----	76.16	35.80	11.01	32.65	161 110 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5137.34	43.09	54.00	-10.91	28.90	35.73	11.09	32.63	161 110 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5290.00	90.32	-----	-----	76.16	35.80	11.01	32.65	161 110 AVERAGE																																																																			



Mode	113																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242_1_5290MHz																																																	
ANT	1+2																																																	
Pol.	Horizontal					Fundamental																																												
Peak	Date: 2025-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.00</td><td>55.91</td><td>74.00</td><td>-18.09</td><td>41.55</td><td>36.09</td><td>10.94</td><td>32.67</td><td>161 110 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5353.00	55.91	74.00	-18.09	41.55	36.09	10.94	32.67	161 110 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5353.00	55.91	74.00	-18.09	41.55	36.09	10.94	32.67	161 110 PEAK																																									
Avg	Date: 2025-03-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.62</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>31.25</td><td>36.10</td><td>10.94</td><td>32.67</td><td>161 110 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.62	45.62	54.00	-8.38	31.25	36.10	10.94	32.67	161 110 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5350.62	45.62	54.00	-8.38	31.25	36.10	10.94	32.67	161 110 AVERAGE																																									



Mode	113																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242_1_5290MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5106.43</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>39.61</td><td>35.79</td><td>11.11</td><td>32.62</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5106.43	53.89	74.00	-20.11	39.61	35.79	11.11	32.62	100	174 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>106.19</td><td>-----</td><td>-----</td><td>91.94</td><td>35.96</td><td>10.96</td><td>32.67</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	106.19	-----	-----	91.94	35.96	10.96	32.67	100	174 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5106.43	53.89	74.00	-20.11	39.61	35.79	11.11	32.62	100	174 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	106.19	-----	-----	91.94	35.96	10.96	32.67	100	174 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5131.66</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>29.63</td><td>35.74</td><td>11.10</td><td>32.63</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5131.66	43.84	54.00	-10.16	29.63	35.74	11.10	32.63	100	174 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>97.49</td><td>-----</td><td>-----</td><td>83.24</td><td>35.96</td><td>10.96</td><td>32.67</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.49	-----	-----	83.24	35.96	10.96	32.67	100	174 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5131.66	43.84	54.00	-10.16	29.63	35.74	11.10	32.63	100	174 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5290.00	97.49	-----	-----	83.24	35.96	10.96	32.67	100	174 AVERAGE																																																																																		



Mode	113																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242_1_5290MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-03-04 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.56</td><td>59.51</td><td>74.00</td><td>-14.49</td><td>45.15</td><td>36.09</td><td>10.94</td><td>32.67</td><td>100</td><td>174</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5352.56	59.51	74.00	-14.49	45.15	36.09	10.94	32.67	100	174	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5352.56	59.51	74.00	-14.49	45.15	36.09	10.94	32.67	100	174	PEAK																															
Avg	Date: 2025-03-04 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.77</td><td>47.85</td><td>54.00</td><td>-6.15</td><td>33.49</td><td>36.09</td><td>10.94</td><td>32.67</td><td>100</td><td>174</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5354.77	47.85	54.00	-6.15	33.49	36.09	10.94	32.67	100	174	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5354.77	47.85	54.00	-6.15	33.49	36.09	10.94	32.67	100	174	AVERAGE																															



Mode	114																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242_4_5530MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5456.31</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>39.68</td><td>35.93</td><td>11.10</td><td>32.69</td><td>181</td><td>115 PEAK</td></tr><tr><td>2 5469.63</td><td>54.65</td><td>68.30</td><td>-13.65</td><td>40.20</td><td>35.98</td><td>11.16</td><td>32.69</td><td>181</td><td>115 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5456.31	54.02	74.00	-19.98	39.68	35.93	11.10	32.69	181	115 PEAK	2 5469.63	54.65	68.30	-13.65	40.20	35.98	11.16	32.69	181	115 PEAK	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>97.09</td><td>-----</td><td>-----</td><td>82.47</td><td>36.07</td><td>11.25</td><td>32.70</td><td>181</td><td>115 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	97.09	-----	-----	82.47	36.07	11.25	32.70	181	115 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5456.31	54.02	74.00	-19.98	39.68	35.93	11.10	32.69	181	115 PEAK																																																																																			
2 5469.63	54.65	68.30	-13.65	40.20	35.98	11.16	32.69	181	115 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5530.00	97.09	-----	-----	82.47	36.07	11.25	32.70	181	115 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5454.31</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>28.80</td><td>35.92</td><td>11.10</td><td>32.69</td><td>181</td><td>115 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5454.31	43.13	54.00	-10.87	28.80	35.92	11.10	32.69	181	115 AVERAGE	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5530.00</td><td>87.77</td><td>-----</td><td>-----</td><td>73.15</td><td>36.07</td><td>11.25</td><td>32.70</td><td>181</td><td>115 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5530.00	87.77	-----	-----	73.15	36.07	11.25	32.70	181	115 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5454.31	43.13	54.00	-10.87	28.80	35.92	11.10	32.69	181	115 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5530.00	87.77	-----	-----	73.15	36.07	11.25	32.70	181	115 AVERAGE																																																																																			



Mode	114																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242_4_5530MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>5456.13</td><td>61.19</td><td>74.00</td><td>-12.81</td><td>46.86</td><td>35.92</td><td>11.10</td></tr><tr><td>2</td><td>5468.55</td><td>62.29</td><td>68.30</td><td>-6.01</td><td>47.85</td><td>35.97</td><td>11.16</td></tr></table> Remark 183 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5456.13	61.19	74.00	-12.81	46.86	35.92	11.10	2	5468.55	62.29	68.30	-6.01	47.85	35.97	11.16	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>5530.00</td><td>103.41</td><td>-----</td><td>-----</td><td>88.79</td><td>36.07</td><td>11.25</td></tr></table> Remark 183 PEAK	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5530.00	103.41	-----	-----	88.79	36.07	11.25
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	5456.13	61.19	74.00	-12.81	46.86	35.92	11.10																																																																			
2	5468.55	62.29	68.30	-6.01	47.85	35.97	11.16																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	5530.00	103.41	-----	-----	88.79	36.07	11.25																																																																			
Avg	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>5452.35</td><td>46.57</td><td>54.00</td><td>-7.43</td><td>32.26</td><td>35.91</td><td>11.09</td></tr></table> Remark 183 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5452.35	46.57	54.00	-7.43	32.26	35.91	11.09	Level (dBuV/m) Date: 2025-03-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td></tr><tr><td>1</td><td>5530.00</td><td>95.15</td><td>-----</td><td>-----</td><td>80.53</td><td>36.07</td><td>11.25</td></tr></table> Remark 183 AVERAGE	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	5530.00	95.15	-----	-----	80.53	36.07	11.25								
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	5452.35	46.57	54.00	-7.43	32.26	35.91	11.09																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	5530.00	95.15	-----	-----	80.53	36.07	11.25																																																																			



Mode	114																															
	Band Edge - R																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242_4_5530MHz																															
ANT	1+2																															
Pol.	Vertical					Fundamental																										
Peak	Date: 2025-03-04 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5753.37</td><td>54.35</td><td>68.30</td><td>-13.95</td><td>38.82</td><td>36.69</td><td>11.64</td><td>32.80</td><td>100</td><td>183 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg		1	5753.37	54.35	68.30	-13.95	38.82	36.69	11.64	32.80	100	183 PEAK	Blank				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																							
1	5753.37	54.35	68.30	-13.95	38.82	36.69	11.64	32.80	100	183 PEAK																						