



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	83.80	76.40	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	84.40	76.40	No limit
5610	84.20	76.40	No limit

5530 MHz




Date: 28.JUL.2020 18:59:43




Date: 28.JUL.2020 18:58:55

5610 MHz




Date: 28.JUL.2020 19:01:44




Date: 28.JUL.2020 19:00:53

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	77.20	76.40	500	Pass




Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna
-----------	------------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	163.20	153.60	No limit





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	162.80	154.40	No limit





Test Mode	IEEE 802.11ax (HE20)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5180	25.05	19.10	No limit
5200	25.15	19.10	No limit
5240	25.29	19.00	No limit




5240 MHz




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5260	26.25	19.20	No limit
5300	25.29	19.10	No limit
5320	24.89	19.00	No limit

5260 MHz




Date: 29.JUL.2020 12:07:48




Date: 29.JUL.2020 12:07:16

5300 MHz





Date: 29.JUL.2020 12:15:00




Date: 29.JUL.2020 12:14:25

5320 MHz




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5500	25.95	19.10	No limit
5580	25.46	19.20	No limit
5700	27.20	19.30	No limit

5500 MHz




Date: 29.JUL.2020 12:20:25




Date: 29.JUL.2020 12:19:50


5580 MHz



Date: 29.JUL.2020 12:24:55




Date: 29.JUL.2020 12:24:23




Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5745	15.15	19.10	500	Pass
5785	15.35	19.20	500	Pass
5825	15.50	19.10	500	Pass

5745 MHz




Date: 29.JUL.2020 12:31:57




Date: 29.JUL.2020 12:31:15

5785 MHz




Date: 29.JUL.2020 12:33:48




Date: 29.JUL.2020 12:33:04

5825 MHz





Date: 29.JUL.2020 12:46:56



Date: 29.JUL.2020 12:46:16


Test Mode	IEEE 802.11ax (HE40)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5190	45.50	38.00	No limit
5230	45.10	38.00	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5270	46.20	38.00	No limit
5310	44.79	37.80	No limit

5270 MHz




Date: 29.JUL.2020 13:06:49




Date: 29.JUL.2020 19:46:29

5310 MHz




Date: 29.JUL.2020 13:09:52




Date: 29.JUL.2020 13:09:11

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5510	44.80	37.80	No limit
5550	46.70	38.00	No limit
5670	45.40	38.00	No limit

5510 MHz




Date: 29.JUL.2020 13:14:12




Date: 29.JUL.2020 13:13:33

5550 MHz




Date: 29.JUL.2020 13:41:28




Date: 29.JUL.2020 13:40:56

5670 MHz




Date: 29.JUL.2020 13:44:45




Date: 29.JUL.2020 13:44:10

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5755	31.81	37.80	500	Pass
5795	33.40	38.20	500	Pass

5755 MHz




Date: 29.JUL.2020 13:48:21




Date: 29.JUL.2020 13:47:06

5795 MHz




Date: 29.JUL.2020 14:09:23




Date: 29.JUL.2020 14:08:38

Test Mode	IEEE 802.11ax (HE80)_Aux Antenna
-----------	----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5210	84.60	76.00	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5290	86.80	76.80	No limit




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5530	90.79	77.20	No limit
5610	88.80	77.20	No limit

5530 MHz




Date: 29.JUL.2020 14:25:30




Date: 29.JUL.2020 14:24:45

5610 MHz




Date: 29.JUL.2020 14:28:58




Date: 29.JUL.2020 14:28:12

Test Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Minimum 6 dB Bandwidth Limit (kHz)	Result
5775	64.40	77.20	500	Pass




Test Mode	IEEE 802.11ax (HE160)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5250	165.60	156.00	No limit



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit
5570	166.00	156.00	No limit



APPENDIX E CONDUCTED OUTPUT POWER

Test Mode	IEEE 802.11a_Aux Antenna	Tested Date	2020/7/23
-----------	--------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	13.33	0.0215	24.00	0.2500	Complies
5200	13.38	0.0218	24.00	0.2500	Complies
5240	13.38	0.0218	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	13.35	0.0216	24.00	0.2500	Complies
5300	13.36	0.0217	24.00	0.2500	Complies
5320	13.35	0.0216	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	13.47	0.0222	24.00	0.2500	Complies
5580	13.41	0.0219	24.00	0.2500	Complies
5700	13.37	0.0217	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	13.46	0.0222	30.00	1.0000	Complies
5785	13.43	0.0220	30.00	1.0000	Complies
5825	13.39	0.0218	30.00	1.0000	Complies

Test Mode	IEEE 802.11a_Main Antenna	Tested Date	2020/7/23
-----------	---------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	13.44	0.0221	24.00	0.2500	Complies
5200	13.45	0.0221	24.00	0.2500	Complies
5240	13.38	0.0218	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	13.46	0.0222	24.00	0.2500	Complies
5300	13.45	0.0221	24.00	0.2500	Complies
5320	13.42	0.0220	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	13.44	0.0221	24.00	0.2500	Complies
5580	13.45	0.0221	24.00	0.2500	Complies
5700	13.48	0.0223	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	13.47	0.0222	30.00	1.0000	Complies
5785	13.39	0.0218	30.00	1.0000	Complies
5825	13.37	0.0217	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Aux Antenna	Tested Date	2020/7/23
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	10.49	0.0112	24.00	0.2500	Complies
5200	10.41	0.0110	24.00	0.2500	Complies
5240	10.43	0.0110	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	10.44	0.0111	24.00	0.2500	Complies
5300	10.30	0.0107	24.00	0.2500	Complies
5320	10.21	0.0105	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	10.41	0.0110	24.00	0.2500	Complies
5580	10.78	0.0120	24.00	0.2500	Complies
5700	10.57	0.0114	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	10.79	0.0120	30.00	1.0000	Complies
5785	10.81	0.0121	30.00	1.0000	Complies
5825	10.55	0.0114	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Main Antenna	Tested Date	2020/7/23
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	10.44	0.0111	24.00	0.2500	Complies
5200	10.47	0.0111	24.00	0.2500	Complies
5240	10.33	0.0108	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	10.51	0.0112	24.00	0.2500	Complies
5300	10.35	0.0108	24.00	0.2500	Complies
5320	10.56	0.0114	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	10.29	0.0107	24.00	0.2500	Complies
5580	10.11	0.0103	24.00	0.2500	Complies
5700	10.02	0.0100	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	10.08	0.0102	30.00	1.0000	Complies
5785	9.97	0.0099	30.00	1.0000	Complies
5825	10.34	0.0108	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT20)_Total	Tested Date	2020/7/23
-----------	---------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	13.48	0.0223	24.00	0.2500	Complies
5200	13.45	0.0221	24.00	0.2500	Complies
5240	13.39	0.0218	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	13.49	0.0223	24.00	0.2500	Complies
5300	13.34	0.0216	24.00	0.2500	Complies
5320	13.40	0.0219	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	13.36	0.0217	24.00	0.2500	Complies
5580	13.47	0.0222	24.00	0.2500	Complies
5700	13.31	0.0214	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	13.46	0.0222	30.00	1.0000	Complies
5785	13.42	0.0220	30.00	1.0000	Complies
5825	13.46	0.0222	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Aux Antenna	Tested Date	2020/7/23
-----------	---------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	10.36	0.0109	30.00	1.0000	Complies
5230	10.31	0.0107	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	10.45	0.0111	24.00	0.2500	Complies
5310	10.28	0.0107	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	10.42	0.0110	24.00	0.2500	Complies
5550	10.37	0.0109	24.00	0.2500	Complies
5670	10.26	0.0106	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	10.51	0.0112	30.00	1.0000	Complies
5795	10.49	0.0112	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Main Antenna	Tested Date	2020/7/23
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	10.41	0.0110	30.00	1.0000	Complies
5230	10.48	0.0112	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	10.50	0.0112	24.00	0.2500	Complies
5310	10.33	0.0108	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	10.27	0.0106	24.00	0.2500	Complies
5550	10.20	0.0105	24.00	0.2500	Complies
5670	10.22	0.0105	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	9.94	0.0099	30.00	1.0000	Complies
5795	10.10	0.0102	30.00	1.0000	Complies

Test Mode	IEEE 802.11n (HT40)_Total	Tested Date	2020/7/23
-----------	---------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	13.40	0.0219	30.00	1.0000	Complies
5230	13.41	0.0219	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	13.49	0.0223	24.00	0.2500	Complies
5310	13.32	0.0215	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	13.36	0.0217	24.00	0.2500	Complies
5550	13.30	0.0214	24.00	0.2500	Complies
5670	13.25	0.0211	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	13.24	0.0211	30.00	1.0000	Complies
5795	13.31	0.0214	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Aux Antenna	Tested Date	2020/7/23
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	10.42	0.0110	24.00	0.2500	Complies
5200	10.49	0.0112	24.00	0.2500	Complies
5240	10.43	0.0110	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	10.42	0.0110	24.00	0.2500	Complies
5300	10.46	0.0111	24.00	0.2500	Complies
5320	10.46	0.0111	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	10.44	0.0111	24.00	0.2500	Complies
5580	10.57	0.0114	24.00	0.2500	Complies
5700	10.74	0.0119	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	10.91	0.0123	30.00	1.0000	Complies
5785	10.85	0.0122	30.00	1.0000	Complies
5825	10.82	0.0121	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Main Antenna	Tested Date	2020/7/23
-----------	------------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	10.37	0.0109	24.00	0.2500	Complies
5200	10.36	0.0109	24.00	0.2500	Complies
5240	10.20	0.0105	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	10.25	0.0106	24.00	0.2500	Complies
5300	10.35	0.0108	24.00	0.2500	Complies
5320	10.24	0.0106	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	10.15	0.0104	24.00	0.2500	Complies
5580	10.07	0.0102	24.00	0.2500	Complies
5700	9.92	0.0098	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	9.92	0.0098	30.00	1.0000	Complies
5785	9.88	0.0097	30.00	1.0000	Complies
5825	10.02	0.0100	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT20)_Total	Tested Date	2020/7/23
-----------	-----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	13.41	0.0219	24.00	0.2500	Complies
5200	13.44	0.0221	24.00	0.2500	Complies
5240	13.33	0.0215	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	13.35	0.0216	24.00	0.2500	Complies
5300	13.42	0.0220	24.00	0.2500	Complies
5320	13.36	0.0217	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	13.31	0.0214	24.00	0.2500	Complies
5580	13.34	0.0216	24.00	0.2500	Complies
5700	13.36	0.0217	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	13.45	0.0221	30.00	1.0000	Complies
5785	13.40	0.0219	30.00	1.0000	Complies
5825	13.45	0.0221	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna	Tested Date	2020/7/23
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	10.49	0.0112	30.00	1.0000	Complies
5230	10.41	0.0110	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	10.59	0.0115	24.00	0.2500	Complies
5310	10.63	0.0116	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	10.58	0.0114	24.00	0.2500	Complies
5550	10.88	0.0122	24.00	0.2500	Complies
5670	10.64	0.0116	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	10.74	0.0119	30.00	1.0000	Complies
5795	10.64	0.0116	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Main Antenna	Tested Date	2020/7/23
-----------	------------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	10.30	0.0107	30.00	1.0000	Complies
5230	10.21	0.0105	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	10.26	0.0106	24.00	0.2500	Complies
5310	10.31	0.0107	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	10.37	0.0109	24.00	0.2500	Complies
5550	9.93	0.0098	24.00	0.2500	Complies
5670	10.02	0.0100	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	10.03	0.0101	30.00	1.0000	Complies
5795	10.03	0.0101	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT40)_Total	Tested Date	2020/7/23
-----------	-----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	13.41	0.0219	30.00	1.0000	Complies
5230	13.32	0.0215	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	13.44	0.0221	24.00	0.2500	Complies
5310	13.48	0.0223	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	13.49	0.0223	24.00	0.2500	Complies
5550	13.44	0.0221	24.00	0.2500	Complies
5670	13.35	0.0216	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	13.41	0.0219	30.00	1.0000	Complies
5795	13.36	0.0217	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna	Tested Date	2020/7/23
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	10.33	0.0108	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5290	10.37	0.0109	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5530	10.32	0.0108	24.00	0.2500	Complies
5610	10.37	0.0109	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5775	10.57	0.0114	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Main Antenna	Tested Date	2020/7/23
-----------	------------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	10.47	0.0111	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5290	10.49	0.0112	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5530	10.51	0.0112	24.00	0.2500	Complies
5610	10.39	0.0109	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5775	10.17	0.0104	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT80)_Total	Tested Date	2020/7/23
-----------	-----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	13.41	0.0219	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5290	13.44	0.0221	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5530	13.43	0.0220	24.00	0.2500	Complies
5610	13.39	0.0218	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5775	13.38	0.0218	30.00	1.0000	Complies

Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna	Tested Date	2020/7/23
-----------	------------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	10.23	0.0105	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5570	10.49	0.0112	24.00	0.2500	Complies

Test Mode	IEEE 802.11ac (VHT160)_Main Antenna	Tested Date	2020/7/23
-----------	-------------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	10.59	0.0115	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5570	10.27	0.0106	24.00	0.2500	Complies

Test Mode	IEEE 802.11ac (VHT160)_Total	Tested Date	2020/7/23
-----------	------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	13.42	0.0220	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5570	13.39	0.0218	24.00	0.2500	Complies

Test Mode	IEEE 802.11ax (HE20)_Aux Antenna	Tested Date	2020/7/23
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	10.28	0.0107	24.00	0.2500	Complies
5200	10.23	0.0105	24.00	0.2500	Complies
5240	10.32	0.0108	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	10.23	0.0105	24.00	0.2500	Complies
5300	10.20	0.0105	24.00	0.2500	Complies
5320	10.26	0.0106	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	10.36	0.0109	24.00	0.2500	Complies
5580	10.37	0.0109	24.00	0.2500	Complies
5700	10.44	0.0111	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	10.65	0.0116	30.00	1.0000	Complies
5785	10.67	0.0117	30.00	1.0000	Complies
5825	10.48	0.0112	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE20)_Main Antenna	Tested Date	2020/7/23
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	10.54	0.0113	24.00	0.2500	Complies
5200	10.46	0.0111	24.00	0.2500	Complies
5240	10.56	0.0114	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	10.51	0.0112	24.00	0.2500	Complies
5300	10.61	0.0115	24.00	0.2500	Complies
5320	10.62	0.0115	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	10.59	0.0115	24.00	0.2500	Complies
5580	10.44	0.0111	24.00	0.2500	Complies
5700	10.21	0.0105	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	10.24	0.0106	30.00	1.0000	Complies
5785	10.23	0.0105	30.00	1.0000	Complies
5825	10.41	0.0110	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE20)_Total	Tested Date	2020/7/23
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	13.42	0.0220	24.00	0.2500	Complies
5200	13.36	0.0217	24.00	0.2500	Complies
5240	13.45	0.0221	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5260	13.38	0.0218	24.00	0.2500	Complies
5300	13.42	0.0220	24.00	0.2500	Complies
5320	13.45	0.0222	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5500	13.49	0.0223	24.00	0.2500	Complies
5580	13.42	0.0220	24.00	0.2500	Complies
5700	13.34	0.0216	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5745	13.46	0.0222	30.00	1.0000	Complies
5785	13.47	0.0222	30.00	1.0000	Complies
5825	13.46	0.0222	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Aux Antenna	Tested Date	2020/7/23
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	10.31	0.0107	30.00	1.0000	Complies
5230	10.29	0.0107	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	10.35	0.0108	24.00	0.2500	Complies
5310	10.02	0.0100	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	10.37	0.0109	24.00	0.2500	Complies
5550	10.53	0.0113	24.00	0.2500	Complies
5670	10.33	0.0108	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	10.57	0.0114	30.00	1.0000	Complies
5795	10.49	0.0112	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Main Antenna	Tested Date	2020/7/23
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	10.51	0.0112	30.00	1.0000	Complies
5230	10.48	0.0112	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	10.41	0.0110	24.00	0.2500	Complies
5310	10.60	0.0115	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	10.46	0.0111	24.00	0.2500	Complies
5550	10.40	0.0110	24.00	0.2500	Complies
5670	10.44	0.0111	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	10.12	0.0103	30.00	1.0000	Complies
5795	10.18	0.0104	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE40)_Total	Tested Date	2020/7/23
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	13.42	0.0220	30.00	1.0000	Complies
5230	13.40	0.0219	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5270	13.39	0.0218	24.00	0.2500	Complies
5310	13.33	0.0215	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5510	13.43	0.0220	24.00	0.2500	Complies
5550	13.48	0.0223	24.00	0.2500	Complies
5670	13.40	0.0219	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5755	13.36	0.0217	30.00	1.0000	Complies
5795	13.35	0.0216	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Aux Antenna	Tested Date	2020/7/23
-----------	----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	10.41	0.0110	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5290	10.37	0.0109	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5530	10.32	0.0108	24.00	0.2500	Complies
5610	10.37	0.0109	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5775	10.83	0.0121	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Main Antenna	Tested Date	2020/7/23
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	10.47	0.0111	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5290	10.49	0.0112	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5530	10.51	0.0112	24.00	0.2500	Complies
5610	10.39	0.0109	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5775	10.05	0.0101	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE80)_Total	Tested Date	2020/7/23
-----------	----------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	13.45	0.0221	30.00	1.0000	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5290	13.44	0.0221	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5530	13.43	0.0220	24.00	0.2500	Complies
5610	13.39	0.0218	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5775	13.47	0.0222	30.00	1.0000	Complies

Test Mode	IEEE 802.11ax (HE160)_Aux Antenna	Tested Date	2020/7/23
-----------	-----------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	10.13	0.0103	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5570	10.46	0.0111	24.00	0.2500	Complies

Test Mode	IEEE 802.11ax (HE160)_Main Antenna	Tested Date	2020/7/23
-----------	------------------------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	10.47	0.0111	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5570	10.38	0.0109	24.00	0.2500	Complies

Test Mode	IEEE 802.11ax (HE160)_Total	Tested Date	2020/7/23
-----------	-----------------------------	-------------	-----------


Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5250	13.31	0.0214	24.00	0.2500	Complies

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5570	13.43	0.0220	24.00	0.2500	Complies


APPENDIX F POWER SPECTRAL DENSITY

Test Mode	IEEE 802.11a_Aux Antenna
-----------	--------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.91	0.13	3.04	17.00	Pass
5200	3.10	0.13	3.23	17.00	Pass
5240	3.17	0.13	3.30	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.41	0.13	3.54	11.00	Pass
5300	3.62	0.13	3.75	11.00	Pass
5320	3.55	0.13	3.68	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	2.88	0.13	3.01	11.00	Pass
5580	2.47	0.13	2.60	11.00	Pass
5700	2.45	0.13	2.58	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	0.22	7.21	0.13	7.34	30.00	Pass
5785	0.46	7.45	0.13	7.58	30.00	Pass
5825	0.36	7.35	0.13	7.48	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



Date: 28.JUL.2020 16:13:15




Date: 28.JUL.2020 16:15:11




Date: 28.JUL.2020 15:52:36

Test Mode	IEEE 802.11a_Main Antenna
-----------	---------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	3.30	0.13	3.43	17.00	Pass
5200	3.53	0.13	3.66	17.00	Pass
5240	3.40	0.13	3.53	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	3.50	0.13	3.63	11.00	Pass
5300	3.66	0.13	3.79	11.00	Pass
5320	3.55	0.13	3.68	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	3.00	0.13	3.13	11.00	Pass
5580	2.66	0.13	2.79	11.00	Pass
5700	2.33	0.13	2.46	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	0.13	7.12	0.13	7.25	30.00	Pass
5785	0.50	7.49	0.13	7.62	30.00	Pass
5825	0.28	7.27	0.13	7.40	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



Date: 28.JUL.2020 15:45:50




Date: 28.JUL.2020 15:47:15




Date: 28.JUL.2020 15:48:52

Test Mode	IEEE 802.11ac (VHT20)_Aux Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-0.96	0.07	-0.89	17.00	Pass
5200	-0.78	0.07	-0.71	17.00	Pass
5240	-0.74	0.07	-0.67	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.78	0.07	-0.71	11.00	Pass
5300	-1.11	0.07	-1.04	11.00	Pass
5320	-0.67	0.07	-0.60	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-1.14	0.07	-1.07	11.00	Pass
5580	-1.61	0.07	-1.54	11.00	Pass
5700	-1.49	0.07	-1.42	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-3.74	3.25	0.07	3.32	30.00	Pass
5785	-3.33	3.66	0.07	3.73	30.00	Pass
5825	-3.48	3.51	0.07	3.58	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT20)_Main Antenna
-----------	------------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-0.96	0.07	-0.89	17.00	Pass
5200	-3.86	0.07	-3.79	17.00	Pass
5240	-0.80	0.07	-0.73	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-1.12	0.07	-1.05	11.00	Pass
5300	-1.16	0.07	-1.09	11.00	Pass
5320	-0.89	0.07	-0.82	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-1.39	0.07	-1.32	11.00	Pass
5580	-1.85	0.07	-1.78	11.00	Pass
5700	-2.01	0.07	-1.94	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-4.54	2.45	0.07	2.52	30.00	Pass
5785	-4.26	2.73	0.07	2.80	30.00	Pass
5825	-4.03	2.96	0.07	3.03	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.12	17.00	Pass
5200	1.03	17.00	Pass
5240	2.31	17.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.13	11.00	Pass
5300	1.94	11.00	Pass
5320	2.30	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	1.82	11.00	Pass
5580	1.35	11.00	Pass
5700	1.34	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	5.95	30.00	Pass
5785	6.30	30.00	Pass
5825	6.32	30.00	Pass

Test Mode	IEEE 802.11ac (VHT40)_Aux Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-2.40	0.20	-2.20	17.00	Pass
5230	-3.86	0.20	-3.66	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-3.25	0.20	-3.05	11.00	Pass
5310	-4.04	0.20	-3.84	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-4.30	0.20	-4.10	11.00	Pass
5550	-2.82	0.20	-2.62	11.00	Pass
5670	-3.84	0.20	-3.64	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-6.01	0.98	0.20	1.18	30.00	Pass
5795	-6.84	0.15	0.20	0.35	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_Main Antenna
-----------	------------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-4.46	0.20	-4.26	17.00	Pass
5230	-5.84	0.20	-5.64	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-4.13	0.20	-3.93	11.00	Pass
5310	-3.37	0.20	-3.17	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-3.10	0.20	-2.90	11.00	Pass
5550	-5.05	0.20	-4.85	11.00	Pass
5670	-5.13	0.20	-4.93	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-9.16	-2.17	0.20	-1.97	30.00	Pass
5795	-7.41	-0.42	0.20	-0.22	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.09	17.00	Pass
5230	-1.52	17.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.45	11.00	Pass
5310	-0.48	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.44	11.00	Pass
5550	-0.58	11.00	Pass
5670	-1.22	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	2.90	30.00	Pass
5795	3.09	30.00	Pass

Test Mode	IEEE 802.11ac (VHT80)_Aux Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.75	0.73	-6.02	17.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-7.28	0.73	-6.55	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.92	0.73	-7.19	11.00	Pass
5610	-8.23	0.73	-7.50	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-10.62	-3.63	0.73	-2.90	30.00	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$						




Test Mode	IEEE 802.11ac (VHT80)_Main Antenna
-----------	------------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.37	0.73	-6.64	17.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-7.17	0.73	-6.44	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-6.93	0.73	-6.20	11.00	Pass
5610	-7.34	0.73	-6.61	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-11.05	-4.06	0.73	-3.33	30.00	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$						



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-3.31	17.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.49	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-3.66	11.00	Pass
5610	-4.02	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-0.10	30.00	Pass

Test Mode	IEEE 802.11ac (VHT160)_Aux Antenna
-----------	------------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.46	0.66	-8.80	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-10.54	0.66	-9.88	11.00	Pass




Test Mode	IEEE 802.11ac (VHT160)_Main Antenna
-----------	-------------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.74	0.66	-9.08	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-10.53	0.66	-9.87	11.00	Pass




Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-5.93	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-6.87	11.00	Pass

Test Mode	IEEE 802.11ax (HE20)_Aux Antenna
-----------	----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-0.53	0.07	-0.46	17.00	Pass
5200	-0.29	0.07	-0.22	17.00	Pass
5240	-0.38	0.07	-0.31	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.34	0.07	-0.27	11.00	Pass
5300	-0.23	0.07	-0.16	11.00	Pass
5320	-0.43	0.07	-0.36	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.99	0.07	-0.92	11.00	Pass
5580	-1.04	0.07	-0.97	11.00	Pass
5700	-0.82	0.07	-0.75	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-3.54	3.45	0.07	3.51	30.00	Pass
5785	-3.28	3.71	0.07	3.77	30.00	Pass
5825	-3.35	3.64	0.07	3.70	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HE20)_Main Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	-0.04	0.07	0.03	17.00	Pass
5200	-0.25	0.07	-0.18	17.00	Pass
5240	-0.58	0.07	-0.51	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.48	0.07	-0.41	11.00	Pass
5300	-0.07	0.07	0.00	11.00	Pass
5320	0.09	0.07	0.16	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.91	0.07	-0.84	11.00	Pass
5580	-1.42	0.07	-1.35	11.00	Pass
5700	-1.00	0.07	-0.93	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-3.73	3.26	0.07	3.32	30.00	Pass
5785	-3.71	3.28	0.07	3.34	30.00	Pass
5825	-3.79	3.20	0.07	3.26	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HE20)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	2.80	17.00	Pass
5200	2.81	17.00	Pass
5240	2.60	17.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	2.67	11.00	Pass
5300	2.93	11.00	Pass
5320	2.91	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	2.13	11.00	Pass
5580	1.85	11.00	Pass
5700	2.17	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	6.43	30.00	Pass
5785	6.58	30.00	Pass
5825	6.50	30.00	Pass

Test Mode	IEEE 802.11ax (HE40)_Aux Antenna
-----------	----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-3.77	0.09	-3.68	17.00	Pass
5230	-3.66	0.09	-3.57	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-3.71	0.09	-3.62	11.00	Pass
5310	-3.72	0.09	-3.63	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-3.24	0.09	-3.15	11.00	Pass
5550	-4.40	0.09	-4.31	11.00	Pass
5670	-4.27	0.09	-4.18	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-6.04	0.95	0.09	1.04	30.00	Pass
5795	-5.83	1.16	0.09	1.25	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ax (HE40)_Main Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-2.90	0.09	-2.81	17.00	Pass
5230	-3.22	0.09	-3.13	17.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-3.20	0.09	-3.11	11.00	Pass
5310	-3.41	0.09	-3.32	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-4.33	0.09	-4.24	11.00	Pass
5550	-3.20	0.09	-3.11	11.00	Pass
5670	-2.74	0.09	-2.65	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	-7.71	-0.72	0.09	-0.63	30.00	Pass
5795	-7.07	-0.08	0.09	0.01	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ax (HE40)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-0.22	17.00	Pass
5230	-0.34	17.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-0.35	11.00	Pass
5310	-0.46	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-0.65	11.00	Pass
5550	-0.66	11.00	Pass
5670	-0.34	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	3.29	30.00	Pass
5795	3.68	30.00	Pass

Test Mode	IEEE 802.11ax (HE80)_Aux Antenna
-----------	----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-5.92	0.09	-5.83	17.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-6.41	0.09	-6.32	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-6.90	0.09	-6.81	11.00	Pass
5610	-7.05	0.09	-6.96	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-9.97	-12.98	0.09	-12.89	30.00	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$						




Test Mode	IEEE 802.11ax (HE80)_Main Antenna
-----------	-----------------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.27	0.09	-6.18	17.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-6.20	0.09	-6.11	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.49	0.09	-7.40	11.00	Pass
5610	-6.94	0.09	-6.85	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/100 kHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-9.10	-12.11	0.09	-12.02	30.00	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} - 10 \times \log_{10}(100\text{ kHz} / 500\text{ kHz})$						



Test Mode	IEEE 802.11ax (HE80)_Total
-----------	----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-2.99	17.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-3.21	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-4.09	11.00	Pass
5610	-3.90	11.00	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-9.43	30.00	Pass

Test Mode	IEEE 802.11ax (HE160)_Aux Antenna
-----------	-----------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.46	0.09	-9.37	11.00	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-10.07	0.09	-9.98	11.00	Pass




Test Mode	IEEE 802.11ax (HE160)_Main Antenna
-----------	------------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-8.72	0.09	-8.63	11.00	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-10.39	0.09	-10.30	11.00	Pass



Test Mode	IEEE 802.11ax (HE160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-5.98	11.00	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-7.13	11.00	Pass

End of Test Report