


1. Peak-Average Ratio

1.1 GSM850


1.1.1 Test Result

Band: GSM850						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	824.2	9.34	<=13	Pass
			836.6	9.47	<=13	Pass
			848.8	9.97	<=13	Pass
	GPRS	4 TX Slots	824.2	4.01	<=13	Pass
			836.6	3.97	<=13	Pass
			848.8	4.05	<=13	Pass
	EGPRS	4 TX Slots	824.2	9.41	<=13	Pass
			836.6	9.88	<=13	Pass
			848.8	9.68	<=13	Pass


1.1.2 Test Graph




GSM850 GSM HCH 848.8MHz GSM NTN




GSM850 GPRS LCH 824.2MHz 4 TX Slots NTN




GSM850 GPRS MCH 836.6MHz 4 TX Slots NTNV




GSM850 GPRS HCH 848.8MHz 4 TX Slots NTNV




GSM850 EGPRS LCH 824.2MHz 4 TX Slots NTNV



GSM850 EGPRS MCH 836.6MHz 4 TX Slots NTNV



GSM850 EGPRS HCH 848.8MHz 4 TX Slots NTNV




2. Peak-Average Ratio

2.1 PCS1900


2.1.1 Test Result

Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	9.27	<=13	Pass
			1880	9.29	<=13	Pass
			1909.8	9.40	<=13	Pass
	GPRS	4 TX Slots	1850.2	3.77	<=13	Pass
			1880	3.75	<=13	Pass
			1909.8	3.84	<=13	Pass
	EGPRS	4 TX Slots	1850.2	8.13	<=13	Pass
			1880	8.50	<=13	Pass
			1909.8	7.06	<=13	Pass


2.1.2 Test Graph




PCS1900 GSM HCH 1909.8MHz GSM NTNV




PCS1900 GPRS LCH 1850.2MHz 4 TX Slots NTNV




PCS1900 GPRS MCH 1880MHz 4 TX Slots NTNV




PCS1900 GPRS HCH 1909.8MHz 4 TX Slots NTNV



PCS1900 EGPRS LCH 1850.2MHz 4 TX Slots NTNV



PCS1900 EGPRS MCH 1880MHz 4 TX Slots NTNV



PCS1900 EGPRS HCH 1909.8MHz 4 TX Slots NTNV

