






Band41-5MHz-64QAM-40640-1RB#0-Range1:30~100
OMHz




Band41-5MHz-64QAM-40640-1RB#0-Range2:1000~2
6500MHz





Band41-5MHz-64QAM-41215-1RB#0-Range1:30~100
OMHz




Band41-5MHz-64QAM-41215-1RB#0-Range2:1000~2
6500MHz








Band41-20MHz-16QAM-40140-1RB#0-Range1:30~1000MHz





Band41-20MHz-16QAM-40140-1RB#0-Range2:1000~26500MHz




Band41-20MHz-16QAM-40640-1RB#0-Range1:30~1000MHz




Band41-20MHz-16QAM-40640-1RB#0-Range2:1000~26500MHz




Band41-20MHz-16QAM-41140-1RB#0-Range1:30~1000MHz




Band41-20MHz-16QAM-41140-1RB#0-Range2:1000~26500MHz



Band41-20MHz-64QAM-40140-1RB#0-Range1:30~1000MHz



Band41-20MHz-64QAM-40140-1RB#0-Range2:1000~26500MHz




Band41-20MHz-64QAM-40640-1RB#0-Range1:30~1000MHz




Band41-20MHz-64QAM-40640-1RB#0-Range2:1000~26500MHz







Band41-20MHz-64QAM-41140-1RB#0-Range1:30~1000MHz





Band41-20MHz-64QAM-41140-1RB#0-Range2:1000~26500MHz





Band66-1.4MHz-QPSK-131979-1RB#0-Range1:30~1000MHz




Band66-1.4MHz-QPSK-131979-1RB#0-Range2:1000~20000MHz









Band66-1.4MHz-16QAM-132322-1RB#0-Range1:30~1000MHz




Band66-1.4MHz-16QAM-132322-1RB#0-Range2:1000~20000MHz





Band66-1.4MHz-16QAM-132665-1RB#0-Range1:30~1000MHz




Band66-1.4MHz-16QAM-132665-1RB#0-Range2:1000~20000MHz









Band66-20MHz-QPSK-132072-1RB#0-Range1:30~1000MHz





Band66-20MHz-QPSK-132072-1RB#0-Range2:1000~20000MHz




Band66-20MHz-QPSK-132322-1RB#0-Range1:30~1000MHz




Band66-20MHz-QPSK-132322-1RB#0-Range2:1000~20000MHz




Band66-20MHz-QPSK-132572-1RB#0-Range1:30~1000MHz




Band66-20MHz-QPSK-132572-1RB#0-Range2:1000~20000MHz



Band66-20MHz-16QAM-132072-1RB#0-Range1:30~1000MHz




Band66-20MHz-16QAM-132072-1RB#0-Range2:1000~20000MHz




Band66-20MHz-16QAM-132322-1RB#0-Range1:30~1000MHz




Band66-20MHz-16QAM-132322-1RB#0-Range2:1000~20000MHz







Band66-20MHz-16QAM-132572-1RB#0-Range1:30~1000MHz




Band66-20MHz-16QAM-132572-1RB#0-Range2:1000~20000MHz




Band66-20MHz-64QAM-132072-1RB#0-Range1:30~1000MHz



Band66-20MHz-64QAM-132072-1RB#0-Range2:1000~20000MHz




Band66-20MHz-64QAM-132072-1RB#0-Range1:30~1000MHz




Band66-20MHz-64QAM-132072-1RB#0-Range2:1000~20000MHz


Band66-20MHz-64QAM-132322-1RB#0-Range1:30~1
000MHz



Band66-20MHz-64QAM-132322-1RB#0-Range2:1000
~20000MHz



Band66-20MHz-64QAM-132572-1RB#0-Range1:30~1
000MHz



Band66-20MHz-64QAM-132572-1RB#0-Range2:1000
~20000MHz



Appendix F: Frequency Stability

Test Result

LTE Band 2 part:

Reference Frequency: LTE Band 2 (10MHz) Middle channel=18900 Frequency=1880.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-16.28	-0.008660	Within authorized band for Band 2	Pass
	-20	3.82	0.002032		
	-10	2.50	0.001330		
	0	-12.50	-0.006649		
	10	-5.82	-0.003096		
	20	-8.58	-0.004564		
	30	-10.37	-0.005516		
	40	-11.10	-0.005904		
	50	-13.39	-0.007122		
16QAM					
3.91	-30	3.13	0.001665	Within authorized band for Band 2	Pass
	-20	-6.71	-0.003569		
	-10	-8.11	-0.004314		
	0	2.73	0.001452		
	10	5.34	0.002840		
	20	-17.28	-0.009191		
	30	-3.89	-0.002069		
	40	13.32	0.007085		
	50	10.27	0.005463		
64QAM					
3.91	-30	8.08	0.004298	Within authorized band for Band 2	Pass
	-20	10.67	0.005676		
	-10	9.84	0.005234		
	0	8.96	0.004766		
	10	-8.58	-0.004564		
	20	-13.66	-0.007266		
	30	-8.31	-0.004420		
	40	-12.19	-0.006484		
	50	15.06	0.008011		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-9.76	-0.005191	Within authorized band for Band 2	Pass
	3.91	2.76	0.001468		
	4.45	-16.34	-0.008691		
16QAM					
25	3.45	-7.32	-0.003894	Within authorized band for Band 2	Pass
	3.91	9.64	0.005128		
	4.45	-17.22	-0.009160		
64QAM					
25	3.45	-15.35	-0.008165	Within authorized band for Band 2	Pass
	3.91	-14.66	-0.007798		
	4.45	-11.84	-0.006298		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 4 part:

Reference Frequency: LTE Band 4(10MHz) Middle channel=20175 Frequency=1732.5MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	10.91	0.006297	Within authorized band for Band 4	Pass
	-20	-16.18	-0.009339		
	-10	-2.75	-0.001587		
	0	-9.96	-0.005749		
	10	-10.36	-0.005980		
	20	-14.46	-0.008346		
	30	-9.36	-0.005403		
	40	-14.03	-0.008098		
	50	-4.73	-0.002730		
16QAM					
3.91	-30	10.69	0.006170	Within authorized band for Band 4	Pass
	-20	10.64	0.006141		
	-10	-15.95	-0.009206		
	0	-10.74	-0.006199		
	10	-11.76	-0.006788		
	20	-8.90	-0.005137		
	30	14.29	0.008248		
	40	-20.23	-0.011677		
	50	-14.91	-0.008606		
64QAM					
3.91	-30	8.48	0.004895	Within authorized band for Band 4	Pass
	-20	-15.46	-0.008924		
	-10	9.66	0.005576		
	0	-15.38	-0.008877		
	10	10.33	0.005962		
	20	-14.76	-0.008519		
	30	-5.15	-0.002973		
	40	-15.78	-0.009108		
	50	12.90	0.007446		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	9.80	0.005657	Within authorized band for Band 4	Pass
	3.91	-12.32	-0.007111		
	4.45	-6.69	-0.003861		
16QAM					
25	3.45	-8.80	-0.005079	Within authorized band for Band 4	Pass
	3.91	12.80	0.007388		
	4.45	4.28	0.002470		
64QAM					
25	3.45	-4.38	-0.002528	Within authorized band for Band 4	Pass
	3.91	-3.32	-0.001916		
	4.45	-14.99	-0.008652		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 5 part:

Reference Frequency: LTE Band 5(10MHz) Middle channel=20525 Frequency=836.5MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-7.82	-0.009348	±2.5	Pass
	-20	-10.13	-0.012110		
	-10	-8.43	-0.010078		
	0	-9.37	-0.011201		
	10	-10.53	-0.012588		
	20	-6.32	-0.007555		
	30	-6.47	-0.007735		
	40	-6.32	-0.007555		
	50	-8.28	-0.009898		
16QAM					
3.91	-30	-4.05	-0.004842	±2.5	Pass
	-20	-6.81	-0.008141		
	-10	-1.90	-0.002271		
	0	-5.28	-0.006312		
	10	4.92	0.005882		
	20	-4.95	-0.005918		
	30	-3.62	-0.004328		
	40	-9.48	-0.011333		
	50	-11.82	-0.014130		
64QAM					
3.91	-30	-10.03	-0.011990	±2.5	Pass
	-20	-2.09	-0.002499		
	-10	-5.41	-0.006467		
	0	-8.63	-0.010317		
	10	-7.72	-0.009229		
	20	-6.44	-0.007699		
	30	4.09	0.004889		
	40	2.83	0.003383		
	50	1.10	0.001315		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-6.72	-0.008033	±2.5	Pass
	3.91	-11.57	-0.013831		
	4.45	-9.84	-0.011763		
16QAM					
25	3.45	-9.31	-0.011130	±2.5	Pass
	3.91	-4.73	-0.005655		
	4.45	-5.85	-0.006993		
64QAM					
25	3.45	-10.61	-0.012684	±2.5	Pass
	3.91	-8.68	-0.010377		
	4.45	2.46	0.002941		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 7 part:

Reference Frequency: LTE Band 7(10MHz) Middle channel=21100 Frequency=2535.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	10.99	0.004335	Within authorized band for Band 7	Pass
	-20	-19.60	-0.007732		
	-10	-17.97	-0.007089		
	0	14.46	0.005704		
	10	-20.14	-0.007945		
	20	17.94	0.007077		
	30	-13.86	-0.005467		
	40	-21.06	-0.008308		
	50	-20.94	-0.008260		
16QAM					
3.91	-30	13.28	0.005239	Within authorized band for Band 7	Pass
	-20	14.35	0.005661		
	-10	13.80	0.005444		
	0	18.40	0.007258		
	10	-20.99	-0.008280		
	20	-6.29	-0.002481		
	30	-23.10	-0.009112		
	40	-24.56	-0.009688		
	50	-11.62	-0.004584		
64QAM					
3.91	-30	14.46	0.005704	Within authorized band for Band 7	Pass
	-20	5.91	0.002331		
	-10	-17.29	-0.006821		
	0	-10.66	-0.004205		
	10	-17.82	-0.007030		
	20	-12.85	-0.005069		
	30	-14.96	-0.005901		
	40	15.82	0.006241		
	50	-21.27	-0.008391		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	14.16	0.005586	Within authorized band for Band 7	Pass
	3.91	6.97	0.002750		
	4.45	-4.39	-0.001732		
16QAM					
25	3.45	-13.16	-0.005191	Within authorized band for Band 7	Pass
	3.91	-18.68	-0.007369		
	4.45	-4.79	-0.001890		
64QAM					
25	3.45	6.49	0.002560	Within authorized band for Band 7	Pass
	3.91	11.84	0.004671		
	4.45	-14.42	-0.005688		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 12 part:

Reference Frequency: LTE Band 12(10MHz) Middle channel=23095 Frequency=707.5MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-3.59	-0.005074	Within authorized band for Band 12	Pass
	-20	-3.56	-0.005032		
	-10	-5.61	-0.007929		
	0	8.67	0.012254		
	10	-6.67	-0.009428		
	20	-3.43	-0.004848		
	30	-2.82	-0.003986		
	40	-5.24	-0.007406		
	50	-1.40	-0.001979		
16QAM					
3.91	-30	-4.23	-0.005979	Within authorized band for Band 12	Pass
	-20	3.96	0.005597		
	-10	-7.55	-0.010671		
	0	-5.14	-0.007265		
	10	-10.44	-0.014756		
	20	-10.69	-0.015110		
	30	-5.58	-0.007887		
	40	-5.85	-0.008269		
	50	-7.04	-0.009951		
64QAM					
3.91	-30	-6.44	-0.009102	Within authorized band for Band 12	Pass
	-20	-4.76	-0.006728		
	-10	-2.90	-0.004099		
	0	3.53	0.004989		
	10	-6.48	-0.009159		
	20	-7.87	-0.011124		
	30	-6.91	-0.009767		
	40	-6.54	-0.009244		
	50	5.92	0.008367		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-2.86	-0.004042	Within authorized band for Band 12	Pass
	3.91	-10.70	-0.015124		
	4.45	-4.16	-0.005880		
16QAM					
25	3.45	-5.74	-0.008113	Within authorized band for Band 12	Pass
	3.91	4.63	0.006544		
	4.45	-7.34	-0.010375		
64QAM					
25	3.45	-3.43	-0.004848	Within authorized band for Band 12	Pass
	3.91	-3.23	-0.004565		
	4.45	-2.09	-0.002954		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 17 part:

Reference Frequency: LTE Band 17(10MHz) Middle channel=23790 Frequency=710.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	-3.85	-0.005423	Within authorized band for Band 17	Pass
	-20	-6.64	-0.009352		
	-10	-6.71	-0.009451		
	0	-5.12	-0.007211		
	10	-5.95	-0.008380		
	20	-3.82	-0.005380		
	30	-1.62	-0.002282		
	40	-5.31	-0.007479		
	50	-6.49	-0.009141		
16QAM					
3.91	-30	-7.21	-0.010155	Within authorized band for Band 17	Pass
	-20	-7.15	-0.010070		
	-10	-4.55	-0.006408		
	0	-9.30	-0.013099		
	10	-6.74	-0.009493		
	20	-7.64	-0.010761		
	30	-10.06	-0.014169		
	40	-9.47	-0.013338		
	50	-9.71	-0.013676		
64QAM					
3.91	-30	-4.02	-0.005662	Within authorized band for Band 17	Pass
	-20	-10.59	-0.014915		
	-10	5.79	0.008155		
	0	2.40	0.003380		
	10	-5.55	-0.007817		
	20	2.40	0.003380		
	30	-4.82	-0.006789		
	40	-4.73	-0.006662		
	50	-4.78	-0.006732		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	-5.31	-0.007479	Within authorized band for Band 17	Pass
	3.91	-6.35	-0.008944		
	4.45	-1.59	-0.002239		
16QAM					
25	3.45	-6.61	-0.009310	Within authorized band for Band 17	Pass
	3.91	-8.10	-0.011408		
	4.45	-8.27	-0.011648		
64QAM					
25	3.45	-7.17	-0.010099	Within authorized band for Band 17	Pass
	3.91	-6.05	-0.008521		
	4.45	-2.95	-0.004155		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 38 part:

Reference Frequency: LTE Band 38(10MHz) Middle channel=38000 Frequency=2595.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	16.25	0.006262	Within authorized band for Band 38	Pass
	-20	4.29	0.001653		
	-10	-8.55	-0.003295		
	0	4.61	0.001776		
	10	-8.13	-0.003133		
	20	-16.48	-0.006351		
	30	5.41	0.002085		
	40	-9.53	-0.003672		
	50	-7.41	-0.002855		
16QAM					
3.91	-30	-14.81	-0.005707	Within authorized band for Band 38	Pass
	-20	6.97	0.002686		
	-10	-26.97	-0.010393		
	0	8.43	0.003249		
	10	-6.52	-0.002513		
	20	-20.43	-0.007873		
	30	-9.44	-0.003638		
	40	15.51	0.005977		
	50	15.71	0.006054		
64QAM					
3.91	-30	-16.48	-0.006351	Within authorized band for Band 38	Pass
	-20	11.50	0.004432		
	-10	-18.74	-0.007222		
	0	-13.88	-0.005349		
	10	10.89	0.004197		
	20	-19.97	-0.007696		
	30	11.93	0.004597		
	40	-19.93	-0.007680		
	50	9.34	0.003599		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	12.39	0.004775	Within authorized band for Band 38	Pass
	3.91	-14.03	-0.005407		
	4.45	-11.01	-0.004243		
16QAM					
25	3.45	14.98	0.005773	Within authorized band for Band 38	Pass
	3.91	8.28	0.003191		
	4.45	-1.79	-0.000690		
64QAM					
25	3.45	20.28	0.007815	Within authorized band for Band 38	Pass
	3.91	-17.15	-0.006609		
	4.45	6.07	0.002339		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 41 part:

Reference Frequency: LTE Band 41 (10MHz) Middle channel=40640 Frequency=2595.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	7.95	0.003064	Within authorized band for Band 41	Pass
	-20	-4.32	-0.001665		
	-10	12.40	0.004778		
	0	-10.17	-0.003919		
	10	-10.46	-0.004031		
	20	-4.53	-0.001746		
	30	-15.61	-0.006015		
	40	-5.87	-0.002262		
	50	5.04	0.001942		
16QAM					
3.91	-30	7.14	0.002751	Within authorized band for Band 41	Pass
	-20	-8.61	-0.003318		
	-10	13.56	0.005225		
	0	-7.21	-0.002778		
	10	-9.53	-0.003672		
	20	3.59	0.001383		
	30	-12.36	-0.004763		
	40	10.17	0.003919		
	50	10.83	0.004173		
64QAM					
3.91	-30	-11.16	-0.004301	Within authorized band for Band 41	Pass
	-20	-12.42	-0.004786		
	-10	12.10	0.004663		
	0	-14.13	-0.005445		
	10	-4.21	-0.001622		
	20	-14.98	-0.005773		
	30	8.60	0.003314		
	40	-13.03	-0.005021		
	50	-16.95	-0.006532		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	7.48	0.002882	Within authorized band for Band 41	Pass
	3.91	-12.67	-0.004882		
	4.45	7.21	0.002778		
16QAM					
25	3.45	10.67	0.004112	Within authorized band for Band41	Pass
	3.91	4.45	0.001715		
	4.45	-14.75	-0.005684		
64QAM					
25	3.45	-16.26	-0.006266	Within authorized band for Band41	Pass
	3.91	10.07	0.003881		
	4.45	-9.13	-0.003518		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

LTE Band 66 part:

Reference Frequency: LTE Band 66 (10MHz) Middle channel=132322 Frequency=1745.0MHz					
Temperature					
Power supplied (Vdc)	Temperature (°C)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
3.91	-30	7.08	0.004057	Within authorized band for Band 66	Pass
	-20	-5.66	-0.003244		
	-10	-5.26	-0.003014		
	0	8.13	0.004659		
	10	-9.14	-0.005238		
	20	7.67	0.004395		
	30	-6.79	-0.003891		
	40	-11.63	-0.006665		
	50	-15.12	-0.008665		
16QAM					
3.91	-30	-5.12	-0.002934	Within authorized band for Band 66	Pass
	-20	-3.53	-0.002023		
	-10	-10.07	-0.005771		
	0	7.01	0.004017		
	10	-7.25	-0.004155		
	20	-10.26	-0.005880		
	30	-15.25	-0.008739		
	40	6.90	0.003954		
	50	-8.25	-0.004728		
64QAM					
3.91	-30	9.40	0.005387	Within authorized band for Band 66	Pass
	-20	-11.52	-0.006602		
	-10	7.51	0.004304		
	0	-8.51	-0.004877		
	10	-9.27	-0.005312		
	20	-13.30	-0.007622		
	30	-4.53	-0.002596		
	40	8.54	0.004894		
	50	-14.05	-0.008052		

Voltage					
Temperature (°C)	Power supplied (Vdc)	Frequency error		Limit (ppm)	Result
		Hz	ppm		
QPSK					
25	3.45	10.29	0.005897	Within authorized band for Band 66	Pass
	3.91	-12.25	-0.007020		
	4.45	13.93	0.007983		
16QAM					
25	3.45	-15.09	-0.008648	Within authorized band for Band 66	Pass
	3.91	-7.67	-0.004395		
	4.45	9.97	0.005713		
64QAM					
25	3.45	10.93	0.006264	Within authorized band for Band 66	Pass
	3.91	5.92	0.003393		
	4.45	-2.86	-0.001639		
Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.					

Appendix G: Modulation Characteristics

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result	Verdict
Band2	20MHz	QPSK	18900	100RB#0	PASS	PASS
Band2	20MHz	16QAM	18900	100RB#0	PASS	PASS
Band2	20MHz	64QAM	18900	100RB#0	PASS	PASS
Band4	20MHz	QPSK	20175	100RB#0	PASS	PASS
Band4	20MHz	16QAM	20175	100RB#0	PASS	PASS
Band4	20MHz	64QAM	20175	100RB#0	PASS	PASS
Band5	10MHz	QPSK	20525	50RB#0	PASS	PASS
Band5	10MHz	16QAM	20525	50RB#0	PASS	PASS
Band5	10MHz	64QAM	20525	50RB#0	PASS	PASS
Band7	20MHz	QPSK	21100	100RB#0	PASS	PASS
Band7	20MHz	16QAM	21100	100RB#0	PASS	PASS
Band7	20MHz	64QAM	21100	100RB#0	PASS	PASS
Band12	10MHz	QPSK	23095	50RB#0	PASS	PASS
Band12	10MHz	16QAM	23095	50RB#0	PASS	PASS
Band12	10MHz	64QAM	23095	50RB#0	PASS	PASS
Band17	10MHz	QPSK	23790	50RB#0	PASS	PASS
Band17	10MHz	16QAM	23790	50RB#0	PASS	PASS
Band17	10MHz	64QAM	23790	50RB#0	PASS	PASS
Band38	20MHz	QPSK	38000	100RB#0	PASS	PASS
Band38	20MHz	16QAM	38000	100RB#0	PASS	PASS
Band38	20MHz	64QAM	38000	100RB#0	PASS	PASS
Band41	20MHz	QPSK	40640	100RB#0	PASS	PASS
Band41	20MHz	16QAM	40640	100RB#0	PASS	PASS
Band41	20MHz	64QAM	40640	100RB#0	PASS	PASS
Band66	20MHz	QPSK	132322	100RB#0	PASS	PASS
Band66	20MHz	16QAM	132322	100RB#0	PASS	PASS
Band66	20MHz	64QAM	132322	100RB#0	PASS	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.