

Test Mode	Channel	Polarization	Verdict
11a	5180	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	46.82	-1.18	45.64	74.00	-28.36	Vertical
2	1395.4328	44.75	-0.99	43.76	74.00	-30.24	Vertical
3	1535.3928	53.34	-0.58	52.76	74.00	-21.24	Vertical
4	5056.3952	36.87	16.21	53.08	74.00	-20.92	Vertical
5	5874.7639	36.01	17.36	53.37	74.00	-20.63	Vertical
6	6302.5892	35.03	18.70	53.73	74.00	-20.27	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5200	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	47.12	-1.18	45.94	74.00	-28.06	Horizontal
2	1535.3928	53.20	-0.58	52.62	74.00	-21.38	Horizontal
3	4826.5918	37.76	15.20	52.96	74.00	-21.04	Horizontal
4	5161.5179	35.80	16.35	52.15	74.00	-21.85	Horizontal
5	5879.0421	36.04	17.31	53.35	74.00	-20.65	Horizontal
6	6183.4093	35.05	18.29	53.34	74.00	-20.66	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5200	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	46.15	-2.08	44.07	74.00	-29.93	Vertical
2	1256.0840	46.19	-1.18	45.01	74.00	-28.99	Vertical
3	1535.3928	53.33	-0.58	52.75	74.00	-21.25	Vertical
4	4418.9354	37.38	14.11	51.49	74.00	-22.51	Vertical
5	5061.2846	36.83	16.29	53.12	74.00	-20.88	Vertical
6	6143.0715	35.45	18.32	53.77	74.00	-20.23	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5240	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.67	-1.16	43.51	74.00	-30.49	Horizontal
2	1535.3928	52.49	-0.58	51.91	74.00	-22.09	Horizontal
3	3071.2857	38.16	9.13	47.29	74.00	-26.71	Horizontal
4	4391.4324	37.49	14.21	51.70	74.00	-22.30	Horizontal
5	5116.2907	36.24	16.55	52.79	74.00	-21.21	Horizontal
6	6222.5247	35.01	18.54	53.55	74.00	-20.45	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5240	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	44.82	-2.08	42.74	74.00	-31.26	Vertical
2	1255.4728	46.32	-1.16	45.16	74.00	-28.84	Vertical
3	1395.4328	45.78	-0.99	44.79	74.00	-29.21	Vertical
4	1535.3928	53.76	-0.58	53.18	74.00	-20.82	Vertical
5	5113.8460	36.55	16.57	53.12	74.00	-20.88	Vertical
6	6128.4032	35.45	18.47	53.92	74.00	-20.08	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5260	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	45.50	-1.18	44.32	74.00	-29.68	Horizontal
2	1535.3928	52.63	-0.58	52.05	74.00	-21.95	Horizontal
3	4189.7433	37.25	13.57	50.82	74.00	-23.18	Horizontal
4	5112.0124	36.15	16.58	52.73	74.00	-21.27	Horizontal
5	5666.3518	36.53	16.52	53.05	74.00	-20.95	Horizontal
6	6218.2465	34.96	18.52	53.48	74.00	-20.52	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5260	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	44.94	-2.08	42.86	74.00	-31.14	Vertical
2	1256.0840	47.78	-1.18	46.60	74.00	-27.40	Vertical
3	1535.3928	53.66	-0.58	53.08	74.00	-20.92	Vertical
4	4430.5478	37.05	14.20	51.25	74.00	-22.75	Vertical
5	5078.3976	36.48	16.33	52.81	74.00	-21.19	Vertical
6	6232.3036	34.58	18.69	53.27	74.00	-20.73	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5280	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	47.00	-1.18	45.82	74.00	-28.18	Horizontal
2	1535.3928	52.71	-0.58	52.13	74.00	-21.87	Horizontal
3	3181.9091	37.70	9.33	47.03	74.00	-26.97	Horizontal
4	5102.2336	36.55	16.63	53.18	74.00	-20.82	Horizontal
5	5398.6554	36.03	16.97	53.00	74.00	-21.00	Horizontal
6	6030.6145	35.49	17.73	53.22	74.00	-20.78	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5280	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	45.06	-2.08	42.98	74.00	-31.02	Vertical
2	1256.0840	47.59	-1.18	46.41	74.00	-27.59	Vertical
3	1395.4328	43.56	-0.99	42.57	74.00	-31.43	Vertical
4	1535.3928	53.05	-0.58	52.47	74.00	-21.53	Vertical
5	5066.7852	36.59	16.41	53.00	74.00	-21.00	Vertical
6	6042.8381	35.88	17.65	53.53	74.00	-20.47	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5320	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	45.41	-1.18	44.23	74.00	-29.77	Horizontal
2	1535.3928	51.85	-0.58	51.27	74.00	-22.73	Horizontal
3	3071.2857	38.20	9.13	47.33	74.00	-26.67	Horizontal
4	5075.9529	36.46	16.37	52.83	74.00	-21.17	Horizontal
5	5554.5061	36.31	16.93	53.24	74.00	-20.76	Horizontal
6	5883.3204	35.31	17.56	52.87	74.00	-21.13	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5320	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	45.05	-2.08	42.97	74.00	-31.03	Vertical
2	1256.0840	48.81	-1.18	47.63	74.00	-26.37	Vertical
3	1535.3928	52.85	-0.58	52.27	74.00	-21.73	Vertical
4	5385.8206	36.75	16.93	53.68	74.00	-20.32	Vertical
5	5859.4844	36.39	17.16	53.55	74.00	-20.45	Vertical
6	6263.4737	34.40	18.68	53.08	74.00	-20.92	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5500	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	46.84	-1.49	45.35	74.00	-28.65	Horizontal
2	1535.3928	53.10	-0.72	52.38	74.00	-21.62	Horizontal
3	3978.8865	37.41	13.05	50.46	74.00	-23.54	Horizontal
4	4463.5515	36.96	14.77	51.73	74.00	-22.27	Horizontal
5	5336.3151	37.13	16.16	53.29	74.00	-20.71	Horizontal
6	6166.9074	35.69	18.29	53.98	74.00	-20.02	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5500	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.23	-1.48	45.75	74.00	-28.25	Vertical
2	1395.4328	43.99	-1.15	42.84	74.00	-31.16	Vertical
3	1535.3928	52.53	-0.72	51.81	74.00	-22.19	Vertical
4	4929.8811	37.68	15.12	52.80	74.00	-21.20	Vertical
5	5375.4306	36.61	16.54	53.15	74.00	-20.85	Vertical
6	6057.5064	35.95	17.85	53.80	74.00	-20.20	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5580	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	45.81	-1.49	44.32	74.00	-29.68	Horizontal
2	1535.3928	53.71	-0.72	52.99	74.00	-21.01	Horizontal
3	4432.3814	37.01	14.45	51.46	74.00	-22.54	Horizontal
4	5433.4926	34.87	17.90	52.77	74.00	-21.23	Horizontal
5	5855.2061	35.36	18.04	53.40	74.00	-20.60	Horizontal
6	6322.1469	34.27	18.94	53.21	74.00	-20.79	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5580	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	43.94	-1.93	42.01	74.00	-31.99	Vertical
2	1256.0840	48.02	-1.49	46.53	74.00	-27.47	Vertical
3	1535.3928	53.07	-0.72	52.35	74.00	-21.65	Vertical
4	4875.4862	37.06	15.28	52.34	74.00	-21.66	Vertical
5	5621.7357	35.33	17.71	53.04	74.00	-20.96	Vertical
6	6270.8079	35.14	18.57	53.71	74.00	-20.29	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5700	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	45.42	-1.49	43.93	74.00	-30.07	Horizontal
2	1535.3928	52.75	-0.72	52.03	74.00	-21.97	Horizontal
3	4468.4409	36.13	15.12	51.25	74.00	-22.75	Horizontal
4	5388.2654	36.91	16.59	53.50	74.00	-20.50	Horizontal
5	5778.8088	36.73	17.00	53.73	74.00	-20.27	Horizontal
6	6028.1698	36.01	17.77	53.78	74.00	-20.22	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5700	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	47.94	-1.49	46.45	74.00	-27.55	Vertical
2	1535.3928	52.76	-0.72	52.04	74.00	-21.96	Vertical
3	5028.2809	36.87	15.87	52.74	74.00	-21.26	Vertical
4	5423.1026	36.10	17.50	53.60	74.00	-20.40	Vertical
5	5860.0956	35.06	18.38	53.44	74.00	-20.56	Vertical
6	6202.9670	35.04	18.58	53.62	74.00	-20.38	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5720	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	45.62	-1.49	44.13	74.00	-29.87	Horizontal
2	1535.3928	52.98	-0.72	52.26	74.00	-21.74	Horizontal
3	3071.2857	37.53	9.36	46.89	74.00	-27.11	Horizontal
4	4865.7073	37.46	15.30	52.76	74.00	-21.24	Horizontal
5	5459.7733	35.47	17.87	53.34	74.00	-20.66	Horizontal
6	5990.2767	35.90	17.68	53.58	74.00	-20.42	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5720	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	44.21	-1.93	42.28	74.00	-31.72	Vertical
2	1256.0840	48.11	-1.49	46.62	74.00	-27.38	Vertical
3	1395.4328	44.16	-1.15	43.01	74.00	-30.99	Vertical
4	1535.3928	52.82	-0.72	52.10	74.00	-21.90	Vertical
5	5434.1038	35.43	17.90	53.33	74.00	-20.67	Vertical
6	5965.8295	35.89	17.62	53.51	74.00	-20.49	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5745	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	45.87	-1.59	44.28	74.00	-29.72	Horizontal
2	1535.3928	52.89	-0.38	52.51	74.00	-21.49	Horizontal
3	4469.0521	36.69	14.71	51.40	74.00	-22.60	Horizontal
4	5282.5314	37.09	15.16	52.25	74.00	-21.75	Horizontal
5	5561.2290	37.02	16.35	53.37	74.00	-20.63	Horizontal
6	5983.5537	36.15	17.32	53.47	74.00	-20.53	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5745	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	43.98	-1.89	42.09	74.00	-31.91	Vertical
2	1256.0840	48.23	-1.59	46.64	74.00	-27.36	Vertical
3	1395.4328	42.74	-1.14	41.60	74.00	-32.40	Vertical
4	1535.3928	52.78	-0.38	52.40	74.00	-21.60	Vertical
5	5677.3530	36.87	16.66	53.53	74.00	-20.47	Vertical
6	6045.2828	35.29	17.73	53.02	74.00	-20.98	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5785	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.35	-1.59	44.76	74.00	-29.24	Horizontal
2	1535.3928	52.99	-0.38	52.61	74.00	-21.39	Horizontal
3	4794.8105	36.87	14.92	51.79	74.00	-22.21	Horizontal
4	5459.1621	36.79	16.27	53.06	74.00	-20.94	Horizontal
5	6021.4468	35.59	17.34	52.93	74.00	-21.07	Horizontal
6	6271.4190	34.79	18.29	53.08	74.00	-20.92	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5785	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	43.23	-1.89	41.34	74.00	-32.66	Vertical
2	1256.0840	48.16	-1.59	46.57	74.00	-27.43	Vertical
3	1535.3928	52.64	-0.38	52.26	74.00	-21.74	Vertical
4	1928.3809	45.13	2.49	47.62	74.00	-26.38	Vertical
5	5665.1295	36.13	16.64	52.77	74.00	-21.23	Vertical
6	6025.1139	35.23	17.52	52.75	74.00	-21.25	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5825	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	46.72	-1.59	45.13	74.00	-28.87	Horizontal
2	1535.3928	53.09	-0.38	52.71	74.00	-21.29	Horizontal
3	4813.1459	36.15	14.97	51.12	74.00	-22.88	Horizontal
4	5025.2250	36.50	15.12	51.62	74.00	-22.38	Horizontal
5	5671.8524	36.76	16.67	53.43	74.00	-20.57	Horizontal
6	6142.4603	35.80	17.69	53.49	74.00	-20.51	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11a	5825	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	43.46	-1.87	41.59	74.00	-32.41	Vertical
2	1256.0840	49.08	-1.59	47.49	74.00	-26.51	Vertical
3	1535.3928	52.93	-0.38	52.55	74.00	-21.45	Vertical
4	3071.2857	38.89	8.80	47.69	74.00	-26.31	Vertical
5	5646.1829	35.64	16.80	52.44	74.00	-21.56	Vertical
6	5897.9887	35.93	17.16	53.09	74.00	-20.91	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	45.72	-1.18	44.54	74.00	-29.46	Horizontal
2	1535.3928	52.69	-0.58	52.11	74.00	-21.89	Horizontal
3	3889.6544	37.55	12.45	50.00	74.00	-24.00	Horizontal
4	5077.1752	36.16	16.36	52.52	74.00	-21.48	Horizontal
5	5539.2266	35.82	17.04	52.86	74.00	-21.14	Horizontal
6	6163.2404	35.66	18.17	53.83	74.00	-20.17	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5180	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1186.4096	44.18	-2.08	42.10	74.00	-31.90	Vertical
2	1256.0840	47.44	-1.18	46.26	74.00	-27.74	Vertical
3	1395.4328	43.51	-0.99	42.52	74.00	-31.48	Vertical
4	1535.3928	53.35	-0.58	52.77	74.00	-21.23	Vertical
5	5082.6759	36.50	16.39	52.89	74.00	-21.11	Vertical
6	6008.0009	35.23	17.69	52.92	74.00	-21.08	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.34	-1.16	44.18	74.00	-29.82	Horizontal
2	1535.3928	52.86	-0.58	52.28	74.00	-21.72	Horizontal
3	4439.1043	37.80	14.23	52.03	74.00	-21.97	Horizontal
4	5053.3393	36.70	16.15	52.85	74.00	-21.15	Horizontal
5	5377.2641	35.80	16.91	52.71	74.00	-21.29	Horizontal
6	6295.2550	34.51	18.73	53.24	74.00	-20.76	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5200	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	44.27	-2.08	42.19	74.00	-31.81	Vertical
2	1256.0840	49.21	-1.18	48.03	74.00	-25.97	Vertical
3	1395.4328	43.16	-0.99	42.17	74.00	-31.83	Vertical
4	1535.3928	52.78	-0.58	52.20	74.00	-21.80	Vertical
5	5099.1777	36.17	16.64	52.81	74.00	-21.19	Vertical
6	5994.5550	35.01	17.76	52.77	74.00	-21.23	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1256.0840	44.94	-1.18	43.76	74.00	-30.24	Horizontal
2	1535.3928	52.78	-0.58	52.20	74.00	-21.80	Horizontal
3	4579.0643	37.46	13.99	51.45	74.00	-22.55	Horizontal
4	5052.1169	37.05	16.14	53.19	74.00	-20.81	Horizontal
5	6023.8915	36.18	17.61	53.79	74.00	-20.21	Horizontal
6	6184.6316	35.49	18.28	53.77	74.00	-20.23	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5240	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	43.67	-2.08	41.59	74.00	-32.41	Vertical
2	1256.0840	47.36	-1.18	46.18	74.00	-27.82	Vertical
3	1395.4328	43.79	-0.99	42.80	74.00	-31.20	Vertical
4	1535.3928	53.15	-0.58	52.57	74.00	-21.43	Vertical
5	5121.7913	36.94	16.52	53.46	74.00	-20.54	Vertical
6	6013.5015	35.10	17.63	52.73	74.00	-21.27	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.10	-1.16	43.94	74.00	-30.06	Horizontal
2	1535.3928	52.62	-0.58	52.04	74.00	-21.96	Horizontal
3	4497.7775	37.78	14.08	51.86	74.00	-22.14	Horizontal
4	5097.9553	36.82	16.64	53.46	74.00	-20.54	Horizontal
5	5377.2641	36.16	16.91	53.07	74.00	-20.93	Horizontal
6	5997.6108	35.75	17.74	53.49	74.00	-20.51	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5260	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	45.30	-2.06	43.24	74.00	-30.76	Vertical
2	1255.4728	49.79	-1.16	48.63	74.00	-25.37	Vertical
3	1535.3928	52.50	-0.58	51.92	74.00	-22.08	Vertical
4	5118.7354	36.83	16.54	53.37	74.00	-20.63	Vertical
5	5871.7080	36.09	17.39	53.48	74.00	-20.52	Vertical
6	6144.9050	35.24	18.30	53.54	74.00	-20.46	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	45.13	-1.15	43.98	74.00	-30.02	Horizontal
2	1535.3928	53.12	-0.58	52.54	74.00	-21.46	Horizontal
3	5115.0683	36.51	16.56	53.07	74.00	-20.93	Horizontal
4	5377.2641	36.41	16.91	53.32	74.00	-20.68	Horizontal
5	5989.6655	35.93	17.79	53.72	74.00	-20.28	Horizontal
6	6199.9111	34.96	18.30	53.26	74.00	-20.74	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5280	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	49.68	-1.16	48.52	74.00	-25.48	Vertical
2	1394.8216	45.35	-0.98	44.37	74.00	-29.63	Vertical
3	1535.3928	52.42	-0.58	51.84	74.00	-22.16	Vertical
4	5083.2870	35.99	16.41	52.40	74.00	-21.60	Vertical
5	6005.5562	36.20	17.70	53.90	74.00	-20.10	Vertical
6	6340.4823	35.12	18.43	53.55	74.00	-20.45	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	45.03	-1.15	43.88	74.00	-30.12	Horizontal
2	1535.3928	52.81	-0.58	52.23	74.00	-21.77	Horizontal
3	3081.6757	37.82	10.16	47.98	74.00	-26.02	Horizontal
4	5083.8982	36.54	16.44	52.98	74.00	-21.02	Horizontal
5	5416.9908	36.06	16.89	52.95	74.00	-21.05	Horizontal
6	6026.9474	35.95	17.68	53.63	74.00	-20.37	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5320	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	47.11	-1.15	45.96	74.00	-28.04	Vertical
2	1535.3928	53.03	-0.58	52.45	74.00	-21.55	Vertical
3	4123.7360	37.33	13.08	50.41	74.00	-23.59	Vertical
4	4834.5372	36.81	15.22	52.03	74.00	-21.97	Vertical
5	5412.1013	36.57	16.94	53.51	74.00	-20.49	Vertical
6	6353.3170	34.68	18.65	53.33	74.00	-20.67	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	45.12	-1.47	43.65	74.00	-30.35	Horizontal
2	1535.3928	53.01	-0.72	52.29	74.00	-21.71	Horizontal
3	4463.5515	37.44	14.77	52.21	74.00	-21.79	Horizontal
4	4845.5384	37.43	15.40	52.83	74.00	-21.17	Horizontal
5	5341.8158	36.92	16.22	53.14	74.00	-20.86	Horizontal
6	6128.4032	35.34	18.20	53.54	74.00	-20.46	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5500	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	44.61	-1.91	42.70	74.00	-31.30	Vertical
2	1254.8617	47.67	-1.47	46.20	74.00	-27.80	Vertical
3	1535.3928	52.59	-0.72	51.87	74.00	-22.13	Vertical
4	5437.7709	35.76	17.89	53.65	74.00	-20.35	Vertical
5	5595.4551	35.85	17.77	53.62	74.00	-20.38	Vertical
6	6090.5101	34.99	18.29	53.28	74.00	-20.72	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Horizontal	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	44.95	-1.47	43.48	74.00	-30.52	Horizontal
2	1535.3928	53.53	-0.72	52.81	74.00	-21.19	Horizontal
3	3071.8969	38.90	9.39	48.29	74.00	-25.71	Horizontal
4	4468.4409	36.35	15.12	51.47	74.00	-22.53	Horizontal
5	5418.2131	36.09	17.23	53.32	74.00	-20.68	Horizontal
6	6186.4652	35.20	18.47	53.67	74.00	-20.33	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5580	Vertical	PASS



No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	43.83	-1.91	41.92	74.00	-32.08	Vertical
2	1254.8617	47.70	-1.47	46.23	74.00	-27.77	Vertical
3	1535.3928	52.50	-0.72	51.78	74.00	-22.22	Vertical
4	5427.9920	36.11	17.79	53.90	74.00	-20.10	Vertical
5	5940.1600	36.06	17.93	53.99	74.00	-20.01	Vertical
6	6319.7022	34.94	18.98	53.92	74.00	-20.08	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.



Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	45.65	-1.47	44.18	74.00	-29.82	Horizontal
2	1535.3928	52.98	-0.72	52.26	74.00	-21.74	Horizontal
3	4214.1905	36.80	13.58	50.38	74.00	-23.62	Horizontal
4	4829.0366	36.32	15.40	51.72	74.00	-22.28	Horizontal
5	5431.0479	35.82	17.91	53.73	74.00	-20.27	Horizontal
6	6085.0094	35.40	18.16	53.56	74.00	-20.44	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5700	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	43.27	-1.91	41.36	74.00	-32.64	Vertical
2	1254.8617	48.71	-1.47	47.24	74.00	-26.76	Vertical
3	1394.2105	43.34	-1.13	42.21	74.00	-31.79	Vertical
4	1535.3928	52.95	-0.72	52.23	74.00	-21.77	Vertical
5	5451.2168	35.30	17.88	53.18	74.00	-20.82	Vertical
6	6298.9221	34.53	18.91	53.44	74.00	-20.56	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.37	-1.48	44.89	74.00	-29.11	Horizontal
2	1535.3928	52.98	-0.72	52.26	74.00	-21.74	Horizontal
3	4360.8734	37.88	13.65	51.53	74.00	-22.47	Horizontal
4	5446.9385	35.13	17.88	53.01	74.00	-20.99	Horizontal
5	5883.9315	35.92	17.83	53.75	74.00	-20.25	Horizontal
6	6220.6912	35.18	18.58	53.76	74.00	-20.24	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5720	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	48.23	-1.47	46.76	74.00	-27.24	Vertical
2	1535.3928	52.53	-0.72	51.81	74.00	-22.19	Vertical
3	4684.1871	37.63	14.40	52.03	74.00	-21.97	Vertical
4	5475.0528	36.27	17.85	54.12	74.00	-19.88	Vertical
5	5800.8112	36.88	16.90	53.78	74.00	-20.22	Vertical
6	6126.5696	35.54	18.22	53.76	74.00	-20.24	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	46.27	-1.60	44.67	74.00	-29.33	Horizontal
2	1535.3928	52.65	-0.38	52.27	74.00	-21.73	Horizontal
3	3071.2857	38.68	8.80	47.48	74.00	-26.52	Horizontal
4	5036.8374	36.57	15.18	51.75	74.00	-22.25	Horizontal
5	5567.3408	35.98	16.58	52.56	74.00	-21.44	Horizontal
6	6025.7251	35.50	17.55	53.05	74.00	-20.95	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5745	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	46.28	-1.60	44.68	74.00	-29.32	Vertical
2	1394.8216	43.03	-1.15	41.88	74.00	-32.12	Vertical
3	1535.3928	52.60	-0.38	52.22	74.00	-21.78	Vertical
4	5687.1319	36.96	16.62	53.58	74.00	-20.42	Vertical
5	6032.4480	35.82	17.71	53.53	74.00	-20.47	Vertical
6	6424.2138	35.09	18.63	53.72	74.00	-20.28	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.68	-1.59	45.09	74.00	-28.91	Horizontal
2	1535.3928	52.18	-0.38	51.80	74.00	-22.20	Horizontal
3	4010.6679	36.55	13.17	49.72	74.00	-24.28	Horizontal
4	5650.4612	36.69	16.90	53.59	74.00	-20.41	Horizontal
5	6156.5174	35.16	17.82	52.98	74.00	-21.02	Horizontal
6	6408.9343	35.46	18.31	53.77	74.00	-20.23	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5785	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	44.29	-1.89	42.40	74.00	-31.60	Vertical
2	1255.4728	48.15	-1.59	46.56	74.00	-27.44	Vertical
3	1535.3928	52.42	-0.38	52.04	74.00	-21.96	Vertical
4	5682.8536	36.49	16.63	53.12	74.00	-20.88	Vertical
5	5896.1551	35.84	17.15	52.99	74.00	-21.01	Vertical
6	6187.6875	34.67	18.25	52.92	74.00	-21.08	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	47.01	-1.60	45.41	74.00	-28.59	Horizontal
2	1535.3928	52.75	-0.38	52.37	74.00	-21.63	Horizontal
3	3628.6810	38.15	10.96	49.11	74.00	-24.89	Horizontal
4	4804.5894	36.12	15.06	51.18	74.00	-22.82	Horizontal
5	5692.6325	36.74	16.58	53.32	74.00	-20.68	Horizontal
6	6011.0568	35.92	17.32	53.24	74.00	-20.76	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT20	5825	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	44.52	-1.91	42.61	74.00	-31.39	Vertical
2	1254.8617	48.73	-1.60	47.13	74.00	-26.87	Vertical
3	1535.3928	52.36	-0.38	51.98	74.00	-22.02	Vertical
4	5261.1401	37.02	15.02	52.04	74.00	-21.96	Vertical
5	5892.4881	36.28	17.11	53.39	74.00	-20.61	Vertical
6	6261.0290	35.07	18.11	53.18	74.00	-20.82	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	47.61	-1.15	46.46	74.00	-27.54	Horizontal
2	1535.3928	52.69	-0.58	52.11	74.00	-21.89	Horizontal
3	3188.0209	37.99	9.64	47.63	74.00	-26.37	Horizontal
4	5191.4657	35.84	16.30	52.14	74.00	-21.86	Horizontal
5	5501.3335	36.07	16.65	52.72	74.00	-21.28	Horizontal
6	6129.6255	35.04	18.49	53.53	74.00	-20.47	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5190	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	43.61	-2.06	41.55	74.00	-32.45	Vertical
2	1255.4728	47.04	-1.16	45.88	74.00	-28.12	Vertical
3	1394.8216	43.52	-0.98	42.54	74.00	-31.46	Vertical
4	1535.3928	52.66	-0.58	52.08	74.00	-21.92	Vertical
5	5108.3454	36.83	16.60	53.43	74.00	-20.57	Vertical
6	6033.6704	35.46	17.69	53.15	74.00	-20.85	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.56	-1.16	44.40	74.00	-29.60	Horizontal
2	1535.3928	52.89	-0.58	52.31	74.00	-21.69	Horizontal
3	4167.1297	37.23	13.32	50.55	74.00	-23.45	Horizontal
4	5105.2895	36.65	16.62	53.27	74.00	-20.73	Horizontal
5	6028.7810	36.09	17.71	53.80	74.00	-20.20	Horizontal
6	6127.1808	35.24	18.45	53.69	74.00	-20.31	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5230	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	48.06	-1.15	46.91	74.00	-27.09	Vertical
2	1394.8216	43.50	-0.98	42.52	74.00	-31.48	Vertical
3	1535.3928	52.75	-0.58	52.17	74.00	-21.83	Vertical
4	4934.1594	36.57	15.71	52.28	74.00	-21.72	Vertical
5	5214.6905	36.33	16.28	52.61	74.00	-21.39	Vertical
6	6131.4591	34.69	18.48	53.17	74.00	-20.83	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	44.51	-1.16	43.35	74.00	-30.65	Horizontal
2	1535.3928	53.15	-0.58	52.57	74.00	-21.43	Horizontal
3	4386.5429	37.28	14.12	51.40	74.00	-22.60	Horizontal
4	4822.3136	37.11	15.16	52.27	74.00	-21.73	Horizontal
5	5102.2336	36.31	16.63	52.94	74.00	-21.06	Horizontal
6	5379.0977	36.09	16.92	53.01	74.00	-20.99	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5270	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	47.04	-1.16	45.88	74.00	-28.12	Vertical
2	1394.8216	43.53	-0.98	42.55	74.00	-31.45	Vertical
3	1535.3928	52.48	-0.58	51.90	74.00	-22.10	Vertical
4	4248.4165	36.73	13.88	50.61	74.00	-23.39	Vertical
5	5118.7354	36.45	16.54	52.99	74.00	-21.01	Vertical
6	6121.0690	35.21	18.35	53.56	74.00	-20.44	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5310	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	44.84	-1.15	43.69	74.00	-30.31	Horizontal
2	1394.8216	40.96	-0.98	39.98	74.00	-34.02	Horizontal
3	1535.3928	52.87	-0.58	52.29	74.00	-21.71	Horizontal
4	5094.8994	36.54	16.65	53.19	74.00	-20.81	Horizontal
5	5412.1013	36.22	16.94	53.16	74.00	-20.84	Horizontal
6	6208.4676	35.28	18.61	53.89	74.00	-20.11	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5310	Vertical	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.7984	45.49	-2.08	43.41	74.00	-30.59	Vertical
2	1255.4728	46.62	-1.16	45.46	74.00	-28.54	Vertical
3	1394.8216	44.03	-0.98	43.05	74.00	-30.95	Vertical
4	1535.3928	52.33	-0.58	51.75	74.00	-22.25	Vertical
5	5388.2654	35.99	16.94	52.93	74.00	-21.07	Vertical
6	6121.6802	34.98	18.36	53.34	74.00	-20.66	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict
11ac VHT40	5510	Horizontal	PASS

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	46.69	-1.48	45.21	74.00	-28.79	Horizontal
2	1535.3928	53.82	-0.72	53.10	74.00	-20.90	Horizontal
3	4197.6886	37.95	13.36	51.31	74.00	-22.69	Horizontal
4	5363.8182	36.67	16.45	53.12	74.00	-20.88	Horizontal
5	6053.8393	35.54	17.83	53.37	74.00	-20.13	Horizontal
6	6429.7144	34.10	19.25	53.35	74.00	-20.65	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict	
11ac VHT40	5510	Vertical	PASS	

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	44.87	-1.91	42.96	74.00	-31.04	Vertical
2	1255.4728	47.68	-1.48	46.20	74.00	-27.80	Vertical
3	1535.3928	52.47	-0.72	51.75	74.00	-22.25	Vertical
4	4865.7073	37.14	15.30	52.44	74.00	-21.56	Vertical
5	5414.5461	36.32	17.08	53.40	74.00	-20.60	Vertical
6	6190.7434	35.40	18.46	53.86	74.00	-20.14	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict	
11ac VHT40	5550	Horizontal	PASS	

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1254.8617	45.80	-1.47	44.33	74.00	-29.67	Horizontal
2	1535.3928	52.96	-0.72	52.24	74.00	-21.76	Horizontal
3	4502.6670	37.44	14.18	51.62	74.00	-22.38	Horizontal
4	4904.2116	36.56	15.31	51.87	74.00	-22.13	Horizontal
5	5407.8231	36.36	16.89	53.25	74.00	-20.75	Horizontal
6	6034.2816	36.11	17.72	53.83	74.00	-20.17	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict	
11ac VHT40	5550	Vertical	PASS	

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1185.1872	44.16	-1.91	42.25	74.00	-31.75	Vertical
2	1254.8617	48.22	-1.47	46.75	74.00	-27.25	Vertical
3	1535.3928	52.40	-0.72	51.68	74.00	-22.32	Vertical
4	5438.3820	36.14	17.89	54.03	74.00	-19.97	Vertical
5	5917.5464	35.63	17.91	53.54	74.00	-20.46	Vertical
6	6130.2367	35.39	18.18	53.57	74.00	-20.43	Vertical

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.

Test Mode	Channel	Polarization	Verdict	
11ac VHT40	5670	Horizontal	PASS	

No.	Frequency	Reading Level	Correct Factor	Result	Limit	Margin	Remark
	[MHz]	[dBuV]	[dB/m]	[dBuV/m]	[dBuV/m]	[dB]	
1	1255.4728	45.01	-1.48	43.53	74.00	-30.47	Horizontal
2	1394.8216	40.85	-1.14	39.71	74.00	-34.29	Horizontal
3	1535.3928	53.44	-0.72	52.72	74.00	-21.28	Horizontal
4	4472.1080	36.98	15.08	52.06	74.00	-21.94	Horizontal
5	5042.9492	37.45	16.01	53.46	74.00	-20.54	Horizontal
6	6205.4117	35.16	18.55	53.71	74.00	-20.29	Horizontal

- 2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- 3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.
- 4. Peak: Peak detector.
- 5. AVG: VBW refer to section 6.2.
- 6. For below 6.5GHz part, filter losses were only considered in the spurious frequency bands and the authorized band were not corrected for Band Reject Filter losses. The proper operation of the transmitter prior to adding the filter to the measurement chain.
- 7. Only the worst case emission was recorded, if it complies with the limit, the other emissions deemed to comply with the limit.