


5.2G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	97.6	0.11
NVNT	a	5200	Ant1	97.63	0.1
NVNT	a	5240	Ant1	97.63	0.1
NVNT	ac20	5180	Ant1	97.45	0.11
NVNT	ac20	5200	Ant1	97.46	0.11
NVNT	ac20	5240	Ant1	97.44	0.11
NVNT	ac40	5190	Ant1	95.1	0.22
NVNT	ac40	5230	Ant1	95.08	0.22
NVNT	ac80	5210	Ant1	90.68	0.42
NVNT	n20	5180	Ant1	97.41	0.11
NVNT	n20	5200	Ant1	97.45	0.11
NVNT	n20	5240	Ant1	97.44	0.11
NVNT	n40	5190	Ant1	95.11	0.22
NVNT	n40	5230	Ant1	95.07	0.22


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.458	24	Pass
NVNT	a	5200	Ant1	10.653	24	Pass
NVNT	a	5240	Ant1	11.47	24	Pass
NVNT	ac20	5180	Ant1	10.542	24	Pass
NVNT	ac20	5200	Ant1	10.536	24	Pass
NVNT	ac20	5240	Ant1	11.153	24	Pass
NVNT	ac40	5190	Ant1	10.024	24	Pass
NVNT	ac40	5230	Ant1	10.632	24	Pass
NVNT	ac80	5210	Ant1	10.345	24	Pass
NVNT	n20	5180	Ant1	10.499	24	Pass
NVNT	n20	5200	Ant1	10.596	24	Pass
NVNT	n20	5240	Ant1	11.37	24	Pass
NVNT	n40	5190	Ant1	9.949	24	Pass
NVNT	n40	5230	Ant1	10.577	24	Pass


Note: The average power value already includes the duty cycle factor

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.591	0.5	Pass
NVNT	a	5200	Ant1	19.63	0.5	Pass
NVNT	a	5240	Ant1	19.541	0.5	Pass
NVNT	ac20	5180	Ant1	19.846	0.5	Pass
NVNT	ac20	5200	Ant1	19.923	0.5	Pass
NVNT	ac20	5240	Ant1	20.007	0.5	Pass

NVNT	ac40	5190	Ant1	40.528	0.5	Pass
NVNT	ac40	5230	Ant1	39.989	0.5	Pass
NVNT	ac80	5210	Ant1	80.728	0.5	Pass
NVNT	n20	5180	Ant1	19.992	0.5	Pass
NVNT	n20	5200	Ant1	19.729	0.5	Pass
NVNT	n20	5240	Ant1	20.165	0.5	Pass
NVNT	n40	5190	Ant1	39.824	0.5	Pass
NVNT	n40	5230	Ant1	40.701	0.5	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.433
NVNT	a	5200	Ant1	16.404
NVNT	a	5240	Ant1	16.374
NVNT	ac20	5180	Ant1	17.556
NVNT	ac20	5200	Ant1	17.539
NVNT	ac20	5240	Ant1	17.536
NVNT	ac40	5190	Ant1	35.921
NVNT	ac40	5230	Ant1	35.9
NVNT	ac80	5210	Ant1	75.262
NVNT	n20	5180	Ant1	17.54
NVNT	n20	5200	Ant1	17.533
NVNT	n20	5240	Ant1	17.538
NVNT	n40	5190	Ant1	35.934
NVNT	n40	5230	Ant1	35.981


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1



OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	0.683	11	Pass
NVNT	a	5200	Ant1	0.947	11	Pass
NVNT	a	5240	Ant1	1.611	11	Pass
NVNT	ac20	5180	Ant1	0.586	11	Pass
NVNT	ac20	5200	Ant1	0.955	11	Pass


NVNT	ac20	5240	Ant1	0.924	11	Pass
NVNT	ac40	5190	Ant1	-2.87	11	Pass
NVNT	ac40	5230	Ant1	-2.14	11	Pass
NVNT	ac80	5210	Ant1	-5.64	11	Pass
NVNT	n20	5180	Ant1	0.546	11	Pass
NVNT	n20	5200	Ant1	0.617	11	Pass
NVNT	n20	5240	Ant1	1.217	11	Pass
NVNT	n40	5190	Ant1	-3.346	11	Pass
NVNT	n40	5230	Ant1	-2.833	11	Pass

Note: The average power value already includes the duty cycle factor


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-38.48	-27	Pass
NVNT	a	5240	Ant1	-41.77	-27	Pass
NVNT	ac20	5180	Ant1	-35.38	-27	Pass
NVNT	ac20	5240	Ant1	-42.87	-27	Pass
NVNT	ac40	5190	Ant1	-30.34	-27	Pass
NVNT	ac40	5230	Ant1	-40.95	-27	Pass
NVNT	ac80	5210	Ant1	-42.88	-27	Pass
NVNT	n20	5180	Ant1	-31.01	-27	Pass
NVNT	n20	5240	Ant1	-41.7	-27	Pass
NVNT	n40	5190	Ant1	-29.58	-27	Pass
NVNT	n40	5230	Ant1	-42.51	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-32.64	-27	Pass
NVNT	a	5200	Ant1	-32.83	-27	Pass
NVNT	a	5240	Ant1	-32.81	-27	Pass
NVNT	ac20	5180	Ant1	-32.7	-27	Pass
NVNT	ac20	5200	Ant1	-32.95	-27	Pass
NVNT	ac20	5240	Ant1	-33.14	-27	Pass
NVNT	ac40	5190	Ant1	-32.38	-27	Pass
NVNT	ac40	5230	Ant1	-32.83	-27	Pass
NVNT	ac80	5210	Ant1	-43.41	-27	Pass
NVNT	n20	5180	Ant1	-32.86	-27	Pass
NVNT	n20	5200	Ant1	-31.83	-27	Pass
NVNT	n20	5240	Ant1	-32.98	-27	Pass
NVNT	n40	5190	Ant1	-32.3	-27	Pass
NVNT	n40	5230	Ant1	-33.27	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.3G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	97.63	0.1
NVNT	a	5280	Ant1	97.64	0.1
NVNT	a	5320	Ant1	97.61	0.11
NVNT	ac20	5260	Ant1	97.43	0.11
NVNT	ac20	5280	Ant1	97.48	0.11
NVNT	ac20	5320	Ant1	97.46	0.11
NVNT	ac40	5270	Ant1	95.1	0.22
NVNT	ac40	5310	Ant1	95.1	0.22
NVNT	ac80	5290	Ant1	90.67	0.43
NVNT	n20	5260	Ant1	97.44	0.11
NVNT	n20	5280	Ant1	97.41	0.11
NVNT	n20	5320	Ant1	97.42	0.11
NVNT	n40	5270	Ant1	95.08	0.22
NVNT	n40	5310	Ant1	95.14	0.22


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1




Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1




Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ac80 5290MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	10.852	24	Pass
NVNT	a	5280	Ant1	10.944	24	Pass
NVNT	a	5320	Ant1	11.009	24	Pass
NVNT	ac20	5260	Ant1	10.564	24	Pass
NVNT	ac20	5280	Ant1	10.953	24	Pass
NVNT	ac20	5320	Ant1	11.097	24	Pass
NVNT	ac40	5270	Ant1	10.822	24	Pass
NVNT	ac40	5310	Ant1	11.01	24	Pass
NVNT	ac80	5290	Ant1	10.924	24	Pass
NVNT	n20	5260	Ant1	10.618	24	Pass
NVNT	n20	5280	Ant1	10.950	24	Pass
NVNT	n20	5320	Ant1	11.028	24	Pass
NVNT	n40	5270	Ant1	10.79	24	Pass
NVNT	n40	5310	Ant1	10.444	24	Pass


Note: The average power value already includes the duty cycle factor

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	19.905	0.5	Pass
NVNT	a	5280	Ant1	19.856	0.5	Pass
NVNT	a	5320	Ant1	19.637	0.5	Pass
NVNT	ac20	5260	Ant1	20.089	0.5	Pass
NVNT	ac20	5280	Ant1	19.948	0.5	Pass
NVNT	ac20	5320	Ant1	19.904	0.5	Pass

NVNT	ac40	5270	Ant1	40.087	0.5	Pass
NVNT	ac40	5310	Ant1	40.465	0.5	Pass
NVNT	ac80	5290	Ant1	80.176	0.5	Pass
NVNT	n20	5260	Ant1	19.834	0.5	Pass
NVNT	n20	5280	Ant1	20.123	0.5	Pass
NVNT	n20	5320	Ant1	19.907	0.5	Pass
NVNT	n40	5270	Ant1	40.054	0.5	Pass
NVNT	n40	5310	Ant1	40.414	0.5	Pass


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1




-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1




-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ac80 5290MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.382
NVNT	a	5280	Ant1	16.366
NVNT	a	5320	Ant1	16.372
NVNT	ac20	5260	Ant1	17.533
NVNT	ac20	5280	Ant1	17.527
NVNT	ac20	5320	Ant1	17.54
NVNT	ac40	5270	Ant1	35.937
NVNT	ac40	5310	Ant1	35.923
NVNT	ac80	5290	Ant1	75.153
NVNT	n20	5260	Ant1	17.541
NVNT	n20	5280	Ant1	17.525
NVNT	n20	5320	Ant1	17.521
NVNT	n40	5270	Ant1	36
NVNT	n40	5310	Ant1	35.961


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5280MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT ac20 5260MHz Ant1




OBW NVNT ac20 5280MHz Ant1




OBW NVNT ac20 5320MHz Ant1




OBW NVNT ac40 5270MHz Ant1




OBW NVNT ac40 5310MHz Ant1




OBW NVNT ac80 5290MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5280MHz Ant1




OBW NVNT n20 5320MHz Ant1



OBW NVNT n40 5270MHz Ant1



OBW NVNT n40 5310MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	1.057	11	Pass
NVNT	a	5280	Ant1	1.224	11	Pass
NVNT	a	5320	Ant1	1.225	11	Pass
NVNT	ac20	5260	Ant1	0.673	11	Pass
NVNT	ac20	5280	Ant1	1.132	11	Pass


NVNT	ac20	5320	Ant1	1.152	11	Pass
NVNT	ac40	5270	Ant1	-2.003	11	Pass
NVNT	ac40	5310	Ant1	-1.981	11	Pass
NVNT	ac80	5290	Ant1	-5.65	11	Pass
NVNT	n20	5260	Ant1	0.762	11	Pass
NVNT	n20	5280	Ant1	1.065	11	Pass
NVNT	n20	5320	Ant1	1.312	11	Pass
NVNT	n40	5270	Ant1	-1.986	11	Pass
NVNT	n40	5310	Ant1	-2.598	11	Pass

Note: The average power value already includes the duty cycle factor


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5280MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5280MHz Ant1




PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac40 5270MHz Ant1




PSD NVNT ac40 5310MHz Ant1




PSD NVNT ac80 5290MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5280MHz Ant1




PSD NVNT n20 5320MHz Ant1



PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-43.98	-27	Pass
NVNT	a	5320	Ant1	-37.72	-27	Pass
NVNT	ac20	5260	Ant1	-44.03	-27	Pass
NVNT	ac20	5320	Ant1	-39.02	-27	Pass
NVNT	ac40	5270	Ant1	-44.07	-27	Pass
NVNT	ac40	5310	Ant1	-31.33	-27	Pass
NVNT	ac80	5290	Ant1	-44.19	-27	Pass
NVNT	n20	5260	Ant1	-43.66	-27	Pass
NVNT	n20	5320	Ant1	-31.89	-27	Pass
NVNT	n40	5270	Ant1	-43.42	-27	Pass
NVNT	n40	5310	Ant1	-29.2	-27	Pass


Band Edge NVNT a 5260MHz Low Ant1




Band Edge NVNT a 5320MHz High Ant1




Band Edge NVNT ac20 5260MHz Low Ant1




Band Edge NVNT ac20 5320MHz High Ant1




Band Edge NVNT ac40 5270MHz Low Ant1




Band Edge NVNT ac40 5310MHz High Ant1




Band Edge NVNT ac80 5290MHz Low Ant1




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5310MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-32.97	-27	Pass
NVNT	a	5280	Ant1	-32.83	-27	Pass
NVNT	a	5320	Ant1	-32.65	-27	Pass
NVNT	ac20	5260	Ant1	-32.93	-27	Pass
NVNT	ac20	5280	Ant1	-32.54	-27	Pass
NVNT	ac20	5320	Ant1	-33.01	-27	Pass
NVNT	ac40	5270	Ant1	-32.53	-27	Pass
NVNT	ac40	5310	Ant1	-32.39	-27	Pass
NVNT	ac80	5290	Ant1	-33.17	-27	Pass
NVNT	n20	5260	Ant1	-32.67	-27	Pass
NVNT	n20	5280	Ant1	-32.28	-27	Pass
NVNT	n20	5320	Ant1	-32.63	-27	Pass
NVNT	n40	5270	Ant1	-32.63	-27	Pass
NVNT	n40	5310	Ant1	-32.46	-27	Pass


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5280MHz Ant1 Emission




Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac80 5290MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission




5.6G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5500	Ant1	97.6	0.11
NVNT	a	5600	Ant1	97.59	0.11
NVNT	a	5700	Ant1	97.56	0.11
NVNT	ac20	5500	Ant1	97.49	0.11
NVNT	ac20	5600	Ant1	97.44	0.11
NVNT	ac20	5700	Ant1	97.45	0.11
NVNT	ac40	5510	Ant1	95.1	0.22
NVNT	ac40	5590	Ant1	95.09	0.22
NVNT	ac40	5670	Ant1	95.1	0.22
NVNT	ac80	5530	Ant1	90.69	0.42
NVNT	ac80	5610	Ant1	90.66	0.43
NVNT	n20	5500	Ant1	97.41	0.11
NVNT	n20	5600	Ant1	97.41	0.11
NVNT	n20	5700	Ant1	97.46	0.11
NVNT	n40	5510	Ant1	95.14	0.22
NVNT	n40	5590	Ant1	95.1	0.22
NVNT	n40	5670	Ant1	95.04	0.22


Duty Cycle NVNT a 5500MHz Ant1



Duty Cycle NVNT a 5600MHz Ant1



Duty Cycle NVNT a 5700MHz Ant1



Duty Cycle NVNT ac20 5500MHz Ant1