







11AC20SISO-Ant1-5825



11AC40SISO-Ant1-5755



11AC40SISO-Ant1-5795



11AC80SISO-Ant1-5775



6dB Down Bandwidth Test Result and Data

U-NII-3 Occupied 6 dB Bandwidth					
TestMode	Antenna	Frequency[MHz]	6dB EBW[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.280	0.5	PASS
11A	Ant1	5785	15.760	0.5	PASS
11A	Ant1	5825	16.080	0.5	PASS
11N20SISO	Ant1	5745	17.280	0.5	PASS
11N20SISO	Ant1	5785	17.160	0.5	PASS
11N20SISO	Ant1	5825	16.560	0.5	PASS
11N40SISO	Ant1	5755	34.400	0.5	PASS
11N40SISO	Ant1	5795	35.040	0.5	PASS
11AC20SISO	Ant1	5745	17.520	0.5	PASS
11AC20SISO	Ant1	5785	16.280	0.5	PASS
11AC20SISO	Ant1	5825	16.760	0.5	PASS
11AC40SISO	Ant1	5755	35.120	0.5	PASS
11AC40SISO	Ant1	5795	36.000	0.5	PASS
11AC80SISO	Ant1	5775	73.920	0.5	PASS



11A-Ant1-5745-PASS



11A-Ant1-5785-PASS



11A-Ant1-5825-PASS



11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5785-PASS



11N20SISO-Ant1-5825-PASS



11N40SISO-Ant1-5755-PASS



11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5785-PASS



11AC20SISO-Ant1-5825-PASS



11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5775-PASS



Frequency Stability Test Result and Data

U-NII-1 Centre Frequency								
TestMode	Antenna	Frequency[MHz]	Voltage[Vdc]	Temperature(°C)	Deviation(Hz)	Deviation(ppm)	Limit(ppm)	Verdict
11A	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	LV	NT	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	HV	NT	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	-20	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	-10	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	10	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	20	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	40	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	50	-20000.00	-3.861004	20	PASS

Note 1: All of the EUT Configure Mode were tested, the worst case is recorded in this report.


U-NII-3 Centre Frequency								
TestMode	Antenna	Frequency[MHz]	Voltage[Vdc]	Temperature(°C)	Deviation(Hz)	Deviation(ppm)	Limit(ppm)	Verdict
11A	Ant1	5745	NV	NT	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	LV	NT	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	HV	NT	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	-30	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	-20	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	-10	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	0	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	10	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	20	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	30	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	40	-20000.00	-3.481288	20	PASS
11A	Ant1	5745	NV	50	-20000.00	-3.481288	20	PASS


Note 1: All of the EUT Configure Mode were tested, the worst case is recorded in this report.

Conducted Band Edges


Test Result and Data

U-NII-1:






11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5240-PASS




11AC40SISO-Ant1-5190-PASS




11AC40SISO-Ant1-5230-PASS



11AC80SISO-Ant1-5210-PASS




U-NII-3:




11A-Ant1-5745-PASS




11A-Ant1-5825-PASS



11N20SISO-Ant1-5745-PASS




11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS



11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5825-PASS



11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5775-PASS



11AC80SISO-Ant1-5775-PASS

** END OF REPORT **