





DH5-Ant1-2441-1000~26500-PASS




DH5-Ant2-2441-1000~26500-PASS



DH5-Ant1-2480-0~Reference-PASS




DH5-Ant2-2480-0~Reference-PASS




DH5-Ant1-2480-30~1000-PASS



DH5-Ant2-2480-30~1000-PASS



DH5-Ant1-2480-1000~26500-PASS




DH5-Ant2-2480-1000~26500-PASS



2DH5-Ant1-2402-0~Reference-PASS







2DH5-Ant2-2402-0~Reference-PASS




2DH5-Ant1-2402-30~1000-PASS




2DH5-Ant2-2402-30~1000-PASS






2DH5-Ant1-2441-1000~26500-PASS




2DH5-Ant2-2441-1000~26500-PASS



2DH5-Ant1-2480-0~Reference-PASS




2DH5-Ant2-2480-0~Reference-PASS




2DH5-Ant1-2480-30~1000-PASS



2DH5-Ant2-2480-30~1000-PASS



2DH5-Ant1-2480-1000~26500-PASS




2DH5-Ant2-2480-1000~26500-PASS




3DH5-Ant1-2402-0~Reference-PASS




3DH5-Ant2-2402-0~Reference-PASS




3DH5-Ant1-2402-30~1000-PASS



3DH5-Ant2-2402-30~1000-PASS



3DH5-Ant1-2402-1000~26500-PASS




3DH5-Ant2-2402-1000~26500-PASS




3DH5-Ant1-2441-0~Reference-PASS






3DH5-Ant2-2441-0~Reference-PASS




3DH5-Ant1-2441-30~1000-PASS




3DH5-Ant2-2441-30~1000-PASS





3DH5-Ant1-2480-1000~26500-PASS



3DH5-Ant2-2480-1000~26500-PASS

**Duty Cycle
Test Result**

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant2	2402	2.89	3.75	77.07	1.13
DH5	Ant1	2402	2.89	3.75	77.07	1.13
DH5	Ant2	2441	2.89	3.75	77.07	1.13
DH5	Ant1	2441	2.89	3.75	77.07	1.13
DH5	Ant2	2480	2.89	3.75	77.07	1.13
DH5	Ant1	2480	2.89	3.75	77.07	1.13
2DH5	Ant2	2402	2.89	3.75	77.07	1.13
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
2DH5	Ant2	2441	2.89	3.75	77.07	1.13
2DH5	Ant1	2441	2.89	3.75	77.07	1.13
2DH5	Ant2	2480	2.89	3.75	77.07	1.13
2DH5	Ant1	2480	2.90	3.76	77.13	1.13
3DH5	Ant2	2402	2.89	3.75	77.07	1.13
3DH5	Ant1	2402	2.89	3.75	77.07	1.13
3DH5	Ant2	2441	2.89	3.75	77.07	1.13
3DH5	Ant1	2441	2.89	3.75	77.07	1.13
3DH5	Ant2	2480	2.89	3.75	77.07	1.13
3DH5	Ant1	2480	2.89	3.75	77.07	1.13

Test Graphs



NTNV-DH5-Ant2-2402



NTNV-DH5-Ant1-2402



NTNV-DH5-Ant2-2441



NTNV-DH5-Ant1-2441



NTNV-DH5-Ant2-2480



NTNV-DH5-Ant1-2480



NTNV-2DH5-Ant2-2402



NTNV-2DH5-Ant1-2402



NTNV-2DH5-Ant2-2441



NTNV-2DH5-Ant1-2441



NTNV-2DH5-Ant2-2480



NTNV-2DH5-Ant1-2480



NTNV-2DH5-Ant2-2402



NTNV-2DH5-Ant1-2402



NTNV-3DH5-Ant2-2441



NTNV-3DH5-Ant1-2441



NTNV-3DH5-Ant2-2480




NTNV-3DH5-Ant1-2480

Radiated Spurious Emissions

Test Result

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	43.73	4.44	48.17	-	-	Horizontal	NA
2	9175.50	36.44	3.03	39.47	54.00	14.53	Horizontal	PASS
3	15063.50	34.27	8.94	43.21	54.00	10.79	Horizontal	PASS
4	17805.50	32.50	12.15	44.65	54.00	9.35	Horizontal	PASS
5	2402.00	45.58	4.44	50.02	-	-	Horizontal	NA
6	9128.00	44.17	2.64	46.81	74.00	27.19	Horizontal	PASS
7	15183.00	42.77	8.23	51.00	74.00	23.00	Horizontal	PASS
8	17976.00	40.31	12.50	52.81	74.00	21.19	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	46.40	4.44	50.84	-	-	Vertical	NA
2	7206.00	41.35	-1.37	39.98	54.00	14.02	Vertical	PASS
3	14661.50	33.57	9.60	43.17	54.00	10.83	Vertical	PASS
4	17341.50	33.45	12.47	45.92	54.00	8.08	Vertical	PASS
5	2402.00	47.65	4.44	52.09	-	-	Vertical	NA
6	7205.50	45.88	-1.36	44.52	74.00	29.48	Vertical	PASS
7	14355.50	40.84	9.23	50.07	74.00	23.93	Vertical	PASS
8	17351.00	39.74	12.82	52.56	74.00	21.44	Vertical	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	41.05	4.66	45.71	-	-	Horizontal	NA
2	9122.00	36.91	2.47	39.38	54.00	14.62	Horizontal	PASS
3	14342.00	34.08	9.16	43.24	54.00	10.76	Horizontal	PASS
4	17348.00	33.12	12.77	45.89	54.00	8.11	Horizontal	PASS
5	2440.80	43.43	4.66	48.09	-	-	Horizontal	NA
6	9075.50	44.43	2.08	46.51	74.00	27.49	Horizontal	PASS
7	14665.00	41.41	9.51	50.92	74.00	23.08	Horizontal	PASS
8	17343.50	40.99	12.56	53.55	74.00	20.45	Horizontal	PASS


Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	44.28	4.66	48.94	-	-	Vertical	NA
2	7605.00	38.08	-1.09	36.99	54.00	17.01	Vertical	PASS
3	14679.00	34.33	9.12	43.45	54.00	10.55	Vertical	PASS
4	17348.50	33.31	12.79	46.10	54.00	7.90	Vertical	PASS
5	2440.80	46.94	4.66	51.60	-	-	Vertical	NA
6	7383.50	45.58	-1.19	44.39	74.00	29.61	Vertical	PASS
7	15078.00	42.11	8.99	51.10	74.00	22.90	Vertical	PASS
8	17349.50	39.61	12.84	52.45	74.00	21.55	Vertical	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	44.83	4.88	49.71	-	-	Horizontal	NA
2	6843.50	38.80	-2.41	36.39	54.00	17.61	Horizontal	PASS
3	9148.50	36.48	3.21	39.69	54.00	14.31	Horizontal	PASS
4	17363.50	33.66	12.33	45.99	54.00	8.01	Horizontal	PASS
5	2480.20	46.08	4.88	50.96	-	-	Horizontal	NA
6	6855.00	45.61	-2.30	43.31	74.00	30.69	Horizontal	PASS
7	9179.00	43.63	2.99	46.62	74.00	27.38	Horizontal	PASS
8	17348.00	39.78	12.77	52.55	74.00	21.45	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	49.24	4.88	54.12	-	-	Vertical	NA
2	7440.50	40.57	-1.65	38.92	54.00	15.08	Vertical	PASS
3	14640.50	33.73	9.70	43.43	54.00	10.57	Vertical	PASS
4	17349.00	32.87	12.82	45.69	54.00	8.31	Vertical	PASS
5	2480.20	50.39	4.88	55.27	-	-	Vertical	NA
6	7376.50	45.13	-1.26	43.87	74.00	30.13	Vertical	PASS
7	14638.00	40.94	9.64	50.58	74.00	23.42	Vertical	PASS
8	17362.50	40.16	12.37	52.53	74.00	21.47	Vertical	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	43.49	4.44	47.93	-	-	Horizontal	NA
2	10891.50	35.33	4.59	39.92	54.00	14.08	Horizontal	PASS
3	14082.50	34.74	8.07	42.81	54.00	11.19	Horizontal	PASS
4	17348.50	33.13	12.79	45.92	54.00	8.08	Horizontal	PASS
5	2401.80	45.72	4.44	50.16	-	-	Horizontal	NA
6	10800.00	44.03	4.32	48.35	74.00	25.65	Horizontal	PASS
7	13817.00	42.33	8.20	50.53	74.00	23.47	Horizontal	PASS
8	17354.50	40.11	12.68	52.79	74.00	21.21	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.20	46.28	4.44	50.72	-	-	Vertical	NA
2	7206.50	41.32	-1.37	39.95	54.00	14.05	Vertical	PASS
3	14665.00	34.64	9.51	44.15	54.00	9.85	Vertical	PASS
4	17363.00	33.26	12.35	45.61	54.00	8.39	Vertical	PASS
5	2402.00	47.85	4.44	52.29	-	-	Vertical	NA
6	7206.00	45.14	-1.37	43.77	74.00	30.23	Vertical	PASS
7	14408.00	41.99	8.16	50.15	74.00	23.85	Vertical	PASS
8	17342.50	39.78	12.51	52.29	74.00	21.71	Vertical	PASS


Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.20	41.09	4.66	45.75	-	-	Horizontal	NA
2	10967.00	35.27	4.72	39.99	54.00	14.01	Horizontal	PASS
3	15114.00	34.02	8.87	42.89	54.00	11.11	Horizontal	PASS
4	17345.00	33.16	12.64	45.80	54.00	8.20	Horizontal	PASS
5	2440.80	43.39	4.66	48.05	-	-	Horizontal	NA
6	10890.00	43.13	4.56	47.69	74.00	26.31	Horizontal	PASS
7	15079.00	41.14	8.99	50.13	74.00	23.87	Horizontal	PASS
8	17356.00	39.36	12.63	51.99	74.00	22.01	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	M
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2441.00	44.91	4.66	49.57	-	-	Vertical	NA
2	7323.50	39.15	-1.36	37.79	54.00	16.21	Vertical	PASS
3	13835.00	34.97	8.49	43.46	54.00	10.54	Vertical	PASS
4	17362.00	33.32	12.39	45.71	54.00	8.29	Vertical	PASS
5	2440.80	47.13	4.66	51.79	-	-	Vertical	NA
6	7459.00	45.63	-1.74	43.89	74.00	30.11	Vertical	PASS
7	13834.50	42.54	8.48	51.02	74.00	22.98	Vertical	PASS
8	17346.50	39.80	12.70	52.50	74.00	21.50	Vertical	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	44.56	4.88	49.44	-	-	Horizontal	NA
2	9143.00	36.59	3.06	39.65	54.00	14.35	Horizontal	PASS
3	13909.50	35.15	7.83	42.98	54.00	11.02	Horizontal	PASS
4	17342.50	32.95	12.51	45.46	54.00	8.54	Horizontal	PASS
5	2480.20	46.24	4.88	51.12	-	-	Horizontal	NA
6	9133.50	43.72	2.79	46.51	74.00	27.49	Horizontal	PASS
7	14368.00	41.59	8.97	50.56	74.00	23.44	Horizontal	PASS
8	17350.00	40.44	12.86	53.30	74.00	20.70	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2480.20	48.92	4.88	53.80	-	-	Vertical	NA
2	8091.00	37.10	0.26	37.36	54.00	16.64	Vertical	PASS
3	14666.00	33.81	9.48	43.29	54.00	10.71	Vertical	PASS
4	17359.00	33.50	12.51	46.01	54.00	7.99	Vertical	PASS
5	2480.20	50.28	4.88	55.16	-	-	Vertical	NA
6	7966.50	45.46	-0.09	45.37	74.00	28.63	Vertical	PASS
7	14620.00	41.16	9.21	50.37	74.00	23.63	Vertical	PASS
8	17334.00	40.48	12.12	52.60	74.00	21.40	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2329.50	30.52	3.30	33.82	54.00	20.18	Horizontal	PASS
2	2337.30	30.46	3.27	33.73	54.00	20.27	Horizontal	PASS
3	2385.38	29.77	3.38	33.15	54.00	20.85	Horizontal	PASS
4	2329.90	39.05	3.29	42.34	74.00	31.66	Horizontal	PASS
5	2336.33	39.72	3.27	42.99	74.00	31.01	Horizontal	PASS
6	2385.70	39.89	3.38	43.27	74.00	30.73	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2323.29	30.07	3.32	33.39	54.00	20.61	Vertical	PASS
2	2344.79	30.17	3.25	33.42	54.00	20.58	Vertical	PASS
3	2389.77	30.66	3.40	34.06	54.00	19.94	Vertical	PASS
4	2323.38	39.52	3.32	42.84	74.00	31.16	Vertical	PASS
5	2344.04	39.72	3.25	42.97	74.00	31.03	Vertical	PASS
6	2389.11	41.97	3.40	45.37	74.00	28.63	Vertical	PASS

Project Information

Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.14	28.91	4.26	33.17	54.00	20.83	Horizontal	PASS
2	2491.70	28.83	4.29	33.12	54.00	20.88	Horizontal	PASS
3	2496.93	28.85	4.31	33.16	54.00	20.84	Horizontal	PASS
4	2483.98	40.40	4.26	44.66	74.00	29.34	Horizontal	PASS
5	2491.58	39.73	4.29	44.02	74.00	29.98	Horizontal	PASS
6	2497.02	39.99	4.31	44.30	74.00	29.70	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	30.62	4.25	34.87	54.00	19.13	Vertical	PASS
2	2492.19	28.88	4.29	33.17	54.00	20.83	Vertical	PASS
3	2497.42	28.83	4.31	33.14	54.00	20.86	Vertical	PASS
4	2483.50	43.79	4.25	48.04	74.00	25.96	Vertical	PASS
5	2492.21	39.59	4.29	43.88	74.00	30.12	Vertical	PASS
6	2497.36	40.39	4.31	44.70	74.00	29.30	Vertical	PASS


Project Information			
Mode:	2DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2335.17	30.36	3.28	33.64	54.00	20.36	Horizontal	PASS
2	2341.03	29.88	3.26	33.14	54.00	20.86	Horizontal	PASS
3	2357.36	30.25	3.26	33.51	54.00	20.49	Horizontal	PASS
4	2334.73	39.19	3.28	42.47	74.00	31.53	Horizontal	PASS
5	2340.62	39.41	3.26	42.67	74.00	31.33	Horizontal	PASS
6	2358.08	39.44	3.27	42.71	74.00	31.29	Horizontal	PASS

Project Information			
Mode:	2DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2348.58	30.15	3.23	33.38	54.00	20.62	Vertical	PASS
2	2378.14	30.27	3.35	33.62	54.00	20.38	Vertical	PASS
3	2389.14	29.39	3.40	32.79	54.00	21.21	Vertical	PASS
4	2348.80	39.85	3.23	43.08	74.00	30.92	Vertical	PASS
5	2377.42	39.31	3.34	42.65	74.00	31.35	Vertical	PASS
6	2389.11	41.74	3.40	45.14	74.00	28.86	Vertical	PASS

Project Information			
Mode:	2DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.51	29.28	4.25	33.53	54.00	20.47	Horizontal	PASS
2	2488.95	28.68	4.28	32.96	54.00	21.04	Horizontal	PASS
3	2493.28	28.57	4.29	32.86	54.00	21.14	Horizontal	PASS
4	2483.58	39.12	4.25	43.37	74.00	30.63	Horizontal	PASS
5	2488.96	40.10	4.28	44.38	74.00	29.62	Horizontal	PASS
6	2493.24	40.19	4.29	44.48	74.00	29.52	Horizontal	PASS

Project Information			
Mode:	2DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.51	30.05	4.25	34.30	54.00	19.70	Vertical	PASS
2	2492.85	28.84	4.29	33.13	54.00	20.87	Vertical	PASS
3	2497.39	28.83	4.31	33.14	54.00	20.86	Vertical	PASS
4	2483.56	40.93	4.25	45.18	74.00	28.82	Vertical	PASS
5	2492.76	39.78	4.29	44.07	74.00	29.93	Vertical	PASS
6	2497.41	39.84	4.31	44.15	74.00	29.85	Vertical	PASS

Project Information			
Mode:	3DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2322.69	30.55	3.32	33.87	54.00	20.13	Horizontal	PASS
2	2373.38	30.64	3.33	33.97	54.00	20.03	Horizontal	PASS
3	2389.68	31.32	3.40	34.72	54.00	19.28	Horizontal	PASS
4	2322.47	39.52	3.32	42.84	74.00	31.16	Horizontal	PASS
5	2373.31	39.71	3.33	43.04	74.00	30.96	Horizontal	PASS
6	2389.14	40.91	3.40	44.31	74.00	29.69	Horizontal	PASS

Project Information			
Mode:	3DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2360.56	29.80	3.27	33.07	54.00	20.93	Vertical	PASS
2	2379.46	30.09	3.35	33.44	54.00	20.56	Vertical	PASS
3	2388.70	30.84	3.40	34.24	54.00	19.76	Vertical	PASS
4	2360.46	38.89	3.27	42.16	74.00	31.84	Vertical	PASS
5	2379.93	40.01	3.36	43.37	74.00	30.63	Vertical	PASS
6	2389.83	41.14	3.40	44.54	74.00	29.46	Vertical	PASS

Project Information			
Mode:	3DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2486.38	28.72	4.27	32.99	54.00	21.01	Horizontal	PASS
2	2490.94	28.56	4.28	32.84	54.00	21.16	Horizontal	PASS
3	2497.58	28.72	4.31	33.03	54.00	20.97	Horizontal	PASS
4	2486.57	39.91	4.27	44.18	74.00	29.82	Horizontal	PASS
5	2490.95	39.84	4.28	44.12	74.00	29.88	Horizontal	PASS
6	2497.61	39.75	4.31	44.06	74.00	29.94	Horizontal	PASS

Project Information			
Mode:	3DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT1		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.35	29.75	4.26	34.01	54.00	19.99	Vertical	PASS
2	2489.67	29.10	4.28	33.38	54.00	20.62	Vertical	PASS
3	2493.75	28.70	4.29	32.99	54.00	21.01	Vertical	PASS
4	2484.21	40.85	4.26	45.11	74.00	28.89	Vertical	PASS
5	2489.86	40.60	4.28	44.88	74.00	29.12	Vertical	PASS
6	2493.81	39.89	4.30	44.19	74.00	29.81	Vertical	PASS

Project Information

Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.80	29.26	4.26	33.52	54.00	20.48	Horizontal	PASS
2	2488.54	29.03	4.27	33.30	54.00	20.70	Horizontal	PASS
3	2493.75	28.86	4.29	33.15	54.00	20.85	Horizontal	PASS
4	2483.76	40.73	4.26	44.99	74.00	29.01	Horizontal	PASS
5	2488.62	40.18	4.27	44.45	74.00	29.55	Horizontal	PASS
6	2493.96	40.88	4.30	45.18	74.00	28.82	Horizontal	PASS


Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.63	30.69	4.25	34.94	54.00	19.06	Vertical	PASS
2	2492.25	29.01	4.29	33.30	54.00	20.70	Vertical	PASS
3	2495.45	28.86	4.30	33.16	54.00	20.84	Vertical	PASS
4	2483.57	45.21	4.25	49.46	74.00	24.54	Vertical	PASS
5	2492.22	39.45	4.29	43.74	74.00	30.26	Vertical	PASS
6	2495.23	39.57	4.30	43.87	74.00	30.13	Vertical	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2343.66	28.86	3.25	32.11	54.00	21.89	Horizontal	PASS
2	2369.43	28.65	3.31	31.96	54.00	22.04	Horizontal	PASS
3	2389.17	28.94	3.40	32.34	54.00	21.66	Horizontal	PASS
4	2343.66	39.16	3.25	42.41	74.00	31.59	Horizontal	PASS
5	2368.86	39.66	3.31	42.97	74.00	31.03	Horizontal	PASS
6	2389.05	38.92	3.40	42.32	74.00	31.68	Horizontal	PASS

Project Information			
Mode:	DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2337.11	28.69	3.27	31.96	54.00	22.04	Vertical	PASS
2	2358.74	28.88	3.27	32.15	54.00	21.85	Vertical	PASS
3	2389.33	29.14	3.40	32.54	54.00	21.46	Vertical	PASS
4	2338.08	39.97	3.27	43.24	74.00	30.76	Vertical	PASS
5	2359.34	39.51	3.27	42.78	74.00	31.22	Vertical	PASS
6	2389.46	39.30	3.40	42.70	74.00	31.30	Vertical	PASS

Project Information			
Mode:	2DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	29.24	4.25	33.49	54.00	20.51	Horizontal	PASS
2	2493.17	28.71	4.29	33.00	54.00	21.00	Horizontal	PASS
3	2496.70	28.66	4.31	32.97	54.00	21.03	Horizontal	PASS
4	2483.84	40.01	4.26	44.27	74.00	29.73	Horizontal	PASS
5	2493.14	39.50	4.29	43.79	74.00	30.21	Horizontal	PASS
6	2496.61	39.95	4.31	44.26	74.00	29.74	Horizontal	PASS

Project Information

Mode:	2DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.83	30.52	4.26	34.78	54.00	19.22	Vertical	PASS
2	2491.39	28.58	4.29	32.87	54.00	21.13	Vertical	PASS
3	2496.94	29.05	4.31	33.36	54.00	20.64	Vertical	PASS
4	2483.89	41.54	4.26	45.80	74.00	28.20	Vertical	PASS
5	2491.38	39.86	4.29	44.15	74.00	29.85	Vertical	PASS
6	2496.92	40.07	4.31	44.38	74.00	29.62	Vertical	PASS

Project Information			
Mode:	2DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2328.71	28.99	3.30	32.29	54.00	21.71	Horizontal	PASS
2	2355.54	28.68	3.25	31.93	54.00	22.07	Horizontal	PASS
3	2388.52	28.76	3.39	32.15	54.00	21.85	Horizontal	PASS
4	2329.28	39.35	3.30	42.65	74.00	31.35	Horizontal	PASS
5	2354.70	39.61	3.25	42.86	74.00	31.14	Horizontal	PASS
6	2388.99	38.61	3.40	42.01	74.00	31.99	Horizontal	PASS

Project Information			
Mode:	2DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.37	28.79	3.27	32.06	54.00	21.94	Vertical	PASS
2	2349.52	28.90	3.23	32.13	54.00	21.87	Vertical	PASS
3	2389.30	30.43	3.40	33.83	54.00	20.17	Vertical	PASS
4	2339.31	39.45	3.26	42.71	74.00	31.29	Vertical	PASS
5	2348.80	40.07	3.23	43.30	74.00	30.70	Vertical	PASS
6	2389.68	42.40	3.40	45.80	74.00	28.20	Vertical	PASS


Project Information			
Mode:	3DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2331.85	28.76	3.29	32.05	54.00	21.95	Horizontal	PASS
2	2360.81	28.99	3.27	32.26	54.00	21.74	Horizontal	PASS
3	2389.58	28.91	3.40	32.31	54.00	21.69	Horizontal	PASS
4	2331.72	39.72	3.29	43.01	74.00	30.99	Horizontal	PASS
5	2361.03	39.80	3.27	43.07	74.00	30.93	Horizontal	PASS
6	2389.43	39.00	3.40	42.40	74.00	31.60	Horizontal	PASS

Project Information			
Mode:	3DH5	Band:	/
Bandwidth	/	Channel	L
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2337.58	28.75	3.27	32.02	54.00	21.98	Vertical	PASS
2	2357.61	28.82	3.27	32.09	54.00	21.91	Vertical	PASS
3	2389.58	29.27	3.40	32.67	54.00	21.33	Vertical	PASS
4	2338.08	39.41	3.27	42.68	74.00	31.32	Vertical	PASS
5	2357.64	40.05	3.27	43.32	74.00	30.68	Vertical	PASS
6	2388.55	39.46	3.39	42.85	74.00	31.15	Vertical	PASS

Project Information

Mode:	3DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.52	29.66	4.25	33.91	54.00	20.09	Horizontal	PASS
2	2491.83	28.73	4.29	33.02	54.00	20.98	Horizontal	PASS
3	2494.10	28.66	4.30	32.96	54.00	21.04	Horizontal	PASS
4	2483.62	39.47	4.25	43.72	74.00	30.28	Horizontal	PASS
5	2491.58	40.42	4.29	44.71	74.00	29.29	Horizontal	PASS
6	2494.10	41.58	4.30	45.88	74.00	28.12	Horizontal	PASS

Project Information			
Mode:	3DH5	Band:	/
Bandwidth	/	Channel	H
SN:	D1Y24EB28000030	Engineer:	王伟杰
Remark:	ANT2		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	31.67	4.25	35.92	54.00	18.08	Vertical	PASS
2	2491.04	28.61	4.28	32.89	54.00	21.11	Vertical	PASS
3	2495.43	28.69	4.30	32.99	54.00	21.01	Vertical	PASS
4	2483.50	42.47	4.25	46.72	74.00	27.28	Vertical	PASS
5	2491.27	40.00	4.29	44.29	74.00	29.71	Vertical	PASS
6	2495.31	41.01	4.30	45.31	74.00	28.69	Vertical	PASS

~The End~