



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: BTB6L

Test Model: BTB6L

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	1.015	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.019	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.951	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.287	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.302	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.287	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.3	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.295	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.298	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.76	21	Pass
NVNT	1-DH5	2441	Ant1	-0.58	21	Pass
NVNT	1-DH5	2480	Ant1	-1.54	21	Pass
NVNT	2-DH5	2402	Ant1	1.14	21	Pass
NVNT	2-DH5	2441	Ant1	1.28	21	Pass
NVNT	2-DH5	2480	Ant1	0.2	21	Pass
NVNT	3-DH5	2402	Ant1	1.51	21	Pass
NVNT	3-DH5	2441	Ant1	1.66	21	Pass
NVNT	3-DH5	2480	Ant1	0.61	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.026	2402.846	0.82	0.679	Pass
NVNT	2-DH5	Ant1	2402.018	2403.16	1.142	0.868	Pass
NVNT	3-DH5	Ant1	2402.026	2403	0.974	0.867	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	308.46	106	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	304.29	105	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	298.391	103	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.86	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.23	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.19	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.98	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.45	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.2	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-53.19	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.46	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.24	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.67	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-53.25	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.32	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.96	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.49	-20	Pass
NVNT	1-DH5	2480	Ant1	-52.89	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.29	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.72	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.42	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.18	-20	Pass
NVNT	3-DH5	2441	Ant1	-54.27	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.83	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.63	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.33	2	-	45.93	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.41	2	1.1	38.95	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2381.808	-47.21	2	-	50.05	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2375.856	-57.85	2	1.1	40.51	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.29	2	-	46.97	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.28	2	1.1	40.08	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.02	2	-	47.24	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.15	2	1.1	40.21	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2492.416	-46.86	2	-	50.4	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2496.064	-57.05	2	1.1	41.31	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.45	2	-	46.81	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.94	2	1.1	40.42	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-48.17	2	-	49.09	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.91	2	1.12	39.47	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2356.464	-47.26	2	-	50	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2363.184	-57.82	2	1.12	40.56	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.47	2	-	45.79	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-59.01	2	1.12	39.37	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.34	2	-	47.92	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.68	2	1.12	40.7	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2497.072	-46.9	2	-	50.36	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.656	-57.23	2	1.12	41.15	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.89	2	-	46.37	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.84	2	1.12	40.54	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.53	2	-	47.73	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.92	2	1.12	39.46	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2377.872	-48.06	2	-	49.2	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2381.328	-57.8	2	1.12	40.58	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.56	2	-	47.7	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.12	2	1.12	40.26	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-46.36	2	-	50.9	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.59	2	1.12	40.79	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.512	-46.36	2	-	50.9	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.56	-57.19	2	1.12	41.19	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-51.13	2	-	46.13	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.01	2	1.12	40.37	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

