

TEST REPORT

Product : Hunting Camera
Trade mark : BROWNING
Model/Type reference : BTC-DWPS-ATT, BTC-DWPS-VZW
Serial Number : N/A
Report Number : EED32M00186504
FCC ID : 2ALGTBTC-DWPS-AV
Date of Issue : Jul. 02, 2020
Test Standards : 47 CFR Part 2
47 CFR Part 27
Test result : PASS

Prepared for:

Prometheus Group LLC
P.O. Box 130100 Birmingham, Alabama 35213-0100 USA

Prepared by:

Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Compiled by:

Sunlight Sun

Reviewed by:

Ware Xin

Sunlight Sun

Ware Xin

Approved by:

Sam Chuang

Date:

Jul. 02, 2020

Sam Chuang

Check No.:2447635447



2 Version

Version No.	Date	Description
00	Jul. 02, 2020	Original

3 Test Summary

LTE Band 12			
Test Item	Test Requirement	Test method	Result
Effective Radiated Power of Transmitter(EIRP)	Part 2.1046(a) / Part 24.232(c)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS
Spurious emissions at antenna terminals	Part 2.1051/ Part 2.1057/ Part 24.238(a)(b)	TIA-603-E-2016&KDB 971168 D01v03r01	PASS

Remark: The tested samples and the sample information are provided by the client.

Model No.: BTC-DWPS-ATT, BTC-DWPS-VZW

Only the model BTC-DWPS-ATT was tested, since the electrical circuit design, layout, components used and internal wiring were identical for the above models, with only model number is different for the marketing requirement.

The marketing requirement is as below,

BTC-DWPS-ATT operates on the ATT Network

BTC-DWPS-VZW operates on the Verizon Network

The certified module ID is FCC ID: R17LE910NAV2, and report numbers of this certified module are 1506FR21-01 and RF exposure analysis dated on 04/14/2016.

This certified module will be integrated into a host that is a hunting camera. Therefore, it is the same mobile condition as the original filling.

In this report, this certified module is same as the original filling. We have verified the power and test for new radiated emission/exposure evaluation to demonstrate full compliance.


4 Content

1 COVER PAGE	1
2 VERSION	2
3 TEST SUMMARY	3
4 CONTENT	4
5 TEST REQUIREMENT	5
5.1 TEST SETUP.....	5
5.1.1 For Conducted test setup.....	5
5.1.2 For Radiated Emissions test setup.....	5
5.2 TEST ENVIRONMENT.....	6
5.3 TEST CONDITION.....	6
6 GENERAL INFORMATION	7
6.1 CLIENT INFORMATION.....	7
6.2 GENERAL DESCRIPTION OF EUT.....	7
6.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD.....	7
6.4 DESCRIPTION OF SUPPORT UNITS.....	8
6.5 TEST LOCATION.....	8
6.6 DEVIATION FROM STANDARDS.....	8
6.7 ABNORMALITIES FROM STANDARD CONDITIONS.....	8
6.8 OTHER INFORMATION REQUESTED BY THE CUSTOMER.....	8
6.9 MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2).....	8
7 EQUIPMENT LIST	9
8 RADIO TECHNICAL REQUIREMENTS SPECIFICATION	10
Appendix A) Effective Radiated Power of Transmitter (ERP/EIRP).....	11
Appendix B: Field strength of spurious radiation.....	13
PHOTOGRAPHS OF TEST SETUP	46
PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS	48

5 Test Requirement

5.1 Test setup

5.1.1 For Conducted test setup



5.1.2 For Radiated Emissions test setup

Radiated Emissions setup:




Figure 1.30MHz to 1GHz




Figure 2. above 1GHz




Figure 1. 30MHz to 1GHz




Figure 2. above 1GHz

5.2 Test Environment

Operating Environment:	
Temperature:	25°C
Humidity:	53.6% RH
Atmospheric Pressure:	1010mbar

5.3 Test Condition

Test channel:

Test Mode	Test Frequency ID	Bandwidth (MHz)	Number [UL]	Frequency of Uplink(MHz)	Number [DL]	Frequency of Downlink(MHz)
LTE band 12 TX:699 to 716 MHz RX 729 to 746 MHz	Low Range	1.4	23017	699.7	5017	729.7
		3	23025	700.5	5025	730.5
		5	23035	701.5	5035	731.5
		10	23060	704	5060	734
	Mid Range	1.4/3/5/10	23095	707.5	5095	737.5
	High Range	1.4	23173	715.3	5173	745.3
		3	23165	714.5	5165	744.5
		5	23155	713.5	5155	743.5
		10	23130	711	5130	741

6 General Information

6.1 Client Information

Applicant:	Prometheus Group LLC
Address of Applicant:	P.O. Box 130100 Birmingham, Alabama 35213-0100 USA
Manufacturer:	Hooray Innovation Limited
Address of Manufacturer:	Flat 3, 15/F, Wah Yiu Industrial Building, 30-32 Au Pui Wan Street, Shatin, HK.
Factory:	Hooray Innovation Limited
Address of Factory:	Flat 3, 15/F, Wah Yiu Industrial Building, 30-32 Au Pui Wan Street, Shatin, HK.

6.2 General Description of EUT

Product Name:	Hunting Camera	
Model No.(EUT):	BTC-DWPS-ATT, BTC-DWPS-VZW	
Test Model No.:	BTC-DWPS-ATT	
Trade mark:	BROWNING	
EUT Supports Radios application:	LTE Band 2: Tx: 1850-1910MHz, Rx: 1930-1990MHz LTE Band 4: Tx: 1710-1755 MHz, Rx: 2110-2155 MHz LTE Band 5: Tx: 824-849 MHz, Rx: 869-894MHz LTE Band 12: Tx: 699-716 MHz, Rx: 729-746 MHz LTE Band 13: Tx: 777-787 MHz, Rx: 746-756 MHz	
Test Power Grade:	Default	
Test Software of EUT:	Default	
Power Supply:	Battery	AA 1.5V*8
Hardware Version:	N/A	
Software Version:	N/A	
Sample Received Date:	Jun. 28, 2020	
Sample tested Date:	Jun. 28, 2020 to Jun. 30, 2020	

6.3 Product Specification subjective to this standard

Frequency Band:	LTE Band 12: TX: 699 MHz to 716 MHz RX: 729 MHz to 746 MHz
Modulation Type:	QPSK, 16QAM
Antenna Type:	Dipole Antenna
Antenna Gain:	1.42 dBi
Test Voltage:	DC 12V

6.4 Description of Support Units

The EUT has been tested with associated equipment below

Associated equipment name		Manufacture	model	S/N serial number	Supplied by	Certification
AE1	Notebook	DELL	DELL 3490	D245DX2	DELL	CE&FCC

6.5 Test Location

All tests were performed at:

Centre Testing International Group Co., Ltd

Building C, Hongwei Industrial Park Block 70, Bao'an District, Shenzhen, China

Telephone: +86 (0) 755 33683668 Fax: +86 (0) 755 33683385

No tests were sub-contracted.

FCC Designation No.: CN1164

6.6 Deviation from Standards

None.

6.7 Abnormalities from Standard Conditions

None.

6.8 Other Information Requested by the Customer

None.

6.9 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	7.9×10^{-8}
2	RF power, conducted	0.46dB (30MHz-1GHz)
		0.55dB (1GHz-18GHz)
3	Radiated Spurious emission test	4.3dB (30MHz-1GHz)
		4.5dB (1GHz-12.75GHz)
4	Conduction emission	3.5dB (9kHz to 150kHz)
		3.1dB (150kHz to 30MHz)
5	Temperature test	0.64°C
6	Humidity test	3.8%
7	DC power voltages	0.026%

7 Equipment List

3M full-anechoic Chamber					
Equipment	Manufacturer	Model No.	Serial Number	Cal. date (mm-dd-yyyy)	Cal. Due date (mm-dd-yyyy)
RSE Automatic test software	JS Tonscend	JS36-RSE	10166	---	---
Receiver	Keysight	N9038A	MY57290136	03-05-2020	03-04-2021
Spectrum Analyzer	Keysight	N9020B	MY57111112	03-05-2020	03-04-2021
Spectrum Analyzer	Keysight	N9030B	MY57140871	03-05-2020	03-04-2021
TRILOG Broadband Antenna	Schwarzbeck	VULB 9163	9163-1148	04-25-2018	04-24-2021
Horn Antenna	Schwarzbeck	BBHA 9170	9170-832	04-25-2018	04-24-2021
Communication Antenna	Schwarzbeck	CLSA 0110L	1014	---	---
Horn Antenna	ETS-LINDGREN	3117	00057407	07-10-2018	07-09-2021
Preamplifier	EMCI	EMC184055SE	980596	05-20-2020	05-19-2021
Communication test set	R&S	CMW500	102898	01-14-2020	01-13-2021
Preamplifier	EMCI	EMC001330	980563	04-22-2020	04-21-2021
Preamplifier	JS Tonscend	980380	EMC051845 SE	01-09-2020	01-08-2021
Temperature/ Humidity Indicator	biaozhi	GM1360	EE1186631	04-27-2020	04-26-2021
Fully Anechoic Chamber	TDK	FAC-3	---	01-17-2018	01-16-2021
Filter bank	JS Tonscend	JS0806-F	188060094	04-10-2018	04-09-2021
Cable line	Times	SFT205-NMSM-2.50M	394812-0001	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0002	---	---
Cable line	Times	SFT205-NMSM-2.50M	394812-0003	---	---
Cable line	Times	SFT205-NMSM-2.50M	393495-0001	---	---
Cable line	Times	EMC104-NMNM-1000	SN160710	---	---
Cable line	Times	SFT205-NMSM-3.00M	394813-0001	---	---
Cable line	Times	SFT205-NMNM-1.50M	381964-0001	---	---
Cable line	Times	SFT205-NMSM-7.00M	394815-0001	---	---
Cable line	Times	HF160-KMKM-3.00M	393493-0001	---	---

8 Radio Technical Requirements Specification

Reference documents for testing:

No.	Identity	Document Title
1	PART 22	PART 22 – PUBLIC MOBILE SERVICES Subpart H – Cellular Radiotelephone Service
2	PART 24	PART 24 – PERSONAL COMMUNICATIONS SERVICES Subpart E – Broadband PCS
3	PART 27	PART 27 – MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES
3	PART 2	Frequency allocations and radio treaty matters; general rules and regulations
4	TIA-603-E-2016	Land Mobile FM or PM -Communications Equipment -Measurement and Performance Standards
5	KDB971168 D01	KDB971168 D01 Power Meas License Digital Systems v03r01

Test Results List:

Test Requirement	Test method	Test item	Verdict	Note
Part 2.1046(a)/ Part 24.232(c)	TIA-603-E-2016& KDB 971168 D01v03r01	Effective Radiated Power of Transmitter(ERP)	PASS	Appendix A)
Part 2.1051/ Part 2.1057/ Part 24.238(a)(b)	TIA-603-E-2016& KDB 971168 D01v03r012	Spurious emissions at antenna terminals	PASS	Appendix B)

Appendix A) Effective Radiated Power of Transmitter (ERP/EIRP)

Receiver Setup:	<table><tr><td>Frequency</td><td>Detector</td><td>RBW</td><td>VBW</td><td>Remark</td></tr><tr><td>30MHz-1GHz</td><td>peak</td><td>120kHz</td><td>300kHz</td><td>Peak</td></tr><tr><td>Above 1GHz</td><td>Peak</td><td>1MHz</td><td>3MHz</td><td>Peak</td></tr></table>	Frequency	Detector	RBW	VBW	Remark	30MHz-1GHz	peak	120kHz	300kHz	Peak	Above 1GHz	Peak	1MHz	3MHz	Peak
Frequency	Detector	RBW	VBW	Remark												
30MHz-1GHz	peak	120kHz	300kHz	Peak												
Above 1GHz	Peak	1MHz	3MHz	Peak												
Measurement Procedure:	Test procedure as below: 1) The EUT was powered ON and placed on a 0.8m high table at a 3 meter fully Anechoic Chamber. The antenna of the transmitter was extended to its maximum length. modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test. 2) The EUT was set 3 meters(above 18GHz the distance is 1 meter) away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. 3) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. 4) Steps 1) to 3) were performed with the EUT and the receive antenna in both vertical and horizontal polarization. 5) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter. 6) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 3) is obtained for this set of conditions. 7) The output power into the substitution antenna was then measured. 8) Steps 6) and 7)were repeated with both antennas polarized. 9) Calculate power in dBm by the following formula: E.I.R.P = Output power level of S.G - TX cable lose + Antenna gain of substitution horn E.R.P=E.I.R.P-2.15dB where: Pg is the generator output power into the substitution antenna. 10) Test the EUT in the lowest channel, the middle channel the Highest channel 11) The radiation measurements are performed in X, Y, Z axis positioning for EUT operation mode,And found the X axis positioning which it is worse case. 12) Repeat above procedures until all frequencies measured was complete.															
Limit:	<table><tr><td>Mode</td><td>LTE Band 12</td></tr><tr><td>Limit</td><td>34.77dBm (3W)</td></tr></table>	Mode	LTE Band 12	Limit	34.77dBm (3W)											
Mode	LTE Band 12															
Limit	34.77dBm (3W)															

Measurement Data

LTE Band 12										
Channel Bandwidth	Modulation	CH	Frequency (MHz)	RB Configuration		Average Power (dBm)	Antenna Gain (dBi)	E.R.P		Limit (W)
				Size	Offset			(dBm)	(W)	
1.4M	QPSK	23173	715.3431	1	0	15.98	1.42	14.83	0.03041	<3
3MHz	QPSK	23025	700.8202	1	0	12.84	1.42	11.69	0.01476	<3
5M	QPSK	23155	713.9028	1	0	10.40	1.42	9.25	0.00841	<3
10MHz	QPSK	23130	714.6729	1	0	8.67	1.42	7.52	0.00565	<3

Note:TX cable lose=0.42dB


Appendix B: Field strength of spurious radiation

Receiver Setup:	Frequency	Detector	RBW	VBW	Remark
	0.009MHz-30MHz	Peak	10kHz	30kHz	Peak
	30MHz-1GHz	Peak	120kHz	300kHz	Peak
	Above 1GHz	Peak	1MHz	3MHz	Peak
Measurement Procedure:	1. Scan up to 10th harmonic, find the maximum radiation frequency to measure. 2. The technique used to find the Spurious Emissions of the transmitter was the antenna substitution method. Substitution method was performed to determine the actual ERP/EIRP emission levels of the EUT. Test procedure as below: 1) The EUT was powered ON and placed on a 1.5m high table at a 3 meter fully Anechoic Chamber. The antenna of the transmitter was extended to its maximum length. modulation mode and the measuring receiver shall be tuned to the frequency of the transmitter under test. 2) The EUT was set 3 meters(above 18GHz the distance is 1 meter) away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. 3) The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made. 4) Steps 1) to 3) were performed with the EUT and the receive antenna in both vertical and horizontal polarization. 5) The transmitter was then removed and replaced with another antenna. The center of the antenna was approximately at the same location as the center of the transmitter. 6) A signal at the disturbance was fed to the substitution antenna by means of a non-radiating cable. With both the substitution and the receive antennas horizontally polarized, the receive antenna was raised and lowered to obtain a maximum reading at the test receiver. The level of the signal generator was adjusted until the measured field strength level in step 3) is obtained for this set of conditions. 7) The output power into the substitution antenna was then measured. 8) Steps 6) and 7) were repeated with both antennas polarized. 9) Calculate power in dBm by the following formula: $\text{ERP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBd)}$ $\text{EIRP(dBm)} = \text{Pg(dBm)} - \text{cable loss (dB)} + \text{antenna gain (dBi)}$ $\text{EIRP} = \text{ERP} + 2.15\text{dB}$ where: Pg is the generator output power into the substitution antenna. 10) Test the EUT in the lowest channel, the middle channel the Highest channel 11) The radiation measurements are performed in X, Y, Z axis positioning for EUT operation mode, And found the X axis positioning which it is worse case. 12) Repeat above procedures until all frequencies measured was complete.				
Limit:	Attenuated at least 43+10log(P)				

Test Data:


QPSK:

Mode:	LTE		
Band:	12	Channel:	23017




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	0	-65.33	-13.00	52.33	PASS	Horizontal
2	60.6581	150	0	-67.52	-13.00	54.52	PASS	Horizontal
3	120.0340	150	0	-66.51	-13.00	53.51	PASS	Horizontal
4	214.5309	150	308	-68.59	-13.00	55.59	PASS	Horizontal
5	303.9828	150	0	-63.47	-13.00	50.47	PASS	Horizontal
6	519.9480	150	42	-69.47	-13.00	56.47	PASS	Horizontal
7	1399.4399	150	42	-34.56	-13.00	21.56	PASS	Horizontal
8	2099.3099	150	42	-45.66	-13.00	32.66	PASS	Horizontal
9	2798.7799	150	0	-43.54	-13.00	30.54	PASS	Horizontal
10	5071.6036	150	145	-46.35	-13.00	33.35	PASS	Horizontal
11	9724.0862	150	321	-41.12	-13.00	28.12	PASS	Horizontal
12	16523.1762	150	29	-38.20	-13.00	25.20	PASS	Horizontal
13	18720.9888	150	201	-53.80	-13.00	40.80	PASS	Horizontal
14	20010.0004	150	0	-53.95	-13.00	40.95	PASS	Horizontal
15	21287.8115	150	201	-52.32	-13.00	39.32	PASS	Horizontal
16	22202.7281	150	254	-51.50	-13.00	38.50	PASS	Horizontal
17	23606.3043	150	95	-51.98	-13.00	38.98	PASS	Horizontal
18	25039.9616	150	148	-51.96	-13.00	38.96	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23017




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.9556	150	0	-62.42	-13.00	49.42	PASS	Vertical
2	60.6581	150	308	-65.49	-13.00	52.49	PASS	Vertical
3	129.9300	150	0	-67.01	-13.00	54.01	PASS	Vertical
4	194.9330	150	357	-63.31	-13.00	50.31	PASS	Vertical
5	303.9828	150	308	-63.88	-13.00	50.88	PASS	Vertical
6	411.4803	150	0	-69.17	-13.00	56.17	PASS	Vertical
7	1399.4399	150	200	-45.62	-13.00	32.62	PASS	Vertical
8	2068.9069	150	0	-53.28	-13.00	40.28	PASS	Vertical
9	3052.5026	150	233	-48.96	-13.00	35.96	PASS	Vertical
10	3942.0471	150	233	-47.73	-13.00	34.73	PASS	Vertical
11	5112.8556	150	203	-48.17	-13.00	35.17	PASS	Vertical
12	10651.1326	150	350	-40.26	-13.00	27.26	PASS	Vertical
13	18552.0221	150	0	-53.14	-13.00	40.14	PASS	Vertical
14	19788.5515	150	0	-53.13	-13.00	40.13	PASS	Vertical
15	21508.9404	150	0	-52.43	-13.00	39.43	PASS	Vertical
16	22518.2607	150	308	-53.23	-13.00	40.23	PASS	Vertical
17	23583.2633	150	147	-51.86	-13.00	38.86	PASS	Vertical
18	24606.3443	150	147	-51.40	-13.00	38.40	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	357	-63.05	-13.00	50.05	PASS	Horizontal
2	44.5529	150	1	-65.03	-13.00	52.03	PASS	Horizontal
3	120.0340	150	357	-65.92	-13.00	52.92	PASS	Horizontal
4	239.9500	150	151	-64.76	-13.00	51.76	PASS	Horizontal
5	303.9828	150	357	-61.80	-13.00	48.80	PASS	Horizontal
6	476.0952	150	46	-68.49	-13.00	55.49	PASS	Horizontal
7	1415.0415	150	46	-32.11	-13.00	19.11	PASS	Horizontal
8	2122.3122	150	46	-45.65	-13.00	32.65	PASS	Horizontal
9	2829.9830	150	1	-42.69	-13.00	29.69	PASS	Horizontal
10	5001.8501	150	3	-46.12	-13.00	33.12	PASS	Horizontal
11	7631.4816	150	86	-44.44	-13.00	31.44	PASS	Horizontal
12	14563.3282	150	288	-37.57	-13.00	24.57	PASS	Horizontal
13	19129.0052	150	98	-53.82	-13.00	40.82	PASS	Horizontal
14	20929.7172	150	256	-53.27	-13.00	40.27	PASS	Horizontal
15	21841.7537	150	98	-52.15	-13.00	39.15	PASS	Horizontal
16	23163.4065	150	256	-53.29	-13.00	40.29	PASS	Horizontal
17	24086.9635	150	1	-52.78	-13.00	39.78	PASS	Horizontal
18	25158.3663	150	203	-51.64	-13.00	38.64	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	309	-60.07	-13.00	47.07	PASS	Vertical
2	59.1058	150	204	-67.44	-13.00	54.44	PASS	Vertical
3	129.9300	150	204	-65.73	-13.00	52.73	PASS	Vertical
4	194.9330	150	357	-63.23	-13.00	50.23	PASS	Vertical
5	303.9828	150	357	-61.32	-13.00	48.32	PASS	Vertical
6	600.0860	150	48	-66.74	-13.00	53.74	PASS	Vertical
7	1414.8415	150	2	-42.04	-13.00	29.04	PASS	Vertical
8	2173.5174	150	256	-50.85	-13.00	37.85	PASS	Vertical
9	3204.0102	150	202	-48.87	-13.00	35.87	PASS	Vertical
10	5043.8522	150	317	-46.16	-13.00	33.16	PASS	Vertical
11	7682.4841	150	347	-44.24	-13.00	31.24	PASS	Vertical
12	13919.0460	150	144	-38.25	-13.00	25.25	PASS	Vertical
13	18708.8284	150	152	-52.97	-13.00	39.97	PASS	Vertical
14	19766.1506	150	2	-53.82	-13.00	40.82	PASS	Vertical
15	21626.0650	150	100	-52.24	-13.00	39.24	PASS	Vertical
16	23606.3043	150	48	-51.53	-13.00	38.53	PASS	Vertical
17	25094.0438	150	2	-51.17	-13.00	38.17	PASS	Vertical
18	25791.0316	150	48	-51.76	-13.00	38.76	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23173




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	191	-61.16	-13.00	48.16	PASS	Horizontal
2	59.4939	150	21	-67.75	-13.00	54.75	PASS	Horizontal
3	100.0480	150	352	-68.92	-13.00	55.92	PASS	Horizontal
4	120.0340	150	352	-65.07	-13.00	52.07	PASS	Horizontal
5	239.9500	150	191	-65.55	-13.00	52.55	PASS	Horizontal
6	303.9828	150	134	-64.02	-13.00	51.02	PASS	Horizontal
7	1430.8431	150	76	-32.02	-13.00	19.02	PASS	Horizontal
8	2146.9147	150	21	-45.29	-13.00	32.29	PASS	Horizontal
9	2861.1861	150	21	-43.49	-13.00	30.49	PASS	Horizontal
10	4665.8333	150	86	-48.36	-13.00	35.36	PASS	Horizontal
11	7334.4667	150	360	-45.82	-13.00	32.82	PASS	Horizontal
12	11006.6503	150	231	-41.45	-13.00	28.45	PASS	Horizontal
13	18755.5502	150	21	-53.19	-13.00	40.19	PASS	Horizontal
14	19156.8463	150	134	-53.72	-13.00	40.72	PASS	Horizontal
15	20345.0538	150	191	-53.25	-13.00	40.25	PASS	Horizontal
16	21351.8141	150	134	-51.58	-13.00	38.58	PASS	Horizontal
17	23601.5041	150	134	-52.27	-13.00	39.27	PASS	Horizontal
18	25080.6032	150	21	-51.55	-13.00	38.55	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23173




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	97	-58.63	-13.00	45.63	PASS	Vertical
2	59.4939	150	97	-64.56	-13.00	51.56	PASS	Vertical
3	129.9300	150	357	-66.11	-13.00	53.11	PASS	Vertical
4	194.9330	150	357	-64.12	-13.00	51.12	PASS	Vertical
5	303.9828	150	309	-62.55	-13.00	49.55	PASS	Vertical
6	555.0690	150	357	-71.71	-13.00	58.71	PASS	Vertical
7	1430.6431	150	1	-37.82	-13.00	24.82	PASS	Vertical
8	3021.7511	150	114	-48.83	-13.00	35.83	PASS	Vertical
9	5011.6006	150	28	-46.11	-13.00	33.11	PASS	Vertical
10	10150.8575	150	316	-41.02	-13.00	28.02	PASS	Vertical
11	14042.0521	150	143	-38.43	-13.00	25.43	PASS	Vertical
12	16598.9299	150	316	-38.22	-13.00	25.22	PASS	Vertical
13	18744.0298	150	309	-52.87	-13.00	39.87	PASS	Vertical
14	20037.8415	150	151	-53.69	-13.00	40.69	PASS	Vertical
15	21624.1450	150	1	-52.42	-13.00	39.42	PASS	Vertical
16	22990.2796	150	45	-52.59	-13.00	39.59	PASS	Vertical
17	25324.1330	150	97	-51.37	-13.00	38.37	PASS	Vertical
18	25915.1966	150	97	-50.83	-13.00	37.83	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23025




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	97	-61.16	-13.00	48.16	PASS	Horizontal
2	45.1350	150	357	-71.13	-13.00	58.13	PASS	Horizontal
3	59.8820	150	255	-70.10	-13.00	57.10	PASS	Horizontal
4	120.0340	150	44	-65.21	-13.00	52.21	PASS	Horizontal
5	239.9500	150	44	-65.05	-13.00	52.05	PASS	Horizontal
6	303.9828	150	150	-62.46	-13.00	49.46	PASS	Horizontal
7	1400.8401	150	44	-39.19	-13.00	26.19	PASS	Horizontal
8	2101.5102	150	44	-46.53	-13.00	33.53	PASS	Horizontal
9	2801.7802	150	1	-45.59	-13.00	32.59	PASS	Horizontal
10	3047.2524	150	261	-49.30	-13.00	36.30	PASS	Horizontal
11	5015.3508	150	174	-46.29	-13.00	33.29	PASS	Horizontal
12	11748.4374	150	174	-40.91	-13.00	27.91	PASS	Horizontal
13	18695.3878	150	255	-52.76	-13.00	39.76	PASS	Horizontal
14	19688.0675	150	203	-53.93	-13.00	40.93	PASS	Horizontal
15	21201.7281	150	44	-51.93	-13.00	38.93	PASS	Horizontal
16	22979.3992	150	44	-52.51	-13.00	39.51	PASS	Horizontal
17	24594.5038	150	97	-52.86	-13.00	39.86	PASS	Horizontal
18	25547.5019	150	1	-52.02	-13.00	39.02	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23025




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	308	-57.08	-13.00	44.08	PASS	Vertical
2	59.4939	150	0	-62.53	-13.00	49.53	PASS	Vertical
3	129.9300	150	357	-65.49	-13.00	52.49	PASS	Vertical
4	194.9330	150	149	-63.26	-13.00	50.26	PASS	Vertical
5	303.9828	150	357	-63.93	-13.00	50.93	PASS	Vertical
6	600.0860	150	357	-67.35	-13.00	54.35	PASS	Vertical
7	1401.0401	150	0	-49.21	-13.00	36.21	PASS	Vertical
8	3222.0111	150	262	-50.22	-13.00	37.22	PASS	Vertical
9	5047.6024	150	262	-45.72	-13.00	32.72	PASS	Vertical
10	7526.4763	150	57	-44.37	-13.00	31.37	PASS	Vertical
11	10555.1278	150	290	-39.67	-13.00	26.67	PASS	Vertical
12	13950.5475	150	233	-38.54	-13.00	25.54	PASS	Vertical
13	18179.2072	150	308	-53.52	-13.00	40.52	PASS	Vertical
14	18742.4297	150	43	-53.24	-13.00	40.24	PASS	Vertical
15	19719.7488	150	96	-53.45	-13.00	40.45	PASS	Vertical
16	22555.7022	150	0	-53.10	-13.00	40.10	PASS	Vertical
17	23597.6639	150	202	-51.74	-13.00	38.74	PASS	Vertical
18	25129.8852	150	308	-51.77	-13.00	38.77	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	38.1496	150	139	-63.08	-13.00	50.08	PASS	Horizontal
2	59.4939	150	305	-65.05	-13.00	52.05	PASS	Horizontal
3	120.0340	150	193	-65.06	-13.00	52.06	PASS	Horizontal
4	239.9500	150	357	-65.52	-13.00	52.52	PASS	Horizontal
5	303.9828	150	193	-61.87	-13.00	48.87	PASS	Horizontal
6	480.3641	150	24	-69.32	-13.00	56.32	PASS	Horizontal
7	1414.8415	150	80	-36.32	-13.00	23.32	PASS	Horizontal
8	2124.7125	150	24	-45.46	-13.00	32.46	PASS	Horizontal
9	2830.1830	150	24	-47.05	-13.00	34.05	PASS	Horizontal
10	5004.8502	150	167	-46.34	-13.00	33.34	PASS	Horizontal
11	7800.9901	150	3	-44.03	-13.00	31.03	PASS	Horizontal
12	13932.5466	150	30	-38.21	-13.00	25.21	PASS	Horizontal
13	18761.3105	150	24	-52.52	-13.00	39.52	PASS	Horizontal
14	19762.9505	150	249	-54.08	-13.00	41.08	PASS	Horizontal
15	20821.8729	150	139	-53.11	-13.00	40.11	PASS	Horizontal
16	21746.0698	150	139	-51.61	-13.00	38.61	PASS	Horizontal
17	23524.7010	150	305	-52.93	-13.00	39.93	PASS	Horizontal
18	25072.9229	150	139	-50.99	-13.00	37.99	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	38.1496	150	98	-59.56	-13.00	46.56	PASS	Vertical
2	60.0760	150	203	-65.52	-13.00	52.52	PASS	Vertical
3	129.9300	150	309	-66.03	-13.00	53.03	PASS	Vertical
4	149.9160	150	357	-68.48	-13.00	55.48	PASS	Vertical
5	194.9330	150	357	-63.98	-13.00	50.98	PASS	Vertical
6	303.9828	150	256	-62.37	-13.00	49.37	PASS	Vertical
7	1414.4414	150	1	-47.51	-13.00	34.51	PASS	Vertical
8	2157.5158	150	1	-51.25	-13.00	38.25	PASS	Vertical
9	3192.7596	150	3	-48.83	-13.00	35.83	PASS	Vertical
10	5941.6471	150	86	-47.27	-13.00	34.27	PASS	Vertical
11	10325.6163	150	115	-40.68	-13.00	27.68	PASS	Vertical
12	15929.1465	150	202	-38.07	-13.00	25.07	PASS	Vertical
13	19143.4057	150	1	-52.32	-13.00	39.32	PASS	Vertical
14	20414.8166	150	203	-53.12	-13.00	40.12	PASS	Vertical
15	21139.9656	150	203	-52.63	-13.00	39.63	PASS	Vertical
16	21627.0251	150	256	-52.91	-13.00	39.91	PASS	Vertical
17	23593.5037	150	256	-51.31	-13.00	38.31	PASS	Vertical
18	24610.1844	150	309	-51.24	-13.00	38.24	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23165




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	38.1496	150	255	-61.69	-13.00	48.69	PASS	Horizontal
2	60.0760	150	357	-70.93	-13.00	57.93	PASS	Horizontal
3	120.0340	150	308	-63.63	-13.00	50.63	PASS	Horizontal
4	239.9500	150	357	-65.10	-13.00	52.10	PASS	Horizontal
5	303.9828	150	0	-62.47	-13.00	49.47	PASS	Horizontal
6	485.7972	150	357	-69.76	-13.00	56.76	PASS	Horizontal
7	1430.4430	150	42	-36.55	-13.00	23.55	PASS	Horizontal
8	2145.5146	150	42	-45.60	-13.00	32.60	PASS	Horizontal
9	2857.7858	150	0	-47.20	-13.00	34.20	PASS	Horizontal
10	5000.3500	150	320	-46.39	-13.00	33.39	PASS	Horizontal
11	9090.3045	150	57	-42.35	-13.00	29.35	PASS	Horizontal
12	14537.0769	150	349	-38.68	-13.00	25.68	PASS	Horizontal
13	18327.3731	150	255	-53.43	-13.00	40.43	PASS	Horizontal
14	19937.0375	150	255	-54.24	-13.00	41.24	PASS	Horizontal
15	21265.7306	150	308	-52.58	-13.00	39.58	PASS	Horizontal
16	22250.4100	150	255	-52.11	-13.00	39.11	PASS	Horizontal
17	23583.9034	150	202	-52.36	-13.00	39.36	PASS	Horizontal
18	25055.6422	150	0	-49.85	-13.00	36.85	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23165




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	0	-57.92	-13.00	44.92	PASS	Vertical
2	59.4939	150	0	-63.43	-13.00	50.43	PASS	Vertical
3	129.9300	150	202	-66.12	-13.00	53.12	PASS	Vertical
4	194.9330	150	96	-63.37	-13.00	50.37	PASS	Vertical
5	303.9828	150	0	-62.23	-13.00	49.23	PASS	Vertical
6	599.8920	150	357	-66.87	-13.00	53.87	PASS	Vertical
7	1430.4430	150	0	-45.84	-13.00	32.84	PASS	Vertical
8	3015.7508	150	233	-49.27	-13.00	36.27	PASS	Vertical
9	5030.3515	150	233	-46.32	-13.00	33.32	PASS	Vertical
10	9281.5641	150	145	-41.60	-13.00	28.60	PASS	Vertical
11	12577.9789	150	320	-40.15	-13.00	27.15	PASS	Vertical
12	15908.8954	150	233	-38.20	-13.00	25.20	PASS	Vertical
13	18691.8677	150	0	-52.89	-13.00	39.89	PASS	Vertical
14	19536.3815	150	308	-53.58	-13.00	40.58	PASS	Vertical
15	21180.6072	150	149	-52.66	-13.00	39.66	PASS	Vertical
16	22161.7665	150	0	-53.39	-13.00	40.39	PASS	Vertical
17	23447.2579	150	357	-52.93	-13.00	39.93	PASS	Vertical
18	25082.8433	150	254	-49.78	-13.00	36.78	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23035




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	38.1496	150	151	-62.43	-13.00	49.43	PASS	Horizontal
2	44.5529	150	1	-66.37	-13.00	53.37	PASS	Horizontal
3	120.0340	150	256	-64.65	-13.00	51.65	PASS	Horizontal
4	239.9500	150	308	-64.49	-13.00	51.49	PASS	Horizontal
5	303.9828	150	357	-63.02	-13.00	50.02	PASS	Horizontal
6	454.9450	150	45	-68.71	-13.00	55.71	PASS	Horizontal
7	1403.4403	150	45	-41.17	-13.00	28.17	PASS	Horizontal
8	2107.9108	150	45	-46.54	-13.00	33.54	PASS	Horizontal
9	2806.1806	150	1	-48.02	-13.00	35.02	PASS	Horizontal
10	5020.6010	150	143	-46.27	-13.00	33.27	PASS	Horizontal
11	11936.6968	150	360	-40.13	-13.00	27.13	PASS	Horizontal
12	14570.0785	150	202	-38.21	-13.00	25.21	PASS	Horizontal
13	18951.7181	150	256	-53.26	-13.00	40.26	PASS	Horizontal
14	20358.4943	150	1	-53.50	-13.00	40.50	PASS	Horizontal
15	21245.2498	150	1	-52.48	-13.00	39.48	PASS	Horizontal
16	22183.2073	150	308	-51.40	-13.00	38.40	PASS	Horizontal
17	23610.1444	150	151	-51.48	-13.00	38.48	PASS	Horizontal
18	25037.7215	150	256	-51.62	-13.00	38.62	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23035




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	309	-57.98	-13.00	44.98	PASS	Vertical
2	53.2847	150	99	-66.14	-13.00	53.14	PASS	Vertical
3	108.1976	150	309	-69.94	-13.00	56.94	PASS	Vertical
4	194.9330	150	1	-63.78	-13.00	50.78	PASS	Vertical
5	239.9500	150	257	-65.70	-13.00	52.70	PASS	Vertical
6	303.9828	150	309	-61.39	-13.00	48.39	PASS	Vertical
7	1406.4406	150	1	-49.13	-13.00	36.13	PASS	Vertical
8	2101.1101	150	99	-50.88	-13.00	37.88	PASS	Vertical
9	3091.5046	150	144	-48.85	-13.00	35.85	PASS	Vertical
10	5026.6013	150	114	-46.40	-13.00	33.40	PASS	Vertical
11	9763.8382	150	173	-40.71	-13.00	27.71	PASS	Vertical
12	13915.2958	150	86	-38.18	-13.00	25.18	PASS	Vertical
13	18738.9096	150	152	-52.84	-13.00	39.84	PASS	Vertical
14	19667.5867	150	46	-53.47	-13.00	40.47	PASS	Vertical
15	20418.9768	150	46	-53.36	-13.00	40.36	PASS	Vertical
16	21244.9298	150	1	-52.77	-13.00	39.77	PASS	Vertical
17	22963.7185	150	309	-52.63	-13.00	39.63	PASS	Vertical
18	24568.9028	150	357	-51.99	-13.00	38.99	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	38.1496	150	256	-62.53	-13.00	49.53	PASS	Horizontal
2	120.0340	150	309	-63.41	-13.00	50.41	PASS	Horizontal
3	239.9500	150	0	-64.73	-13.00	51.73	PASS	Horizontal
4	303.9828	150	256	-62.90	-13.00	49.90	PASS	Horizontal
5	519.9480	150	150	-68.63	-13.00	55.63	PASS	Horizontal
6	844.9630	150	150	-64.14	-13.00	51.14	PASS	Horizontal
7	1415.2415	150	43	-39.35	-13.00	26.35	PASS	Horizontal
8	2125.9126	150	43	-46.42	-13.00	33.42	PASS	Horizontal
9	2829.9830	150	357	-47.38	-13.00	34.38	PASS	Horizontal
10	5057.3529	150	351	-45.80	-13.00	32.80	PASS	Horizontal
11	10794.3897	150	351	-40.27	-13.00	27.27	PASS	Horizontal
12	14550.5775	150	28	-38.24	-13.00	25.24	PASS	Horizontal
13	18894.7558	150	0	-53.30	-13.00	40.30	PASS	Horizontal
14	20346.6539	150	96	-53.48	-13.00	40.48	PASS	Horizontal
15	21439.4976	150	150	-52.06	-13.00	39.06	PASS	Horizontal
16	22920.5168	150	96	-53.17	-13.00	40.17	PASS	Horizontal
17	23596.0638	150	256	-51.10	-13.00	38.10	PASS	Horizontal
18	25106.5243	150	256	-51.17	-13.00	38.17	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.9556	150	202	-60.04	-13.00	47.04	PASS	Vertical
2	60.2701	150	149	-66.28	-13.00	53.28	PASS	Vertical
3	129.9300	150	0	-65.52	-13.00	52.52	PASS	Vertical
4	194.9330	150	357	-63.35	-13.00	50.35	PASS	Vertical
5	239.9500	150	96	-66.64	-13.00	53.64	PASS	Vertical
6	303.9828	150	357	-62.74	-13.00	49.74	PASS	Vertical
7	1415.4415	150	0	-49.22	-13.00	36.22	PASS	Vertical
8	3237.0119	150	146	-48.85	-13.00	35.85	PASS	Vertical
9	5039.3520	150	204	-46.40	-13.00	33.40	PASS	Vertical
10	7249.7125	150	350	-45.15	-13.00	32.15	PASS	Vertical
11	9283.0642	150	116	-42.05	-13.00	29.05	PASS	Vertical
12	13921.2961	150	350	-38.50	-13.00	25.50	PASS	Vertical
13	18602.9041	150	0	-53.03	-13.00	40.03	PASS	Vertical
14	19676.8671	150	43	-53.43	-13.00	40.43	PASS	Vertical
15	21047.8019	150	308	-52.83	-13.00	39.83	PASS	Vertical
16	22281.4513	150	43	-52.52	-13.00	39.52	PASS	Vertical
17	22974.2790	150	0	-52.89	-13.00	39.89	PASS	Vertical
18	25156.4463	150	43	-51.52	-13.00	38.52	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23155




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	202	-61.42	-13.00	48.42	PASS	Horizontal
2	59.4939	150	0	-64.39	-13.00	51.39	PASS	Horizontal
3	120.0340	150	357	-62.67	-13.00	49.67	PASS	Horizontal
4	239.9500	150	357	-64.98	-13.00	51.98	PASS	Horizontal
5	303.9828	150	95	-62.74	-13.00	49.74	PASS	Horizontal
6	454.9450	150	0	-69.37	-13.00	56.37	PASS	Horizontal
7	1429.6430	150	42	-38.84	-13.00	25.84	PASS	Horizontal
8	2137.3137	150	42	-45.71	-13.00	32.71	PASS	Horizontal
9	2854.1854	150	0	-48.45	-13.00	35.45	PASS	Horizontal
10	4995.8498	150	352	-46.11	-13.00	33.11	PASS	Horizontal
11	10209.3605	150	145	-40.10	-13.00	27.10	PASS	Horizontal
12	14442.5721	150	352	-38.48	-13.00	25.48	PASS	Horizontal
13	18860.5144	150	202	-53.54	-13.00	40.54	PASS	Horizontal
14	20463.4585	150	255	-53.14	-13.00	40.14	PASS	Horizontal
15	21848.1539	150	0	-52.20	-13.00	39.20	PASS	Horizontal
16	22974.9190	150	42	-53.05	-13.00	40.05	PASS	Horizontal
17	23619.7448	150	0	-51.41	-13.00	38.41	PASS	Horizontal
18	24856.5943	150	148	-52.23	-13.00	39.23	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23155




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	308	-59.12	-13.00	46.12	PASS	Vertical
2	60.2701	150	202	-65.80	-13.00	52.80	PASS	Vertical
3	129.9300	150	357	-65.82	-13.00	52.82	PASS	Vertical
4	194.9330	150	357	-63.58	-13.00	50.58	PASS	Vertical
5	303.9828	150	95	-60.98	-13.00	47.98	PASS	Vertical
6	411.4803	150	95	-68.52	-13.00	55.52	PASS	Vertical
7	1430.4430	150	0	-44.47	-13.00	31.47	PASS	Vertical
8	2794.7795	150	95	-50.00	-13.00	37.00	PASS	Vertical
9	5001.1001	150	235	-46.03	-13.00	33.03	PASS	Vertical
10	6887.4444	150	29	-46.94	-13.00	33.94	PASS	Vertical
11	9163.0582	150	352	-41.23	-13.00	28.23	PASS	Vertical
12	15121.3561	150	235	-38.23	-13.00	25.23	PASS	Vertical
13	19000.0400	150	202	-53.21	-13.00	40.21	PASS	Vertical
14	19637.1855	150	255	-53.91	-13.00	40.91	PASS	Vertical
15	21150.5260	150	0	-53.00	-13.00	40.00	PASS	Vertical
16	22576.8231	150	0	-52.57	-13.00	39.57	PASS	Vertical
17	23692.3877	150	42	-51.87	-13.00	38.87	PASS	Vertical
18	25728.9492	150	0	-51.39	-13.00	38.39	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23060




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	336	-74.49	-13.00	61.49	PASS	Horizontal
2	60.6581	150	336	-78.28	-13.00	65.28	PASS	Horizontal
3	123.5267	150	269	-72.32	-13.00	59.32	PASS	Horizontal
4	270.0260	150	169	-69.86	-13.00	56.86	PASS	Horizontal
5	324.9390	150	336	-68.26	-13.00	55.26	PASS	Horizontal
6	433.2126	150	35	-68.18	-13.00	55.18	PASS	Horizontal
7	1413.8414	150	169	-45.26	-13.00	32.26	PASS	Horizontal
8	2118.5119	150	69	-47.56	-13.00	34.56	PASS	Horizontal
9	3057.0029	150	211	-48.52	-13.00	35.52	PASS	Horizontal
10	5001.8501	150	193	-46.75	-13.00	33.75	PASS	Horizontal
11	11434.1717	150	138	-39.94	-13.00	26.94	PASS	Horizontal
12	17556.7278	150	321	-37.11	-13.00	24.11	PASS	Horizontal
13	18197.7679	150	202	-51.92	-13.00	38.92	PASS	Horizontal
14	20117.8447	150	236	-52.96	-13.00	39.96	PASS	Horizontal
15	21796.3119	150	302	-51.25	-13.00	38.25	PASS	Horizontal
16	22912.8365	150	302	-52.95	-13.00	39.95	PASS	Horizontal
17	23701.0280	150	236	-51.49	-13.00	38.49	PASS	Horizontal
18	25217.2487	150	236	-51.67	-13.00	38.67	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23060




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	36	-67.86	-13.00	54.86	PASS	Vertical
2	54.8370	150	168	-70.69	-13.00	57.69	PASS	Vertical
3	149.9160	150	3	-68.74	-13.00	55.74	PASS	Vertical
4	194.9330	150	3	-68.08	-13.00	55.08	PASS	Vertical
5	303.9828	150	360	-68.36	-13.00	55.36	PASS	Vertical
6	433.2126	150	334	-68.01	-13.00	55.01	PASS	Vertical
7	1414.0414	150	69	-49.61	-13.00	36.61	PASS	Vertical
8	2105.3105	150	334	-50.07	-13.00	37.07	PASS	Vertical
9	3028.5014	150	229	-48.58	-13.00	35.58	PASS	Vertical
10	5028.1014	150	65	-46.09	-13.00	33.09	PASS	Vertical
11	12394.9697	150	193	-40.16	-13.00	27.16	PASS	Vertical
12	17555.2278	150	248	-37.14	-13.00	24.14	PASS	Vertical
13	18588.5035	150	202	-52.11	-13.00	39.11	PASS	Vertical
14	20350.8140	150	360	-52.40	-13.00	39.40	PASS	Vertical
15	21244.9298	150	168	-52.21	-13.00	39.21	PASS	Vertical
16	22955.0782	150	69	-52.80	-13.00	39.80	PASS	Vertical
17	23589.6636	150	301	-50.95	-13.00	37.95	PASS	Vertical
18	25820.1528	150	360	-51.11	-13.00	38.11	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.9556	150	3	-76.33	-13.00	63.33	PASS	Horizontal
2	120.0340	150	336	-73.43	-13.00	60.43	PASS	Horizontal
3	169.9020	150	136	-73.92	-13.00	60.92	PASS	Horizontal
4	239.9500	150	269	-70.31	-13.00	57.31	PASS	Horizontal
5	324.9390	150	269	-67.88	-13.00	54.88	PASS	Horizontal
6	433.2126	150	336	-68.77	-13.00	55.77	PASS	Horizontal
7	1412.6413	150	169	-44.67	-13.00	31.67	PASS	Horizontal
8	2129.1129	150	69	-46.24	-13.00	33.24	PASS	Horizontal
9	3933.0467	150	284	-47.94	-13.00	34.94	PASS	Horizontal
10	5009.3505	150	266	-45.24	-13.00	32.24	PASS	Horizontal
11	10397.6199	150	138	-41.30	-13.00	28.30	PASS	Horizontal
12	17564.2282	150	175	-37.35	-13.00	24.35	PASS	Horizontal
13	18279.3712	150	336	-52.43	-13.00	39.43	PASS	Horizontal
14	19604.5442	150	69	-53.42	-13.00	40.42	PASS	Horizontal
15	21857.7543	150	236	-51.41	-13.00	38.41	PASS	Horizontal
16	22830.2732	150	336	-52.84	-13.00	39.84	PASS	Horizontal
17	23610.4644	150	236	-50.69	-13.00	37.69	PASS	Horizontal
18	25028.7612	150	302	-51.09	-13.00	38.09	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	36	-68.47	-13.00	55.47	PASS	Vertical
2	52.3145	150	103	-70.12	-13.00	57.12	PASS	Vertical
3	149.9160	150	336	-69.74	-13.00	56.74	PASS	Vertical
4	194.9330	150	36	-68.22	-13.00	55.22	PASS	Vertical
5	303.9828	150	69	-68.24	-13.00	55.24	PASS	Vertical
6	433.2126	150	236	-68.74	-13.00	55.74	PASS	Vertical
7	1415.4415	150	336	-50.55	-13.00	37.55	PASS	Vertical
8	2129.7130	150	336	-49.31	-13.00	36.31	PASS	Vertical
9	3596.2798	150	46	-48.40	-13.00	35.40	PASS	Vertical
10	4996.5998	150	9	-45.92	-13.00	32.92	PASS	Vertical
11	10279.8640	150	321	-39.77	-13.00	26.77	PASS	Vertical
12	17545.4773	150	138	-37.99	-13.00	24.99	PASS	Vertical
13	18860.8344	150	336	-51.86	-13.00	38.86	PASS	Vertical
14	20416.4167	150	36	-52.49	-13.00	39.49	PASS	Vertical
15	21648.7860	150	336	-52.25	-13.00	39.25	PASS	Vertical
16	22582.5833	150	169	-52.52	-13.00	39.52	PASS	Vertical
17	23654.6262	150	336	-50.97	-13.00	37.97	PASS	Vertical
18	24725.0690	150	336	-51.74	-13.00	38.74	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23130



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	69	-74.61	-13.00	61.61	PASS	Horizontal
2	60.6581	150	169	-78.39	-13.00	65.39	PASS	Horizontal
3	123.5267	150	69	-74.41	-13.00	61.41	PASS	Horizontal
4	239.9500	150	269	-69.82	-13.00	56.82	PASS	Horizontal
5	303.9828	150	202	-67.41	-13.00	54.41	PASS	Horizontal
6	433.2126	150	102	-68.71	-13.00	55.71	PASS	Horizontal
7	1422.0422	150	169	-42.98	-13.00	29.98	PASS	Horizontal
8	2133.5134	150	69	-47.81	-13.00	34.81	PASS	Horizontal
9	3191.2596	150	321	-48.50	-13.00	35.50	PASS	Horizontal
10	5013.8507	150	102	-46.44	-13.00	33.44	PASS	Horizontal
11	10995.3998	150	321	-40.44	-13.00	27.44	PASS	Horizontal
12	17458.4729	150	120	-37.27	-13.00	24.27	PASS	Horizontal
13	18771.2308	150	69	-52.32	-13.00	39.32	PASS	Horizontal
14	20395.6158	150	102	-52.15	-13.00	39.15	PASS	Horizontal
15	21776.4711	150	169	-51.47	-13.00	38.47	PASS	Horizontal
16	22916.9967	150	169	-52.78	-13.00	39.78	PASS	Horizontal
17	24086.9635	150	69	-51.61	-13.00	38.61	PASS	Horizontal
18	25159.9664	150	235	-50.73	-13.00	37.73	PASS	Horizontal


Mode:	LTE		
Band:	12	Channel:	23130



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	69	-68.47	-13.00	55.47	PASS	Vertical
2	53.8668	150	270	-70.55	-13.00	57.55	PASS	Vertical
3	149.9160	150	270	-71.15	-13.00	58.15	PASS	Vertical
4	194.9330	150	169	-68.16	-13.00	55.16	PASS	Vertical
5	303.9828	150	36	-68.74	-13.00	55.74	PASS	Vertical
6	433.2126	150	102	-68.05	-13.00	55.05	PASS	Vertical
7	1415.8416	150	336	-49.74	-13.00	36.74	PASS	Vertical
8	2126.1126	150	336	-49.80	-13.00	36.80	PASS	Vertical
9	5017.6009	150	64	-46.55	-13.00	33.55	PASS	Vertical
10	10642.1321	150	248	-40.85	-13.00	27.85	PASS	Vertical
11	15398.1199	150	64	-38.39	-13.00	25.39	PASS	Vertical
12	17586.7293	150	82	-38.18	-13.00	25.18	PASS	Vertical
13	18222.0889	150	203	-52.21	-13.00	39.21	PASS	Vertical
14	20444.2578	150	3	-52.88	-13.00	39.88	PASS	Vertical
15	21550.2220	150	36	-52.20	-13.00	39.20	PASS	Vertical
16	23006.2803	150	336	-52.68	-13.00	39.68	PASS	Vertical
17	23643.1057	150	336	-51.71	-13.00	38.71	PASS	Vertical
18	25786.2314	150	36	-51.26	-13.00	38.26	PASS	Vertical


16-QAM:

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	357	-61.20	-13.00	48.20	PASS	Horizontal
2	60.0760	150	94	-67.72	-13.00	54.72	PASS	Horizontal
3	120.0340	150	254	-63.57	-13.00	50.57	PASS	Horizontal
4	239.9500	150	357	-64.37	-13.00	51.37	PASS	Horizontal
5	303.9828	150	357	-61.93	-13.00	48.93	PASS	Horizontal
6	600.0860	150	0	-66.43	-13.00	53.43	PASS	Horizontal
7	1415.2415	150	41	-31.52	-13.00	18.52	PASS	Horizontal
8	2121.5122	150	41	-45.50	-13.00	32.50	PASS	Horizontal
9	2829.9830	150	0	-44.48	-13.00	31.48	PASS	Horizontal
10	5002.6001	150	262	-45.90	-13.00	32.90	PASS	Horizontal
11	11234.6617	150	291	-40.62	-13.00	27.62	PASS	Horizontal
12	17560.4780	150	321	-36.61	-13.00	23.61	PASS	Horizontal
13	18314.5726	150	0	-53.22	-13.00	40.22	PASS	Horizontal
14	19617.0247	150	41	-53.88	-13.00	40.88	PASS	Horizontal
15	21748.3099	150	94	-52.05	-13.00	39.05	PASS	Horizontal
16	22562.1025	150	0	-53.13	-13.00	40.13	PASS	Horizontal
17	23604.7042	150	307	-51.91	-13.00	38.91	PASS	Horizontal
18	25152.2861	150	0	-50.87	-13.00	37.87	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.9556	150	95	-59.17	-13.00	46.17	PASS	Vertical
2	59.4939	150	148	-60.44	-13.00	47.44	PASS	Vertical
3	129.9300	150	255	-64.11	-13.00	51.11	PASS	Vertical
4	194.9330	150	95	-63.04	-13.00	50.04	PASS	Vertical
5	239.9500	150	201	-65.72	-13.00	52.72	PASS	Vertical
6	303.9828	150	357	-62.45	-13.00	49.45	PASS	Vertical
7	1415.4415	150	0	-42.80	-13.00	29.80	PASS	Vertical
8	3210.7605	150	263	-49.02	-13.00	36.02	PASS	Vertical
9	5007.1004	150	3	-45.83	-13.00	32.83	PASS	Vertical
10	10953.3977	150	174	-40.43	-13.00	27.43	PASS	Vertical
11	13976.0488	150	322	-38.56	-13.00	25.56	PASS	Vertical
12	17561.2281	150	57	-36.89	-13.00	23.89	PASS	Vertical
13	18601.6241	150	95	-52.71	-13.00	39.71	PASS	Vertical
14	20382.8153	150	357	-53.37	-13.00	40.37	PASS	Vertical
15	21305.7322	150	357	-51.25	-13.00	38.25	PASS	Vertical
16	22944.1978	150	0	-52.55	-13.00	39.55	PASS	Vertical
17	23607.5843	150	357	-52.44	-13.00	39.44	PASS	Vertical
18	25129.8852	150	42	-51.46	-13.00	38.46	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	255	-60.76	-13.00	47.76	PASS	Horizontal
2	59.4939	150	0	-65.14	-13.00	52.14	PASS	Horizontal
3	120.0340	150	357	-64.12	-13.00	51.12	PASS	Horizontal
4	239.9500	150	149	-64.89	-13.00	51.89	PASS	Horizontal
5	303.9828	150	41	-62.20	-13.00	49.20	PASS	Horizontal
6	600.0860	150	255	-67.63	-13.00	54.63	PASS	Horizontal
7	1415.0415	150	41	-34.90	-13.00	21.90	PASS	Horizontal
8	2122.1122	150	41	-45.81	-13.00	32.81	PASS	Horizontal
9	2829.3829	150	0	-47.18	-13.00	34.18	PASS	Horizontal
10	4992.0996	150	28	-46.43	-13.00	33.43	PASS	Horizontal
11	11092.9046	150	146	-40.29	-13.00	27.29	PASS	Horizontal
12	17535.7268	150	234	-37.52	-13.00	24.52	PASS	Horizontal
13	18667.8667	150	308	-52.95	-13.00	39.95	PASS	Horizontal
14	20462.1785	150	95	-54.26	-13.00	41.26	PASS	Horizontal
15	22253.2901	150	149	-51.75	-13.00	38.75	PASS	Horizontal
16	22895.8758	150	0	-53.62	-13.00	40.62	PASS	Horizontal
17	23725.6690	150	41	-51.97	-13.00	38.97	PASS	Horizontal
18	25179.8072	150	0	-51.92	-13.00	38.92	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	308	-57.13	-13.00	44.13	PASS	Vertical
2	59.4939	150	308	-62.34	-13.00	49.34	PASS	Vertical
3	129.9300	150	0	-64.77	-13.00	51.77	PASS	Vertical
4	194.9330	150	308	-63.81	-13.00	50.81	PASS	Vertical
5	303.9828	150	94	-61.76	-13.00	48.76	PASS	Vertical
6	599.8920	150	42	-67.16	-13.00	54.16	PASS	Vertical
7	1415.0415	150	0	-47.26	-13.00	34.26	PASS	Vertical
8	3147.7574	150	351	-48.92	-13.00	35.92	PASS	Vertical
9	5031.8516	150	145	-46.36	-13.00	33.36	PASS	Vertical
10	10300.8650	150	175	-40.39	-13.00	27.39	PASS	Vertical
11	14555.8278	150	351	-38.42	-13.00	25.42	PASS	Vertical
12	17975.2488	150	351	-37.73	-13.00	24.73	PASS	Vertical
13	18697.3079	150	202	-53.29	-13.00	40.29	PASS	Vertical
14	19613.5045	150	42	-53.17	-13.00	40.17	PASS	Vertical
15	20347.9339	150	308	-53.64	-13.00	40.64	PASS	Vertical
16	21603.3441	150	148	-52.68	-13.00	39.68	PASS	Vertical
17	23671.5869	150	94	-52.34	-13.00	39.34	PASS	Vertical
18	25818.2327	150	0	-51.10	-13.00	38.10	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	36.5973	150	42	-60.16	-13.00	47.16	PASS	Horizontal
2	59.4939	150	255	-63.27	-13.00	50.27	PASS	Horizontal
3	129.9300	150	202	-64.48	-13.00	51.48	PASS	Horizontal
4	239.9500	150	255	-64.75	-13.00	51.75	PASS	Horizontal
5	303.9828	150	202	-62.08	-13.00	49.08	PASS	Horizontal
6	600.0860	150	202	-66.43	-13.00	53.43	PASS	Horizontal
7	1415.2415	150	96	-39.54	-13.00	26.54	PASS	Horizontal
8	2118.7119	150	42	-47.47	-13.00	34.47	PASS	Horizontal
9	5009.3505	150	87	-45.89	-13.00	32.89	PASS	Horizontal
10	10246.8623	150	264	-40.72	-13.00	27.72	PASS	Horizontal
11	14550.5775	150	117	-38.46	-13.00	25.46	PASS	Horizontal
12	17540.2270	150	146	-37.21	-13.00	24.21	PASS	Horizontal
13	18606.7443	150	42	-52.92	-13.00	39.92	PASS	Horizontal
14	20230.8092	150	255	-53.61	-13.00	40.61	PASS	Horizontal
15	21786.3915	150	0	-51.76	-13.00	38.76	PASS	Horizontal
16	22926.5971	150	96	-53.31	-13.00	40.31	PASS	Horizontal
17	23629.3452	150	96	-52.10	-13.00	39.10	PASS	Horizontal
18	25022.3609	150	202	-51.03	-13.00	38.03	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095




NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	147	-56.93	-13.00	43.93	PASS	Vertical
2	59.4939	150	308	-61.22	-13.00	48.22	PASS	Vertical
3	129.9300	150	0	-64.41	-13.00	51.41	PASS	Vertical
4	194.9330	150	40	-62.85	-13.00	49.85	PASS	Vertical
5	303.9828	150	0	-62.54	-13.00	49.54	PASS	Vertical
6	600.0860	150	0	-66.17	-13.00	53.17	PASS	Vertical
7	1415.2415	150	0	-49.40	-13.00	36.40	PASS	Vertical
8	3079.5040	150	57	-49.06	-13.00	36.06	PASS	Vertical
9	5001.1001	150	175	-46.40	-13.00	33.40	PASS	Vertical
10	10261.1131	150	87	-40.38	-13.00	27.38	PASS	Vertical
11	13990.2995	150	350	-37.65	-13.00	24.65	PASS	Vertical
12	17565.7283	150	87	-37.12	-13.00	24.12	PASS	Vertical
13	18633.9454	150	308	-52.25	-13.00	39.25	PASS	Vertical
14	19961.6785	150	0	-53.65	-13.00	40.65	PASS	Vertical
15	21722.3889	150	40	-52.44	-13.00	39.44	PASS	Vertical
16	22554.4222	150	200	-52.97	-13.00	39.97	PASS	Vertical
17	23666.1466	150	93	-52.05	-13.00	39.05	PASS	Vertical
18	25237.4095	150	147	-51.77	-13.00	38.77	PASS	Vertical

Mode:	LTE		
Band:	12	Channel:	23095



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	308	-59.21	-13.00	46.21	PASS	Horizontal
2	60.0760	150	0	-68.21	-13.00	55.21	PASS	Horizontal
3	120.0340	150	357	-62.26	-13.00	49.26	PASS	Horizontal
4	239.9500	150	357	-64.00	-13.00	51.00	PASS	Horizontal
5	303.9828	150	0	-60.62	-13.00	47.62	PASS	Horizontal
6	600.0860	150	148	-66.36	-13.00	53.36	PASS	Horizontal
7	1414.6415	150	94	-40.74	-13.00	27.74	PASS	Horizontal
8	2122.3122	150	41	-48.25	-13.00	35.25	PASS	Horizontal
9	5028.1014	150	204	-46.38	-13.00	33.38	PASS	Horizontal
10	10211.6106	150	262	-40.46	-13.00	27.46	PASS	Horizontal
11	13936.2968	150	262	-38.17	-13.00	25.17	PASS	Horizontal
12	17976.7488	150	145	-37.19	-13.00	24.19	PASS	Horizontal
13	18213.1285	150	201	-52.71	-13.00	39.71	PASS	Horizontal
14	19549.8220	150	148	-53.17	-13.00	40.17	PASS	Horizontal
15	21230.8492	150	0	-52.45	-13.00	39.45	PASS	Horizontal
16	22180.6472	150	308	-51.15	-13.00	38.15	PASS	Horizontal
17	23645.6658	150	148	-52.02	-13.00	39.02	PASS	Horizontal
18	25025.5610	150	308	-51.14	-13.00	38.14	PASS	Horizontal

Mode:	LTE		
Band:	12	Channel:	23095



NO.	Freq. [MHz]	Height [cm]	Azimuth [deg]	Level [dBm]	Limit [dBm]	Margin [dB]	Result	Polarity
1	37.7616	150	148	-56.45	-13.00	43.45	PASS	Vertical
2	60.6581	150	308	-61.68	-13.00	48.68	PASS	Vertical
3	129.9300	150	357	-64.69	-13.00	51.69	PASS	Vertical
4	194.9330	150	357	-61.99	-13.00	48.99	PASS	Vertical
5	303.9828	150	0	-61.84	-13.00	48.84	PASS	Vertical
6	600.0860	150	0	-65.98	-13.00	52.98	PASS	Vertical
7	1417.8418	150	0	-51.49	-13.00	38.49	PASS	Vertical
8	3019.5010	150	233	-48.62	-13.00	35.62	PASS	Vertical
9	5011.6006	150	233	-46.34	-13.00	33.34	PASS	Vertical
10	9277.0639	150	262	-41.45	-13.00	28.45	PASS	Vertical
11	13964.0482	150	115	-38.86	-13.00	25.86	PASS	Vertical
12	16518.6759	150	145	-37.58	-13.00	24.58	PASS	Vertical
13	18768.3507	150	357	-52.54	-13.00	39.54	PASS	Vertical
14	20329.0532	150	0	-53.31	-13.00	40.31	PASS	Vertical
15	22064.8026	150	148	-52.07	-13.00	39.07	PASS	Vertical
16	22975.8790	150	308	-52.49	-13.00	39.49	PASS	Vertical
17	23601.5041	150	0	-51.78	-13.00	38.78	PASS	Vertical
18	25140.7656	150	0	-51.53	-13.00	38.53	PASS	Vertical

Note:

Scan from 9kHz to 25GHz, the disturbance above 18GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

PHOTOGRAPHS OF EUT Constructional Details

Refer to Report No.EED32M00186501 for EUT external and internal photos.

*** End of Report ***

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.