



Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com


## 1. Bandwidth


### 1.1 OBW


#### 1.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result		
GFSK	SISO	2402	DH5	1	0.848		Pass
		2441	DH5	1	0.850		Pass
		2480	DH5	1	0.853		Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.166		Pass
		2441	2DH5	1	1.167		Pass
		2480	2DH5	1	1.167		Pass
8DPSK	SISO	2402	3DH5	1	1.178		Pass
		2441	3DH5	1	1.176		Pass
		2480	3DH5	1	1.179		Pass


### 1.1.2 Test Graph













## 1.2 20dB BW


### 1.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)	Verdict
					Result	
GFSK	SISO	2402	DH5	1	0.953	Pass
		2441	DH5	1	0.953	Pass
		2480	DH5	1	0.956	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.286	Pass
		2441	2DH5	1	1.285	Pass
		2480	2DH5	1	1.284	Pass
8DPSK	SISO	2402	3DH5	1	1.309	Pass
		2441	3DH5	1	1.309	Pass
		2480	3DH5	1	1.311	Pass


### 1.2.2 Test Graph











## 2. Maximum Conducted Output Power


### 2.1 Power


#### 2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	-8.03	<=30	Pass
		2441	DH5	-6.84	<=30	Pass
		2480	DH5	-7.03	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	-7.17	<=20.97	Pass
		2441	2DH5	-6.03	<=20.97	Pass
		2480	2DH5	-6.19	<=20.97	Pass
8DPSK	SISO	2402	3DH5	-6.73	<=20.97	Pass
		2441	3DH5	-5.58	<=20.97	Pass
		2480	3DH5	-5.71	<=20.97	Pass


Note1: Antenna Gain: Ant1: -0.68dBi;

### 2.1.2 Test Graph












### 3. Carrier Frequency Separation


#### 3.1 Ant1

##### 3.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.000	0.956	>=0.956	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.001	1.286	>=0.857	Pass
8DPSK	SISO	HOPP	3DH5	1.006	1.311	>=0.874	Pass

### 3.1.2 Test Graph






## 4. Number of Hopping Frequencies


### 4.1 HoppNum

#### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	>=15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	>=15	Pass
8DPSK	SISO	HOPP	3DH5	79	>=15	Pass

#### 4.1.2 Test Graph






## 5. Time of Occupancy (Dwell Time)


### 5.1 Ant1


#### 5.1.1 Test Result


Ant1										
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict	
GFSK	SISO	HOPP	DH1	0.376	31.600	320	120.320	<=400	Pass	
			DH3	1.632	31.600	157	256.224	<=400	Pass	
			DH5	2.884	31.600	108	311.472	<=400	Pass	
Pi/4DQPSK	SISO	HOPP	2DH1	0.386	31.600	320	123.520	<=400	Pass	
			2DH3	1.638	31.600	157	257.166	<=400	Pass	
			2DH5	2.886	31.600	109	314.574	<=400	Pass	
8DPSK	SISO	HOPP	3DH1	0.386	31.600	318	122.748	<=400	Pass	
			3DH3	1.640	31.600	166	272.240	<=400	Pass	
			3DH5	2.888	31.600	106	306.128	<=400	Pass	


### 5.1.2 Test Graph























## 6. Unwanted Emissions In Non-restricted Frequency Bands


### 6.1 Ref


#### 6.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	-8.36
		2441	DH5	1	-7.11
		2480	DH5	1	-7.28
Pi/4DQPSK	SISO	2402	2DH5	1	-8.24
		2441	2DH5	1	-7.12
		2480	2DH5	1	-7.28
8DPSK	SISO	2402	3DH5	1	-8.25
		2441	3DH5	1	-7.02
		2480	3DH5	1	-7.19


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

### 6.1.2 Test Graph











## 6.2 CSE

### 6.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	-7.11	-27.11	Pass
		2441	DH5	1	-7.11	-27.11	Pass
		2480	DH5	1	-7.11	-27.11	Pass
		HOPP	DH5	1	-7.11	-27.11	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	-7.12	-27.12	Pass
		2441	2DH5	1	-7.12	-27.12	Pass
		2480	2DH5	1	-7.12	-27.12	Pass
		HOPP	2DH5	1	-7.12	-27.12	Pass
8DPSK	SISO	2402	3DH5	1	-7.02	-27.02	Pass
		2441	3DH5	1	-7.02	-27.02	Pass
		2480	3DH5	1	-7.02	-27.02	Pass
		HOPP	3DH5	1	-7.02	-27.02	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

### 6.2.2 Test Graph

