











Mode	100																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_6.425-6.525_802.11be EHT160_CH207_6985MHz																																																																																																														
ANT	TxBF 1S4T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7138.00</td><td>58.01</td><td>88.20</td><td>-30.19</td><td>47.51</td><td>35.70</td><td>12.64</td><td>37.84</td><td>0.00</td><td>100</td><td>293</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7138.00	58.01	88.20	-30.19	47.51	35.70	12.64	37.84	0.00	100	293	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>102.18</td><td>-----</td><td>-----</td><td>92.19</td><td>35.60</td><td>12.39</td><td>38.00</td><td>0.00</td><td>100</td><td>293</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	102.18	-----	-----	92.19	35.60	12.39	38.00	0.00	100	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7138.00	58.01	88.20	-30.19	47.51	35.70	12.64	37.84	0.00	100	293	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	102.18	-----	-----	92.19	35.60	12.39	38.00	0.00	100	293	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.88</td><td>50.46</td><td>68.20</td><td>-17.74</td><td>39.99</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.88	50.46	68.20	-17.74	39.99	35.70	12.62	37.85	0.00	100	293	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>91.43</td><td>-----</td><td>-----</td><td>81.44</td><td>35.60</td><td>12.39</td><td>38.00</td><td>0.00</td><td>100</td><td>293</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	91.43	-----	-----	81.44	35.60	12.39	38.00	0.00	100	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7128.88	50.46	68.20	-17.74	39.99	35.70	12.62	37.85	0.00	100	293	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6985.00	91.43	-----	-----	81.44	35.60	12.39	38.00	0.00	100	293	AVERAGE																																																																																																			




Mode	100																																																																																																														
	Harmonic																																																																																																														
	U-NII-5_6.425-6.525_802.11be EHT160_CH207_6985MHz																																																																																																														
ANT	TxBF 1S4T																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13978.00</td><td>45.78</td><td>88.20</td><td>-42.42</td><td>54.04</td><td>38.67</td><td>18.02</td><td>64.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13978.00	45.78	88.20	-42.42	54.04	38.67	18.02	64.95	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>46.60</td><td>88.20</td><td>-41.60</td><td>60.75</td><td>37.36</td><td>15.45</td><td>66.96</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 13978.00</td><td>45.91</td><td>88.20</td><td>-42.29</td><td>54.17</td><td>38.67</td><td>18.02</td><td>64.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	46.60	88.20	-41.60	60.75	37.36	15.45	66.96	0.00	---	---	Peak	2 13978.00	45.91	88.20	-42.29	54.17	38.67	18.02	64.95	0.00	---	---
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 13978.00	45.78	88.20	-42.42	54.04	38.67	18.02	64.95	0.00	---	---	PEAK																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1 10360.00	46.60	88.20	-41.60	60.75	37.36	15.45	66.96	0.00	---	---	Peak																																																																																																				
2 13978.00	45.91	88.20	-42.29	54.17	38.67	18.02	64.95	0.00	---	---	PEAK																																																																																																				





Mode	101																																																																	
	Harmonic																																																																	
	U-NII-5_6.425-6.525_802.11be EHT40_CH115_6525MHz																																																																	
ANT	TxBF 1S4T																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10312.44</td><td>48.83</td><td>88.20</td><td>-39.37</td><td>63.10</td><td>37.31</td><td>15.41</td><td>66.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>13050.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>55.62</td><td>39.10</td><td>17.37</td><td>65.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10312.44	48.83	88.20	-39.37	63.10	37.31	15.41	66.99	0.00	---	Peak	2	13050.00	46.77	88.20	-41.43	55.62	39.10	17.37	65.32	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	10312.44	48.83	88.20	-39.37	63.10	37.31	15.41	66.99	0.00	---	Peak																																																							
2	13050.00	46.77	88.20	-41.43	55.62	39.10	17.37	65.32	0.00	---	PEAK																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>55.77</td><td>39.10</td><td>17.37</td><td>65.32</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	46.92	88.20	-41.28	55.77	39.10	17.37	65.32	0.00	---	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13050.00	46.92	88.20	-41.28	55.77	39.10	17.37	65.32	0.00	---	PEAK																																																							





		102																																																																				
Mode		Harmonic																																																																				
		U-NII-8_6.525-7.125_802.11be EHT80_CH119_6545MHz																																																																				
ANT		TxBF 1S4T																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10312.44</td><td>48.49</td><td>88.20</td><td>-39.71</td><td>62.76</td><td>37.31</td><td>15.41</td><td>66.99</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>13053.33</td><td>57.07</td><td>88.20</td><td>-31.13</td><td>65.92</td><td>39.09</td><td>17.37</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10312.44	48.49	88.20	-39.71	62.76	37.31	15.41	66.99	0.00	---	---	Peak	2	13053.33	57.07	88.20	-31.13	65.92	39.09	17.37	65.31	0.00	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	10312.44	48.49	88.20	-39.71	62.76	37.31	15.41	66.99	0.00	---	---	Peak																																																										
2	13053.33	57.07	88.20	-31.13	65.92	39.09	17.37	65.31	0.00	---	---	Peak																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13090.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>55.04</td><td>39.02</td><td>17.40</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	46.18	88.20	-42.02	55.04	39.02	17.40	65.28	0.00	---	---	PEAK															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	13090.00	46.18	88.20	-42.02	55.04	39.02	17.40	65.28	0.00	---	---	PEAK																																																										





Mode	103																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-7.125_802.11be EHT160_CH111_6505MHz																																																																																																		
ANT	TxBF 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>55.76</td><td>39.18</td><td>17.34</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	46.93	88.20	-41.27	55.76	39.18	17.34	65.35	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>55.22</td><td>39.18</td><td>17.34</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	46.39	88.20	-41.81	55.22	39.18	17.34	65.35	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13010.00	46.93	88.20	-41.27	55.76	39.18	17.34	65.35	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13010.00	46.39	88.20	-41.81	55.22	39.18	17.34	65.35	0.00	---	---	PEAK																																																																																							





		104																																																										
Mode		Harmonic																																																										
		U-NII-8_6.525-7.125_802.11be EHT20_CH185_6875MHz																																																										
ANT		TxBF 1S4T																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>45.70</td><td>88.20</td><td>-42.50</td><td>54.24</td><td>38.50</td><td>17.87</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13750.00	45.70	88.20	-42.50	54.24	38.50	17.87	64.91	0.00	---	---	PEAK	
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13750.00	45.70	88.20	-42.50	54.24	38.50	17.87	64.91	0.00	---	---	PEAK																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>45.90</td><td>88.20</td><td>-42.30</td><td>54.44</td><td>38.50</td><td>17.87</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13750.00	45.90	88.20	-42.30	54.44	38.50	17.87	64.91	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13750.00	45.90	88.20	-42.30	54.44	38.50	17.87	64.91	0.00	---	---	PEAK																																																	
		Vertical																																																										
Peak Avg																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>45.90</td><td>88.20</td><td>-42.30</td><td>54.44</td><td>38.50</td><td>17.87</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13750.00	45.90	88.20	-42.30	54.44	38.50	17.87	64.91	0.00	---	---	PEAK	
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13750.00	45.90	88.20	-42.30	54.44	38.50	17.87	64.91	0.00	---	---	PEAK																																																	
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13750.00</td><td>45.90</td><td>88.20</td><td>-42.30</td><td>54.44</td><td>38.50</td><td>17.87</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13750.00	45.90	88.20	-42.30	54.44	38.50	17.87	64.91	0.00	---	---	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 13750.00	45.90	88.20	-42.30	54.44	38.50	17.87	64.91	0.00	---	---	PEAK																																																	





		105																																																																							
Mode		Harmonic																																																																							
		U-NII-8_6.525-7.125_802.11be EHT40_CH187_6885MHz																																																																							
ANT		TxBF 1S4T																																																																							
Pol.		Horizontal						Vertical																																																																	
Peak Avg																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>13770.00</td><td>45.39</td><td>88.20</td><td>-42.81</td><td>53.93</td><td>38.50</td><td>17.88</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15341.33</td><td>49.53</td><td>88.20</td><td>-38.67</td><td>55.15</td><td>39.60</td><td>18.91</td><td>64.13</td><td>0.00</td><td>100</td><td>196</td><td>Peak</td></tr><tr><td>3</td><td>15341.33</td><td>46.34</td><td>68.20</td><td>-21.86</td><td>51.96</td><td>39.60</td><td>18.91</td><td>64.13</td><td>0.00</td><td>100</td><td>196</td><td>Average</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	13770.00	45.39	88.20	-42.81	53.93	38.50	17.88	64.92	0.00	---	---	PEAK	2	15341.33	49.53	88.20	-38.67	55.15	39.60	18.91	64.13	0.00	100	196	Peak	3	15341.33	46.34	68.20	-21.86	51.96	39.60	18.91	64.13	0.00	100	196	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
1	13770.00	45.39	88.20	-42.81	53.93	38.50	17.88	64.92	0.00	---	---	PEAK																																																													
2	15341.33	49.53	88.20	-38.67	55.15	39.60	18.91	64.13	0.00	100	196	Peak																																																													
3	15341.33	46.34	68.20	-21.86	51.96	39.60	18.91	64.13	0.00	100	196	Average																																																													
																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>13770.00</td><td>44.74</td><td>88.20</td><td>-43.46</td><td>53.28</td><td>38.50</td><td>17.88</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15344.00</td><td>49.33</td><td>88.20</td><td>-38.87</td><td>54.95</td><td>39.60</td><td>18.91</td><td>64.13</td><td>0.00</td><td>100</td><td>359</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	13770.00	44.74	88.20	-43.46	53.28	38.50	17.88	64.92	0.00	---	---	PEAK	2	15344.00	49.33	88.20	-38.87	54.95	39.60	18.91	64.13	0.00	100	359	Peak														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																
1	13770.00	44.74	88.20	-43.46	53.28	38.50	17.88	64.92	0.00	---	---	PEAK																																																													
2	15344.00	49.33	88.20	-38.87	54.95	39.60	18.91	64.13	0.00	100	359	Peak																																																													





		106																																																																																
Mode		Harmonic																																																																																
		U-NII-5_5.925-6.425_802.11be EHT80_CH183_6865MHz																																																																																
ANT		TxBF 1S4T																																																																																
Pol.		Horizontal																																																																																
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>45.56</td><td>88.20</td><td>-42.64</td><td>54.12</td><td>38.50</td><td>17.85</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15356.44</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>56.55</td><td>39.60</td><td>18.92</td><td>64.13</td><td>0.00</td><td>100</td><td>196</td><td>Peak</td></tr><tr><td>3</td><td>15356.44</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>53.01</td><td>39.60</td><td>18.92</td><td>64.13</td><td>0.00</td><td>100</td><td>196</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13730.00	45.56	88.20	-42.64	54.12	38.50	17.85	64.91	0.00	---	---	PEAK	2	15356.44	50.94	74.00	-23.06	56.55	39.60	18.92	64.13	0.00	100	196	Peak	3	15356.44	47.40	54.00	-6.60	53.01	39.60	18.92	64.13	0.00	100	196	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	13730.00	45.56	88.20	-42.64	54.12	38.50	17.85	64.91	0.00	---	---	PEAK																																																																						
2	15356.44	50.94	74.00	-23.06	56.55	39.60	18.92	64.13	0.00	100	196	Peak																																																																						
3	15356.44	47.40	54.00	-6.60	53.01	39.60	18.92	64.13	0.00	100	196	Average																																																																						
		Vertical																																																																																
																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13730.00</td><td>45.22</td><td>88.20</td><td>-42.98</td><td>53.78</td><td>38.50</td><td>17.85</td><td>64.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15354.22</td><td>49.51</td><td>74.00</td><td>-24.49</td><td>55.12</td><td>39.60</td><td>18.92</td><td>64.13</td><td>0.00</td><td>100</td><td>196</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13730.00	45.22	88.20	-42.98	53.78	38.50	17.85	64.91	0.00	---	---	PEAK	2	15354.22	49.51	74.00	-24.49	55.12	39.60	18.92	64.13	0.00	100	196	Peak													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	13730.00	45.22	88.20	-42.98	53.78	38.50	17.85	64.91	0.00	---	---	PEAK																																																																						
2	15354.22	49.51	74.00	-24.49	55.12	39.60	18.92	64.13	0.00	100	196	Peak																																																																						





		107																																																																																	
Mode		Harmonic																																																																																	
		U-NII-5_6.425-6.525_802.11be EHT160_CH175_6825MHz																																																																																	
ANT		TxBF 1S4T																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>45.49</td><td>88.20</td><td>-42.71</td><td>54.10</td><td>38.50</td><td>17.79</td><td>64.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15348.44</td><td>50.84</td><td>88.20</td><td>-37.36</td><td>56.45</td><td>39.60</td><td>18.92</td><td>64.13</td><td>0.00</td><td>100</td><td>197</td><td>Peak</td></tr><tr><td>3</td><td>15348.44</td><td>47.01</td><td>68.20</td><td>-21.19</td><td>52.62</td><td>39.60</td><td>18.92</td><td>64.13</td><td>0.00</td><td>100</td><td>197</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	45.49	88.20	-42.71	54.10	38.50	17.79	64.90	0.00	---	---	PEAK	2	15348.44	50.84	88.20	-37.36	56.45	39.60	18.92	64.13	0.00	100	197	Peak	3	15348.44	47.01	68.20	-21.19	52.62	39.60	18.92	64.13	0.00	100	197	Average
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	13650.00	45.49	88.20	-42.71	54.10	38.50	17.79	64.90	0.00	---	---	PEAK																																																																							
2	15348.44	50.84	88.20	-37.36	56.45	39.60	18.92	64.13	0.00	100	197	Peak																																																																							
3	15348.44	47.01	68.20	-21.19	52.62	39.60	18.92	64.13	0.00	100	197	Average																																																																							
																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>47.24</td><td>88.20</td><td>-40.96</td><td>55.85</td><td>38.50</td><td>17.79</td><td>64.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15348.00</td><td>49.85</td><td>88.20</td><td>-38.35</td><td>55.46</td><td>39.60</td><td>18.92</td><td>64.13</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	47.24	88.20	-40.96	55.85	38.50	17.79	64.90	0.00	---	---	PEAK	2	15348.00	49.85	88.20	-38.35	55.46	39.60	18.92	64.13	0.00	---	---	Peak															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	13650.00	47.24	88.20	-40.96	55.85	38.50	17.79	64.90	0.00	---	---	PEAK																																																																							
2	15348.00	49.85	88.20	-38.35	55.46	39.60	18.92	64.13	0.00	---	---	Peak																																																																							





Mode	108																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-6.875_802.11be EHT320_CH95_6425MHz																																																																																																		
ANT	TxBF 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>46.82</td><td>88.20</td><td>-41.38</td><td>55.94</td><td>39.15</td><td>17.24</td><td>65.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	46.82	88.20	-41.38	55.94	39.15	17.24	65.51	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>45.50</td><td>88.20</td><td>-42.70</td><td>54.62</td><td>39.15</td><td>17.24</td><td>65.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	45.50	88.20	-42.70	54.62	39.15	17.24	65.51	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12850.00	46.82	88.20	-41.38	55.94	39.15	17.24	65.51	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12850.00	45.50	88.20	-42.70	54.62	39.15	17.24	65.51	0.00	---	---	PEAK																																																																																							







Mode	109																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-6.875_802.11be EHT320_CH127_6585MHz																																																																																																		
ANT	TxBF 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>55.21</td><td>39.00</td><td>17.45</td><td>65.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	46.46	88.20	-41.74	55.21	39.00	17.45	65.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>54.61</td><td>39.00</td><td>17.45</td><td>65.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	45.86	88.20	-42.34	54.61	39.00	17.45	65.20	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13170.00	46.46	88.20	-41.74	55.21	39.00	17.45	65.20	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13170.00	45.86	88.20	-42.34	54.61	39.00	17.45	65.20	0.00	---	---	PEAK																																																																																							







Mode	110																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-8_6.525-6.875_802.11be EHT320_CH159_6745MHz																																																																																																																																											
ANT	TxBF 1S4T																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>46.64</td><td>88.20</td><td>-41.56</td><td>55.13</td><td>38.72</td><td>17.68</td><td>64.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15342.22</td><td>49.15</td><td>88.20</td><td>-39.05</td><td>54.77</td><td>39.60</td><td>18.91</td><td>64.13</td><td>0.00</td><td>100</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	46.64	88.20	-41.56	55.13	38.72	17.68	64.89	0.00	---	---	PEAK	2	15342.22	49.15	88.20	-39.05	54.77	39.60	18.91	64.13	0.00	100	360	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13490.00</td><td>45.57</td><td>88.20</td><td>-42.63</td><td>54.06</td><td>38.72</td><td>17.68</td><td>64.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15340.44</td><td>49.19</td><td>88.20</td><td>-39.01</td><td>54.81</td><td>39.60</td><td>18.91</td><td>64.13</td><td>0.00</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>15340.44</td><td>45.10</td><td>68.20</td><td>-23.10</td><td>50.72</td><td>39.60</td><td>18.91</td><td>64.13</td><td>0.00</td><td>100</td><td>360</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13490.00	45.57	88.20	-42.63	54.06	38.72	17.68	64.89	0.00	--	--	PEAK	2	15340.44	49.19	88.20	-39.01	54.81	39.60	18.91	64.13	0.00	100	360	Peak	3	15340.44	45.10	68.20	-23.10	50.72	39.60	18.91	64.13	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	13490.00	46.64	88.20	-41.56	55.13	38.72	17.68	64.89	0.00	---	---	PEAK																																																																																																																																
2	15342.22	49.15	88.20	-39.05	54.77	39.60	18.91	64.13	0.00	100	360	Peak																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	13490.00	45.57	88.20	-42.63	54.06	38.72	17.68	64.89	0.00	--	--	PEAK																																																																																																																																
2	15340.44	49.19	88.20	-39.01	54.81	39.60	18.91	64.13	0.00	100	360	Peak																																																																																																																																
3	15340.44	45.10	68.20	-23.10	50.72	39.60	18.91	64.13	0.00	100	360	Average																																																																																																																																





		111																																																																																																						
Mode		Band Edge																																																																																																						
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																						
ANT		TxBF 1S4T																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																	
Peak																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7278.20</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>38.54</td><td>35.70</td><td>12.72</td><td>37.66</td><td>0.00</td><td>134</td><td>92 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7278.20	49.30	74.00	-24.70	38.54	35.70	12.72	37.66	0.00	134	92 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>100.07</td><td>-----</td><td>-----</td><td>90.34</td><td>35.50</td><td>12.20</td><td>37.97</td><td>0.00</td><td>134</td><td>92 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6905.00	100.07	-----	-----	90.34	35.50	12.20	37.97	0.00	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 7278.20	49.30	74.00	-24.70	38.54	35.70	12.72	37.66	0.00	134	92 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 6905.00	100.07	-----	-----	90.34	35.50	12.20	37.97	0.00	134	92 PEAK																																																																																														
Avg																																																																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7292.56</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>32.15</td><td>35.70</td><td>12.72</td><td>37.64</td><td>0.00</td><td>134</td><td>92 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7292.56	42.93	54.00	-11.07	32.15	35.70	12.72	37.64	0.00	134	92 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>89.51</td><td>-----</td><td>-----</td><td>79.78</td><td>35.50</td><td>12.20</td><td>37.97</td><td>0.00</td><td>134</td><td>92 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6905.00	89.51	-----	-----	79.78	35.50	12.20	37.97	0.00	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 7292.56	42.93	54.00	-11.07	32.15	35.70	12.72	37.64	0.00	134	92 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 6905.00	89.51	-----	-----	79.78	35.50	12.20	37.97	0.00	134	92 AVERAGE																																																																																														



		111																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																												
ANT		TxBF 1S4T																																																																																																												
Pol.		Vertical											Fundamental																																																																																																	
Peak																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7212.64</td><td>73.42</td><td>88.20</td><td>-14.78</td><td>62.75</td><td>35.70</td><td>12.71</td><td>37.74</td><td>0.00</td><td>177</td><td>206</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7212.64	73.42	88.20	-14.78	62.75	35.70	12.71	37.74	0.00	177	206	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>106.94</td><td>-----</td><td>-----</td><td>97.04</td><td>35.59</td><td>12.29</td><td>37.98</td><td>0.00</td><td>177</td><td>206</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	106.94	-----	-----	97.04	35.59	12.29	37.98	0.00	177	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7212.64	73.42	88.20	-14.78	62.75	35.70	12.71	37.74	0.00	177	206	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	6905.00	106.94	-----	-----	97.04	35.59	12.29	37.98	0.00	177	206	PEAK																																																																																																		
Avg																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7301.92</td><td>52.09</td><td>54.00</td><td>-1.91</td><td>41.30</td><td>35.70</td><td>12.72</td><td>37.63</td><td>0.00</td><td>177</td><td>206</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7301.92	52.09	54.00	-1.91	41.30	35.70	12.72	37.63	0.00	177	206	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>95.16</td><td>-----</td><td>-----</td><td>85.25</td><td>35.60</td><td>12.30</td><td>37.99</td><td>0.00</td><td>177</td><td>206</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	95.16	-----	-----	85.25	35.60	12.30	37.99	0.00	177	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7301.92	52.09	54.00	-1.91	41.30	35.70	12.72	37.63	0.00	177	206	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	6905.00	95.16	-----	-----	85.25	35.60	12.30	37.99	0.00	177	206	AVERAGE																																																																																																		



Mode	111																																																																																																		
	Harmonic																																																																																																		
	U-NII-8_6.525-6.875_802.11be EHT320_CH191_6905MHz																																																																																																		
ANT	TxBF 1S4T																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>45.68</td><td>88.20</td><td>-42.52</td><td>54.18</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	45.68	88.20	-42.52	54.18	38.51	17.91	64.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>45.76</td><td>88.20</td><td>-42.44</td><td>54.26</td><td>38.51</td><td>17.91</td><td>64.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	45.76	88.20	-42.44	54.26	38.51	17.91	64.92	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13810.00	45.68	88.20	-42.52	54.18	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	13810.00	45.76	88.20	-42.44	54.26	38.51	17.91	64.92	0.00	---	---	PEAK																																																																																							