


Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2402MHz	2441MHz	2480MHz	2402MHz	2441MHz	2480MHz
	0.73	0.05	0.62	0.84	0.35	0.86
MAX. Gain	1.02dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	3.8mm					
Manufacture	SHENZHEN BLUET _R UM TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2402 MHz 2441 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2402	1.01	-2.56	0.35
2441	1.02	-2.71	0.57
2480	0.98	-2.86	0.66

Vertical: 2402 MHz 2441 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2402	0.83	-2.83	-0.75
2441	0.95	-2.92	-0.90
2480	0.86	-2.75	-0.73

ANT Test Labs: Attestation of Global Compliance Co., Ltd.