

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.677	40.28	74.0	33.72	Peak	188.00	100	Horizontal	Pass
1**	1519.677	30.19	54.0	23.81	AV	188.00	100	Horizontal	Pass
2	4018.505	48.81	74.0	25.19	Peak	287.00	300	Horizontal	Pass
2**	4018.505	39.35	54.0	14.65	AV	287.00	300	Horizontal	Pass
3	7601.207	53.50	74.0	20.50	Peak	101.00	200	Horizontal	Pass
3**	7601.207	45.18	54.0	8.82	AV	101.00	200	Horizontal	Pass
4	12452.857	54.83	74.0	19.17	Peak	326.00	400	Horizontal	Pass
4**	12452.857	46.54	54.0	7.46	AV	326.00	400	Horizontal	Pass
5	16098.150	50.79	74.0	23.21	Peak	93.00	200	Horizontal	Pass
5**	16098.150	43.08	54.0	10.92	AV	93.00	200	Horizontal	Pass
6	17418.180	58.57	74.0	15.43	Peak	124.00	100	Horizontal	Pass
6**	17418.180	50.05	54.0	3.95	AV	124.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.037	44.42	74.0	29.58	Peak	109.00	300	Vertical	Pass
1**	1331.037	36.70	54.0	17.30	AV	109.00	300	Vertical	Pass
2	1444.063	42.26	74.0	31.74	Peak	349.00	200	Vertical	Pass
2**	1444.063	38.47	54.0	15.53	AV	349.00	200	Vertical	Pass
3	4310.660	44.70	74.0	29.30	Peak	313.00	200	Vertical	Pass
3**	4310.660	38.38	54.0	15.62	AV	313.00	200	Vertical	Pass
4	7593.075	53.92	74.0	20.08	Peak	204.00	100	Vertical	Pass
4**	7593.075	43.92	54.0	10.08	AV	204.00	100	Vertical	Pass
5	12534.190	54.11	74.0	19.89	Peak	297.00	400	Vertical	Pass
5**	12534.190	42.31	54.0	11.69	AV	297.00	400	Vertical	Pass
6	15907.736	53.14	74.0	20.86	Peak	103.00	400	Vertical	Pass
6**	15907.736	47.10	54.0	6.90	AV	103.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.882	36.45	74.0	37.55	Peak	247.00	400	Horizontal	Pass
1**	1520.882	31.17	54.0	22.83	AV	247.00	400	Horizontal	Pass
2	4022.684	49.91	74.0	24.09	Peak	15.00	200	Horizontal	Pass
2**	4022.684	34.51	54.0	19.49	AV	15.00	200	Horizontal	Pass
3	7599.144	51.07	74.0	22.93	Peak	247.00	200	Horizontal	Pass
3**	7599.144	41.42	54.0	12.58	AV	247.00	200	Horizontal	Pass
4	12459.340	50.88	74.0	23.12	Peak	121.00	400	Horizontal	Pass
4**	12459.340	43.46	54.0	10.54	AV	121.00	400	Horizontal	Pass
5	16095.918	51.63	74.0	22.37	Peak	67.00	200	Horizontal	Pass
5**	16095.918	47.15	54.0	6.85	AV	67.00	200	Horizontal	Pass
6	17421.042	56.74	74.0	17.26	Peak	352.00	300	Horizontal	Pass
6**	17421.042	49.87	54.0	4.13	AV	352.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.574	44.94	74.0	29.06	Peak	270.00	200	Vertical	Pass
1**	1331.574	35.64	54.0	18.36	AV	270.00	200	Vertical	Pass
2	1438.487	40.84	74.0	33.16	Peak	135.00	300	Vertical	Pass
2**	1438.487	34.92	54.0	19.08	AV	135.00	300	Vertical	Pass
3	4310.990	49.38	74.0	24.62	Peak	293.00	200	Vertical	Pass
3**	4310.990	39.97	54.0	14.03	AV	293.00	200	Vertical	Pass
4	7595.607	51.70	74.0	22.30	Peak	184.00	300	Vertical	Pass
4**	7595.607	42.69	54.0	11.31	AV	184.00	300	Vertical	Pass
5	12532.191	55.47	74.0	18.53	Peak	33.00	200	Vertical	Pass
5**	12532.191	45.37	54.0	8.63	AV	33.00	200	Vertical	Pass
6	15903.408	54.38	74.0	19.62	Peak	102.00	200	Vertical	Pass
6**	15903.408	45.14	54.0	8.86	AV	102.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.472	35.96	74.0	38.04	Peak	43.00	400	Horizontal	Pass
1**	1519.472	29.34	54.0	24.66	AV	43.00	400	Horizontal	Pass
2	4022.871	48.58	74.0	25.42	Peak	266.00	100	Horizontal	Pass
2**	4022.871	37.06	54.0	16.94	AV	266.00	100	Horizontal	Pass
3	7596.698	53.37	74.0	20.63	Peak	42.00	200	Horizontal	Pass
3**	7596.698	45.78	54.0	8.22	AV	42.00	200	Horizontal	Pass
4	12459.317	53.05	74.0	20.95	Peak	179.00	200	Horizontal	Pass
4**	12459.317	46.87	54.0	7.13	AV	179.00	200	Horizontal	Pass
5	16098.388	55.55	74.0	18.45	Peak	254.00	300	Horizontal	Pass
5**	16098.388	46.90	54.0	7.10	AV	254.00	300	Horizontal	Pass
6	17422.298	57.60	74.0	16.40	Peak	249.00	400	Horizontal	Pass
6**	17422.298	49.97	54.0	4.03	AV	249.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.837	42.10	74.0	31.90	Peak	53.00	100	Vertical	Pass
1**	1333.837	35.68	54.0	18.32	AV	53.00	100	Vertical	Pass
2	1441.890	42.32	74.0	31.68	Peak	86.00	100	Vertical	Pass
2**	1441.890	35.91	54.0	18.09	AV	86.00	100	Vertical	Pass
3	4309.680	46.61	74.0	27.39	Peak	305.00	200	Vertical	Pass
3**	4309.680	35.79	54.0	18.21	AV	305.00	200	Vertical	Pass
4	7593.293	54.11	74.0	19.89	Peak	68.00	200	Vertical	Pass
4**	7593.293	45.11	54.0	8.89	AV	68.00	200	Vertical	Pass
5	12535.814	52.28	74.0	21.72	Peak	285.00	300	Vertical	Pass
5**	12535.814	44.20	54.0	9.80	AV	285.00	300	Vertical	Pass
6	15903.870	55.69	74.0	18.31	Peak	271.00	100	Vertical	Pass
6**	15903.870	43.91	54.0	10.09	AV	271.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.746	36.54	74.0	37.46	Peak	33.00	200	Horizontal	Pass
1**	1522.746	28.95	54.0	25.05	AV	33.00	200	Horizontal	Pass
2	4018.134	45.28	74.0	28.72	Peak	52.00	300	Horizontal	Pass
2**	4018.134	39.29	54.0	14.71	AV	52.00	300	Horizontal	Pass
3	7600.696	51.02	74.0	22.98	Peak	93.00	200	Horizontal	Pass
3**	7600.696	41.09	54.0	12.91	AV	93.00	200	Horizontal	Pass
4	12456.302	54.74	74.0	19.26	Peak	53.00	400	Horizontal	Pass
4**	12456.302	42.09	54.0	11.91	AV	53.00	400	Horizontal	Pass
5	16097.770	54.94	74.0	19.06	Peak	245.00	100	Horizontal	Pass
5**	16097.770	45.62	54.0	8.38	AV	245.00	100	Horizontal	Pass
6	17421.961	54.90	74.0	19.10	Peak	18.00	300	Horizontal	Pass
6**	17421.961	48.29	54.0	5.71	AV	18.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.811	45.03	74.0	28.97	Peak	275.00	400	Vertical	Pass
1**	1332.811	35.06	54.0	18.94	AV	275.00	400	Vertical	Pass
2	1442.597	39.11	74.0	34.89	Peak	130.00	400	Vertical	Pass
2**	1442.597	37.39	54.0	16.61	AV	130.00	400	Vertical	Pass
3	4313.464	49.08	74.0	24.92	Peak	103.00	200	Vertical	Pass
3**	4313.464	40.84	54.0	13.16	AV	103.00	200	Vertical	Pass
4	7591.600	51.92	74.0	22.08	Peak	319.00	200	Vertical	Pass
4**	7591.600	40.87	54.0	13.13	AV	319.00	200	Vertical	Pass
5	12538.229	54.71	74.0	19.29	Peak	327.00	200	Vertical	Pass
5**	12538.229	46.36	54.0	7.64	AV	327.00	200	Vertical	Pass
6	15902.817	54.28	74.0	19.72	Peak	260.00	200	Vertical	Pass
6**	15902.817	47.33	54.0	6.67	AV	260.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.446	36.60	74.0	37.40	Peak	219.00	100	Horizontal	Pass
1**	1523.446	27.11	54.0	26.89	AV	219.00	100	Horizontal	Pass
2	4023.984	50.07	74.0	23.93	Peak	23.00	300	Horizontal	Pass
2**	4023.984	35.34	54.0	18.66	AV	23.00	300	Horizontal	Pass
3	7594.990	54.09	74.0	19.91	Peak	237.00	200	Horizontal	Pass
3**	7594.990	46.42	54.0	7.58	AV	237.00	200	Horizontal	Pass
4	12455.699	56.39	74.0	17.61	Peak	280.00	300	Horizontal	Pass
4**	12455.699	46.60	54.0	7.40	AV	280.00	300	Horizontal	Pass
5	16092.088	55.88	74.0	18.12	Peak	297.00	300	Horizontal	Pass
5**	16092.088	41.93	54.0	12.07	AV	297.00	300	Horizontal	Pass
6	17417.700	54.32	74.0	19.68	Peak	344.00	300	Horizontal	Pass
6**	17417.700	46.30	54.0	7.70	AV	344.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.026	46.13	74.0	27.87	Peak	53.00	400	Vertical	Pass
1**	1333.026	36.65	54.0	17.35	AV	53.00	400	Vertical	Pass
2	1441.706	41.74	74.0	32.26	Peak	257.00	300	Vertical	Pass
2**	1441.706	39.67	54.0	14.33	AV	257.00	300	Vertical	Pass
3	4314.101	50.35	74.0	23.65	Peak	112.00	200	Vertical	Pass
3**	4314.101	41.41	54.0	12.59	AV	112.00	200	Vertical	Pass
4	7590.692	50.03	74.0	23.97	Peak	326.00	400	Vertical	Pass
4**	7590.692	45.27	54.0	8.73	AV	326.00	400	Vertical	Pass
5	12536.361	52.16	74.0	21.84	Peak	165.00	300	Vertical	Pass
5**	12536.361	45.73	54.0	8.27	AV	165.00	300	Vertical	Pass
6	15902.961	51.75	74.0	22.25	Peak	158.00	300	Vertical	Pass
6**	15902.961	46.18	54.0	7.82	AV	158.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.419	37.56	74.0	36.44	Peak	214.00	400	Horizontal	Pass
1**	1523.419	28.75	54.0	25.25	AV	214.00	400	Horizontal	Pass
2	4019.100	46.15	74.0	27.85	Peak	239.00	200	Horizontal	Pass
2**	4019.100	38.43	54.0	15.57	AV	239.00	200	Horizontal	Pass
3	7599.676	52.23	74.0	21.77	Peak	32.00	200	Horizontal	Pass
3**	7599.676	41.25	54.0	12.75	AV	32.00	200	Horizontal	Pass
4	12459.040	54.80	74.0	19.20	Peak	98.00	100	Horizontal	Pass
4**	12459.040	46.63	54.0	7.37	AV	98.00	100	Horizontal	Pass
5	16099.148	55.31	74.0	18.69	Peak	203.00	100	Horizontal	Pass
5**	16099.148	41.79	54.0	12.21	AV	203.00	100	Horizontal	Pass
6	17416.738	53.77	74.0	20.23	Peak	151.00	100	Horizontal	Pass
6**	17416.738	49.55	54.0	4.45	AV	151.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.327	41.68	74.0	32.32	Peak	179.00	100	Vertical	Pass
1**	1331.327	34.67	54.0	19.33	AV	179.00	100	Vertical	Pass
2	1438.104	39.92	74.0	34.08	Peak	68.00	200	Vertical	Pass
2**	1438.104	39.80	54.0	14.20	AV	68.00	200	Vertical	Pass
3	4307.721	46.34	74.0	27.66	Peak	156.00	200	Vertical	Pass
3**	4307.721	40.53	54.0	13.47	AV	156.00	200	Vertical	Pass
4	7594.721	51.19	74.0	22.81	Peak	247.00	200	Vertical	Pass
4**	7594.721	44.66	54.0	9.34	AV	247.00	200	Vertical	Pass
5	12537.110	53.01	74.0	20.99	Peak	282.00	100	Vertical	Pass
5**	12537.110	43.83	54.0	10.17	AV	282.00	100	Vertical	Pass
6	15908.389	55.75	74.0	18.25	Peak	161.00	400	Vertical	Pass
6**	15908.389	47.00	54.0	7.00	AV	161.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.100	38.07	74.0	35.93	Peak	131.00	100	Horizontal	Pass
1**	1522.100	32.14	54.0	21.86	AV	131.00	100	Horizontal	Pass
2	4021.963	48.35	74.0	25.65	Peak	130.00	300	Horizontal	Pass
2**	4021.963	38.68	54.0	15.32	AV	130.00	300	Horizontal	Pass
3	7601.482	53.77	74.0	20.23	Peak	354.00	200	Horizontal	Pass
3**	7601.482	42.75	54.0	11.25	AV	354.00	200	Horizontal	Pass
4	12456.140	51.91	74.0	22.09	Peak	123.00	400	Horizontal	Pass
4**	12456.140	41.40	54.0	12.60	AV	123.00	400	Horizontal	Pass
5	16098.997	52.39	74.0	21.61	Peak	15.00	300	Horizontal	Pass
5**	16098.997	43.28	54.0	10.72	AV	15.00	300	Horizontal	Pass
6	17418.109	54.16	74.0	19.84	Peak	267.00	400	Horizontal	Pass
6**	17418.109	47.38	54.0	6.62	AV	267.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.609	42.40	74.0	31.60	Peak	248.00	300	Vertical	Pass
1**	1334.609	34.05	54.0	19.95	AV	248.00	300	Vertical	Pass
2	1437.075	44.03	74.0	29.97	Peak	340.00	200	Vertical	Pass
2**	1437.075	38.52	54.0	15.48	AV	340.00	200	Vertical	Pass
3	4307.752	46.59	74.0	27.41	Peak	337.00	200	Vertical	Pass
3**	4307.752	37.23	54.0	16.77	AV	337.00	200	Vertical	Pass
4	7593.690	52.92	74.0	21.08	Peak	339.00	400	Vertical	Pass
4**	7593.690	41.17	54.0	12.83	AV	339.00	400	Vertical	Pass
5	12531.932	54.34	74.0	19.66	Peak	225.00	100	Vertical	Pass
5**	12531.932	42.78	54.0	11.22	AV	225.00	100	Vertical	Pass
6	15908.893	57.41	74.0	16.59	Peak	117.00	100	Vertical	Pass
6**	15908.893	46.34	54.0	7.66	AV	117.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.142	36.70	74.0	37.30	Peak	159.00	100	Horizontal	Pass
1**	1524.142	27.60	54.0	26.40	AV	159.00	100	Horizontal	Pass
2	4022.399	45.80	74.0	28.20	Peak	163.00	300	Horizontal	Pass
2**	4022.399	38.12	54.0	15.88	AV	163.00	300	Horizontal	Pass
3	7596.359	54.60	74.0	19.40	Peak	179.00	200	Horizontal	Pass
3**	7596.359	41.59	54.0	12.41	AV	179.00	200	Horizontal	Pass
4	12457.414	50.99	74.0	23.01	Peak	205.00	300	Horizontal	Pass
4**	12457.414	45.32	54.0	8.68	AV	205.00	300	Horizontal	Pass
5	16096.775	53.28	74.0	20.72	Peak	333.00	200	Horizontal	Pass
5**	16096.775	42.55	54.0	11.45	AV	333.00	200	Horizontal	Pass
6	17419.757	53.13	74.0	20.87	Peak	229.00	400	Horizontal	Pass
6**	17419.757	48.50	54.0	5.50	AV	229.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.951	42.95	74.0	31.05	Peak	294.00	400	Vertical	Pass
1**	1331.951	33.24	54.0	20.76	AV	294.00	400	Vertical	Pass
2	1439.227	44.89	74.0	29.11	Peak	60.00	300	Vertical	Pass
2**	1439.227	35.75	54.0	18.25	AV	60.00	300	Vertical	Pass
3	4308.028	44.90	74.0	29.10	Peak	13.00	200	Vertical	Pass
3**	4308.028	37.46	54.0	16.54	AV	13.00	200	Vertical	Pass
4	7593.446	53.91	74.0	20.09	Peak	81.00	400	Vertical	Pass
4**	7593.446	44.30	54.0	9.70	AV	81.00	400	Vertical	Pass
5	12537.943	56.28	74.0	17.72	Peak	191.00	400	Vertical	Pass
5**	12537.943	46.00	54.0	8.00	AV	191.00	400	Vertical	Pass
6	15909.587	56.58	74.0	17.42	Peak	266.00	300	Vertical	Pass
6**	15909.587	47.98	54.0	6.02	AV	266.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.030	40.77	74.0	33.23	Peak	72.00	100	Horizontal	Pass
1**	1522.030	29.31	54.0	24.69	AV	72.00	100	Horizontal	Pass
2	4017.266	49.20	74.0	24.80	Peak	179.00	400	Horizontal	Pass
2**	4017.266	38.01	54.0	15.99	AV	179.00	400	Horizontal	Pass
3	7595.532	54.66	74.0	19.34	Peak	113.00	200	Horizontal	Pass
3**	7595.532	44.06	54.0	9.94	AV	113.00	200	Horizontal	Pass
4	12453.095	52.70	74.0	21.30	Peak	360.00	200	Horizontal	Pass
4**	12453.095	42.78	54.0	11.22	AV	360.00	200	Horizontal	Pass
5	16098.296	56.28	74.0	17.72	Peak	89.00	400	Horizontal	Pass
5**	16098.296	45.93	54.0	8.07	AV	89.00	400	Horizontal	Pass
6	17415.998	54.63	74.0	19.37	Peak	354.00	100	Horizontal	Pass
6**	17415.998	49.66	54.0	4.34	AV	354.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.673	47.04	74.0	26.96	Peak	145.00	400	Vertical	Pass
1**	1332.673	36.47	54.0	17.53	AV	145.00	400	Vertical	Pass
2	1436.726	44.22	74.0	29.78	Peak	65.00	100	Vertical	Pass
2**	1436.726	38.67	54.0	15.33	AV	65.00	100	Vertical	Pass
3	4311.673	49.37	74.0	24.63	Peak	165.00	200	Vertical	Pass
3**	4311.673	38.86	54.0	15.14	AV	165.00	200	Vertical	Pass
4	7597.291	50.54	74.0	23.46	Peak	161.00	200	Vertical	Pass
4**	7597.291	40.85	54.0	13.15	AV	161.00	200	Vertical	Pass
5	12531.477	50.54	74.0	23.46	Peak	166.00	200	Vertical	Pass
5**	12531.477	40.70	54.0	13.30	AV	166.00	200	Vertical	Pass
6	15909.840	51.82	74.0	22.18	Peak	358.00	200	Vertical	Pass
6**	15909.840	45.89	54.0	8.11	AV	358.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.080	38.51	74.0	35.49	Peak	196.00	300	Horizontal	Pass
1**	1519.080	27.14	54.0	26.86	AV	196.00	300	Horizontal	Pass
2	4017.506	45.80	74.0	28.20	Peak	75.00	200	Horizontal	Pass
2**	4017.506	35.41	54.0	18.59	AV	75.00	200	Horizontal	Pass
3	7598.025	50.98	74.0	23.02	Peak	234.00	200	Horizontal	Pass
3**	7598.025	41.03	54.0	12.97	AV	234.00	200	Horizontal	Pass
4	12456.951	52.04	74.0	21.96	Peak	318.00	100	Horizontal	Pass
4**	12456.951	42.88	54.0	11.12	AV	318.00	100	Horizontal	Pass
5	16098.083	53.05	74.0	20.95	Peak	74.00	300	Horizontal	Pass
5**	16098.083	47.12	54.0	6.88	AV	74.00	300	Horizontal	Pass
6	17417.893	58.41	74.0	15.59	Peak	100.00	300	Horizontal	Pass
6**	17417.893	44.85	54.0	9.15	AV	100.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.509	47.06	74.0	26.94	Peak	215.00	400	Vertical	Pass
1**	1333.509	32.03	54.0	21.97	AV	215.00	400	Vertical	Pass
2	1440.470	39.40	74.0	34.60	Peak	187.00	200	Vertical	Pass
2**	1440.470	36.25	54.0	17.75	AV	187.00	200	Vertical	Pass
3	4313.429	46.97	74.0	27.03	Peak	173.00	200	Vertical	Pass
3**	4313.429	41.24	54.0	12.76	AV	173.00	200	Vertical	Pass
4	7594.519	54.75	74.0	19.25	Peak	139.00	200	Vertical	Pass
4**	7594.519	41.63	54.0	12.37	AV	139.00	200	Vertical	Pass
5	12532.647	54.93	74.0	19.07	Peak	307.00	100	Vertical	Pass
5**	12532.647	46.57	54.0	7.43	AV	307.00	100	Vertical	Pass
6	15907.591	56.32	74.0	17.68	Peak	19.00	400	Vertical	Pass
6**	15907.591	43.59	54.0	10.41	AV	19.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.886	39.54	74.0	34.46	Peak	208.00	400	Horizontal	Pass
1**	1518.886	31.22	54.0	22.78	AV	208.00	400	Horizontal	Pass
2	4018.844	48.45	74.0	25.55	Peak	293.00	200	Horizontal	Pass
2**	4018.844	37.11	54.0	16.89	AV	293.00	200	Horizontal	Pass
3	7601.004	54.60	74.0	19.40	Peak	90.00	200	Horizontal	Pass
3**	7601.004	43.41	54.0	10.59	AV	90.00	200	Horizontal	Pass
4	12457.021	52.01	74.0	21.99	Peak	235.00	400	Horizontal	Pass
4**	12457.021	46.97	54.0	7.03	AV	235.00	400	Horizontal	Pass
5	16092.339	55.69	74.0	18.31	Peak	355.00	300	Horizontal	Pass
5**	16092.339	45.51	54.0	8.49	AV	355.00	300	Horizontal	Pass
6	17423.240	57.32	74.0	16.68	Peak	355.00	200	Horizontal	Pass
6**	17423.240	46.46	54.0	7.54	AV	355.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.282	47.25	74.0	26.75	Peak	6.00	400	Vertical	Pass
1**	1333.282	33.67	54.0	20.33	AV	6.00	400	Vertical	Pass
2	1444.014	43.32	74.0	30.68	Peak	250.00	100	Vertical	Pass
2**	1444.014	37.58	54.0	16.42	AV	250.00	100	Vertical	Pass
3	4310.910	50.36	74.0	23.64	Peak	243.00	200	Vertical	Pass
3**	4310.910	41.19	54.0	12.81	AV	243.00	200	Vertical	Pass
4	7592.279	51.11	74.0	22.89	Peak	99.00	300	Vertical	Pass
4**	7592.279	45.91	54.0	8.09	AV	99.00	300	Vertical	Pass
5	12535.055	53.01	74.0	20.99	Peak	65.00	200	Vertical	Pass
5**	12535.055	46.11	54.0	7.89	AV	65.00	200	Vertical	Pass
6	15902.772	53.66	74.0	20.34	Peak	206.00	300	Vertical	Pass
6**	15902.772	45.75	54.0	8.25	AV	206.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.656	37.50	74.0	36.50	Peak	194.00	200	Horizontal	Pass
1**	1518.656	30.73	54.0	23.27	AV	194.00	200	Horizontal	Pass
2	4018.671	50.11	74.0	23.89	Peak	83.00	200	Horizontal	Pass
2**	4018.671	37.89	54.0	16.11	AV	83.00	200	Horizontal	Pass
3	7595.105	53.12	74.0	20.88	Peak	28.00	200	Horizontal	Pass
3**	7595.105	46.03	54.0	7.97	AV	28.00	200	Horizontal	Pass
4	12459.463	54.89	74.0	19.11	Peak	6.00	400	Horizontal	Pass
4**	12459.463	44.77	54.0	9.23	AV	6.00	400	Horizontal	Pass
5	16095.699	53.69	74.0	20.31	Peak	195.00	400	Horizontal	Pass
5**	16095.699	47.70	54.0	6.30	AV	195.00	400	Horizontal	Pass
6	17422.850	57.39	74.0	16.61	Peak	153.00	300	Horizontal	Pass
6**	17422.850	47.14	54.0	6.86	AV	153.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.399	45.64	74.0	28.36	Peak	229.00	200	Vertical	Pass
1**	1335.399	32.01	54.0	21.99	AV	229.00	200	Vertical	Pass
2	1442.483	41.85	74.0	32.15	Peak	29.00	100	Vertical	Pass
2**	1442.483	35.84	54.0	18.16	AV	29.00	100	Vertical	Pass
3	4311.580	44.57	74.0	29.43	Peak	264.00	200	Vertical	Pass
3**	4311.580	39.20	54.0	14.80	AV	264.00	200	Vertical	Pass
4	7590.748	55.71	74.0	18.29	Peak	182.00	200	Vertical	Pass
4**	7590.748	44.65	54.0	9.35	AV	182.00	200	Vertical	Pass
5	12535.396	56.22	74.0	17.78	Peak	54.00	400	Vertical	Pass
5**	12535.396	42.55	54.0	11.45	AV	54.00	400	Vertical	Pass
6	15902.760	56.21	74.0	17.79	Peak	76.00	300	Vertical	Pass
6**	15902.760	45.61	54.0	8.39	AV	76.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.387	40.38	74.0	33.62	Peak	192.00	400	Horizontal	Pass
1**	1518.387	32.16	54.0	21.84	AV	192.00	400	Horizontal	Pass
2	4016.212	49.23	74.0	24.77	Peak	96.00	100	Horizontal	Pass
2**	4016.212	35.01	54.0	18.99	AV	96.00	100	Horizontal	Pass
3	7599.763	50.69	74.0	23.31	Peak	312.00	200	Horizontal	Pass
3**	7599.763	46.10	54.0	7.90	AV	312.00	200	Horizontal	Pass
4	12453.381	55.60	74.0	18.40	Peak	195.00	200	Horizontal	Pass
4**	12453.381	42.52	54.0	11.48	AV	195.00	200	Horizontal	Pass
5	16095.706	53.50	74.0	20.50	Peak	303.00	100	Horizontal	Pass
5**	16095.706	47.50	54.0	6.50	AV	303.00	100	Horizontal	Pass
6	17415.838	53.54	74.0	20.46	Peak	279.00	400	Horizontal	Pass
6**	17415.838	50.19	54.0	3.81	AV	279.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.362	46.30	74.0	27.70	Peak	276.00	400	Vertical	Pass
1**	1331.362	34.77	54.0	19.23	AV	276.00	400	Vertical	Pass
2	1443.368	42.53	74.0	31.47	Peak	153.00	100	Vertical	Pass
2**	1443.368	37.61	54.0	16.39	AV	153.00	100	Vertical	Pass
3	4312.755	45.48	74.0	28.52	Peak	127.00	200	Vertical	Pass
3**	4312.755	41.39	54.0	12.61	AV	127.00	200	Vertical	Pass
4	7595.980	54.43	74.0	19.57	Peak	102.00	300	Vertical	Pass
4**	7595.980	44.59	54.0	9.41	AV	102.00	300	Vertical	Pass
5	12536.817	52.59	74.0	21.41	Peak	134.00	400	Vertical	Pass
5**	12536.817	44.21	54.0	9.79	AV	134.00	400	Vertical	Pass
6	15906.874	52.05	74.0	21.95	Peak	263.00	300	Vertical	Pass
6**	15906.874	47.09	54.0	6.91	AV	263.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.029	37.53	74.0	36.47	Peak	161.00	200	Horizontal	Pass
1**	1524.029	30.97	54.0	23.03	AV	161.00	200	Horizontal	Pass
2	4021.224	45.72	74.0	28.28	Peak	167.00	100	Horizontal	Pass
2**	4021.224	39.02	54.0	14.98	AV	167.00	100	Horizontal	Pass
3	7595.673	54.83	74.0	19.17	Peak	204.00	200	Horizontal	Pass
3**	7595.673	44.52	54.0	9.48	AV	204.00	200	Horizontal	Pass
4	12457.002	54.64	74.0	19.36	Peak	256.00	200	Horizontal	Pass
4**	12457.002	45.53	54.0	8.47	AV	256.00	200	Horizontal	Pass
5	16091.877	52.13	74.0	21.87	Peak	42.00	400	Horizontal	Pass
5**	16091.877	42.51	54.0	11.49	AV	42.00	400	Horizontal	Pass
6	17419.608	58.66	74.0	15.34	Peak	132.00	400	Horizontal	Pass
6**	17419.608	48.98	54.0	5.02	AV	132.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.312	43.84	74.0	30.16	Peak	114.00	200	Vertical	Pass
1**	1330.312	31.21	54.0	22.79	AV	114.00	200	Vertical	Pass
2	1443.232	42.70	74.0	31.30	Peak	130.00	300	Vertical	Pass
2**	1443.232	34.87	54.0	19.13	AV	130.00	300	Vertical	Pass
3	4313.036	45.85	74.0	28.15	Peak	342.00	200	Vertical	Pass
3**	4313.036	39.78	54.0	14.22	AV	342.00	200	Vertical	Pass
4	7596.987	50.39	74.0	23.61	Peak	174.00	300	Vertical	Pass
4**	7596.987	41.74	54.0	12.26	AV	174.00	300	Vertical	Pass
5	12536.666	55.02	74.0	18.98	Peak	258.00	100	Vertical	Pass
5**	12536.666	46.64	54.0	7.36	AV	258.00	100	Vertical	Pass
6	15904.001	52.19	74.0	21.81	Peak	285.00	100	Vertical	Pass
6**	15904.001	48.44	54.0	5.56	AV	285.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.492	37.19	74.0	36.81	Peak	35.00	300	Horizontal	Pass
1**	1517.492	29.30	54.0	24.70	AV	35.00	300	Horizontal	Pass
2	4020.441	44.34	74.0	29.66	Peak	192.00	400	Horizontal	Pass
2**	4020.441	37.56	54.0	16.44	AV	192.00	400	Horizontal	Pass
3	7598.776	54.08	74.0	19.92	Peak	95.00	200	Horizontal	Pass
3**	7598.776	45.30	54.0	8.70	AV	95.00	200	Horizontal	Pass
4	12455.495	54.22	74.0	19.78	Peak	267.00	200	Horizontal	Pass
4**	12455.495	45.56	54.0	8.44	AV	267.00	200	Horizontal	Pass
5	16096.866	51.71	74.0	22.29	Peak	278.00	100	Horizontal	Pass
5**	16096.866	47.24	54.0	6.76	AV	278.00	100	Horizontal	Pass
6	17421.960	59.02	74.0	14.98	Peak	125.00	300	Horizontal	Pass
6**	17421.960	46.33	54.0	7.67	AV	125.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.745	42.36	74.0	31.64	Peak	353.00	400	Vertical	Pass
1**	1336.745	34.92	54.0	19.08	AV	353.00	400	Vertical	Pass
2	1438.159	41.95	74.0	32.05	Peak	131.00	300	Vertical	Pass
2**	1438.159	35.47	54.0	18.53	AV	131.00	300	Vertical	Pass
3	4309.290	45.94	74.0	28.06	Peak	19.00	200	Vertical	Pass
3**	4309.290	39.71	54.0	14.29	AV	19.00	200	Vertical	Pass
4	7591.116	55.28	74.0	18.72	Peak	43.00	300	Vertical	Pass
4**	7591.116	46.14	54.0	7.86	AV	43.00	300	Vertical	Pass
5	12533.216	56.04	74.0	17.96	Peak	46.00	300	Vertical	Pass
5**	12533.216	42.63	54.0	11.37	AV	46.00	300	Vertical	Pass
6	15907.332	57.24	74.0	16.76	Peak	279.00	400	Vertical	Pass
6**	15907.332	46.25	54.0	7.75	AV	279.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.041	39.64	74.0	34.36	Peak	196.00	200	Horizontal	Pass
1**	1518.041	30.48	54.0	23.52	AV	196.00	200	Horizontal	Pass
2	4021.486	48.54	74.0	25.46	Peak	240.00	300	Horizontal	Pass
2**	4021.486	39.53	54.0	14.47	AV	240.00	300	Horizontal	Pass
3	7598.415	55.88	74.0	18.12	Peak	269.00	200	Horizontal	Pass
3**	7598.415	42.79	54.0	11.21	AV	269.00	200	Horizontal	Pass
4	12452.875	51.13	74.0	22.87	Peak	23.00	200	Horizontal	Pass
4**	12452.875	44.06	54.0	9.94	AV	23.00	200	Horizontal	Pass
5	16095.662	55.74	74.0	18.26	Peak	76.00	400	Horizontal	Pass
5**	16095.662	46.09	54.0	7.91	AV	76.00	400	Horizontal	Pass
6	17417.297	57.20	74.0	16.80	Peak	56.00	400	Horizontal	Pass
6**	17417.297	47.47	54.0	6.53	AV	56.00	400	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.173	41.55	74.0	32.45	Peak	18.00	400	Vertical	Pass
1**	1331.173	34.79	54.0	19.21	AV	18.00	400	Vertical	Pass
2	1442.985	43.54	74.0	30.46	Peak	251.00	400	Vertical	Pass
2**	1442.985	38.41	54.0	15.59	AV	251.00	400	Vertical	Pass
3	4308.539	49.10	74.0	24.90	Peak	271.00	200	Vertical	Pass
3**	4308.539	37.90	54.0	16.10	AV	271.00	200	Vertical	Pass
4	7592.235	51.64	74.0	22.36	Peak	6.00	200	Vertical	Pass
4**	7592.235	44.48	54.0	9.52	AV	6.00	200	Vertical	Pass
5	12535.242	54.70	74.0	19.30	Peak	190.00	200	Vertical	Pass
5**	12535.242	41.72	54.0	12.28	AV	190.00	200	Vertical	Pass
6	15904.185	55.73	74.0	18.27	Peak	251.00	200	Vertical	Pass
6**	15904.185	43.16	54.0	10.84	AV	251.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.904	40.05	74.0	33.95	Peak	29.00	200	Horizontal	Pass
1**	1518.904	26.77	54.0	27.23	AV	29.00	200	Horizontal	Pass
2	4018.995	48.29	74.0	25.71	Peak	86.00	400	Horizontal	Pass
2**	4018.995	39.71	54.0	14.29	AV	86.00	400	Horizontal	Pass
3	7598.578	50.44	74.0	23.56	Peak	150.00	200	Horizontal	Pass
3**	7598.578	40.88	54.0	13.12	AV	150.00	200	Horizontal	Pass
4	12453.849	56.15	74.0	17.85	Peak	64.00	100	Horizontal	Pass
4**	12453.849	44.33	54.0	9.67	AV	64.00	100	Horizontal	Pass
5	16098.639	55.47	74.0	18.53	Peak	290.00	200	Horizontal	Pass
5**	16098.639	42.17	54.0	11.83	AV	290.00	200	Horizontal	Pass
6	17418.379	56.14	74.0	17.86	Peak	233.00	400	Horizontal	Pass
6**	17418.379	47.99	54.0	6.01	AV	233.00	400	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.128	47.37	74.0	26.63	Peak	310.00	300	Vertical	Pass
1**	1330.128	32.35	54.0	21.65	AV	310.00	300	Vertical	Pass
2	1441.054	40.87	74.0	33.13	Peak	280.00	200	Vertical	Pass
2**	1441.054	39.23	54.0	14.77	AV	280.00	200	Vertical	Pass
3	4307.769	44.90	74.0	29.10	Peak	357.00	200	Vertical	Pass
3**	4307.769	37.89	54.0	16.11	AV	357.00	200	Vertical	Pass
4	7597.470	51.24	74.0	22.76	Peak	214.00	300	Vertical	Pass
4**	7597.470	46.09	54.0	7.91	AV	214.00	300	Vertical	Pass
5	12532.156	53.78	74.0	20.22	Peak	256.00	300	Vertical	Pass
5**	12532.156	43.77	54.0	10.23	AV	256.00	300	Vertical	Pass
6	15904.060	53.63	74.0	20.37	Peak	126.00	100	Vertical	Pass
6**	15904.060	48.40	54.0	5.60	AV	126.00	100	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.070	36.33	74.0	37.67	Peak	89.00	200	Horizontal	Pass
1**	1522.070	27.73	54.0	26.27	AV	89.00	200	Horizontal	Pass
2	4018.714	47.89	74.0	26.11	Peak	3.00	200	Horizontal	Pass
2**	4018.714	39.62	54.0	14.38	AV	3.00	200	Horizontal	Pass
3	7595.451	52.35	74.0	21.65	Peak	100.00	200	Horizontal	Pass
3**	7595.451	43.61	54.0	10.39	AV	100.00	200	Horizontal	Pass
4	12457.879	55.02	74.0	18.98	Peak	244.00	300	Horizontal	Pass
4**	12457.879	44.92	54.0	9.08	AV	244.00	300	Horizontal	Pass
5	16097.106	51.77	74.0	22.23	Peak	82.00	200	Horizontal	Pass
5**	16097.106	42.38	54.0	11.62	AV	82.00	200	Horizontal	Pass
6	17418.532	57.19	74.0	16.81	Peak	111.00	100	Horizontal	Pass
6**	17418.532	48.04	54.0	5.96	AV	111.00	100	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.693	45.03	74.0	28.97	Peak	148.00	200	Vertical	Pass
1**	1332.693	35.33	54.0	18.67	AV	148.00	200	Vertical	Pass
2	1439.068	43.50	74.0	30.50	Peak	186.00	100	Vertical	Pass
2**	1439.068	39.17	54.0	14.83	AV	186.00	100	Vertical	Pass
3	4308.372	45.00	74.0	29.00	Peak	34.00	200	Vertical	Pass
3**	4308.372	35.56	54.0	18.44	AV	34.00	200	Vertical	Pass
4	7593.571	50.78	74.0	23.22	Peak	82.00	400	Vertical	Pass
4**	7593.571	45.30	54.0	8.70	AV	82.00	400	Vertical	Pass
5	12536.040	54.51	74.0	19.49	Peak	294.00	300	Vertical	Pass
5**	12536.040	42.65	54.0	11.35	AV	294.00	300	Vertical	Pass
6	15903.190	52.05	74.0	21.95	Peak	143.00	300	Vertical	Pass
6**	15903.190	45.62	54.0	8.38	AV	143.00	300	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.249	37.22	74.0	36.78	Peak	208.00	100	Horizontal	Pass
1**	1523.249	28.51	54.0	25.49	AV	208.00	100	Horizontal	Pass
2	4018.377	48.45	74.0	25.55	Peak	1.00	200	Horizontal	Pass
2**	4018.377	34.24	54.0	19.76	AV	1.00	200	Horizontal	Pass
3	7596.568	53.23	74.0	20.77	Peak	143.00	200	Horizontal	Pass
3**	7596.568	43.95	54.0	10.05	AV	143.00	200	Horizontal	Pass
4	12458.183	56.43	74.0	17.57	Peak	131.00	200	Horizontal	Pass
4**	12458.183	46.44	54.0	7.56	AV	131.00	200	Horizontal	Pass
5	16095.078	55.95	74.0	18.05	Peak	233.00	100	Horizontal	Pass
5**	16095.078	44.93	54.0	9.07	AV	233.00	100	Horizontal	Pass
6	17422.565	55.85	74.0	18.15	Peak	176.00	200	Horizontal	Pass
6**	17422.565	44.37	54.0	9.63	AV	176.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.219	46.89	74.0	27.11	Peak	162.00	200	Vertical	Pass
1**	1331.219	34.42	54.0	19.58	AV	162.00	200	Vertical	Pass
2	1440.856	39.90	74.0	34.10	Peak	276.00	300	Vertical	Pass
2**	1440.856	36.65	54.0	17.35	AV	276.00	300	Vertical	Pass
3	4309.186	48.31	74.0	25.69	Peak	318.00	200	Vertical	Pass
3**	4309.186	35.93	54.0	18.07	AV	318.00	200	Vertical	Pass
4	7590.986	50.14	74.0	23.86	Peak	291.00	400	Vertical	Pass
4**	7590.986	44.09	54.0	9.91	AV	291.00	400	Vertical	Pass
5	12531.527	56.19	74.0	17.81	Peak	17.00	400	Vertical	Pass
5**	12531.527	45.39	54.0	8.61	AV	17.00	400	Vertical	Pass
6	15904.002	53.26	74.0	20.74	Peak	75.00	100	Vertical	Pass
6**	15904.002	45.55	54.0	8.45	AV	75.00	100	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.311	39.36	74.0	34.64	Peak	166.00	100	Horizontal	Pass
1**	1517.311	28.63	54.0	25.37	AV	166.00	100	Horizontal	Pass
2	4018.753	47.47	74.0	26.53	Peak	8.00	300	Horizontal	Pass
2**	4018.753	38.47	54.0	15.53	AV	8.00	300	Horizontal	Pass
3	7599.244	53.44	74.0	20.56	Peak	97.00	200	Horizontal	Pass
3**	7599.244	43.82	54.0	10.18	AV	97.00	200	Horizontal	Pass
4	12457.075	52.36	74.0	21.64	Peak	118.00	400	Horizontal	Pass
4**	12457.075	41.91	54.0	12.09	AV	118.00	400	Horizontal	Pass
5	16091.835	51.14	74.0	22.86	Peak	139.00	400	Horizontal	Pass
5**	16091.835	47.48	54.0	6.52	AV	139.00	400	Horizontal	Pass
6	17421.472	57.86	74.0	16.14	Peak	197.00	100	Horizontal	Pass
6**	17421.472	50.18	54.0	3.82	AV	197.00	100	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.581	42.67	74.0	31.33	Peak	319.00	200	Vertical	Pass
1**	1331.581	32.69	54.0	21.31	AV	319.00	200	Vertical	Pass
2	1438.422	41.00	74.0	33.00	Peak	198.00	400	Vertical	Pass
2**	1438.422	36.01	54.0	17.99	AV	198.00	400	Vertical	Pass
3	4307.424	46.32	74.0	27.68	Peak	289.00	200	Vertical	Pass
3**	4307.424	38.10	54.0	15.90	AV	289.00	200	Vertical	Pass
4	7592.379	52.96	74.0	21.04	Peak	287.00	300	Vertical	Pass
4**	7592.379	43.41	54.0	10.59	AV	287.00	300	Vertical	Pass
5	12534.033	52.69	74.0	21.31	Peak	27.00	400	Vertical	Pass
5**	12534.033	40.87	54.0	13.13	AV	27.00	400	Vertical	Pass
6	15903.039	52.52	74.0	21.48	Peak	53.00	200	Vertical	Pass
6**	15903.039	45.14	54.0	8.86	AV	53.00	200	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.611	43.23	88.2	44.97	Peak	99.00	100	Horizontal	Pass
1**	2100.611	33.56	68.2	34.64	AV	99.00	100	Horizontal	Pass
2	4809.527	51.90	74.0	22.10	Peak	127.00	300	Horizontal	Pass
2**	4809.527	42.23	54.0	11.77	AV	127.00	300	Horizontal	Pass
3	4902.386	50.46	74.0	23.54	Peak	32.00	200	Horizontal	Pass
3**	4902.386	39.57	54.0	14.43	AV	32.00	200	Horizontal	Pass
4	7956.147	55.59	88.2	32.61	Peak	80.00	300	Horizontal	Pass
4**	7956.147	46.35	68.2	21.85	AV	80.00	300	Horizontal	Pass
5	14440.339	56.01	88.2	32.19	Peak	126.00	300	Horizontal	Pass
5**	14440.339	48.34	68.2	19.86	AV	126.00	300	Horizontal	Pass
6	17430.537	54.80	88.2	33.40	Peak	266.00	300	Horizontal	Pass
6**	17430.537	48.28	68.2	19.92	AV	266.00	300	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.278	41.05	74.0	32.95	Peak	150.00	200	Vertical	Pass
1**	1529.278	31.18	54.0	22.82	AV	150.00	200	Vertical	Pass
2	2333.710	44.18	74.0	29.82	Peak	202.00	100	Vertical	Pass
2**	2333.710	33.71	54.0	20.29	AV	202.00	100	Vertical	Pass
3	4900.694	51.59	74.0	22.41	Peak	45.00	200	Vertical	Pass
3**	4900.694	41.90	54.0	12.10	AV	45.00	200	Vertical	Pass
4	7328.463	51.38	74.0	22.62	Peak	334.00	300	Vertical	Pass
4**	7328.463	43.07	54.0	10.93	AV	334.00	300	Vertical	Pass
5	12484.060	50.09	74.0	23.91	Peak	277.00	400	Vertical	Pass
5**	12484.060	45.08	54.0	8.92	AV	277.00	400	Vertical	Pass
6	15693.121	56.80	74.0	17.20	Peak	48.00	300	Vertical	Pass
6**	15693.121	46.13	54.0	7.87	AV	48.00	300	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.557	44.42	88.2	43.78	Peak	185.00	400	Horizontal	Pass
1**	2098.557	31.69	68.2	36.51	AV	185.00	400	Horizontal	Pass
2	4810.838	50.05	74.0	23.95	Peak	303.00	300	Horizontal	Pass
2**	4810.838	43.38	54.0	10.62	AV	303.00	300	Horizontal	Pass
3	4902.658	52.54	74.0	21.46	Peak	261.00	200	Horizontal	Pass
3**	4902.658	40.35	54.0	13.65	AV	261.00	200	Horizontal	Pass
4	7957.150	55.50	88.2	32.70	Peak	271.00	200	Horizontal	Pass
4**	7957.150	41.88	68.2	26.32	AV	271.00	200	Horizontal	Pass
5	14443.035	53.80	88.2	34.40	Peak	269.00	100	Horizontal	Pass
5**	14443.035	42.72	68.2	25.48	AV	269.00	100	Horizontal	Pass
6	17432.012	56.99	88.2	31.21	Peak	15.00	300	Horizontal	Pass
6**	17432.012	46.89	68.2	21.31	AV	15.00	300	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.251	39.75	74.0	34.25	Peak	300.00	300	Vertical	Pass
1**	1528.251	31.26	54.0	22.74	AV	300.00	300	Vertical	Pass
2	2333.806	42.93	74.0	31.07	Peak	112.00	200	Vertical	Pass
2**	2333.806	35.70	54.0	18.30	AV	112.00	200	Vertical	Pass
3	4901.560	50.21	74.0	23.79	Peak	75.00	200	Vertical	Pass
3**	4901.560	37.81	54.0	16.19	AV	75.00	200	Vertical	Pass
4	7331.204	51.58	74.0	22.42	Peak	67.00	200	Vertical	Pass
4**	7331.204	43.18	54.0	10.82	AV	67.00	200	Vertical	Pass
5	12485.266	54.51	74.0	19.49	Peak	341.00	100	Vertical	Pass
5**	12485.266	46.40	54.0	7.60	AV	341.00	100	Vertical	Pass
6	15687.742	51.22	74.0	22.78	Peak	331.00	300	Vertical	Pass
6**	15687.742	42.99	54.0	11.01	AV	331.00	300	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.977	39.76	88.2	48.44	Peak	129.00	400	Horizontal	Pass
1**	2098.977	30.19	68.2	38.01	AV	129.00	400	Horizontal	Pass
2	4814.495	47.64	74.0	26.36	Peak	194.00	400	Horizontal	Pass
2**	4814.495	40.94	54.0	13.06	AV	194.00	400	Horizontal	Pass
3	4900.854	48.08	74.0	25.92	Peak	207.00	200	Horizontal	Pass
3**	4900.854	37.40	54.0	16.60	AV	207.00	200	Horizontal	Pass
4	7955.093	52.09	88.2	36.11	Peak	126.00	100	Horizontal	Pass
4**	7955.093	44.93	68.2	23.27	AV	126.00	100	Horizontal	Pass
5	14438.289	55.70	88.2	32.50	Peak	30.00	100	Horizontal	Pass
5**	14438.289	47.91	68.2	20.29	AV	30.00	100	Horizontal	Pass
6	17433.144	56.84	88.2	31.36	Peak	44.00	300	Horizontal	Pass
6**	17433.144	44.72	68.2	23.48	AV	44.00	300	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.325	41.18	74.0	32.82	Peak	285.00	100	Vertical	Pass
1**	1532.325	28.32	54.0	25.68	AV	285.00	100	Vertical	Pass
2	2335.244	42.46	74.0	31.54	Peak	238.00	100	Vertical	Pass
2**	2335.244	33.51	54.0	20.49	AV	238.00	100	Vertical	Pass
3	4898.817	48.58	74.0	25.42	Peak	295.00	200	Vertical	Pass
3**	4898.817	40.48	54.0	13.52	AV	295.00	200	Vertical	Pass
4	7325.685	53.80	74.0	20.20	Peak	279.00	300	Vertical	Pass
4**	7325.685	46.63	54.0	7.37	AV	279.00	300	Vertical	Pass
5	12487.460	52.33	74.0	21.67	Peak	112.00	300	Vertical	Pass
5**	12487.460	42.99	54.0	11.01	AV	112.00	300	Vertical	Pass
6	15690.074	52.30	74.0	21.70	Peak	173.00	100	Vertical	Pass
6**	15690.074	42.99	54.0	11.01	AV	173.00	100	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.565	42.29	88.2	45.91	Peak	94.00	300	Horizontal	Pass
1**	2100.565	30.27	68.2	37.93	AV	94.00	300	Horizontal	Pass
2	4814.716	47.70	74.0	26.30	Peak	124.00	100	Horizontal	Pass
2**	4814.716	40.27	54.0	13.73	AV	124.00	100	Horizontal	Pass
3	4902.912	50.22	74.0	23.78	Peak	247.00	200	Horizontal	Pass
3**	4902.912	41.75	54.0	12.25	AV	247.00	200	Horizontal	Pass
4	7951.639	53.27	88.2	34.93	Peak	103.00	200	Horizontal	Pass
4**	7951.639	42.74	68.2	25.46	AV	103.00	200	Horizontal	Pass
5	14443.458	57.67	88.2	30.53	Peak	217.00	300	Horizontal	Pass
5**	14443.458	42.58	68.2	25.62	AV	217.00	300	Horizontal	Pass
6	17435.576	56.10	88.2	32.10	Peak	190.00	200	Horizontal	Pass
6**	17435.576	44.58	68.2	23.62	AV	190.00	200	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.672	41.46	74.0	32.54	Peak	214.00	300	Vertical	Pass
1**	1529.672	28.56	54.0	25.44	AV	214.00	300	Vertical	Pass
2	2335.941	43.94	74.0	30.06	Peak	202.00	100	Vertical	Pass
2**	2335.941	36.91	54.0	17.09	AV	202.00	100	Vertical	Pass
3	4900.812	48.45	74.0	25.55	Peak	247.00	200	Vertical	Pass
3**	4900.812	39.78	54.0	14.22	AV	247.00	200	Vertical	Pass
4	7328.105	55.33	74.0	18.67	Peak	0.00	100	Vertical	Pass
4**	7328.105	41.49	54.0	12.51	AV	0.00	100	Vertical	Pass
5	12490.151	54.87	74.0	19.13	Peak	143.00	300	Vertical	Pass
5**	12490.151	46.93	54.0	7.07	AV	143.00	300	Vertical	Pass
6	15687.363	52.51	74.0	21.49	Peak	125.00	100	Vertical	Pass
6**	15687.363	47.37	54.0	6.63	AV	125.00	100	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.728	43.85	88.2	44.35	Peak	304.00	100	Horizontal	Pass
1**	2098.728	35.51	68.2	32.69	AV	304.00	100	Horizontal	Pass
2	4810.583	47.85	74.0	26.15	Peak	343.00	100	Horizontal	Pass
2**	4810.583	39.59	54.0	14.41	AV	343.00	100	Horizontal	Pass
3	4901.584	48.45	74.0	25.55	Peak	163.00	200	Horizontal	Pass
3**	4901.584	38.44	54.0	15.56	AV	163.00	200	Horizontal	Pass
4	7951.336	53.55	88.2	34.65	Peak	281.00	200	Horizontal	Pass
4**	7951.336	46.47	68.2	21.73	AV	281.00	200	Horizontal	Pass
5	14440.532	52.58	88.2	35.62	Peak	115.00	400	Horizontal	Pass
5**	14440.532	46.78	68.2	21.42	AV	115.00	400	Horizontal	Pass
6	17430.224	56.41	88.2	31.79	Peak	310.00	100	Horizontal	Pass
6**	17430.224	46.55	68.2	21.65	AV	310.00	100	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.413	36.62	74.0	37.38	Peak	273.00	200	Vertical	Pass
1**	1531.413	25.61	54.0	28.39	AV	273.00	200	Vertical	Pass
2	2331.536	41.57	74.0	32.43	Peak	21.00	400	Vertical	Pass
2**	2331.536	36.58	54.0	17.42	AV	21.00	400	Vertical	Pass
3	4900.227	47.59	74.0	26.41	Peak	234.00	200	Vertical	Pass
3**	4900.227	40.22	54.0	13.78	AV	234.00	200	Vertical	Pass
4	7329.433	51.96	74.0	22.04	Peak	132.00	200	Vertical	Pass
4**	7329.433	45.48	54.0	8.52	AV	132.00	200	Vertical	Pass
5	12490.202	53.32	74.0	20.68	Peak	62.00	400	Vertical	Pass
5**	12490.202	45.18	54.0	8.82	AV	62.00	400	Vertical	Pass
6	15693.491	51.20	74.0	22.80	Peak	16.00	300	Vertical	Pass
6**	15693.491	47.43	54.0	6.57	AV	16.00	300	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.171	44.02	88.2	44.18	Peak	313.00	300	Horizontal	Pass
1**	2100.171	29.75	68.2	38.45	AV	313.00	300	Horizontal	Pass
2	4813.388	52.03	74.0	21.97	Peak	159.00	400	Horizontal	Pass
2**	4813.388	42.03	54.0	11.97	AV	159.00	400	Horizontal	Pass
3	4901.764	52.24	74.0	21.76	Peak	305.00	200	Horizontal	Pass
3**	4901.764	42.58	54.0	11.42	AV	305.00	200	Horizontal	Pass
4	7954.504	56.62	88.2	31.58	Peak	269.00	200	Horizontal	Pass
4**	7954.504	45.86	68.2	22.34	AV	269.00	200	Horizontal	Pass
5	14442.873	53.29	88.2	34.91	Peak	288.00	400	Horizontal	Pass
5**	14442.873	46.34	68.2	21.86	AV	288.00	400	Horizontal	Pass
6	17435.422	55.93	88.2	32.27	Peak	153.00	400	Horizontal	Pass
6**	17435.422	45.54	68.2	22.66	AV	153.00	400	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.726	37.22	74.0	36.78	Peak	109.00	200	Vertical	Pass
1**	1530.726	31.50	54.0	22.50	AV	109.00	200	Vertical	Pass
2	2332.906	46.92	74.0	27.08	Peak	360.00	100	Vertical	Pass
2**	2332.906	33.21	54.0	20.79	AV	360.00	100	Vertical	Pass
3	4901.157	49.67	74.0	24.33	Peak	158.00	200	Vertical	Pass
3**	4901.157	37.41	54.0	16.59	AV	158.00	200	Vertical	Pass
4	7330.167	52.51	74.0	21.49	Peak	43.00	200	Vertical	Pass
4**	7330.167	43.39	54.0	10.61	AV	43.00	200	Vertical	Pass
5	12489.181	52.25	74.0	21.75	Peak	172.00	200	Vertical	Pass
5**	12489.181	42.10	54.0	11.90	AV	172.00	200	Vertical	Pass
6	15694.460	54.47	74.0	19.53	Peak	79.00	300	Vertical	Pass
6**	15694.460	42.50	54.0	11.50	AV	79.00	300	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.304	44.98	88.2	43.22	Peak	354.00	200	Horizontal	Pass
1**	2098.304	35.69	68.2	32.51	AV	354.00	200	Horizontal	Pass
2	4815.511	50.48	74.0	23.52	Peak	45.00	200	Horizontal	Pass
2**	4815.511	39.28	54.0	14.72	AV	45.00	200	Horizontal	Pass
3	4902.742	49.30	74.0	24.70	Peak	133.00	200	Horizontal	Pass
3**	4902.742	36.71	54.0	17.29	AV	133.00	200	Horizontal	Pass
4	7953.582	54.41	88.2	33.79	Peak	175.00	400	Horizontal	Pass
4**	7953.582	43.18	68.2	25.02	AV	175.00	400	Horizontal	Pass
5	14446.046	54.63	88.2	33.57	Peak	77.00	300	Horizontal	Pass
5**	14446.046	46.22	68.2	21.98	AV	77.00	300	Horizontal	Pass
6	17436.606	56.69	88.2	31.51	Peak	140.00	300	Horizontal	Pass
6**	17436.606	47.84	68.2	20.36	AV	140.00	300	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.173	40.39	74.0	33.61	Peak	245.00	400	Vertical	Pass
1**	1530.173	31.44	54.0	22.56	AV	245.00	400	Vertical	Pass
2	2333.416	44.24	74.0	29.76	Peak	193.00	100	Vertical	Pass
2**	2333.416	32.99	54.0	21.01	AV	193.00	100	Vertical	Pass
3	4902.696	49.78	74.0	24.22	Peak	75.00	200	Vertical	Pass
3**	4902.696	38.36	54.0	15.64	AV	75.00	200	Vertical	Pass
4	7329.388	55.00	74.0	19.00	Peak	1.00	100	Vertical	Pass
4**	7329.388	44.40	54.0	9.60	AV	1.00	100	Vertical	Pass
5	12483.554	54.80	74.0	19.20	Peak	285.00	200	Vertical	Pass
5**	12483.554	41.49	54.0	12.51	AV	285.00	200	Vertical	Pass
6	15690.814	54.46	74.0	19.54	Peak	313.00	100	Vertical	Pass
6**	15690.814	46.04	54.0	7.96	AV	313.00	100	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.198	43.23	88.2	44.97	Peak	191.00	300	Horizontal	Pass
1**	2098.198	33.80	68.2	34.40	AV	191.00	300	Horizontal	Pass
2	4809.507	51.33	74.0	22.67	Peak	10.00	200	Horizontal	Pass
2**	4809.507	39.68	54.0	14.32	AV	10.00	200	Horizontal	Pass
3	4901.443	47.49	74.0	26.51	Peak	67.00	200	Horizontal	Pass
3**	4901.443	41.32	54.0	12.68	AV	67.00	200	Horizontal	Pass
4	7953.130	51.04	88.2	37.16	Peak	220.00	300	Horizontal	Pass
4**	7953.130	44.30	68.2	23.90	AV	220.00	300	Horizontal	Pass
5	14442.758	58.16	88.2	30.04	Peak	259.00	100	Horizontal	Pass
5**	14442.758	45.05	68.2	23.15	AV	259.00	100	Horizontal	Pass
6	17436.688	52.18	88.2	36.02	Peak	81.00	300	Horizontal	Pass
6**	17436.688	48.25	68.2	19.95	AV	81.00	300	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.936	40.97	74.0	33.03	Peak	76.00	200	Vertical	Pass
1**	1533.936	27.86	54.0	26.14	AV	76.00	200	Vertical	Pass
2	2337.307	42.61	74.0	31.39	Peak	307.00	400	Vertical	Pass
2**	2337.307	34.73	54.0	19.27	AV	307.00	400	Vertical	Pass
3	4902.876	52.95	74.0	21.05	Peak	21.00	200	Vertical	Pass
3**	4902.876	41.31	54.0	12.69	AV	21.00	200	Vertical	Pass
4	7325.298	53.01	74.0	20.99	Peak	12.00	200	Vertical	Pass
4**	7325.298	43.40	54.0	10.60	AV	12.00	200	Vertical	Pass
5	12486.297	55.09	74.0	18.91	Peak	120.00	300	Vertical	Pass
5**	12486.297	44.23	54.0	9.77	AV	120.00	300	Vertical	Pass
6	15687.638	51.41	74.0	22.59	Peak	288.00	300	Vertical	Pass
6**	15687.638	45.13	54.0	8.87	AV	288.00	300	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.000	40.78	88.2	47.42	Peak	235.00	300	Horizontal	Pass
1**	2095.000	31.82	68.2	36.38	AV	235.00	300	Horizontal	Pass
2	4811.273	51.86	74.0	22.14	Peak	131.00	100	Horizontal	Pass
2**	4811.273	41.67	54.0	12.33	AV	131.00	100	Horizontal	Pass
3	4897.462	47.07	74.0	26.93	Peak	249.00	200	Horizontal	Pass
3**	4897.462	41.41	54.0	12.59	AV	249.00	200	Horizontal	Pass
4	7951.415	52.32	88.2	35.88	Peak	5.00	300	Horizontal	Pass
4**	7951.415	45.30	68.2	22.90	AV	5.00	300	Horizontal	Pass
5	14439.299	56.78	88.2	31.42	Peak	23.00	200	Horizontal	Pass
5**	14439.299	46.58	68.2	21.62	AV	23.00	200	Horizontal	Pass
6	17433.236	56.57	88.2	31.63	Peak	244.00	100	Horizontal	Pass
6**	17433.236	48.03	68.2	20.17	AV	244.00	100	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.667	39.87	74.0	34.13	Peak	177.00	200	Vertical	Pass
1**	1528.667	29.74	54.0	24.26	AV	177.00	200	Vertical	Pass
2	2334.360	44.23	74.0	29.77	Peak	304.00	400	Vertical	Pass
2**	2334.360	37.40	54.0	16.60	AV	304.00	400	Vertical	Pass
3	4902.836	52.35	74.0	21.65	Peak	299.00	200	Vertical	Pass
3**	4902.836	42.61	54.0	11.39	AV	299.00	200	Vertical	Pass
4	7331.100	52.02	74.0	21.98	Peak	140.00	400	Vertical	Pass
4**	7331.100	43.24	54.0	10.76	AV	140.00	400	Vertical	Pass
5	12487.099	51.62	74.0	22.38	Peak	286.00	200	Vertical	Pass
5**	12487.099	41.23	54.0	12.77	AV	286.00	200	Vertical	Pass
6	15688.487	56.19	74.0	17.81	Peak	294.00	200	Vertical	Pass
6**	15688.487	43.38	54.0	10.62	AV	294.00	200	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.292	39.48	88.2	48.72	Peak	239.00	200	Horizontal	Pass
1**	2095.292	31.03	68.2	37.17	AV	239.00	200	Horizontal	Pass
2	4814.206	48.83	74.0	25.17	Peak	160.00	300	Horizontal	Pass
2**	4814.206	39.56	54.0	14.44	AV	160.00	300	Horizontal	Pass
3	4899.393	51.26	74.0	22.74	Peak	242.00	200	Horizontal	Pass
3**	4899.393	38.22	54.0	15.78	AV	242.00	200	Horizontal	Pass
4	7953.707	55.78	88.2	32.42	Peak	257.00	200	Horizontal	Pass
4**	7953.707	46.84	68.2	21.36	AV	257.00	200	Horizontal	Pass
5	14438.724	53.33	88.2	34.87	Peak	262.00	100	Horizontal	Pass
5**	14438.724	46.81	68.2	21.39	AV	262.00	100	Horizontal	Pass
6	17435.684	56.42	88.2	31.78	Peak	300.00	100	Horizontal	Pass
6**	17435.684	48.44	68.2	19.76	AV	300.00	100	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.479	41.41	74.0	32.59	Peak	100.00	200	Vertical	Pass
1**	1526.479	28.21	54.0	25.79	AV	100.00	200	Vertical	Pass
2	2335.474	43.40	74.0	30.60	Peak	259.00	400	Vertical	Pass
2**	2335.474	35.82	54.0	18.18	AV	259.00	400	Vertical	Pass
3	4900.441	47.69	74.0	26.31	Peak	57.00	200	Vertical	Pass
3**	4900.441	38.93	54.0	15.07	AV	57.00	200	Vertical	Pass
4	7328.864	52.02	74.0	21.98	Peak	212.00	200	Vertical	Pass
4**	7328.864	43.33	54.0	10.67	AV	212.00	200	Vertical	Pass
5	12484.799	52.03	74.0	21.97	Peak	116.00	400	Vertical	Pass
5**	12484.799	44.89	54.0	9.11	AV	116.00	400	Vertical	Pass
6	15689.354	52.23	74.0	21.77	Peak	256.00	200	Vertical	Pass
6**	15689.354	43.12	54.0	10.88	AV	256.00	200	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.867	39.38	88.2	48.82	Peak	10.00	400	Horizontal	Pass
1**	2094.867	33.03	68.2	35.17	AV	10.00	400	Horizontal	Pass
2	4812.816	49.66	74.0	24.34	Peak	203.00	100	Horizontal	Pass
2**	4812.816	41.02	54.0	12.98	AV	203.00	100	Horizontal	Pass
3	4897.311	48.85	74.0	25.15	Peak	299.00	200	Horizontal	Pass
3**	4897.311	39.11	54.0	14.89	AV	299.00	200	Horizontal	Pass
4	7950.422	52.84	88.2	35.36	Peak	268.00	100	Horizontal	Pass
4**	7950.422	44.05	68.2	24.15	AV	268.00	100	Horizontal	Pass
5	14446.008	54.65	88.2	33.55	Peak	99.00	200	Horizontal	Pass
5**	14446.008	44.98	68.2	23.22	AV	99.00	200	Horizontal	Pass
6	17432.677	52.55	88.2	35.65	Peak	165.00	400	Horizontal	Pass
6**	17432.677	46.50	68.2	21.70	AV	165.00	400	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.733	36.48	74.0	37.52	Peak	305.00	200	Vertical	Pass
1**	1529.733	29.97	54.0	24.03	AV	305.00	200	Vertical	Pass
2	2337.909	44.20	74.0	29.80	Peak	14.00	200	Vertical	Pass
2**	2337.909	38.20	54.0	15.80	AV	14.00	200	Vertical	Pass
3	4898.303	52.82	74.0	21.18	Peak	30.00	200	Vertical	Pass
3**	4898.303	39.64	54.0	14.36	AV	30.00	200	Vertical	Pass
4	7326.914	50.99	74.0	23.01	Peak	331.00	200	Vertical	Pass
4**	7326.914	43.30	54.0	10.70	AV	331.00	200	Vertical	Pass
5	12487.015	53.76	74.0	20.24	Peak	178.00	200	Vertical	Pass
5**	12487.015	46.77	54.0	7.23	AV	178.00	200	Vertical	Pass
6	15687.484	51.20	74.0	22.80	Peak	14.00	200	Vertical	Pass
6**	15687.484	42.27	54.0	11.73	AV	14.00	200	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.360	41.30	88.2	46.90	Peak	123.00	100	Horizontal	Pass
1**	2095.360	30.41	68.2	37.79	AV	123.00	100	Horizontal	Pass
2	4811.580	48.60	74.0	25.40	Peak	188.00	100	Horizontal	Pass
2**	4811.580	41.60	54.0	12.40	AV	188.00	100	Horizontal	Pass
3	4903.592	48.30	74.0	25.70	Peak	258.00	200	Horizontal	Pass
3**	4903.592	39.24	54.0	14.76	AV	258.00	200	Horizontal	Pass
4	7952.697	54.36	88.2	33.84	Peak	296.00	300	Horizontal	Pass
4**	7952.697	44.98	68.2	23.22	AV	296.00	300	Horizontal	Pass
5	14441.397	54.19	88.2	34.01	Peak	340.00	200	Horizontal	Pass
5**	14441.397	47.61	68.2	20.59	AV	340.00	200	Horizontal	Pass
6	17437.008	53.25	88.2	34.95	Peak	262.00	100	Horizontal	Pass
6**	17437.008	46.03	68.2	22.17	AV	262.00	100	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.333	36.64	74.0	37.36	Peak	323.00	200	Vertical	Pass
1**	1531.333	28.16	54.0	25.84	AV	323.00	200	Vertical	Pass
2	2332.178	44.70	74.0	29.30	Peak	219.00	100	Vertical	Pass
2**	2332.178	34.95	54.0	19.05	AV	219.00	100	Vertical	Pass
3	4904.008	49.29	74.0	24.71	Peak	235.00	200	Vertical	Pass
3**	4904.008	41.88	54.0	12.12	AV	235.00	200	Vertical	Pass
4	7328.819	50.87	74.0	23.13	Peak	261.00	100	Vertical	Pass
4**	7328.819	41.73	54.0	12.27	AV	261.00	100	Vertical	Pass
5	12488.950	50.43	74.0	23.57	Peak	304.00	100	Vertical	Pass
5**	12488.950	44.86	54.0	9.14	AV	304.00	100	Vertical	Pass
6	15689.994	53.07	74.0	20.93	Peak	328.00	400	Vertical	Pass
6**	15689.994	45.64	54.0	8.36	AV	328.00	400	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.304	42.14	88.2	46.06	Peak	329.00	300	Horizontal	Pass
1**	2094.304	30.25	68.2	37.95	AV	329.00	300	Horizontal	Pass
2	4810.041	50.55	74.0	23.45	Peak	152.00	200	Horizontal	Pass
2**	4810.041	40.01	54.0	13.99	AV	152.00	200	Horizontal	Pass
3	4902.500	49.51	74.0	24.49	Peak	206.00	200	Horizontal	Pass
3**	4902.500	38.94	54.0	15.06	AV	206.00	200	Horizontal	Pass
4	7951.905	51.28	88.2	36.92	Peak	18.00	100	Horizontal	Pass
4**	7951.905	43.65	68.2	24.55	AV	18.00	100	Horizontal	Pass
5	14442.782	54.12	88.2	34.08	Peak	40.00	400	Horizontal	Pass
5**	14442.782	44.59	68.2	23.61	AV	40.00	400	Horizontal	Pass
6	17435.627	53.36	88.2	34.84	Peak	355.00	300	Horizontal	Pass
6**	17435.627	45.90	68.2	22.30	AV	355.00	300	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.722	38.06	74.0	35.94	Peak	34.00	400	Vertical	Pass
1**	1527.722	29.79	54.0	24.21	AV	34.00	400	Vertical	Pass
2	2335.543	44.54	74.0	29.46	Peak	257.00	100	Vertical	Pass
2**	2335.543	34.92	54.0	19.08	AV	257.00	100	Vertical	Pass
3	4902.241	52.15	74.0	21.85	Peak	347.00	200	Vertical	Pass
3**	4902.241	37.91	54.0	16.09	AV	347.00	200	Vertical	Pass
4	7329.695	50.62	74.0	23.38	Peak	251.00	300	Vertical	Pass
4**	7329.695	41.50	54.0	12.50	AV	251.00	300	Vertical	Pass
5	12485.375	50.27	74.0	23.73	Peak	290.00	400	Vertical	Pass
5**	12485.375	45.18	54.0	8.82	AV	290.00	400	Vertical	Pass
6	15693.258	54.60	74.0	19.40	Peak	75.00	300	Vertical	Pass
6**	15693.258	43.51	54.0	10.49	AV	75.00	300	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2101.125	43.87	88.2	44.33	Peak	102.00	200	Horizontal	Pass
1**	2101.125	32.37	68.2	35.83	AV	102.00	200	Horizontal	Pass
2	4808.353	50.48	74.0	23.52	Peak	279.00	300	Horizontal	Pass
2**	4808.353	43.32	54.0	10.68	AV	279.00	300	Horizontal	Pass
3	4896.700	51.94	74.0	22.06	Peak	40.00	200	Horizontal	Pass
3**	4896.700	42.57	54.0	11.43	AV	40.00	200	Horizontal	Pass
4	7953.584	54.06	88.2	34.14	Peak	218.00	400	Horizontal	Pass
4**	7953.584	41.44	68.2	26.76	AV	218.00	400	Horizontal	Pass
5	14442.703	53.91	88.2	34.29	Peak	184.00	200	Horizontal	Pass
5**	14442.703	46.07	68.2	22.13	AV	184.00	200	Horizontal	Pass
6	17434.307	54.49	88.2	33.71	Peak	230.00	200	Horizontal	Pass
6**	17434.307	45.82	68.2	22.38	AV	230.00	200	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.204	36.86	74.0	37.14	Peak	176.00	300	Vertical	Pass
1**	1533.204	31.35	54.0	22.65	AV	176.00	300	Vertical	Pass
2	2337.931	44.33	74.0	29.67	Peak	183.00	300	Vertical	Pass
2**	2337.931	37.98	54.0	16.02	AV	183.00	300	Vertical	Pass
3	4904.007	49.31	74.0	24.69	Peak	182.00	200	Vertical	Pass
3**	4904.007	38.81	54.0	15.19	AV	182.00	200	Vertical	Pass
4	7327.922	54.66	74.0	19.34	Peak	35.00	100	Vertical	Pass
4**	7327.922	40.98	54.0	13.02	AV	35.00	100	Vertical	Pass
5	12482.913	50.05	74.0	23.95	Peak	167.00	400	Vertical	Pass
5**	12482.913	44.43	54.0	9.57	AV	167.00	400	Vertical	Pass
6	15694.780	53.49	74.0	20.51	Peak	244.00	300	Vertical	Pass
6**	15694.780	42.17	54.0	11.83	AV	244.00	300	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.967	40.30	88.2	47.90	Peak	170.00	300	Horizontal	Pass
1**	2096.967	30.20	68.2	38.00	AV	170.00	300	Horizontal	Pass
2	4810.618	47.95	74.0	26.05	Peak	186.00	100	Horizontal	Pass
2**	4810.618	40.55	54.0	13.45	AV	186.00	100	Horizontal	Pass
3	4903.675	52.90	74.0	21.10	Peak	37.00	200	Horizontal	Pass
3**	4903.675	36.99	54.0	17.01	AV	37.00	200	Horizontal	Pass
4	7951.825	52.41	88.2	35.79	Peak	318.00	300	Horizontal	Pass
4**	7951.825	41.80	68.2	26.40	AV	318.00	300	Horizontal	Pass
5	14444.725	57.88	88.2	30.32	Peak	141.00	400	Horizontal	Pass
5**	14444.725	42.63	68.2	25.57	AV	141.00	400	Horizontal	Pass
6	17436.451	54.05	88.2	34.15	Peak	269.00	200	Horizontal	Pass
6**	17436.451	45.25	68.2	22.95	AV	269.00	200	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.355	40.29	74.0	33.71	Peak	303.00	400	Vertical	Pass
1**	1533.355	29.38	54.0	24.62	AV	303.00	400	Vertical	Pass
2	2335.046	45.28	74.0	28.72	Peak	0.00	300	Vertical	Pass
2**	2335.046	36.34	54.0	17.66	AV	0.00	300	Vertical	Pass
3	4902.681	48.76	74.0	25.24	Peak	128.00	200	Vertical	Pass
3**	4902.681	40.50	54.0	13.50	AV	128.00	200	Vertical	Pass
4	7327.669	51.51	74.0	22.49	Peak	176.00	200	Vertical	Pass
4**	7327.669	46.32	54.0	7.68	AV	176.00	200	Vertical	Pass
5	12487.299	52.16	74.0	21.84	Peak	258.00	200	Vertical	Pass
5**	12487.299	42.49	54.0	11.51	AV	258.00	200	Vertical	Pass
6	15694.057	54.92	74.0	19.08	Peak	301.00	400	Vertical	Pass
6**	15694.057	46.87	54.0	7.13	AV	301.00	400	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.439	43.62	88.2	44.58	Peak	176.00	200	Horizontal	Pass
1**	2099.439	33.88	68.2	34.32	AV	176.00	200	Horizontal	Pass
2	4808.744	49.07	74.0	24.93	Peak	158.00	400	Horizontal	Pass
2**	4808.744	38.52	54.0	15.48	AV	158.00	400	Horizontal	Pass
3	4901.110	50.90	74.0	23.10	Peak	276.00	200	Horizontal	Pass
3**	4901.110	40.24	54.0	13.76	AV	276.00	200	Horizontal	Pass
4	7951.597	54.16	88.2	34.04	Peak	14.00	200	Horizontal	Pass
4**	7951.597	42.96	68.2	25.24	AV	14.00	200	Horizontal	Pass
5	14442.084	54.93	88.2	33.27	Peak	68.00	200	Horizontal	Pass
5**	14442.084	48.50	68.2	19.70	AV	68.00	200	Horizontal	Pass
6	17434.208	54.92	88.2	33.28	Peak	231.00	100	Horizontal	Pass
6**	17434.208	46.41	68.2	21.79	AV	231.00	100	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.543	41.49	74.0	32.51	Peak	173.00	100	Vertical	Pass
1**	1533.543	25.58	54.0	28.42	AV	173.00	100	Vertical	Pass
2	2332.138	46.94	74.0	27.06	Peak	218.00	100	Vertical	Pass
2**	2332.138	34.06	54.0	19.94	AV	218.00	100	Vertical	Pass
3	4898.723	48.05	74.0	25.95	Peak	357.00	200	Vertical	Pass
3**	4898.723	38.68	54.0	15.32	AV	357.00	200	Vertical	Pass
4	7324.447	51.82	74.0	22.18	Peak	167.00	100	Vertical	Pass
4**	7324.447	41.54	54.0	12.46	AV	167.00	100	Vertical	Pass
5	12483.309	50.27	74.0	23.73	Peak	183.00	300	Vertical	Pass
5**	12483.309	46.21	54.0	7.79	AV	183.00	300	Vertical	Pass
6	15692.671	54.13	74.0	19.87	Peak	24.00	200	Vertical	Pass
6**	15692.671	42.90	54.0	11.10	AV	24.00	200	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.557	42.41	88.2	45.79	Peak	39.00	200	Horizontal	Pass
1**	2095.557	30.24	68.2	37.96	AV	39.00	200	Horizontal	Pass
2	4808.935	47.62	74.0	26.38	Peak	94.00	100	Horizontal	Pass
2**	4808.935	43.48	54.0	10.52	AV	94.00	100	Horizontal	Pass
3	4901.813	48.56	74.0	25.44	Peak	72.00	200	Horizontal	Pass
3**	4901.813	38.05	54.0	15.95	AV	72.00	200	Horizontal	Pass
4	7954.974	56.07	88.2	32.13	Peak	288.00	100	Horizontal	Pass
4**	7954.974	42.61	68.2	25.59	AV	288.00	100	Horizontal	Pass
5	14444.371	56.80	88.2	31.40	Peak	10.00	300	Horizontal	Pass
5**	14444.371	45.06	68.2	23.14	AV	10.00	300	Horizontal	Pass
6	17433.529	56.86	88.2	31.34	Peak	204.00	400	Horizontal	Pass
6**	17433.529	43.31	68.2	24.89	AV	204.00	400	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.967	41.43	74.0	32.57	Peak	330.00	400	Vertical	Pass
1**	1533.967	29.67	54.0	24.33	AV	330.00	400	Vertical	Pass
2	2337.408	43.31	74.0	30.69	Peak	96.00	100	Vertical	Pass
2**	2337.408	35.74	54.0	18.26	AV	96.00	100	Vertical	Pass
3	4902.312	51.03	74.0	22.97	Peak	255.00	200	Vertical	Pass
3**	4902.312	39.32	54.0	14.68	AV	255.00	200	Vertical	Pass
4	7328.181	50.43	74.0	23.57	Peak	84.00	400	Vertical	Pass
4**	7328.181	44.86	54.0	9.14	AV	84.00	400	Vertical	Pass
5	12483.778	51.30	74.0	22.70	Peak	119.00	200	Vertical	Pass
5**	12483.778	43.52	54.0	10.48	AV	119.00	200	Vertical	Pass
6	15689.570	54.18	74.0	19.82	Peak	143.00	400	Vertical	Pass
6**	15689.570	42.78	54.0	11.22	AV	143.00	400	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.581	44.03	88.2	44.17	Peak	20.00	300	Horizontal	Pass
1**	2096.581	34.31	68.2	33.89	AV	20.00	300	Horizontal	Pass
2	4811.377	50.32	74.0	23.68	Peak	254.00	200	Horizontal	Pass
2**	4811.377	44.07	54.0	9.93	AV	254.00	200	Horizontal	Pass
3	4902.570	47.00	74.0	27.00	Peak	188.00	200	Horizontal	Pass
3**	4902.570	42.16	54.0	11.84	AV	188.00	200	Horizontal	Pass
4	7954.837	56.17	88.2	32.03	Peak	319.00	400	Horizontal	Pass
4**	7954.837	44.99	68.2	23.21	AV	319.00	400	Horizontal	Pass
5	14443.754	52.49	88.2	35.71	Peak	354.00	300	Horizontal	Pass
5**	14443.754	46.30	68.2	21.90	AV	354.00	300	Horizontal	Pass
6	17431.142	53.74	88.2	34.46	Peak	115.00	300	Horizontal	Pass
6**	17431.142	47.75	68.2	20.45	AV	115.00	300	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.952	37.07	74.0	36.93	Peak	156.00	300	Vertical	Pass
1**	1527.952	27.58	54.0	26.42	AV	156.00	300	Vertical	Pass
2	2333.230	44.54	74.0	29.46	Peak	115.00	200	Vertical	Pass
2**	2333.230	36.16	54.0	17.84	AV	115.00	200	Vertical	Pass
3	4899.664	49.57	74.0	24.43	Peak	222.00	200	Vertical	Pass
3**	4899.664	38.44	54.0	15.56	AV	222.00	200	Vertical	Pass
4	7324.098	55.08	74.0	18.92	Peak	295.00	400	Vertical	Pass
4**	7324.098	45.99	54.0	8.01	AV	295.00	400	Vertical	Pass
5	12485.509	51.34	74.0	22.66	Peak	299.00	400	Vertical	Pass
5**	12485.509	46.62	54.0	7.38	AV	299.00	400	Vertical	Pass
6	15690.027	51.19	74.0	22.81	Peak	92.00	100	Vertical	Pass
6**	15690.027	46.73	54.0	7.27	AV	92.00	100	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.436	39.52	88.2	48.68	Peak	254.00	100	Horizontal	Pass
1**	2093.436	31.17	68.2	37.03	AV	254.00	100	Horizontal	Pass
2	4808.606	47.97	74.0	26.03	Peak	252.00	200	Horizontal	Pass
2**	4808.606	43.31	54.0	10.69	AV	252.00	200	Horizontal	Pass
3	4903.422	50.14	74.0	23.86	Peak	228.00	200	Horizontal	Pass
3**	4903.422	40.24	54.0	13.76	AV	228.00	200	Horizontal	Pass
4	7952.908	55.66	88.2	32.54	Peak	351.00	400	Horizontal	Pass
4**	7952.908	42.00	68.2	26.20	AV	351.00	400	Horizontal	Pass
5	14444.878	56.64	88.2	31.56	Peak	186.00	200	Horizontal	Pass
5**	14444.878	48.13	68.2	20.07	AV	186.00	200	Horizontal	Pass
6	17432.198	54.59	88.2	33.61	Peak	91.00	300	Horizontal	Pass
6**	17432.198	44.49	68.2	23.71	AV	91.00	300	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.005	37.74	74.0	36.26	Peak	110.00	300	Vertical	Pass
1**	1531.005	25.99	54.0	28.01	AV	110.00	300	Vertical	Pass
2	2336.848	46.16	74.0	27.84	Peak	191.00	300	Vertical	Pass
2**	2336.848	38.33	54.0	15.67	AV	191.00	300	Vertical	Pass
3	4897.704	47.79	74.0	26.21	Peak	88.00	200	Vertical	Pass
3**	4897.704	41.85	54.0	12.15	AV	88.00	200	Vertical	Pass
4	7328.381	51.40	74.0	22.60	Peak	214.00	200	Vertical	Pass
4**	7328.381	44.07	54.0	9.93	AV	214.00	200	Vertical	Pass
5	12482.582	51.10	74.0	22.90	Peak	135.00	300	Vertical	Pass
5**	12482.582	45.69	54.0	8.31	AV	135.00	300	Vertical	Pass
6	15689.312	54.41	74.0	19.59	Peak	285.00	100	Vertical	Pass
6**	15689.312	43.62	54.0	10.38	AV	285.00	100	Vertical	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.138	39.14	88.2	49.06	Peak	86.00	100	Horizontal	Pass
1**	2096.138	29.81	68.2	38.39	AV	86.00	100	Horizontal	Pass
2	4812.888	46.94	74.0	27.06	Peak	116.00	300	Horizontal	Pass
2**	4812.888	41.41	54.0	12.59	AV	116.00	300	Horizontal	Pass
3	4897.705	49.18	74.0	24.82	Peak	108.00	200	Horizontal	Pass
3**	4897.705	42.29	54.0	11.71	AV	108.00	200	Horizontal	Pass
4	7956.824	55.59	88.2	32.61	Peak	284.00	200	Horizontal	Pass
4**	7956.824	41.67	68.2	26.53	AV	284.00	200	Horizontal	Pass
5	14439.631	56.20	88.2	32.00	Peak	267.00	100	Horizontal	Pass
5**	14439.631	48.17	68.2	20.03	AV	267.00	100	Horizontal	Pass
6	17437.100	52.52	88.2	35.68	Peak	179.00	100	Horizontal	Pass
6**	17437.100	47.95	68.2	20.25	AV	179.00	100	Horizontal	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.133	36.03	74.0	37.97	Peak	223.00	300	Vertical	Pass
1**	1532.133	29.92	54.0	24.08	AV	223.00	300	Vertical	Pass
2	2332.658	43.15	74.0	30.85	Peak	16.00	300	Vertical	Pass
2**	2332.658	32.43	54.0	21.57	AV	16.00	300	Vertical	Pass
3	4900.018	47.30	74.0	26.70	Peak	309.00	200	Vertical	Pass
3**	4900.018	41.87	54.0	12.13	AV	309.00	200	Vertical	Pass
4	7329.357	50.99	74.0	23.01	Peak	22.00	200	Vertical	Pass
4**	7329.357	43.22	54.0	10.78	AV	22.00	200	Vertical	Pass
5	12482.553	53.70	74.0	20.30	Peak	219.00	100	Vertical	Pass
5**	12482.553	43.52	54.0	10.48	AV	219.00	100	Vertical	Pass
6	15695.078	55.58	74.0	18.42	Peak	13.00	100	Vertical	Pass
6**	15695.078	42.41	54.0	11.59	AV	13.00	100	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.062	43.96	88.2	44.24	Peak	193.00	300	Horizontal	Pass
1**	2098.062	33.55	68.2	34.65	AV	193.00	300	Horizontal	Pass
2	4811.302	49.45	74.0	24.55	Peak	209.00	200	Horizontal	Pass
2**	4811.302	43.10	54.0	10.90	AV	209.00	200	Horizontal	Pass
3	4898.764	47.78	74.0	26.22	Peak	328.00	200	Horizontal	Pass
3**	4898.764	41.14	54.0	12.86	AV	328.00	200	Horizontal	Pass
4	7953.186	53.41	88.2	34.79	Peak	306.00	100	Horizontal	Pass
4**	7953.186	45.47	68.2	22.73	AV	306.00	100	Horizontal	Pass
5	14443.831	56.66	88.2	31.54	Peak	72.00	200	Horizontal	Pass
5**	14443.831	46.74	68.2	21.46	AV	72.00	200	Horizontal	Pass
6	17433.495	55.41	88.2	32.79	Peak	88.00	200	Horizontal	Pass
6**	17433.495	48.40	68.2	19.80	AV	88.00	200	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.361	40.74	74.0	33.26	Peak	88.00	300	Vertical	Pass
1**	1532.361	27.55	54.0	26.45	AV	88.00	300	Vertical	Pass
2	2336.521	43.38	74.0	30.62	Peak	267.00	200	Vertical	Pass
2**	2336.521	37.61	54.0	16.39	AV	267.00	200	Vertical	Pass
3	4900.893	50.43	74.0	23.57	Peak	93.00	200	Vertical	Pass
3**	4900.893	40.15	54.0	13.85	AV	93.00	200	Vertical	Pass
4	7330.892	52.73	74.0	21.27	Peak	112.00	400	Vertical	Pass
4**	7330.892	40.85	54.0	13.15	AV	112.00	400	Vertical	Pass
5	12490.046	50.91	74.0	23.09	Peak	300.00	300	Vertical	Pass
5**	12490.046	41.45	54.0	12.55	AV	300.00	300	Vertical	Pass
6	15688.052	53.78	74.0	20.22	Peak	236.00	200	Vertical	Pass
6**	15688.052	45.27	54.0	8.73	AV	236.00	200	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.383	41.07	88.2	47.13	Peak	319.00	300	Horizontal	Pass
1**	2097.383	33.18	68.2	35.02	AV	319.00	300	Horizontal	Pass
2	4811.594	52.42	74.0	21.58	Peak	113.00	100	Horizontal	Pass
2**	4811.594	39.04	54.0	14.96	AV	113.00	100	Horizontal	Pass
3	4899.855	50.10	74.0	23.90	Peak	64.00	200	Horizontal	Pass
3**	4899.855	36.87	54.0	17.13	AV	64.00	200	Horizontal	Pass
4	7954.264	53.67	88.2	34.53	Peak	107.00	200	Horizontal	Pass
4**	7954.264	45.32	68.2	22.88	AV	107.00	200	Horizontal	Pass
5	14439.753	56.74	88.2	31.46	Peak	288.00	100	Horizontal	Pass
5**	14439.753	43.18	68.2	25.02	AV	288.00	100	Horizontal	Pass
6	17434.593	57.73	88.2	30.47	Peak	223.00	200	Horizontal	Pass
6**	17434.593	46.75	68.2	21.45	AV	223.00	200	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.043	36.14	74.0	37.86	Peak	169.00	100	Vertical	Pass
1**	1528.043	28.13	54.0	25.87	AV	169.00	100	Vertical	Pass
2	2336.398	45.66	74.0	28.34	Peak	18.00	400	Vertical	Pass
2**	2336.398	36.76	54.0	17.24	AV	18.00	400	Vertical	Pass
3	4902.539	51.41	74.0	22.59	Peak	173.00	200	Vertical	Pass
3**	4902.539	42.66	54.0	11.34	AV	173.00	200	Vertical	Pass
4	7329.089	53.78	74.0	20.22	Peak	360.00	400	Vertical	Pass
4**	7329.089	45.57	54.0	8.43	AV	360.00	400	Vertical	Pass
5	12488.645	53.10	74.0	20.90	Peak	76.00	400	Vertical	Pass
5**	12488.645	45.10	54.0	8.90	AV	76.00	400	Vertical	Pass
6	15692.634	54.99	74.0	19.01	Peak	146.00	400	Vertical	Pass
6**	15692.634	42.07	54.0	11.93	AV	146.00	400	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.704	44.10	88.2	44.10	Peak	79.00	200	Horizontal	Pass
1**	2096.704	32.16	68.2	36.04	AV	79.00	200	Horizontal	Pass
2	4810.437	47.33	74.0	26.67	Peak	359.00	400	Horizontal	Pass
2**	4810.437	39.55	54.0	14.45	AV	359.00	400	Horizontal	Pass
3	4904.095	48.82	74.0	25.18	Peak	309.00	200	Horizontal	Pass
3**	4904.095	41.11	54.0	12.89	AV	309.00	200	Horizontal	Pass
4	7949.480	52.13	88.2	36.07	Peak	5.00	200	Horizontal	Pass
4**	7949.480	46.38	68.2	21.82	AV	5.00	200	Horizontal	Pass
5	14440.545	53.94	88.2	34.26	Peak	102.00	400	Horizontal	Pass
5**	14440.545	45.88	68.2	22.32	AV	102.00	400	Horizontal	Pass
6	17435.772	52.51	88.2	35.69	Peak	106.00	300	Horizontal	Pass
6**	17435.772	46.46	68.2	21.74	AV	106.00	300	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.771	37.96	74.0	36.04	Peak	47.00	300	Vertical	Pass
1**	1526.771	27.96	54.0	26.04	AV	47.00	300	Vertical	Pass
2	2331.840	46.04	74.0	27.96	Peak	189.00	300	Vertical	Pass
2**	2331.840	37.84	54.0	16.16	AV	189.00	300	Vertical	Pass
3	4897.256	49.32	74.0	24.68	Peak	170.00	200	Vertical	Pass
3**	4897.256	40.36	54.0	13.64	AV	170.00	200	Vertical	Pass
4	7331.005	51.47	74.0	22.53	Peak	300.00	300	Vertical	Pass
4**	7331.005	40.82	54.0	13.18	AV	300.00	300	Vertical	Pass
5	12483.732	52.97	74.0	21.03	Peak	225.00	400	Vertical	Pass
5**	12483.732	46.01	54.0	7.99	AV	225.00	400	Vertical	Pass
6	15693.790	51.69	74.0	22.31	Peak	181.00	100	Vertical	Pass
6**	15693.790	42.41	54.0	11.59	AV	181.00	100	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.790	43.24	88.2	44.96	Peak	124.00	200	Horizontal	Pass
1**	2097.790	33.10	68.2	35.10	AV	124.00	200	Horizontal	Pass
2	4814.463	47.11	74.0	26.89	Peak	312.00	300	Horizontal	Pass
2**	4814.463	41.81	54.0	12.19	AV	312.00	300	Horizontal	Pass
3	4897.054	51.49	74.0	22.51	Peak	181.00	200	Horizontal	Pass
3**	4897.054	42.23	54.0	11.77	AV	181.00	200	Horizontal	Pass
4	7956.169	52.09	88.2	36.11	Peak	327.00	300	Horizontal	Pass
4**	7956.169	45.52	68.2	22.68	AV	327.00	300	Horizontal	Pass
5	14441.511	57.89	88.2	30.31	Peak	80.00	300	Horizontal	Pass
5**	14441.511	46.30	68.2	21.90	AV	80.00	300	Horizontal	Pass
6	17435.518	53.52	88.2	34.68	Peak	343.00	100	Horizontal	Pass
6**	17435.518	43.91	68.2	24.29	AV	343.00	100	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.046	40.68	74.0	33.32	Peak	226.00	200	Vertical	Pass
1**	1530.046	25.80	54.0	28.20	AV	226.00	200	Vertical	Pass
2	2333.600	46.39	74.0	27.61	Peak	69.00	200	Vertical	Pass
2**	2333.600	33.01	54.0	20.99	AV	69.00	200	Vertical	Pass
3	4900.669	50.54	74.0	23.46	Peak	5.00	200	Vertical	Pass
3**	4900.669	39.56	54.0	14.44	AV	5.00	200	Vertical	Pass
4	7324.928	55.02	74.0	18.98	Peak	181.00	200	Vertical	Pass
4**	7324.928	46.26	54.0	7.74	AV	181.00	200	Vertical	Pass
5	12489.106	51.66	74.0	22.34	Peak	275.00	300	Vertical	Pass
5**	12489.106	42.31	54.0	11.69	AV	275.00	300	Vertical	Pass
6	15690.953	54.63	74.0	19.37	Peak	17.00	200	Vertical	Pass
6**	15690.953	45.79	54.0	8.21	AV	17.00	200	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.807	43.80	88.2	44.40	Peak	43.00	400	Horizontal	Pass
1**	2095.807	30.55	68.2	37.65	AV	43.00	400	Horizontal	Pass
2	4812.114	50.91	74.0	23.09	Peak	229.00	300	Horizontal	Pass
2**	4812.114	43.79	54.0	10.21	AV	229.00	300	Horizontal	Pass
3	4901.658	51.54	74.0	22.46	Peak	115.00	200	Horizontal	Pass
3**	4901.658	36.87	54.0	17.13	AV	115.00	200	Horizontal	Pass
4	7955.365	53.18	88.2	35.02	Peak	9.00	400	Horizontal	Pass
4**	7955.365	43.04	68.2	25.16	AV	9.00	400	Horizontal	Pass
5	14443.941	53.06	88.2	35.14	Peak	283.00	200	Horizontal	Pass
5**	14443.941	47.53	68.2	20.67	AV	283.00	200	Horizontal	Pass
6	17434.044	55.77	88.2	32.43	Peak	138.00	100	Horizontal	Pass
6**	17434.044	47.53	68.2	20.67	AV	138.00	100	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.665	36.39	74.0	37.61	Peak	273.00	200	Vertical	Pass
1**	1526.665	29.89	54.0	24.11	AV	273.00	200	Vertical	Pass
2	2335.835	41.81	74.0	32.19	Peak	58.00	200	Vertical	Pass
2**	2335.835	34.32	54.0	19.68	AV	58.00	200	Vertical	Pass
3	4901.521	52.54	74.0	21.46	Peak	119.00	200	Vertical	Pass
3**	4901.521	40.17	54.0	13.83	AV	119.00	200	Vertical	Pass
4	7326.524	51.20	74.0	22.80	Peak	254.00	100	Vertical	Pass
4**	7326.524	42.78	54.0	11.22	AV	254.00	100	Vertical	Pass
5	12488.499	52.84	74.0	21.16	Peak	48.00	400	Vertical	Pass
5**	12488.499	44.66	54.0	9.34	AV	48.00	400	Vertical	Pass
6	15688.663	53.98	74.0	20.02	Peak	222.00	300	Vertical	Pass
6**	15688.663	46.67	54.0	7.33	AV	222.00	300	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.810	43.17	88.2	45.03	Peak	114.00	100	Horizontal	Pass
1**	2094.810	35.34	68.2	32.86	AV	114.00	100	Horizontal	Pass
2	4815.032	48.66	74.0	25.34	Peak	259.00	100	Horizontal	Pass
2**	4815.032	40.05	54.0	13.95	AV	259.00	100	Horizontal	Pass
3	4897.883	51.64	74.0	22.36	Peak	72.00	200	Horizontal	Pass
3**	4897.883	39.32	54.0	14.68	AV	72.00	200	Horizontal	Pass
4	7951.259	53.94	88.2	34.26	Peak	161.00	100	Horizontal	Pass
4**	7951.259	41.30	68.2	26.90	AV	161.00	100	Horizontal	Pass
5	14439.683	56.62	88.2	31.58	Peak	41.00	200	Horizontal	Pass
5**	14439.683	42.77	68.2	25.43	AV	41.00	200	Horizontal	Pass
6	17434.836	54.34	88.2	33.86	Peak	211.00	400	Horizontal	Pass
6**	17434.836	46.69	68.2	21.51	AV	211.00	400	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.577	37.42	74.0	36.58	Peak	24.00	200	Vertical	Pass
1**	1528.577	27.99	54.0	26.01	AV	24.00	200	Vertical	Pass
2	2332.253	42.09	74.0	31.91	Peak	203.00	400	Vertical	Pass
2**	2332.253	36.45	54.0	17.55	AV	203.00	400	Vertical	Pass
3	4902.479	48.01	74.0	25.99	Peak	107.00	200	Vertical	Pass
3**	4902.479	41.79	54.0	12.21	AV	107.00	200	Vertical	Pass
4	7324.416	55.25	74.0	18.75	Peak	137.00	400	Vertical	Pass
4**	7324.416	45.85	54.0	8.15	AV	137.00	400	Vertical	Pass
5	12482.779	52.89	74.0	21.11	Peak	287.00	400	Vertical	Pass
5**	12482.779	45.43	54.0	8.57	AV	287.00	400	Vertical	Pass
6	15692.356	51.90	74.0	22.10	Peak	91.00	400	Vertical	Pass
6**	15692.356	44.86	54.0	9.14	AV	91.00	400	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.979	41.99	88.2	46.21	Peak	299.00	100	Horizontal	Pass
1**	2097.979	35.11	68.2	33.09	AV	299.00	100	Horizontal	Pass
2	4813.573	49.89	74.0	24.11	Peak	71.00	100	Horizontal	Pass
2**	4813.573	40.48	54.0	13.52	AV	71.00	100	Horizontal	Pass
3	4897.554	49.54	74.0	24.46	Peak	76.00	200	Horizontal	Pass
3**	4897.554	37.19	54.0	16.81	AV	76.00	200	Horizontal	Pass
4	7956.688	52.68	88.2	35.52	Peak	78.00	100	Horizontal	Pass
4**	7956.688	45.94	68.2	22.26	AV	78.00	100	Horizontal	Pass
5	14438.951	56.00	88.2	32.20	Peak	137.00	100	Horizontal	Pass
5**	14438.951	47.68	68.2	20.52	AV	137.00	100	Horizontal	Pass
6	17432.916	53.69	88.2	34.51	Peak	262.00	300	Horizontal	Pass
6**	17432.916	42.54	68.2	25.66	AV	262.00	300	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.409	39.50	74.0	34.50	Peak	168.00	200	Vertical	Pass
1**	1527.409	25.84	54.0	28.16	AV	168.00	200	Vertical	Pass
2	2333.495	45.31	74.0	28.69	Peak	299.00	100	Vertical	Pass
2**	2333.495	34.93	54.0	19.07	AV	299.00	100	Vertical	Pass
3	4896.412	50.57	74.0	23.43	Peak	84.00	200	Vertical	Pass
3**	4896.412	38.71	54.0	15.29	AV	84.00	200	Vertical	Pass
4	7327.682	54.69	74.0	19.31	Peak	21.00	100	Vertical	Pass
4**	7327.682	46.21	54.0	7.79	AV	21.00	100	Vertical	Pass
5	12489.998	50.88	74.0	23.12	Peak	306.00	400	Vertical	Pass
5**	12489.998	43.03	54.0	10.97	AV	306.00	400	Vertical	Pass
6	15689.776	55.21	74.0	18.79	Peak	305.00	300	Vertical	Pass
6**	15689.776	44.59	54.0	9.41	AV	305.00	300	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.562	40.62	88.2	47.58	Peak	275.00	400	Horizontal	Pass
1**	2099.562	31.13	68.2	37.07	AV	275.00	400	Horizontal	Pass
2	4813.543	52.04	74.0	21.96	Peak	34.00	100	Horizontal	Pass
2**	4813.543	39.72	54.0	14.28	AV	34.00	100	Horizontal	Pass
3	4903.009	49.75	74.0	24.25	Peak	60.00	200	Horizontal	Pass
3**	4903.009	38.60	54.0	15.40	AV	60.00	200	Horizontal	Pass
4	7953.328	56.29	88.2	31.91	Peak	341.00	200	Horizontal	Pass
4**	7953.328	42.84	68.2	25.36	AV	341.00	200	Horizontal	Pass
5	14439.115	56.41	88.2	31.79	Peak	286.00	300	Horizontal	Pass
5**	14439.115	48.54	68.2	19.66	AV	286.00	300	Horizontal	Pass
6	17431.139	57.26	88.2	30.94	Peak	176.00	200	Horizontal	Pass
6**	17431.139	46.86	68.2	21.34	AV	176.00	200	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.766	38.87	74.0	35.13	Peak	346.00	300	Vertical	Pass
1**	1532.766	29.20	54.0	24.80	AV	346.00	300	Vertical	Pass
2	2335.484	43.88	74.0	30.12	Peak	139.00	300	Vertical	Pass
2**	2335.484	33.28	54.0	20.72	AV	139.00	300	Vertical	Pass
3	4898.020	51.69	74.0	22.31	Peak	222.00	200	Vertical	Pass
3**	4898.020	41.10	54.0	12.90	AV	222.00	200	Vertical	Pass
4	7329.635	56.33	74.0	17.67	Peak	119.00	400	Vertical	Pass
4**	7329.635	43.61	54.0	10.39	AV	119.00	400	Vertical	Pass
5	12484.519	54.62	74.0	19.38	Peak	26.00	400	Vertical	Pass
5**	12484.519	44.95	54.0	9.05	AV	26.00	400	Vertical	Pass
6	15692.652	52.46	74.0	21.54	Peak	38.00	100	Vertical	Pass
6**	15692.652	43.78	54.0	10.22	AV	38.00	100	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.597	43.27	88.2	44.93	Peak	34.00	400	Horizontal	Pass
1**	2093.597	34.93	68.2	33.27	AV	34.00	400	Horizontal	Pass
2	4813.648	50.07	74.0	23.93	Peak	280.00	100	Horizontal	Pass
2**	4813.648	43.72	54.0	10.28	AV	280.00	100	Horizontal	Pass
3	4903.830	48.73	74.0	25.27	Peak	92.00	200	Horizontal	Pass
3**	4903.830	38.25	54.0	15.75	AV	92.00	200	Horizontal	Pass
4	7951.760	53.73	88.2	34.47	Peak	290.00	100	Horizontal	Pass
4**	7951.760	45.94	68.2	22.26	AV	290.00	100	Horizontal	Pass
5	14439.905	54.39	88.2	33.81	Peak	319.00	300	Horizontal	Pass
5**	14439.905	47.60	68.2	20.60	AV	319.00	300	Horizontal	Pass
6	17431.277	54.47	88.2	33.73	Peak	200.00	200	Horizontal	Pass
6**	17431.277	47.46	68.2	20.74	AV	200.00	200	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.909	40.44	74.0	33.56	Peak	19.00	400	Vertical	Pass
1**	1527.909	27.53	54.0	26.47	AV	19.00	400	Vertical	Pass
2	2338.936	44.95	74.0	29.05	Peak	197.00	400	Vertical	Pass
2**	2338.936	33.07	54.0	20.93	AV	197.00	400	Vertical	Pass
3	4899.533	52.90	74.0	21.10	Peak	148.00	200	Vertical	Pass
3**	4899.533	41.31	54.0	12.69	AV	148.00	200	Vertical	Pass
4	7327.753	50.40	74.0	23.60	Peak	109.00	200	Vertical	Pass
4**	7327.753	42.87	54.0	11.13	AV	109.00	200	Vertical	Pass
5	12484.606	54.00	74.0	20.00	Peak	237.00	100	Vertical	Pass
5**	12484.606	44.70	54.0	9.30	AV	237.00	100	Vertical	Pass
6	15687.637	55.70	74.0	18.30	Peak	142.00	400	Vertical	Pass
6**	15687.637	41.63	54.0	12.37	AV	142.00	400	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.680	43.03	88.2	45.17	Peak	25.00	100	Horizontal	Pass
1**	2096.680	33.64	68.2	34.56	AV	25.00	100	Horizontal	Pass
2	4812.545	51.32	74.0	22.68	Peak	337.00	300	Horizontal	Pass
2**	4812.545	40.25	54.0	13.75	AV	337.00	300	Horizontal	Pass
3	4898.569	49.04	74.0	24.96	Peak	322.00	200	Horizontal	Pass
3**	4898.569	40.90	54.0	13.10	AV	322.00	200	Horizontal	Pass
4	7956.960	54.38	88.2	33.82	Peak	97.00	400	Horizontal	Pass
4**	7956.960	43.13	68.2	25.07	AV	97.00	400	Horizontal	Pass
5	14441.851	52.34	88.2	35.86	Peak	350.00	200	Horizontal	Pass
5**	14441.851	46.11	68.2	22.09	AV	350.00	200	Horizontal	Pass
6	17434.615	53.79	88.2	34.41	Peak	150.00	100	Horizontal	Pass
6**	17434.615	44.70	68.2	23.50	AV	150.00	100	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.501	37.80	74.0	36.20	Peak	189.00	200	Vertical	Pass
1**	1529.501	26.96	54.0	27.04	AV	189.00	200	Vertical	Pass
2	2337.573	43.98	74.0	30.02	Peak	129.00	200	Vertical	Pass
2**	2337.573	36.89	54.0	17.11	AV	129.00	200	Vertical	Pass
3	4903.350	50.54	74.0	23.46	Peak	130.00	200	Vertical	Pass
3**	4903.350	40.04	54.0	13.96	AV	130.00	200	Vertical	Pass
4	7327.378	54.02	74.0	19.98	Peak	157.00	400	Vertical	Pass
4**	7327.378	43.09	54.0	10.91	AV	157.00	400	Vertical	Pass
5	12483.507	50.11	74.0	23.89	Peak	235.00	300	Vertical	Pass
5**	12483.507	45.07	54.0	8.93	AV	235.00	300	Vertical	Pass
6	15688.511	51.66	74.0	22.34	Peak	353.00	300	Vertical	Pass
6**	15688.511	47.05	54.0	6.95	AV	353.00	300	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.273	40.53	88.2	47.67	Peak	126.00	200	Horizontal	Pass
1**	2099.273	30.39	68.2	37.81	AV	126.00	200	Horizontal	Pass
2	4815.380	51.00	74.0	23.00	Peak	13.00	400	Horizontal	Pass
2**	4815.380	39.86	54.0	14.14	AV	13.00	400	Horizontal	Pass
3	4901.048	48.80	74.0	25.20	Peak	168.00	200	Horizontal	Pass
3**	4901.048	38.60	54.0	15.40	AV	168.00	200	Horizontal	Pass
4	7951.236	51.96	88.2	36.24	Peak	231.00	300	Horizontal	Pass
4**	7951.236	43.24	68.2	24.96	AV	231.00	300	Horizontal	Pass
5	14439.596	58.00	88.2	30.20	Peak	88.00	400	Horizontal	Pass
5**	14439.596	43.96	68.2	24.24	AV	88.00	400	Horizontal	Pass
6	17430.141	52.81	88.2	35.39	Peak	219.00	300	Horizontal	Pass
6**	17430.141	43.45	68.2	24.75	AV	219.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.027	37.55	74.0	36.45	Peak	275.00	400	Vertical	Pass
1**	1534.027	27.98	54.0	26.02	AV	275.00	400	Vertical	Pass
2	2335.522	44.14	74.0	29.86	Peak	209.00	100	Vertical	Pass
2**	2335.522	34.51	54.0	19.49	AV	209.00	100	Vertical	Pass
3	4902.257	51.95	74.0	22.05	Peak	347.00	200	Vertical	Pass
3**	4902.257	41.46	54.0	12.54	AV	347.00	200	Vertical	Pass
4	7328.318	51.27	74.0	22.73	Peak	141.00	300	Vertical	Pass
4**	7328.318	46.01	54.0	7.99	AV	141.00	300	Vertical	Pass
5	12484.140	52.85	74.0	21.15	Peak	250.00	100	Vertical	Pass
5**	12484.140	41.91	54.0	12.09	AV	250.00	100	Vertical	Pass
6	15687.625	56.15	74.0	17.85	Peak	155.00	400	Vertical	Pass
6**	15687.625	42.98	54.0	11.02	AV	155.00	400	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.948	43.56	88.2	44.64	Peak	9.00	100	Horizontal	Pass
1**	2095.948	33.12	68.2	35.08	AV	9.00	100	Horizontal	Pass
2	4811.274	52.42	74.0	21.58	Peak	208.00	100	Horizontal	Pass
2**	4811.274	39.63	54.0	14.37	AV	208.00	100	Horizontal	Pass
3	4900.502	49.08	74.0	24.92	Peak	64.00	200	Horizontal	Pass
3**	4900.502	40.61	54.0	13.39	AV	64.00	200	Horizontal	Pass
4	7956.094	54.57	88.2	33.63	Peak	116.00	400	Horizontal	Pass
4**	7956.094	44.01	68.2	24.19	AV	116.00	400	Horizontal	Pass
5	14440.991	53.59	88.2	34.61	Peak	302.00	300	Horizontal	Pass
5**	14440.991	44.92	68.2	23.28	AV	302.00	300	Horizontal	Pass
6	17430.878	54.81	88.2	33.39	Peak	107.00	300	Horizontal	Pass
6**	17430.878	42.77	68.2	25.43	AV	107.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.571	39.41	74.0	34.59	Peak	153.00	100	Vertical	Pass
1**	1531.571	30.90	54.0	23.10	AV	153.00	100	Vertical	Pass
2	2334.274	46.52	74.0	27.48	Peak	142.00	100	Vertical	Pass
2**	2334.274	34.47	54.0	19.53	AV	142.00	100	Vertical	Pass
3	4898.903	47.61	74.0	26.39	Peak	1.00	200	Vertical	Pass
3**	4898.903	41.50	54.0	12.50	AV	1.00	200	Vertical	Pass
4	7324.145	56.36	74.0	17.64	Peak	308.00	100	Vertical	Pass
4**	7324.145	45.19	54.0	8.81	AV	308.00	100	Vertical	Pass
5	12489.697	53.06	74.0	20.94	Peak	155.00	200	Vertical	Pass
5**	12489.697	45.11	54.0	8.89	AV	155.00	200	Vertical	Pass
6	15690.096	52.45	74.0	21.55	Peak	120.00	400	Vertical	Pass
6**	15690.096	44.61	54.0	9.39	AV	120.00	400	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.998	44.76	88.2	43.44	Peak	261.00	100	Horizontal	Pass
1**	2095.998	33.30	68.2	34.90	AV	261.00	100	Horizontal	Pass
2	4811.865	48.12	74.0	25.88	Peak	58.00	100	Horizontal	Pass
2**	4811.865	42.18	54.0	11.82	AV	58.00	100	Horizontal	Pass
3	4899.700	47.23	74.0	26.77	Peak	224.00	200	Horizontal	Pass
3**	4899.700	38.82	54.0	15.18	AV	224.00	200	Horizontal	Pass
4	7952.187	56.90	88.2	31.30	Peak	358.00	200	Horizontal	Pass
4**	7952.187	43.82	68.2	24.38	AV	358.00	200	Horizontal	Pass
5	14439.881	52.41	88.2	35.79	Peak	300.00	300	Horizontal	Pass
5**	14439.881	47.57	68.2	20.63	AV	300.00	300	Horizontal	Pass
6	17435.867	52.85	88.2	35.35	Peak	238.00	300	Horizontal	Pass
6**	17435.867	43.50	68.2	24.70	AV	238.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.989	39.08	74.0	34.92	Peak	252.00	300	Vertical	Pass
1**	1532.989	26.16	54.0	27.84	AV	252.00	300	Vertical	Pass
2	2338.413	41.64	74.0	32.36	Peak	124.00	100	Vertical	Pass
2**	2338.413	32.80	54.0	21.20	AV	124.00	100	Vertical	Pass
3	4901.774	49.18	74.0	24.82	Peak	323.00	200	Vertical	Pass
3**	4901.774	41.74	54.0	12.26	AV	323.00	200	Vertical	Pass
4	7330.196	54.35	74.0	19.65	Peak	75.00	200	Vertical	Pass
4**	7330.196	41.60	54.0	12.40	AV	75.00	200	Vertical	Pass
5	12487.195	54.28	74.0	19.72	Peak	150.00	300	Vertical	Pass
5**	12487.195	46.97	54.0	7.03	AV	150.00	300	Vertical	Pass
6	15692.417	56.20	74.0	17.80	Peak	327.00	100	Vertical	Pass
6**	15692.417	45.72	54.0	8.28	AV	327.00	100	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.548	40.14	88.2	48.06	Peak	7.00	400	Horizontal	Pass
1**	2098.548	33.89	68.2	34.31	AV	7.00	400	Horizontal	Pass
2	4810.312	50.43	74.0	23.57	Peak	299.00	300	Horizontal	Pass
2**	4810.312	43.72	54.0	10.28	AV	299.00	300	Horizontal	Pass
3	4903.927	52.76	74.0	21.24	Peak	174.00	200	Horizontal	Pass
3**	4903.927	41.89	54.0	12.11	AV	174.00	200	Horizontal	Pass
4	7957.176	52.05	88.2	36.15	Peak	131.00	100	Horizontal	Pass
4**	7957.176	46.46	68.2	21.74	AV	131.00	100	Horizontal	Pass
5	14441.120	52.83	88.2	35.37	Peak	259.00	100	Horizontal	Pass
5**	14441.120	48.08	68.2	20.12	AV	259.00	100	Horizontal	Pass
6	17437.565	52.12	88.2	36.08	Peak	255.00	200	Horizontal	Pass
6**	17437.565	45.94	68.2	22.26	AV	255.00	200	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.230	38.57	74.0	35.43	Peak	151.00	400	Vertical	Pass
1**	1530.230	25.65	54.0	28.35	AV	151.00	400	Vertical	Pass
2	2337.607	45.89	74.0	28.11	Peak	64.00	400	Vertical	Pass
2**	2337.607	36.03	54.0	17.97	AV	64.00	400	Vertical	Pass
3	4900.031	50.55	74.0	23.45	Peak	339.00	200	Vertical	Pass
3**	4900.031	40.40	54.0	13.60	AV	339.00	200	Vertical	Pass
4	7327.006	54.62	74.0	19.38	Peak	332.00	100	Vertical	Pass
4**	7327.006	43.22	54.0	10.78	AV	332.00	100	Vertical	Pass
5	12488.932	53.40	74.0	20.60	Peak	90.00	200	Vertical	Pass
5**	12488.932	45.58	54.0	8.42	AV	90.00	200	Vertical	Pass
6	15688.312	51.53	74.0	22.47	Peak	155.00	200	Vertical	Pass
6**	15688.312	42.68	54.0	11.32	AV	155.00	200	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.341	44.36	88.2	43.84	Peak	306.00	300	Horizontal	Pass
1**	2096.341	32.40	68.2	35.80	AV	306.00	300	Horizontal	Pass
2	4809.137	52.26	74.0	21.74	Peak	131.00	200	Horizontal	Pass
2**	4809.137	41.97	54.0	12.03	AV	131.00	200	Horizontal	Pass
3	4896.637	50.62	74.0	23.38	Peak	89.00	200	Horizontal	Pass
3**	4896.637	41.52	54.0	12.48	AV	89.00	200	Horizontal	Pass
4	7951.844	55.91	88.2	32.29	Peak	15.00	400	Horizontal	Pass
4**	7951.844	44.31	68.2	23.89	AV	15.00	400	Horizontal	Pass
5	14439.656	53.98	88.2	34.22	Peak	33.00	400	Horizontal	Pass
5**	14439.656	42.57	68.2	25.63	AV	33.00	400	Horizontal	Pass
6	17432.402	52.37	88.2	35.83	Peak	306.00	300	Horizontal	Pass
6**	17432.402	45.57	68.2	22.63	AV	306.00	300	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.074	41.20	74.0	32.80	Peak	260.00	400	Vertical	Pass
1**	1529.074	27.83	54.0	26.17	AV	260.00	400	Vertical	Pass
2	2336.818	42.14	74.0	31.86	Peak	151.00	200	Vertical	Pass
2**	2336.818	36.36	54.0	17.64	AV	151.00	200	Vertical	Pass
3	4897.115	52.26	74.0	21.74	Peak	145.00	200	Vertical	Pass
3**	4897.115	40.94	54.0	13.06	AV	145.00	200	Vertical	Pass
4	7326.051	52.20	74.0	21.80	Peak	102.00	200	Vertical	Pass
4**	7326.051	45.32	54.0	8.68	AV	102.00	200	Vertical	Pass
5	12485.813	52.05	74.0	21.95	Peak	98.00	100	Vertical	Pass
5**	12485.813	42.70	54.0	11.30	AV	98.00	100	Vertical	Pass
6	15690.161	55.88	74.0	18.12	Peak	274.00	300	Vertical	Pass
6**	15690.161	45.14	54.0	8.86	AV	274.00	300	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.174	42.20	88.2	46.00	Peak	278.00	300	Horizontal	Pass
1**	2099.174	30.28	68.2	37.92	AV	278.00	300	Horizontal	Pass
2	4810.853	51.34	74.0	22.66	Peak	90.00	300	Horizontal	Pass
2**	4810.853	40.68	54.0	13.32	AV	90.00	300	Horizontal	Pass
3	4903.591	49.08	74.0	24.92	Peak	212.00	200	Horizontal	Pass
3**	4903.591	37.68	54.0	16.32	AV	212.00	200	Horizontal	Pass
4	7952.459	53.07	88.2	35.13	Peak	301.00	300	Horizontal	Pass
4**	7952.459	41.88	68.2	26.32	AV	301.00	300	Horizontal	Pass
5	14438.249	56.59	88.2	31.61	Peak	239.00	300	Horizontal	Pass
5**	14438.249	44.34	68.2	23.86	AV	239.00	300	Horizontal	Pass
6	17430.132	54.86	88.2	33.34	Peak	246.00	100	Horizontal	Pass
6**	17430.132	44.70	68.2	23.50	AV	246.00	100	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.514	38.38	74.0	35.62	Peak	117.00	200	Vertical	Pass
1**	1530.514	26.36	54.0	27.64	AV	117.00	200	Vertical	Pass
2	2336.268	44.68	74.0	29.32	Peak	360.00	400	Vertical	Pass
2**	2336.268	37.20	54.0	16.80	AV	360.00	400	Vertical	Pass
3	4902.294	47.32	74.0	26.68	Peak	316.00	200	Vertical	Pass
3**	4902.294	37.17	54.0	16.83	AV	316.00	200	Vertical	Pass
4	7328.792	53.70	74.0	20.30	Peak	171.00	300	Vertical	Pass
4**	7328.792	45.05	54.0	8.95	AV	171.00	300	Vertical	Pass
5	12489.601	55.97	74.0	18.03	Peak	178.00	100	Vertical	Pass
5**	12489.601	41.42	54.0	12.58	AV	178.00	100	Vertical	Pass
6	15690.276	54.53	74.0	19.47	Peak	275.00	300	Vertical	Pass
6**	15690.276	43.92	54.0	10.08	AV	275.00	300	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2100.124	39.52	88.2	48.68	Peak	176.00	200	Horizontal	Pass
1**	2100.124	31.91	68.2	36.29	AV	176.00	200	Horizontal	Pass
2	4812.610	47.35	74.0	26.65	Peak	248.00	100	Horizontal	Pass
2**	4812.610	39.54	54.0	14.46	AV	248.00	100	Horizontal	Pass
3	4904.099	51.68	74.0	22.32	Peak	56.00	200	Horizontal	Pass
3**	4904.099	37.20	54.0	16.80	AV	56.00	200	Horizontal	Pass
4	7949.825	52.20	88.2	36.00	Peak	18.00	400	Horizontal	Pass
4**	7949.825	46.72	68.2	21.48	AV	18.00	400	Horizontal	Pass
5	14444.101	57.63	88.2	30.57	Peak	71.00	400	Horizontal	Pass
5**	14444.101	42.65	68.2	25.55	AV	71.00	400	Horizontal	Pass
6	17433.033	54.21	88.2	33.99	Peak	135.00	200	Horizontal	Pass
6**	17433.033	43.08	68.2	25.12	AV	135.00	200	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.149	40.21	74.0	33.79	Peak	88.00	300	Vertical	Pass
1**	1529.149	27.75	54.0	26.25	AV	88.00	300	Vertical	Pass
2	2334.504	42.72	74.0	31.28	Peak	347.00	400	Vertical	Pass
2**	2334.504	33.51	54.0	20.49	AV	347.00	400	Vertical	Pass
3	4899.522	49.28	74.0	24.72	Peak	29.00	200	Vertical	Pass
3**	4899.522	37.67	54.0	16.33	AV	29.00	200	Vertical	Pass
4	7325.374	51.84	74.0	22.16	Peak	137.00	300	Vertical	Pass
4**	7325.374	45.84	54.0	8.16	AV	137.00	300	Vertical	Pass
5	12483.579	53.94	74.0	20.06	Peak	229.00	400	Vertical	Pass
5**	12483.579	42.69	54.0	11.31	AV	229.00	400	Vertical	Pass
6	15687.898	53.11	74.0	20.89	Peak	7.00	100	Vertical	Pass
6**	15687.898	44.52	54.0	9.48	AV	7.00	100	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.785	40.67	88.2	47.53	Peak	234.00	300	Horizontal	Pass
1**	2099.785	30.09	68.2	38.11	AV	234.00	300	Horizontal	Pass
2	4810.886	49.30	74.0	24.70	Peak	161.00	100	Horizontal	Pass
2**	4810.886	38.58	54.0	15.42	AV	161.00	100	Horizontal	Pass
3	4900.276	47.28	74.0	26.72	Peak	60.00	200	Horizontal	Pass
3**	4900.276	38.16	54.0	15.84	AV	60.00	200	Horizontal	Pass
4	7950.415	53.20	88.2	35.00	Peak	234.00	400	Horizontal	Pass
4**	7950.415	46.00	68.2	22.20	AV	234.00	400	Horizontal	Pass
5	14441.194	56.10	88.2	32.10	Peak	240.00	300	Horizontal	Pass
5**	14441.194	44.74	68.2	23.46	AV	240.00	300	Horizontal	Pass
6	17437.032	54.50	88.2	33.70	Peak	39.00	100	Horizontal	Pass
6**	17437.032	43.06	68.2	25.14	AV	39.00	100	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.336	40.65	74.0	33.35	Peak	97.00	300	Vertical	Pass
1**	1531.336	30.30	54.0	23.70	AV	97.00	300	Vertical	Pass
2	2332.392	44.99	74.0	29.01	Peak	96.00	300	Vertical	Pass
2**	2332.392	32.74	54.0	21.26	AV	96.00	300	Vertical	Pass
3	4900.005	49.57	74.0	24.43	Peak	241.00	200	Vertical	Pass
3**	4900.005	36.75	54.0	17.25	AV	241.00	200	Vertical	Pass
4	7324.460	51.75	74.0	22.25	Peak	56.00	400	Vertical	Pass
4**	7324.460	43.25	54.0	10.75	AV	56.00	400	Vertical	Pass
5	12490.342	55.53	74.0	18.47	Peak	298.00	300	Vertical	Pass
5**	12490.342	41.25	54.0	12.75	AV	298.00	300	Vertical	Pass
6	15688.304	55.51	74.0	18.49	Peak	9.00	100	Vertical	Pass
6**	15688.304	44.77	54.0	9.23	AV	9.00	100	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2101.095	39.50	88.2	48.70	Peak	175.00	200	Horizontal	Pass
1**	2101.095	30.12	68.2	38.08	AV	175.00	200	Horizontal	Pass
2	4814.343	50.77	74.0	23.23	Peak	82.00	200	Horizontal	Pass
2**	4814.343	43.02	54.0	10.98	AV	82.00	200	Horizontal	Pass
3	4903.273	48.81	74.0	25.19	Peak	319.00	200	Horizontal	Pass
3**	4903.273	38.26	54.0	15.74	AV	319.00	200	Horizontal	Pass
4	7950.209	51.14	88.2	37.06	Peak	183.00	400	Horizontal	Pass
4**	7950.209	41.28	68.2	26.92	AV	183.00	400	Horizontal	Pass
5	14446.028	53.94	88.2	34.26	Peak	330.00	300	Horizontal	Pass
5**	14446.028	42.87	68.2	25.33	AV	330.00	300	Horizontal	Pass
6	17431.034	52.39	88.2	35.81	Peak	316.00	400	Horizontal	Pass
6**	17431.034	43.20	68.2	25.00	AV	316.00	400	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.441	40.07	74.0	33.93	Peak	64.00	100	Vertical	Pass
1**	1533.441	25.53	54.0	28.47	AV	64.00	100	Vertical	Pass
2	2337.993	43.27	74.0	30.73	Peak	286.00	100	Vertical	Pass
2**	2337.993	35.77	54.0	18.23	AV	286.00	100	Vertical	Pass
3	4903.135	52.71	74.0	21.29	Peak	123.00	200	Vertical	Pass
3**	4903.135	38.62	54.0	15.38	AV	123.00	200	Vertical	Pass
4	7324.867	53.65	74.0	20.35	Peak	261.00	200	Vertical	Pass
4**	7324.867	44.30	54.0	9.70	AV	261.00	200	Vertical	Pass
5	12488.541	55.84	74.0	18.16	Peak	179.00	400	Vertical	Pass
5**	12488.541	43.89	54.0	10.11	AV	179.00	400	Vertical	Pass
6	15692.408	51.45	74.0	22.55	Peak	291.00	400	Vertical	Pass
6**	15692.408	45.44	54.0	8.56	AV	291.00	400	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.060	44.56	88.2	43.64	Peak	76.00	100	Horizontal	Pass
1**	2097.060	31.42	68.2	36.78	AV	76.00	100	Horizontal	Pass
2	4808.829	47.76	74.0	26.24	Peak	281.00	300	Horizontal	Pass
2**	4808.829	38.28	54.0	15.72	AV	281.00	300	Horizontal	Pass
3	4896.641	50.98	74.0	23.02	Peak	339.00	200	Horizontal	Pass
3**	4896.641	36.84	54.0	17.16	AV	339.00	200	Horizontal	Pass
4	7955.078	54.43	88.2	33.77	Peak	268.00	200	Horizontal	Pass
4**	7955.078	43.52	68.2	24.68	AV	268.00	200	Horizontal	Pass
5	14439.398	52.57	88.2	35.63	Peak	77.00	200	Horizontal	Pass
5**	14439.398	44.55	68.2	23.65	AV	77.00	200	Horizontal	Pass
6	17437.438	52.94	88.2	35.26	Peak	149.00	400	Horizontal	Pass
6**	17437.438	45.99	68.2	22.21	AV	149.00	400	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.656	35.90	74.0	38.10	Peak	329.00	300	Vertical	Pass
1**	1527.656	27.98	54.0	26.02	AV	329.00	300	Vertical	Pass
2	2331.583	43.30	74.0	30.70	Peak	293.00	200	Vertical	Pass
2**	2331.583	35.98	54.0	18.02	AV	293.00	200	Vertical	Pass
3	4901.324	47.04	74.0	26.96	Peak	31.00	200	Vertical	Pass
3**	4901.324	38.93	54.0	15.07	AV	31.00	200	Vertical	Pass
4	7324.789	55.97	74.0	18.03	Peak	44.00	100	Vertical	Pass
4**	7324.789	44.69	54.0	9.31	AV	44.00	100	Vertical	Pass
5	12484.958	55.05	74.0	18.95	Peak	139.00	200	Vertical	Pass
5**	12484.958	46.19	54.0	7.81	AV	139.00	200	Vertical	Pass
6	15688.281	53.89	74.0	20.11	Peak	142.00	300	Vertical	Pass
6**	15688.281	42.76	54.0	11.24	AV	142.00	300	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.418	40.63	88.2	47.57	Peak	61.00	300	Horizontal	Pass
1**	2095.418	32.72	68.2	35.48	AV	61.00	300	Horizontal	Pass
2	4809.870	48.15	74.0	25.85	Peak	346.00	200	Horizontal	Pass
2**	4809.870	38.34	54.0	15.66	AV	346.00	200	Horizontal	Pass
3	4903.753	47.73	74.0	26.27	Peak	310.00	200	Horizontal	Pass
3**	4903.753	37.06	54.0	16.94	AV	310.00	200	Horizontal	Pass
4	7956.132	52.02	88.2	36.18	Peak	111.00	300	Horizontal	Pass
4**	7956.132	42.31	68.2	25.89	AV	111.00	300	Horizontal	Pass
5	14440.021	52.72	88.2	35.48	Peak	81.00	400	Horizontal	Pass
5**	14440.021	45.95	68.2	22.25	AV	81.00	400	Horizontal	Pass
6	17436.536	57.08	88.2	31.12	Peak	343.00	200	Horizontal	Pass
6**	17436.536	45.92	68.2	22.28	AV	343.00	200	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.705	36.96	74.0	37.04	Peak	117.00	200	Vertical	Pass
1**	1526.705	31.45	54.0	22.55	AV	117.00	200	Vertical	Pass
2	2338.461	44.73	74.0	29.27	Peak	287.00	100	Vertical	Pass
2**	2338.461	36.07	54.0	17.93	AV	287.00	100	Vertical	Pass
3	4898.271	52.50	74.0	21.50	Peak	347.00	200	Vertical	Pass
3**	4898.271	40.38	54.0	13.62	AV	347.00	200	Vertical	Pass
4	7326.312	51.80	74.0	22.20	Peak	37.00	300	Vertical	Pass
4**	7326.312	41.38	54.0	12.62	AV	37.00	300	Vertical	Pass
5	12487.679	52.02	74.0	21.98	Peak	196.00	100	Vertical	Pass
5**	12487.679	41.50	54.0	12.50	AV	196.00	100	Vertical	Pass
6	15694.164	53.14	74.0	20.86	Peak	211.00	300	Vertical	Pass
6**	15694.164	46.52	54.0	7.48	AV	211.00	300	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.332	44.63	88.2	43.57	Peak	33.00	400	Horizontal	Pass
1**	2099.332	30.41	68.2	37.79	AV	33.00	400	Horizontal	Pass
2	4808.717	49.15	74.0	24.85	Peak	84.00	400	Horizontal	Pass
2**	4808.717	42.99	54.0	11.01	AV	84.00	400	Horizontal	Pass
3	4897.222	48.09	74.0	25.91	Peak	114.00	200	Horizontal	Pass
3**	4897.222	38.49	54.0	15.51	AV	114.00	200	Horizontal	Pass
4	7950.304	51.10	88.2	37.10	Peak	166.00	400	Horizontal	Pass
4**	7950.304	46.34	68.2	21.86	AV	166.00	400	Horizontal	Pass
5	14441.095	53.18	88.2	35.02	Peak	21.00	300	Horizontal	Pass
5**	14441.095	46.95	68.2	21.25	AV	21.00	300	Horizontal	Pass
6	17437.630	53.30	88.2	34.90	Peak	279.00	100	Horizontal	Pass
6**	17437.630	43.18	68.2	25.02	AV	279.00	100	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.264	37.72	74.0	36.28	Peak	104.00	300	Vertical	Pass
1**	1530.264	30.31	54.0	23.69	AV	104.00	300	Vertical	Pass
2	2335.870	46.44	74.0	27.56	Peak	128.00	300	Vertical	Pass
2**	2335.870	33.78	54.0	20.22	AV	128.00	300	Vertical	Pass
3	4903.602	50.69	74.0	23.31	Peak	167.00	200	Vertical	Pass
3**	4903.602	37.73	54.0	16.27	AV	167.00	200	Vertical	Pass
4	7329.946	56.17	74.0	17.83	Peak	66.00	100	Vertical	Pass
4**	7329.946	42.73	54.0	11.27	AV	66.00	100	Vertical	Pass
5	12489.818	51.65	74.0	22.35	Peak	122.00	400	Vertical	Pass
5**	12489.818	41.58	54.0	12.42	AV	122.00	400	Vertical	Pass
6	15695.096	53.12	74.0	20.88	Peak	11.00	400	Vertical	Pass
6**	15695.096	47.07	54.0	6.93	AV	11.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
	802.11ax(HE160)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass
	802.11ax(HE160)(RU26)	Middle	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass

	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass
		High	Pass
	802.11ax(HE160)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE160)(RU26)	Middle	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
	802.11ax(HE20)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE40)(RU26)	Low	Pass
		High	Pass
	802.11ax(HE80)(RU26)	Middle	Pass
U-NII-5	802.11ax(HE20)(SU)	Low	Pass
	802.11ax(HE40)(SU)	Low	Pass
	802.11ax(HE80)(SU)	Low	Pass
	802.11ax(HE160)(SU)	Low	Pass
	802.11ax(HE20)(RU26)	Low	Pass
	802.11ax(HE40)(RU26)	Low	Pass
	802.11ax(HE80)(RU26)	Low	Pass
	802.11ax(HE160)(RU26)	Low	Pass
U-NII-8	802.11ax(HE20)(SU)	High	Pass
	802.11ax(HE40)(SU)	High	Pass
	802.11ax(HE80)(SU)	High	Pass
	802.11ax(HE160)(SU)	High	Pass
	802.11ax(HE20)(RU26)	High	Pass
	802.11ax(HE40)(RU26)	High	Pass
	802.11ax(HE80)(RU26)	High	Pass
	802.11ax(HE160)(RU26)	High	Pass

Note ¹: All antenna were tested, but only the worst case has been reported in this report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

SISO-Main Antenna

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.727	54.72	74.0	19.28	Peak	311.00	200	Horizontal	Pass
1**	5076.727	43.22	54.0	10.78	AV	311.00	200	Horizontal	Pass
2	5150.000	53.31	74.0	20.69	Peak	249.00	100	Horizontal	Pass
2**	5150.000	44.17	54.0	9.83	AV	249.00	100	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.11	74.0	18.89	Peak	356.00	100	Horizontal	Pass
1**	5350.000	44.49	54.0	9.51	AV	356.00	100	Horizontal	Pass
2	5424.193	54.65	74.0	19.35	Peak	19.00	300	Horizontal	Pass
2**	5424.193	45.21	54.0	8.79	AV	19.00	300	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.401	57.94	74.0	16.06	Peak	96.00	200	Horizontal	Pass
1**	5075.401	45.88	54.0	8.12	AV	96.00	200	Horizontal	Pass
2	5150.000	55.38	74.0	18.62	Peak	224.00	200	Horizontal	Pass
2**	5150.000	43.32	54.0	10.68	AV	224.00	200	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.04	74.0	19.96	Peak	93.00	300	Horizontal	Pass
1**	5350.000	43.97	54.0	10.03	AV	93.00	300	Horizontal	Pass
2	5422.932	58.33	74.0	15.67	Peak	45.00	200	Horizontal	Pass
2**	5422.932	43.76	54.0	10.24	AV	45.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.346	56.62	74.0	17.38	Peak	195.00	300	Horizontal	Pass
1**	5076.346	42.62	54.0	11.38	AV	195.00	300	Horizontal	Pass
2	5150.000	53.36	74.0	20.64	Peak	282.00	300	Horizontal	Pass
2**	5150.000	44.87	54.0	9.13	AV	282.00	300	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.33	74.0	20.67	Peak	173.00	200	Horizontal	Pass
1**	5350.000	45.05	54.0	8.95	AV	173.00	200	Horizontal	Pass
2	5421.765	56.38	74.0	17.62	Peak	10.00	100	Horizontal	Pass
2**	5421.765	45.5	54.0	8.50	AV	10.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.076	54.48	74.0	19.52	Peak	299.00	200	Horizontal	Pass
1**	5078.076	42.86	54.0	11.14	AV	299.00	200	Horizontal	Pass
2	5150.000	54.09	74.0	19.91	Peak	338.00	300	Horizontal	Pass
2**	5150.000	43.67	54.0	10.33	AV	338.00	300	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.9	74.0	21.10	Peak	194.00	300	Horizontal	Pass
1**	5350.000	46.16	54.0	7.84	AV	194.00	300	Horizontal	Pass
2	5422.569	56.03	74.0	17.97	Peak	56.00	200	Horizontal	Pass
2**	5422.569	44.56	54.0	9.44	AV	56.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.052	56.82	74.0	17.18	Peak	21.00	200	Horizontal	Pass
1**	5076.052	45.02	54.0	8.98	AV	21.00	200	Horizontal	Pass
2	5150.000	54.39	74.0	19.61	Peak	316.00	100	Horizontal	Pass
2**	5150.000	45.3	54.0	8.70	AV	316.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.71	74.0	19.29	Peak	274.00	300	Horizontal	Pass
1**	5350.000	42.58	54.0	11.42	AV	274.00	300	Horizontal	Pass
2	5423.674	54.98	74.0	19.02	Peak	68.00	300	Horizontal	Pass
2**	5423.674	45.68	54.0	8.32	AV	68.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.669	55.69	74.0	18.31	Peak	297.00	200	Horizontal	Pass
1**	5076.669	43.18	54.0	10.82	AV	297.00	200	Horizontal	Pass
2	5150.000	55.37	74.0	18.63	Peak	269.00	200	Horizontal	Pass
2**	5150.000	42.62	54.0	11.38	AV	269.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.77	74.0	19.23	Peak	266.00	300	Horizontal	Pass
1**	5350.000	43.92	54.0	10.08	AV	266.00	300	Horizontal	Pass
2	5423.635	58.02	74.0	15.98	Peak	269.00	100	Horizontal	Pass
2**	5423.635	44.98	54.0	9.02	AV	269.00	100	Horizontal	Pass

U-NII-1 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.361	59.46	74.0	14.54	Peak	207.00	100	Horizontal	Pass
1**	5146.361	45.04	54.0	8.96	AV	207.00	100	Horizontal	Pass
2	5150.000	62.18	74.0	11.82	Peak	82.00	200	Horizontal	Pass
2**	5150.000	48.57	54.0	5.43	AV	82.00	200	Horizontal	Pass

U-NII-1 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.92	74.0	20.08	Peak	357.00	300	Horizontal	Pass
1**	5350.000	45.45	54.0	8.55	AV	357.00	300	Horizontal	Pass
2	5424.446	59.68	74.0	14.32	Peak	291.00	100	Horizontal	Pass
2**	5424.446	45.64	54.0	8.36	AV	291.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.098	57.33	74.0	16.67	Peak	167.00	300	Horizontal	Pass
1**	5078.098	44.12	54.0	9.88	AV	167.00	300	Horizontal	Pass
2	5150.000	53.3	74.0	20.70	Peak	240.00	100	Horizontal	Pass
2**	5150.000	44.54	54.0	9.46	AV	240.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.74	74.0	19.26	Peak	56.00	200	Horizontal	Pass
1**	5350.000	45.74	54.0	8.26	AV	56.00	200	Horizontal	Pass
2	5422.715	55.53	74.0	18.47	Peak	355.00	100	Horizontal	Pass
2**	5422.715	46.7	54.0	7.30	AV	355.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.485	56.08	74.0	17.92	Peak	242.00	100	Horizontal	Pass
1**	5075.485	42.57	54.0	11.43	AV	242.00	100	Horizontal	Pass
2	5150.000	53.03	74.0	20.97	Peak	314.00	200	Horizontal	Pass
2**	5150.000	42.4	54.0	11.60	AV	314.00	200	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.53	74.0	18.47	Peak	185.00	300	Horizontal	Pass
1**	5350.000	44.45	54.0	9.55	AV	185.00	300	Horizontal	Pass
2	5422.858	58.18	74.0	15.82	Peak	239.00	300	Horizontal	Pass
2**	5422.858	44.55	54.0	9.45	AV	239.00	300	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.333	56.63	74.0	17.37	Peak	72.00	300	Horizontal	Pass
1**	5076.333	44.47	54.0	9.53	AV	72.00	300	Horizontal	Pass
2	5150.000	54.82	74.0	19.18	Peak	91.00	100	Horizontal	Pass
2**	5150.000	44.62	54.0	9.38	AV	91.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.83	74.0	19.17	Peak	344.00	100	Horizontal	Pass
1**	5350.000	46.23	54.0	7.77	AV	344.00	100	Horizontal	Pass
2	5424.636	55.28	74.0	18.72	Peak	45.00	200	Horizontal	Pass
2**	5424.636	45.63	54.0	8.37	AV	45.00	200	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.577	57.57	74.0	16.43	Peak	170.00	100	Horizontal	Pass
1**	5144.577	45.19	54.0	8.81	AV	170.00	100	Horizontal	Pass
2	5150.000	63.75	74.0	10.25	Peak	354.00	100	Horizontal	Pass
2**	5150.000	50	54.0	4.00	AV	354.00	100	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.70	74.0	19.30	Peak	280.00	300	Horizontal	Pass
1**	5350.000	45.63	54.0	8.37	AV	280.00	300	Horizontal	Pass
2	5422.946	59.32	74.0	14.68	Peak	75.00	200	Horizontal	Pass
2**	5422.946	44.08	54.0	9.92	AV	75.00	200	Horizontal	Pass

U-NII-1 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.261	57.41	74.0	16.59	Peak	18.00	100	Horizontal	Pass
1**	5075.261	43.71	54.0	10.29	AV	18.00	100	Horizontal	Pass
2	5150.000	55.9	74.0	18.10	Peak	291.00	200	Horizontal	Pass
2**	5150.000	43.19	54.0	10.81	AV	291.00	200	Horizontal	Pass

U-NII-1 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.25	74.0	18.75	Peak	231.00	100	Horizontal	Pass
1**	5350.000	45.52	54.0	8.48	AV	231.00	100	Horizontal	Pass
2	5424.403	55.06	74.0	18.94	Peak	79.00	300	Horizontal	Pass
2**	5424.403	46.04	54.0	7.96	AV	79.00	300	Horizontal	Pass

U-NII-1 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.127	56.72	74.0	17.28	Peak	28.00	300	Horizontal	Pass
1**	5076.127	45.44	54.0	8.56	AV	28.00	300	Horizontal	Pass
2	5150.000	55.71	74.0	18.29	Peak	212.00	200	Horizontal	Pass
2**	5150.000	45.92	54.0	8.08	AV	212.00	200	Horizontal	Pass

U-NII-1 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.21	74.0	19.79	Peak	279.00	300	Horizontal	Pass
1**	5350.000	45.16	54.0	8.84	AV	279.00	300	Horizontal	Pass
2	5424.652	57.21	74.0	16.79	Peak	25.00	300	Horizontal	Pass
2**	5424.652	44.63	54.0	9.37	AV	25.00	300	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.583	55.86	74.0	18.14	Peak	121.00	100	Horizontal	Pass
1**	5076.583	42.89	54.0	11.11	AV	121.00	100	Horizontal	Pass
2	5150.000	56.16	74.0	17.84	Peak	258.00	200	Horizontal	Pass
2**	5150.000	45.3	54.0	8.70	AV	258.00	200	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.95	74.0	21.05	Peak	198.00	200	Horizontal	Pass
1**	5350.000	45.02	54.0	8.98	AV	198.00	200	Horizontal	Pass
2	5422.352	54.8	74.0	19.20	Peak	264.00	300	Horizontal	Pass
2**	5422.352	43.22	54.0	10.78	AV	264.00	300	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.026	59.97	74.0	14.03	Peak	299.00	200	Horizontal	Pass
1**	5147.026	47.97	54.0	6.03	AV	299.00	200	Horizontal	Pass
2	5150.000	64.05	74.0	9.95	Peak	85.00	300	Horizontal	Pass
2**	5150.000	49.94	54.0	4.06	AV	85.00	300	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.39	74.0	21.61	Peak	27.00	100	Horizontal	Pass
1**	5350.000	46.16	54.0	7.84	AV	27.00	100	Horizontal	Pass
2	5425.312	61.39	74.0	12.61	Peak	262.00	300	Horizontal	Pass
2**	5425.312	43.98	54.0	10.02	AV	262.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.015	56.91	74.0	17.09	Peak	193.00	300	Horizontal	Pass
1**	4997.015	42.77	54.0	11.23	AV	193.00	300	Horizontal	Pass
2	5150.000	55.37	74.0	18.63	Peak	45.00	300	Horizontal	Pass
2**	5150.000	46.1	54.0	7.90	AV	45.00	300	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.78	74.0	20.22	Peak	183.00	200	Horizontal	Pass
1**	5350.000	46.13	54.0	7.87	AV	183.00	200	Horizontal	Pass
2	5462.028	55.91	74.0	18.09	Peak	89.00	200	Horizontal	Pass
2**	5462.028	45.28	54.0	8.72	AV	89.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.629	57.41	74.0	16.59	Peak	79.00	100	Horizontal	Pass
1**	4998.629	45.66	54.0	8.34	AV	79.00	100	Horizontal	Pass
2	5150.000	53.64	74.0	20.36	Peak	315.00	100	Horizontal	Pass
2**	5150.000	44.05	54.0	9.95	AV	315.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.55	74.0	20.45	Peak	190.00	100	Horizontal	Pass
1**	5350.000	42.75	54.0	11.25	AV	190.00	100	Horizontal	Pass
2	5459.707	57	74.0	17.00	Peak	98.00	300	Horizontal	Pass
2**	5459.707	46.33	54.0	7.67	AV	98.00	300	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.869	57.94	74.0	16.06	Peak	96.00	200	Horizontal	Pass
1**	4997.869	42.61	54.0	11.39	AV	96.00	200	Horizontal	Pass
2	5150.000	53.96	74.0	20.04	Peak	192.00	300	Horizontal	Pass
2**	5150.000	43.63	54.0	10.37	AV	192.00	300	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.85	74.0	17.15	Peak	47.00	200	Horizontal	Pass
1**	5350.000	43.92	54.0	10.08	AV	47.00	200	Horizontal	Pass
2	5460.575	58.98	74.0	15.02	Peak	119.00	300	Horizontal	Pass
2**	5460.575	44.5	54.0	9.50	AV	119.00	300	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.930	58.02	74.0	15.98	Peak	353.00	300	Horizontal	Pass
1**	4996.930	44.95	54.0	9.05	AV	353.00	300	Horizontal	Pass
2	5150.000	52.19	74.0	21.81	Peak	85.00	100	Horizontal	Pass
2**	5150.000	45.87	54.0	8.13	AV	85.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.92	74.0	19.08	Peak	223.00	300	Horizontal	Pass
1**	5350.000	46.12	54.0	7.88	AV	223.00	300	Horizontal	Pass
2	5460.396	56.11	74.0	17.89	Peak	127.00	300	Horizontal	Pass
2**	5460.396	44.46	54.0	9.54	AV	127.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.065	54.97	74.0	19.03	Peak	210.00	100	Horizontal	Pass
1**	4997.065	43.04	54.0	10.96	AV	210.00	100	Horizontal	Pass
2	5150.000	51.89	74.0	22.11	Peak	310.00	100	Horizontal	Pass
2**	5150.000	46.03	54.0	7.97	AV	310.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.38	74.0	19.62	Peak	245.00	200	Horizontal	Pass
1**	5350.000	46.17	54.0	7.83	AV	245.00	200	Horizontal	Pass
2	5460.200	56.61	74.0	17.39	Peak	42.00	200	Horizontal	Pass
2**	5460.200	46.94	54.0	7.06	AV	42.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.342	54.54	74.0	19.46	Peak	148.00	200	Horizontal	Pass
1**	4996.342	42.3	54.0	11.70	AV	148.00	200	Horizontal	Pass
2	5150.000	55.15	74.0	18.85	Peak	285.00	200	Horizontal	Pass
2**	5150.000	44.92	54.0	9.08	AV	285.00	200	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.98	74.0	17.02	Peak	252.00	100	Horizontal	Pass
1**	5350.000	44.35	54.0	9.65	AV	252.00	100	Horizontal	Pass
2	5461.950	55.69	74.0	18.31	Peak	196.00	200	Horizontal	Pass
2**	5461.950	44.34	54.0	9.66	AV	196.00	200	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.066	55.33	74.0	18.67	Peak	260.00	200	Horizontal	Pass
1**	4998.066	45.17	54.0	8.83	AV	260.00	200	Horizontal	Pass
2	5150.000	51.85	74.0	22.15	Peak	135.00	300	Horizontal	Pass
2**	5150.000	44.19	54.0	9.81	AV	135.00	300	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.94	74.0	19.06	Peak	248.00	200	Horizontal	Pass
1**	5350.000	46.28	54.0	7.72	AV	248.00	200	Horizontal	Pass
2	5459.989	57.86	74.0	16.14	Peak	245.00	300	Horizontal	Pass
2**	5459.989	44.97	54.0	9.03	AV	245.00	300	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.545	57.13	74.0	16.87	Peak	137.00	200	Horizontal	Pass
1**	4996.545	44.19	54.0	9.81	AV	137.00	200	Horizontal	Pass
2	5150.000	54.76	74.0	19.24	Peak	55.00	200	Horizontal	Pass
2**	5150.000	43.67	54.0	10.33	AV	55.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53	74.0	21.00	Peak	59.00	100	Horizontal	Pass
1**	5350.000	45.17	54.0	8.83	AV	59.00	100	Horizontal	Pass
2	5461.237	58.43	74.0	15.57	Peak	230.00	200	Horizontal	Pass
2**	5461.237	46.2	54.0	7.80	AV	230.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.664	57.64	74.0	16.36	Peak	27.00	300	Horizontal	Pass
1**	4997.664	44.61	54.0	9.39	AV	27.00	300	Horizontal	Pass
2	5150.000	54.45	74.0	19.55	Peak	282.00	200	Horizontal	Pass
2**	5150.000	44.87	54.0	9.13	AV	282.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.35	74.0	20.65	Peak	62.00	300	Horizontal	Pass
1**	5350.000	43.37	54.0	10.63	AV	62.00	300	Horizontal	Pass
2	5460.279	56.37	74.0	17.63	Peak	312.00	300	Horizontal	Pass
2**	5460.279	44.35	54.0	9.65	AV	312.00	300	Horizontal	Pass

U-NII-2A 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.571	54.98	74.0	19.02	Peak	22.00	300	Horizontal	Pass
1**	4998.571	46.05	54.0	7.95	AV	22.00	300	Horizontal	Pass
2	5150.000	55.63	74.0	18.37	Peak	45.00	200	Horizontal	Pass
2**	5150.000	44.92	54.0	9.08	AV	45.00	200	Horizontal	Pass

U-NII-2A 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.32	74.0	17.68	Peak	327.00	300	Horizontal	Pass
1**	5350.000	43.24	54.0	10.76	AV	327.00	300	Horizontal	Pass
2	5461.806	58.37	74.0	15.63	Peak	282.00	200	Horizontal	Pass
2**	5461.806	44.75	54.0	9.25	AV	282.00	200	Horizontal	Pass

U-NII-2A 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.904	55.07	74.0	18.93	Peak	340.00	300	Horizontal	Pass
1**	4995.904	43.88	54.0	10.12	AV	340.00	300	Horizontal	Pass
2	5150.000	53.57	74.0	20.43	Peak	89.00	200	Horizontal	Pass
2**	5150.000	43.12	54.0	10.88	AV	89.00	200	Horizontal	Pass

U-NII-2A 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.13	74.0	18.87	Peak	140.00	200	Horizontal	Pass
1**	5350.000	46.26	54.0	7.74	AV	140.00	200	Horizontal	Pass
2	5459.426	57.51	74.0	16.49	Peak	302.00	200	Horizontal	Pass
2**	5459.426	45.83	54.0	8.17	AV	302.00	200	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.832	55.14	74.0	18.86	Peak	32.00	300	Horizontal	Pass
1**	4998.832	45.95	54.0	8.05	AV	32.00	300	Horizontal	Pass
2	5150.000	55.21	74.0	18.79	Peak	72.00	100	Horizontal	Pass
2**	5150.000	42.6	54.0	11.40	AV	72.00	100	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.74	74.0	18.26	Peak	353.00	200	Horizontal	Pass
1**	5350.000	43.07	54.0	10.93	AV	353.00	200	Horizontal	Pass
2	5460.155	55.29	74.0	18.71	Peak	152.00	300	Horizontal	Pass
2**	5460.155	46.67	54.0	7.33	AV	152.00	300	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.146	55.76	74.0	18.24	Peak	19.00	200	Horizontal	Pass
1**	5413.163	43.23	54.0	10.77	AV	19.00	200	Horizontal	Pass
2	5460.000	57.57	74.0	16.43	Peak	31.00	100	Horizontal	Pass
2**	5460.000	45.26	54.0	8.74	AV	31.00	100	Horizontal	Pass
3	5466.266	58.37	68.2	9.83	Peak	311.00	200	Horizontal	Pass
3**	5466.794	46.21	--	--	AV	311.00	200	Horizontal	N/A
4	5470.000	55.13	68.2	13.07	Peak	314.00	100	Horizontal	Pass
4**	5470.000	47.69	--	--	AV	314.00	100	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.45	68.2	14.75	Peak	168.00	200	Horizontal	Pass
2	5777.662	55.13	68.2	13.07	Peak	64.00	100	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.376	56.52	74.0	17.48	Peak	174.00	300	Horizontal	Pass
1**	5410.428	43.63	54.0	10.37	AV	174.00	300	Horizontal	Pass
2	5460.000	54.13	74.0	19.87	Peak	64.00	300	Horizontal	Pass
2**	5460.000	44.98	54.0	9.02	AV	64.00	300	Horizontal	Pass
3	5468.370	56.13	68.2	12.07	Peak	297.00	300	Horizontal	Pass
3**	5468.645	45.41	--	--	AV	297.00	300	Horizontal	N/A
4	5470.000	55.74	68.2	12.46	Peak	2.00	300	Horizontal	Pass
4**	5470.000	45.14	--	--	AV	2.00	300	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.18	68.2	13.02	Peak	153.00	100	Horizontal	Pass
2	5776.044	55.53	68.2	12.67	Peak	122.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.164	57.29	74.0	16.71	Peak	253.00	300	Horizontal	Pass
1**	5410.679	45.1	54.0	8.90	AV	253.00	300	Horizontal	Pass
2	5460.000	57.32	74.0	16.68	Peak	351.00	100	Horizontal	Pass
2**	5460.000	46.93	54.0	7.07	AV	351.00	100	Horizontal	Pass
3	5467.007	57.59	68.2	10.61	Peak	319.00	300	Horizontal	Pass
3**	5467.360	46.78	--	--	AV	319.00	300	Horizontal	N/A
4	5470.000	55.66	68.2	12.54	Peak	6.00	300	Horizontal	Pass
4**	5470.000	45.24	--	--	AV	6.00	300	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.9	68.2	13.30	Peak	116.00	100	Horizontal	Pass
2	5729.690	61.85	68.2	6.35	Peak	91.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.483	58.5	74.0	15.50	Peak	287.00	300	Horizontal	Pass
1**	5455.419	47.01	54.0	6.99	AV	287.00	300	Horizontal	Pass
2	5460.000	55.46	74.0	18.54	Peak	133.00	200	Horizontal	Pass
2**	5460.000	47.09	54.0	6.91	AV	133.00	200	Horizontal	Pass
3	5464.782	65.18	68.2	3.02	Peak	234.00	100	Horizontal	Pass
3**	5465.867	47.31	--	--	AV	234.00	100	Horizontal	N/A
4	5470.000	59.64	68.2	8.56	Peak	265.00	200	Horizontal	Pass
4**	5470.000	47.64	--	--	AV	265.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.37	68.2	12.83	Peak	214.00	100	Horizontal	Pass
2	5727.514	64.32	68.2	3.88	Peak	114.00	200	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.687	59.95	74.0	14.05	Peak	246.00	300	Horizontal	Pass
1**	5456.062	46.06	54.0	7.94	AV	246.00	300	Horizontal	Pass
2	5460.000	54.31	74.0	19.69	Peak	34.00	200	Horizontal	Pass
2**	5460.000	45.3	54.0	8.70	AV	34.00	200	Horizontal	Pass
3	5465.354	65.18	68.2	3.02	Peak	164.00	300	Horizontal	Pass
3**	5465.195	47.97	--	--	AV	164.00	300	Horizontal	N/A
4	5470.000	61.32	68.2	6.88	Peak	240.00	100	Horizontal	Pass
4**	5470.000	46.19	--	--	AV	240.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.6	68.2	12.60	Peak	274.00	100	Horizontal	Pass
2	5729.289	62.92	68.2	5.28	Peak	330.00	300	Horizontal	Pass

U-NII-2C 11ac80 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.917	58.35	74.0	15.65	Peak	53.00	100	Horizontal	Pass
1**	5454.849	44.5	54.0	9.50	AV	53.00	100	Horizontal	Pass
2	5460.000	54.93	74.0	19.07	Peak	106.00	300	Horizontal	Pass
2**	5460.000	44.35	54.0	9.65	AV	106.00	300	Horizontal	Pass
3	5467.334	64.8	68.2	3.40	Peak	329.00	200	Horizontal	Pass
3**	5466.236	47.34	--	--	AV	329.00	200	Horizontal	N/A
4	5470.000	59.27	68.2	8.93	Peak	275.00	300	Horizontal	Pass
4**	5470.000	46.07	--	--	AV	275.00	300	Horizontal	N/A

U-NII-2C 11ac80 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.73	68.2	14.47	Peak	67.00	100	Horizontal	Pass
2	5727.610	63.82	68.2	4.38	Peak	60.00	300	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.556	60.65	74.0	13.35	Peak	302.00	100	Horizontal	Pass
1**	5455.479	46.11	54.0	7.89	AV	302.00	100	Horizontal	Pass
2	5460.000	53.69	74.0	20.31	Peak	153.00	100	Horizontal	Pass
2**	5460.000	45.17	54.0	8.83	AV	153.00	100	Horizontal	Pass
3	5465.571	63.53	68.2	4.67	Peak	259.00	200	Horizontal	Pass
3**	5465.823	45.44	--	--	AV	259.00	200	Horizontal	N/A
4	5470.000	61.35	68.2	6.85	Peak	248.00	300	Horizontal	Pass
4**	5470.000	44.88	--	--	AV	248.00	300	Horizontal	N/A

U-NII-2C 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.56	68.2	13.64	Peak	86.00	100	Horizontal	Pass
2	5728.359	61.68	68.2	6.52	Peak	92.00	100	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.294	61.23	74.0	12.77	Peak	97.00	200	Horizontal	Pass
1**	5455.137	47.37	54.0	6.63	AV	97.00	200	Horizontal	Pass
2	5460.000	56.42	74.0	17.58	Peak	226.00	100	Horizontal	Pass
2**	5460.000	44.2	54.0	9.80	AV	226.00	100	Horizontal	Pass
3	5466.821	64.81	68.2	3.39	Peak	358.00	200	Horizontal	Pass
3**	5465.641	47.92	--	--	AV	358.00	200	Horizontal	N/A
4	5470.000	60.89	68.2	7.31	Peak	302.00	200	Horizontal	Pass
4**	5470.000	46.4	--	--	AV	302.00	200	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.14	68.2	12.06	Peak	253.00	200	Horizontal	Pass
2	5728.542	64.31	68.2	3.89	Peak	331.00	300	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.653	59.55	74.0	14.45	Peak	113.00	100	Horizontal	Pass
1**	5454.679	47.94	54.0	6.06	AV	113.00	100	Horizontal	Pass
2	5460.000	54.66	74.0	19.34	Peak	55.00	200	Horizontal	Pass
2**	5460.000	46.3	54.0	7.70	AV	55.00	200	Horizontal	Pass
3	5466.734	64.81	68.2	3.39	Peak	179.00	200	Horizontal	Pass
3**	5465.841	47.27	--	--	AV	179.00	200	Horizontal	N/A
4	5470.000	61.77	68.2	6.43	Peak	135.00	200	Horizontal	Pass
4**	5470.000	47.79	--	--	AV	135.00	200	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.71	68.2	11.49	Peak	276.00	100	Horizontal	Pass
2	5727.091	61.62	68.2	6.58	Peak	111.00	100	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.551	59.28	74.0	14.72	Peak	120.00	100	Horizontal	Pass
1**	5453.535	48.02	54.0	5.98	AV	120.00	100	Horizontal	Pass
2	5460.000	53.41	74.0	20.59	Peak	91.00	100	Horizontal	Pass
2**	5460.000	43.82	54.0	10.18	AV	91.00	100	Horizontal	Pass
3	5466.310	63.89	68.2	4.31	Peak	244.00	200	Horizontal	Pass
3**	5467.259	48.83	--	--	AV	244.00	200	Horizontal	N/A
4	5470.000	60.28	68.2	7.92	Peak	206.00	300	Horizontal	Pass
4**	5470.000	48.39	--	--	AV	206.00	300	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.23	68.2	13.97	Peak	253.00	300	Horizontal	Pass
2	5727.696	63.56	68.2	4.64	Peak	322.00	200	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.581	58.48	74.0	15.52	Peak	268.00	300	Horizontal	Pass
1**	5455.245	47.57	54.0	6.43	AV	268.00	300	Horizontal	Pass
2	5460.000	53.74	74.0	20.26	Peak	347.00	100	Horizontal	Pass
2**	5460.000	47.8	54.0	6.20	AV	347.00	100	Horizontal	Pass
3	5465.786	63.93	68.2	4.27	Peak	299.00	100	Horizontal	Pass
3**	5465.307	48.26	--	--	AV	299.00	100	Horizontal	N/A
4	5470.000	61.18	68.2	7.02	Peak	53.00	300	Horizontal	Pass
4**	5470.000	45.25	--	--	AV	53.00	300	Horizontal	N/A

U-NII-2C 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.01	68.2	12.19	Peak	173.00	300	Horizontal	Pass
2	5729.650	64.01	68.2	4.19	Peak	112.00	300	Horizontal	Pass

U-NII-2C 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.126	60.89	74.0	13.11	Peak	248.00	200	Horizontal	Pass
1**	5455.052	46.17	54.0	7.83	AV	248.00	200	Horizontal	Pass
2	5460.000	55.58	74.0	18.42	Peak	191.00	300	Horizontal	Pass
2**	5460.000	47.51	54.0	6.49	AV	191.00	300	Horizontal	Pass
3	5466.272	63.84	68.2	4.36	Peak	212.00	200	Horizontal	Pass
3**	5466.581	45.36	--	--	AV	212.00	200	Horizontal	N/A
4	5470.000	59.99	68.2	8.21	Peak	350.00	200	Horizontal	Pass
4**	5470.000	45.01	--	--	AV	350.00	200	Horizontal	N/A

U-NII-2C 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.53	68.2	14.67	Peak	4.00	100	Horizontal	Pass
2	5727.408	62.26	68.2	5.94	Peak	121.00	200	Horizontal	Pass

U-NII-2C 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.699	60.97	74.0	13.03	Peak	125.00	200	Horizontal	Pass
1**	5453.967	48.05	54.0	5.95	AV	125.00	200	Horizontal	Pass
2	5460.000	54.88	74.0	19.12	Peak	315.00	200	Horizontal	Pass
2**	5460.000	44.6	54.0	9.40	AV	315.00	200	Horizontal	Pass
3	5466.021	63.55	68.2	4.65	Peak	209.00	100	Horizontal	Pass
3**	5465.595	48.81	--	--	AV	209.00	100	Horizontal	N/A
4	5470.000	58.53	68.2	9.67	Peak	246.00	200	Horizontal	Pass
4**	5470.000	47.69	--	--	AV	246.00	200	Horizontal	N/A

U-NII-2C 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.41	68.2	14.79	Peak	136.00	300	Horizontal	Pass
2	5729.162	64.76	68.2	3.44	Peak	277.00	100	Horizontal	Pass

U-NII-2C 11ax80(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.154	58.38	74.0	15.62	Peak	134.00	100	Horizontal	Pass
1**	5455.683	46.64	54.0	7.36	AV	134.00	100	Horizontal	Pass
2	5460.000	54.15	74.0	19.85	Peak	244.00	200	Horizontal	Pass
2**	5460.000	44.69	54.0	9.31	AV	244.00	200	Horizontal	Pass
3	5467.197	65.06	68.2	3.14	Peak	108.00	100	Horizontal	Pass
3**	5465.457	46.55	--	--	AV	108.00	100	Horizontal	N/A
4	5470.000	59.29	68.2	8.91	Peak	25.00	200	Horizontal	Pass
4**	5470.000	47.77	--	--	AV	25.00	200	Horizontal	N/A

U-NII-2C 11ax80(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.58	68.2	11.62	Peak	104.00	200	Horizontal	Pass
2	5729.076	62.5	68.2	5.70	Peak	38.00	100	Horizontal	Pass

U-NII-2C 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.692	59.41	74.0	14.59	Peak	342.00	100	Horizontal	Pass
1**	5455.908	47.31	54.0	6.69	AV	342.00	100	Horizontal	Pass
2	5460.000	56.06	74.0	17.94	Peak	235.00	200	Horizontal	Pass
2**	5460.000	45.44	54.0	8.56	AV	235.00	200	Horizontal	Pass
3	5464.742	64.7	68.2	3.50	Peak	60.00	300	Horizontal	Pass
3**	5465.962	46.1	--	--	AV	60.00	300	Horizontal	N/A
4	5470.000	59.75	68.2	8.45	Peak	113.00	300	Horizontal	Pass
4**	5470.000	45.14	--	--	AV	113.00	300	Horizontal	N/A

U-NII-2C 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.6	68.2	13.60	Peak	208.00	100	Horizontal	Pass
2	5728.890	61.6	68.2	6.60	Peak	157.00	100	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.265	57.42	68.2	10.78	Peak	65.00	200	Horizontal	Pass
2	5650.000	56.4	68.2	11.80	Peak	65.00	200	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.09	68.2	14.11	Peak	357.00	100	Horizontal	Pass
2	5943.415	58.02	68.2	10.18	Peak	204.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.648	61.74	68.2	6.46	Peak	6.00	300	Horizontal	Pass
2	5650.000	55.81	68.2	12.39	Peak	6.00	300	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.75	68.2	14.45	Peak	35.00	200	Horizontal	Pass
2	5727.612	62	68.2	6.20	Peak	311.00	200	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.930	62.32	68.2	5.88	Peak	93.00	300	Horizontal	Pass
2	5650.000	55.69	68.2	12.51	Peak	93.00	300	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.43	68.2	14.77	Peak	258.00	100	Horizontal	Pass
2	5727.878	63.66	68.2	4.54	Peak	236.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.62	68.2	11.58	Peak	201.00	300	Horizontal	Pass
2	5729.190	64.73	68.2	3.47	Peak	277.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.32	68.2	13.88	Peak	320.00	200	Horizontal	Pass
2	5729.623	64.53	68.2	3.67	Peak	212.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.91	68.2	13.29	Peak	120.00	200	Horizontal	Pass
2	5727.110	61.44	68.2	6.76	Peak	56.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.07	68.2	13.13	Peak	118.00	100	Horizontal	Pass
2	5728.393	64.55	68.2	3.65	Peak	265.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57	68.2	11.20	Peak	50.00	200	Horizontal	Pass
2	5727.052	62.78	68.2	5.42	Peak	141.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.33	68.2	12.87	Peak	265.00	200	Horizontal	Pass
2	5727.451	62.6	68.2	5.60	Peak	274.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.86	68.2	11.34	Peak	261.00	300	Horizontal	Pass
2	5727.613	64.76	68.2	3.44	Peak	347.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.66	68.2	12.54	Peak	267.00	100	Horizontal	Pass
2	5727.350	64.62	68.2	3.58	Peak	92.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.37	68.2	12.83	Peak	9.00	200	Horizontal	Pass
2	5728.494	61.42	68.2	6.78	Peak	349.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.56	68.2	12.64	Peak	222.00	200	Horizontal	Pass
2	5727.956	63.55	68.2	4.65	Peak	27.00	300	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.51	68.2	13.69	Peak	3.00	100	Horizontal	Pass
2	5729.451	62.53	68.2	5.67	Peak	333.00	100	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.81	68.2	12.39	Peak	47.00	100	Horizontal	Pass
2	5729.602	61.84	68.2	6.36	Peak	146.00	100	Horizontal	Pass

U-NII-3 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.39	68.2	13.81	Peak	319.00	100	Horizontal	Pass
2	5727.837	62.5	68.2	5.70	Peak	320.00	300	Horizontal	Pass

U-NII-3 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.17	68.2	12.03	Peak	76.00	100	Horizontal	Pass
2	5729.942	61.96	68.2	6.24	Peak	282.00	300	Horizontal	Pass

U-NII-3 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.24	68.2	11.96	Peak	209.00	100	Horizontal	Pass
2	5728.343	60.92	68.2	7.28	Peak	150.00	300	Horizontal	Pass

U-NII-3 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.67	68.2	12.53	Peak	352.00	100	Horizontal	Pass
2	5728.858	63.09	68.2	5.11	Peak	359.00	200	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.64	68.2	14.56	Peak	19.00	300	Horizontal	Pass
2	5729.178	64.81	68.2	3.39	Peak	259.00	300	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.67	68.2	13.53	Peak	128.00	200	Horizontal	Pass
2	5728.181	64.82	68.2	3.38	Peak	106.00	100	Horizontal	Pass

U-NII-5 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5911.676	58.66	88.2	29.54	Peak	97.00	100	Horizontal	Pass
1**	5911.676	45.8	68.2	22.40	AV	97.00	100	Horizontal	Pass
2	5925.000	52.33	88.2	35.87	Peak	360.00	300	Horizontal	Pass
2**	5925.000	44.86	68.2	23.34	AV	360.00	300	Horizontal	Pass

U-NII-5 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.930	55.69	88.2	32.51	Peak	132.00	100	Horizontal	Pass
1**	5912.930	45.91	68.2	22.29	AV	132.00	100	Horizontal	Pass
2	5925.000	55.27	88.2	32.93	Peak	187.00	100	Horizontal	Pass
2**	5925.000	46.15	68.2	22.05	AV	187.00	100	Horizontal	Pass

U-NII-5 11ax80(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5911.922	58.68	88.2	29.52	Peak	226.00	300	Horizontal	Pass
1**	5911.922	46.54	68.2	21.66	AV	226.00	300	Horizontal	Pass
2	5925.000	54.57	88.2	33.63	Peak	266.00	100	Horizontal	Pass
2**	5925.000	45.66	68.2	22.54	AV	266.00	100	Horizontal	Pass

U-NII-5 11ax160(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.841	57.99	88.2	30.21	Peak	201.00	200	Horizontal	Pass
1**	5912.841	46.58	68.2	21.62	AV	201.00	200	Horizontal	Pass
2	5925.000	54.13	88.2	34.07	Peak	202.00	200	Horizontal	Pass
2**	5925.000	44.9	68.2	23.30	AV	202.00	200	Horizontal	Pass

U-NII-5 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.332	57.88	88.2	30.32	Peak	24.00	300	Horizontal	Pass
1**	5912.332	44.16	68.2	24.04	AV	24.00	300	Horizontal	Pass
2	5925.000	54.69	88.2	33.51	Peak	228.00	200	Horizontal	Pass
2**	5925.000	45.14	68.2	23.06	AV	228.00	200	Horizontal	Pass

U-NII-5 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5913.946	58.63	88.2	29.57	Peak	34.00	100	Horizontal	Pass
1**	5913.946	44.9	68.2	23.30	AV	34.00	100	Horizontal	Pass
2	5925.000	55.83	88.2	32.37	Peak	318.00	200	Horizontal	Pass
2**	5925.000	45.62	68.2	22.58	AV	318.00	200	Horizontal	Pass

U-NII-5 11ax80(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5914.357	56.1	88.2	32.10	Peak	132.00	100	Horizontal	Pass
1**	5914.357	43.8	68.2	24.40	AV	132.00	100	Horizontal	Pass
2	5925.000	55.86	88.2	32.34	Peak	357.00	200	Horizontal	Pass
2**	5925.000	46.37	68.2	21.83	AV	357.00	200	Horizontal	Pass

U-NII-5 11ax160(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5912.926	58.3	88.2	29.90	Peak	46.00	200	Horizontal	Pass
1**	5912.926	47.09	68.2	21.11	AV	46.00	200	Horizontal	Pass
2	5925.000	53.73	88.2	34.47	Peak	246.00	100	Horizontal	Pass
2**	5925.000	43.36	68.2	24.84	AV	246.00	100	Horizontal	Pass

U-NII-8 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	55.21	88.2	32.99	Peak	34.00	200	Horizontal	Pass
1**	7125.000	47.81	68.2	20.39	AV	34.00	200	Horizontal	Pass
2	7202.425	59.58	88.2	28.62	Peak	235.00	200	Horizontal	Pass
2**	7204.010	48.23	68.2	19.97	AV	235.00	200	Horizontal	Pass

U-NII-8 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	55.81	88.2	32.39	Peak	156.00	100	Horizontal	Pass
1**	7125.000	45.84	68.2	22.36	AV	156.00	100	Horizontal	Pass
2	7199.759	59.45	88.2	28.75	Peak	28.00	200	Horizontal	Pass
2**	7203.716	44.42	68.2	23.78	AV	28.00	200	Horizontal	Pass

U-NII-8 11ax80(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	58.01	88.2	30.19	Peak	343.00	300	Horizontal	Pass
1**	7125.000	44.27	68.2	23.93	AV	343.00	300	Horizontal	Pass
2	7198.027	58.49	88.2	29.71	Peak	300.00	300	Horizontal	Pass
2**	7201.779	47.2	68.2	21.00	AV	300.00	300	Horizontal	Pass

U-NII-8 11ax160(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.65	88.2	33.55	Peak	116.00	300	Horizontal	Pass
1**	7125.000	45.2	68.2	23.00	AV	116.00	300	Horizontal	Pass
2	7196.856	57.71	88.2	30.49	Peak	78.00	200	Horizontal	Pass
2**	7200.788	47.24	68.2	20.96	AV	78.00	200	Horizontal	Pass

U-NII-8 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	55.21	88.2	32.99	Peak	34.00	200	Horizontal	Pass
1**	7125.000	47.81	68.2	20.39	AV	34.00	200	Horizontal	Pass
2	7202.425	59.58	88.2	28.62	Peak	235.00	200	Horizontal	Pass
2**	7204.010	48.23	68.2	19.97	AV	235.00	200	Horizontal	Pass

U-NII-8 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	55.81	88.2	32.39	Peak	156.00	100	Horizontal	Pass
1**	7125.000	45.84	68.2	22.36	AV	156.00	100	Horizontal	Pass
2	7199.759	59.45	88.2	28.75	Peak	28.00	200	Horizontal	Pass
2**	7203.716	44.42	68.2	23.78	AV	28.00	200	Horizontal	Pass

U-NII-8 11ax80(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	58.01	88.2	30.19	Peak	343.00	300	Horizontal	Pass
1**	7125.000	44.27	68.2	23.93	AV	343.00	300	Horizontal	Pass
2	7198.027	58.49	88.2	29.71	Peak	300.00	300	Horizontal	Pass
2**	7201.779	47.2	68.2	21.00	AV	300.00	300	Horizontal	Pass

U-NII-8 11ax160(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	54.65	88.2	33.55	Peak	116.00	300	Horizontal	Pass
1**	7125.000	45.2	68.2	23.00	AV	116.00	300	Horizontal	Pass
2	7196.856	57.71	88.2	30.49	Peak	78.00	200	Horizontal	Pass
2**	7200.788	47.24	68.2	20.96	AV	78.00	200	Horizontal	Pass

A.7 Contention Based Protocol

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.09 dBi. The Regulated Threshold Level = -62 dBm + G (2.09 dBi) = -59.91 dBm

Test Data

U-NII-5 (5925 MHz to 6425 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	37	6135	6135	-68.00	2.09	-65.91	-62	Ceased	90%	90%	Pass
				-68.50	2.09	-66.41	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/
802.11ax (HE160)	47	6185	6110	-70.30	2.09	-68.21	-62	Ceased	100%	90%	Pass
				-70.80	2.09	-68.71	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/
			6185	-67.60	2.09	-65.51	-62	Ceased	90%	90%	Pass
				-68.10	2.09	-66.01	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/
			6260	-69.40	2.09	-67.31	-62	Ceased	90%	90%	Pass
				-69.90	2.09	-67.81	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.09 dBi. The Regulated Threshold Level = -62 dBm + G (2.09 dBi) = -59.91 dBm
☐ Radiation	

Test Data

U-NII-6 (6425 MHz to 6525 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	101	6455	6455	-70.20	2.09	-68.11	-62	Ceased	90%	90%	Pass
				-70.70	2.09	-68.61	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/
802.11ax (HE160)	111	6505	6430	-70.80	2.09	-68.71	-62	Ceased	100%	90%	Pass
				-71.30	2.09	-69.21	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/
			6505	-68.80	2.09	-66.71	-62	Ceased	90%	90%	Pass
				-69.30	2.09	-67.21	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/
			6580	-68.50	2.09	-66.41	-62	Ceased	90%	90%	Pass
				-69.00	2.09	-66.91	-62	Minimal	/	/	/
				-82.00	2.09	-79.91	-62	Normal	/	/	/

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.43 dBi. The Regulated Threshold Level = -62 dBm + G (2.43 dBi) = -59.57 dBm
☐ Radiation	

Test Data

U-NII-7 (6525 MHz to 6875 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	149	6695	6695	-70.30	2.43	-67.87	-62	Ceased	90%	90%	Pass
				-70.80	2.43	-68.37	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/
802.11ax (HE160)	143	6665	6590	-69.30	2.43	-66.87	-62	Ceased	90%	90%	Pass
				-69.80	2.43	-67.37	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/
			6665	-69.50	2.43	-67.07	-62	Ceased	100%	90%	Pass
				-70.00	2.43	-67.57	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/
			6740	-68.30	2.43	-65.87	-62	Ceased	90%	90%	Pass
				-68.80	2.43	-66.37	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 2.43 dBi. The Regulated Threshold Level = -62 dBm + G (2.43 dBi) = -59.57 dBm
☐ Radiation	

Test Data

U-NII-8 (6875 MHz to 7125 MHz)											
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna Gain (dBi)	Adjusted Power (dBm)	Detection Limit (dBm)	EUT Tx Status	Detection Rate	Detection Limit	Test Result
802.11ax (HE20)	213	7015	7015	-68.80	2.43	-66.37	-62	Ceased	100%	90%	Pass
				-69.30	2.43	-66.87	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/
802.11ax (HE160)	207	6985	6910	-69.00	2.43	-66.57	-62	Ceased	90%	90%	Pass
				-69.50	2.43	-67.07	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/
			6985	-68.50	2.43	-66.07	-62	Ceased	90%	90%	Pass
				-69.00	2.43	-66.57	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/
			7060	-70.50	2.43	-68.07	-62	Ceased	90%	90%	Pass
				-71.00	2.43	-68.57	-62	Minimal	/	/	/
				-82.00	2.43	-79.57	-62	Normal	/	/	/

A.8 In-Band Emissions


Note¹: All antenna were pre tested, but only the worst case has been reported in this report.

Note²: All the configurations were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

SISO-Main Antenna


11ax20(SU), U-NII-5, Low Channel




11ax20(SU), U-NII-5, Middle Channel




11ax20(SU), U-NII-5, High Channel




11ax40(SU), U-NII-5, Low Channel




11ax40(SU), U-NII-5, Middle Channel




11ax40(SU), U-NII-5, High Channel




11ax80(SU), U-NII-5, Low Channel




11ax80(SU), U-NII-5, Middle Channel




11ax80(SU), U-NII-5, High Channel




11ax160(SU), U-NII-5, Low Channel




11ax160(SU), U-NII-5, Middle Channel




11ax160(SU), U-NII-5, High Channel




11ax20(SU), U-NII-6, Low Channel




11ax20(SU), U-NII-6, Middle Channel




11ax20(SU), U-NII-6, High Channel




11ax40(SU), U-NII-6, Low Channel




11ax40(SU), U-NII-6, High Channel




11ax80(SU), U-NII-6, Low Channel




11ax80(SU), U-NII-6, High Channel




11ax160(SU), U-NII-6, Middle Channel




11ax20(SU), U-NII-7, Low Channel




11ax20(SU), U-NII-7, Middle Channel




11ax20(SU), U-NII-7, High Channel




11ax40(SU), U-NII-7, Low Channel




11ax40(SU), U-NII-7, Middle Channel




11ax40(SU), U-NII-7, High Channel




11ax80(SU), U-NII-7, Low Channel




11ax80(SU), U-NII-7, Middle Channel




11ax80(SU), U-NII-7, High Channel




11ax160(SU), U-NII-7, Middle Channel




11ax20(SU), U-NII-8, Low Channel




11ax20(SU), U-NII-8, Middle Channel




11ax20(SU), U-NII-8, Middle Channel




11ax20(SU), U-NII-8, High Channel




11ax40(SU), U-NII-8, Low Channel




11ax40(SU), U-NII-8, Middle Channel




11ax40(SU), U-NII-8, High Channel




11ax80(SU), U-NII-8, Low Channel




11ax80(SU), U-NII-8, Middle Channel




11ax80(SU), U-NII-8, High Channel



11ax160(SU), U-NII-8, Low Channel



11ax160(SU), U-NII-8, High Channel



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2490583-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2490583-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2490583-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--