





Report No.: R2411A1737-R4










Wi-Fi 5GHz_BE80 484+242Tone HIGH_CH58













Wi-Fi 5GHz_BE80 484+242Tone HIGH_CH155










5180 55180 Frequency in MHz

5240 5250












Wi-Fi 5GHz_BE80 484+242Tone LOW_CH106













Wi-Fi 5GHz_BE160 996+484Tone HIGH_CH50
















Wi-Fi 5GHz_BE160 996+484Tone HLOW_CH114

🛟 eurofins

RF Test Report

Result of RE

Test result

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the Emissions in the frequency band 9kHz-30MHz are more than 20dB below the limit are not reported.


During the test, the Radiates Emission from 9kHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.

Remark:

- 1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)
- 2. Margin = Limit Quasi-Peak/ MAX Peak/ Average
- 3. A symbol (^{dB V/}) in the test plot below means (dBμV/m) A symbol (^{dBfgW}) in the test plot below means (dBμV/m)
- 4. For below 1GHz




Continuous TX mode:



	Frequency	MaxPeak	Limit	Margin	Meas.	Bandwidth	Pol	Azimuth	Corr.
	(MHz)	(dBµV/m)	(dBµV/m)	(dB)	Time	(kHz)		(deg)	(dB/m)
l					(ms)				
	0.03	54.75	118.41	63.66	500.00	0.200	V	74.00	17
	0.12	52.08	106.37	54.28	150.00	9.000	V	76.00	17
	0.49	35.02	93.80	58.78	150.00	9.000	V	312.00	17
	1.61	30.59	63.45	32.86	150.00	9.000	V	202.00	17
	5.72	31.62	69.50	37.88	150.00	9.000	V	2.00	17
	15.37	29.91	69.50	39.59	150.00	9.000	V	24.00	17






Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
53.24	19.12	40.00	20.88	1000.00	180.0	Н	169.00	20
53.33	18.41	40.00	21.59	1000.00	204.0	Н	153.00	20
161.48	27.59	43.50	15.91	1000.00	202.0	Н	256.00	16
238.26	27.74	46.00	18.26	1000.00	122.0	Н	116.00	20
317.28	27.95	46.00	18.05	1000.00	100.0	Н	226.00	21
531.42	25.95	46.00	20.05	1000.00	180.0	Н	231.00	26




Wi-Fi 5GHz_a CH36_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				• •	(ms)				
1292.250000	41.88	-	68.20	26.32	500.0	100.0	Н	64.0	-8.2
1390.250000		30.74	54.00	23.26	500.0	100.0	н	60.0	-7.6
1697.375000		32.01	54.00	21.99	500.0	100.0	Н	124.0	-6.0
1888.125000	44.54		68.20	23.66	500.0	200.0	V	6.0	-5.1
2622.250000	47.34		68.20	20.86	500.0	100.0	н	282.0	-2.0
2825.250000		36.72	54.00	17.28	500.0	100.0	н	89.0	-1.2
3434.250000	51.46		68.20	16.74	500.0	100.0	н	23.0	1.5
3967.125000		40.71	54.00	13.29	500.0	100.0	Н	159.0	3.0
4469.375000	51.76		68.20	16.44	500.0	100.0	V	227.0	3.7
4934.875000		41.01	54.00	12.99	500.0	100.0	Н	0.0	4.6
7057.625000	56.03		68.20	12.17	500.0	100.0	V	189.0	6.9
7280.750000		43.92	54.00	10.08	500.0	100.0	V	340.0	7.1



Wi-Fi 5GHz_a CH48_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1269.500000	41.25		68.20	26.95	500.0	200.0	V	62.0	-8.4
1413.875000		30.85	54.00	23.15	500.0	100.0	Η	98.0	-7.5
1706.125000		32.00	54.00	22.00	500.0	100.0	Η	47.0	-6.0
1989.625000	44.49		68.20	23.71	500.0	200.0	V	154.0	-4.6
2654.625000	47.85		68.20	20.35	500.0	100.0	Η	90.0	-1.9
2827.000000		36.60	54.00	17.40	500.0	100.0	V	157.0	-1.1
3409.750000	51.50		68.20	16.70	500.0	100.0	V	43.0	1.4
3998.625000		40.82	54.00	13.18	500.0	100.0	V	266.0	3.2
4473.750000	51.11		68.20	17.09	500.0	100.0	Η	3.0	3.7
4934.875000		40.83	54.00	13.17	500.0	100.0	V	317.0	4.6
6823.125000	56.63		68.20	11.57	500.0	100.0	Н	297.0	6.8
7394.500000		43.93	54.00	10.07	500.0	100.0	Η	242.0	7.3



<u>RF Test Report</u> Wi-Fi 5GHz_a CH52_1-8GHz


🛟 eurofins



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)				Time	(cm)		(deg)	(dB/m)
()	(((,	()	(ms)	(0)		(008)	(,
1271.250000	40.62		68.20	27.58	500.0	100.0	Н	128.0	-8.4
1406.000000		30.69	54.00	23.31	500.0	100.0	Н	124.0	-7.5
1707.000000	-	32.03	54.00	21.97	500.0	100.0	н	115.0	-5.9
2091.125000	45.12		68.20	23.08	500.0	100.0	н	196.0	-3.8
2638.000000	47.66		68.20	20.54	500.0	100.0	н	32.0	-2.0
2791.125000		36.65	54.00	17.35	500.0	100.0	V	233.0	-1.3
3546.250000	51.27		68.20	16.93	500.0	200.0	V	244.0	1.7
3970.625000		40.58	54.00	13.42	500.0	100.0	V	278.0	3.0
4472.875000	51.83		68.20	16.37	500.0	100.0	н	252.0	3.7
4935.750000		40.82	54.00	13.18	500.0	100.0	н	145.0	4.6
6846.750000	56.19		68.20	12.01	500.0	100.0	V	64.0	6.8
7258.875000		43.90	54.00	10.10	500.0	100.0	V	274.0	7.1




Wi-Fi 5GHz_a CH60_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1289.625000	41.36		68.20	26.84	500.0	200.0	V	158.0	-8.3
1409.500000		30.38	54.00	23.62	500.0	100.0	V	220.0	-7.5
1645.750000		31.78	54.00	22.22	500.0	100.0	V	358.0	-6.2
1917.875000	44.24		68.20	23.96	500.0	200.0	V	20.0	-4.9
2642.375000	46.73		68.20	21.47	500.0	100.0	V	333.0	-2.0
2815.625000		36.39	54.00	17.61	500.0	100.0	V	131.0	-1.2
3516.500000	51.31		68.20	16.89	500.0	100.0	V	267.0	1.8
3966.250000		40.60	54.00	13.40	500.0	100.0	V	182.0	3.0
4466.750000	51.87		68.20	16.33	500.0	100.0	V	279.0	3.7
4943.625000		41.16	54.00	12.84	500.0	100.0	V	115.0	4.6
6593.000000	56.00		68.20	12.20	500.0	100.0	V	76.0	6.6
7318.375000		43.89	54.00	10.11	500.0	100.0	V	10.0	7.0




Wi-Fi 5GHz_a CH64_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1246.750000	41.23		68.20	26.97	500.0	100.0	Н	228.0	-8.6
1407.750000		30.45	54.00	23.55	500.0	100.0	н	195.0	-7.5
1721.000000		31.51	54.00	22.49	500.0	200.0	V	51.0	-5.9
1990.500000	44.56		68.20	23.64	500.0	100.0	V	268.0	-4.6
2470.000000	46.80		68.20	21.40	500.0	200.0	н	332.0	-2.3
2826.125000		35.85	54.00	18.15	500.0	100.0	V	192.0	-1.2
3249.625000	51.29		68.20	16.91	500.0	100.0	V	12.0	0.3
3992.500000		39.55	54.00	14.45	500.0	100.0	V	234.0	3.2
4485.125000	50.74		68.20	17.46	500.0	200.0	V	147.0	3.8
4939.250000		39.28	54.00	14.72	500.0	200.0	н	152.0	4.6
7309.625000		41.13	54.00	12.87	500.0	200.0	н	311.0	7.0
7874.000000	53.31		68.20	14.89	500.0	200.0	V	17.0	7.7




Wi-Fi 5GHz_a CH100_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1074.375000		27.96	54.00	26.04	500.0	100.0	V	336.0	-10.3
1249.375000	41.05		68.20	27.15	500.0	100.0	V	324.0	-8.6
1408.625000		30.39	54.00	23.61	500.0	200.0	V	158.0	-7.5
1700.000000		31.48	54.00	22.52	500.0	200.0	V	216.0	-6.0
1980.000000	44.66		68.20	23.54	500.0	200.0	V	166.0	-4.7
2577.625000	46.98		68.20	21.22	500.0	100.0	V	349.0	-2.0
2820.875000		35.93	54.00	18.07	500.0	200.0	V	191.0	-1.2
3518.250000	50.67		68.20	17.53	500.0	100.0	V	269.0	1.7
3975.000000		39.55	54.00	14.45	500.0	100.0	V	152.0	3.1
4486.000000	50.42		68.20	17.78	500.0	100.0	н	102.0	3.8
6037.375000	53.35		68.20	14.85	500.0	200.0	V	171.0	5.8
7290.375000		41.17	54.00	12.83	500.0	100.0	V	92.0	7.0



Wi-Fi 5GHz_a CH116_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1081.375000		27.95	54.00	26.05	500.0	100.0	Н	337.0	-10.3
1242.375000	41.19		68.20	27.01	500.0	100.0	V	295.0	-8.6
1372.750000		30.29	54.00	23.71	500.0	100.0	V	321.0	-7.7
1691.250000		31.54	54.00	22.46	500.0	200.0	V	262.0	-6.0
1968.625000	44.72		68.20	23.48	500.0	100.0	Н	333.0	-4.7
2509.375000	47.03		68.20	21.17	500.0	200.0	Н	80.0	-2.1
2826.125000		36.09	54.00	17.91	500.0	200.0	V	216.0	-1.2
3435.125000	50.72		68.20	17.48	500.0	200.0	V	195.0	1.5
4066.875000		39.75	54.00	14.25	500.0	100.0	Н	53.0	3.5
5240.250000	52.16		68.20	16.04	500.0	100.0	Н	324.0	5.3
6748.750000	53.81		68.20	14.39	500.0	200.0	н	301.0	6.5
7482.875000		41.11	54.00	12.89	500.0	200.0	Н	126.0	6.9



<u>RF Test Report</u> Wi-Fi 5GHz_a CH140_1-8GHz


🛟 eurofins



E	MayDeals	A	Lingth	Manada	Maga	Halasht	Del	Aminovith	0
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1097.125000		28.05	54.00	25.95	500.0	100.0	Н	321.0	-10.1
1274.750000	41.20		68.20	27.00	500.0	100.0	Н	236.0	-8.4
1530.250000		30.80	54.00	23.20	500.0	100.0	V	30.0	-6.8
1847.000000	42.88		68.20	25.32	500.0	200.0	Н	110.0	-5.2
2258.250000		33.48	54.00	20.52	500.0	100.0	н	333.0	-3.0
2604.750000	45.67		68.20	22.53	500.0	200.0	н	136.0	-2.0
2814.750000		35.65	54.00	18.35	500.0	100.0	н	333.0	-1.2
3487.625000	49.82		68.20	18.38	500.0	100.0	Н	174.0	1.7
3857.750000		38.62	54.00	15.38	500.0	100.0	Н	308.0	2.6
4458.000000	49.91		68.20	18.29	500.0	200.0	Н	288.0	3.6
4974.250000		38.69	54.00	15.31	500.0	100.0	Н	135.0	4.5
6773.250000	51.17		68.20	17.03	500.0	100.0	Н	253.0	6.6




Wi-Fi 5GHz_a CH144_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1093.625000		28.07	54.00	25.93	500.0	200.0	V	332.0	-10.1
1263.375000	41.15		68.20	27.05	500.0	100.0	н	309.0	-8.5
1354.375000		30.33	54.00	23.67	500.0	100.0	н	176.0	-7.9
1680.750000		31.55	54.00	22.45	500.0	100.0	Н	59.0	-6.0
1892.500000	44.40		68.20	23.80	500.0	200.0	V	21.0	-5.0
2638.875000	47.23		68.20	20.97	500.0	100.0	V	84.0	-2.0
2785.875000		35.75	54.00	18.25	500.0	100.0	н	176.0	-1.4
3449.125000	50.79		68.20	17.41	500.0	200.0	н	17.0	1.6
4008.250000		39.70	54.00	14.30	500.0	100.0	н	309.0	3.2
5214.875000	51.35		68.20	16.85	500.0	200.0	V	349.0	5.3
6830.125000	53.22		68.20	14.98	500.0	200.0	V	227.0	6.8
7300.000000		41.08	54.00	12.92	500.0	100.0	Н	30.0	7.0




Wi-Fi 5GHz_a CH149_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1273.000000	39.94		68.20	28.26	500.0	200.0	Н	304.0	-8.4
1406.000000		30.33	54.00	23.67	500.0	100.0	V	154.0	-7.5
1688.625000		31.47	54.00	22.53	500.0	100.0	Н	214.0	-6.0
1954.625000	45.02		68.20	23.18	500.0	200.0	Н	252.0	-4.7
2687.000000	46.72		68.20	21.48	500.0	100.0	н	118.0	-1.7
2817.375000		35.97	54.00	18.03	500.0	100.0	н	205.0	-1.2
3398.375000	50.73		68.20	17.47	500.0	200.0	V	251.0	1.3
3983.750000		39.55	54.00	14.45	500.0	200.0	н	274.0	3.2
5142.250000		39.70	54.00	14.30	500.0	100.0	V	245.0	5.0
5568.375000	51.52		68.20	16.68	500.0	100.0	н	101.0	5.5
6066.250000	53.78		68.20	14.42	500.0	200.0	н	245.0	5.8
7300.000000		41.12	54.00	12.88	500.0	100.0	Н	6.0	7.0




<u>RF Test Report</u> Wi-Fi 5GHz_a CH157_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1250.250000	41.33		68.20	26.87	500.0	100.0	Н	264.0	-8.6
1409.500000		30.33	54.00	23.67	500.0	100.0	н	49.0	-7.5
1705.250000		31.51	54.00	22.49	500.0	100.0	н	12.0	-6.0
1970.375000	44.35		68.20	23.85	500.0	100.0	н	12.0	-4.7
2646.750000	47.19		68.20	21.01	500.0	200.0	V	187.0	-2.0
2820.875000		35.87	54.00	18.13	500.0	100.0	н	146.0	-1.2
3581.250000	50.55		68.20	17.65	500.0	100.0	н	175.0	1.8
3987.250000		39.55	54.00	14.45	500.0	200.0	н	313.0	3.2
4070.375000		39.69	54.00	14.31	500.0	200.0	н	187.0	3.5
5603.375000	52.08		68.20	16.12	500.0	200.0	н	280.0	5.6
6556.250000	53.58		68.20	14.62	500.0	100.0	н	20.0	6.5
7284.250000		41.20	54.00	12.80	500.0	100.0	Н	334.0	7.0



Wi-Fi 5GHz_a CH165_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1089.250000		27.43	54.00	26.57	500.0	200.0	Н	0.0	-10.2
1261.625000	40.85		68.20	27.35	500.0	200.0	V	34.0	-8.5
1691.250000		31.46	54.00	22.54	500.0	100.0	V	335.0	-6.0
1957.250000	44.11		68.20	24.09	500.0	200.0	Н	102.0	-4.7
2268.750000		33.40	54.00	20.60	500.0	200.0	V	54.0	-3.0
2652.000000	46.65		68.20	21.55	500.0	200.0	V	262.0	-2.0
2806.000000		35.60	54.00	18.40	500.0	100.0	н	343.0	-1.2
3247.000000	47.78		68.20	20.42	500.0	100.0	V	92.0	0.3
4080.875000		39.71	54.00	14.29	500.0	200.0	Н	243.0	3.4
5599.875000	51.27		68.20	16.93	500.0	200.0	Н	268.0	5.6
6688.375000	53.28		68.20	14.92	500.0	100.0	V	214.0	6.5
7280.750000		41.02	54.00	12.98	500.0	200.0	V	50.0	7.1



🛟 eurofins


Wi-Fi 5GHz_n20 CH36_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1099.750000		27.89	54.00	26.11	500.0	200.0	V	324.0	-10.1
1293.125000	41.02		68.20	27.18	500.0	100.0	V	253.0	-8.2
1381.500000		30.53	54.00	23.47	500.0	100.0	V	75.0	-7.7
1678.125000		31.91	54.00	22.09	500.0	100.0	V	126.0	-6.1
1950.250000	44.15		68.20	24.05	500.0	100.0	V	5.0	-4.7
2686.125000	47.73		68.20	20.47	500.0	100.0	V	110.0	-1.7
2827.875000		36.16	54.00	17.84	500.0	100.0	V	0.0	-1.1
3489.375000	51.34		68.20	16.86	500.0	100.0	V	21.0	1.7
3989.000000		40.54	54.00	13.46	500.0	100.0	V	24.0	3.2
4441.375000	49.97		68.20	18.23	500.0	100.0	V	50.0	3.5
7026.125000	55.85		68.20	12.35	500.0	100.0	V	97.0	6.9
7312.250000		43.74	54.00	10.26	500.0	100.0	V	110.0	7.0




Wi-Fi 5GHz_n20 CH40_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1091.000000		27.79	54.00	26.21	500.0	200.0	V	21.0	-10.2
1292.250000	40.93		68.20	27.27	500.0	200.0	V	94.0	-8.2
1385.000000		29.91	54.00	24.09	500.0	200.0	V	180.0	-7.7
1720.125000		31.51	54.00	22.49	500.0	200.0	V	306.0	-5.9
1954.625000	44.20		68.20	24.00	500.0	200.0	V	89.0	-4.7
2676.500000	46.67		68.20	21.53	500.0	200.0	V	276.0	-1.8
2827.875000		35.81	54.00	18.19	500.0	100.0	Н	125.0	-1.1
3426.375000	50.77		68.20	17.43	500.0	200.0	Н	138.0	1.5
3988.125000		39.41	54.00	14.59	500.0	200.0	Н	105.0	3.2
5560.500000	51.21		68.20	16.99	500.0	100.0	Н	30.0	5.5
7015.625000	53.07		68.20	15.13	500.0	100.0	Н	319.0	7.0
7255.375000		41.12	54.00	12.88	500.0	100.0	Н	345.0	7.1

<u>RF Test Report</u> Wi-Fi 5GHz_n20 CH48_1-8GHz


🛟 eurofins




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1288.750000	40.98		68.20	27.22	500.0	100.0	V	72.0	-8.3
1409.500000		29.94	54.00	24.06	500.0	200.0	V	187.0	-7.5
1690.375000		31.37	54.00	22.63	500.0	100.0	V	147.0	-6.0
1912.625000	44.56		68.20	23.64	500.0	100.0	V	59.0	-4.9
2582.875000	46.24		68.20	21.96	500.0	200.0	Н	85.0	-2.0
2788.500000		35.76	54.00	18.24	500.0	100.0	V	25.0	-1.3
3562.000000	50.27		68.20	17.93	500.0	100.0	н	205.0	1.7
3982.875000		39.39	54.00	14.61	500.0	100.0	н	139.0	3.2
5141.375000		40.67	54.00	13.33	500.0	200.0	V	341.0	5.0
5605.125000	51.40		68.20	16.80	500.0	200.0	н	359.0	5.6
6952.625000	53.68		68.20	14.52	500.0	200.0	V	174.0	7.1
7345.500000		41.11	54.00	12.89	500.0	200.0	V	275.0	7.0



Wi-Fi 5GHz_n20 CH52_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1105.875000		27.86	54.00	26.14	500.0	100.0	Н	304.0	-10.0
1273.000000	40.57		68.20	27.63	500.0	100.0	V	254.0	-8.4
1412.125000		29.98	54.00	24.02	500.0	200.0	н	61.0	-7.5
1694.750000		31.45	54.00	22.55	500.0	200.0	Н	83.0	-6.0
1910.000000	44.47		68.20	23.73	500.0	200.0	Н	70.0	-4.9
2575.000000	47.43		68.20	20.77	500.0	200.0	н	70.0	-2.0
2761.375000		36.02	54.00	17.98	500.0	200.0	н	109.0	-1.5
3459.625000	51.05		68.20	17.15	500.0	200.0	н	0.0	1.6
3989.875000		40.22	54.00	13.78	500.0	200.0	н	61.0	3.2
4508.750000	49.63		74.00	24.37	500.0	100.0	н	0.0	3.8
6827.500000	55.61		68.20	12.59	500.0	200.0	Н	58.0	6.8
7290.375000		43.62	54.00	10.38	500.0	200.0	Н	70.0	7.0



<u>RF Test Report</u> Wi-Fi 5GHz_n20 CH60_1-8GHz


🛟 eurofins



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1117.250000		27.89	54.00	26.11	500.0	100.0	V	202.0	-10.0
1259.875000	40.75		68.20	27.45	500.0	200.0	н	9.0	-8.5
1408.625000		30.22	54.00	23.78	500.0	100.0	V	43.0	-7.5
1721.875000		31.41	54.00	22.59	500.0	100.0	V	155.0	-5.9
1784.875000	43.22		68.20	24.98	500.0	200.0	н	81.0	-5.5
2086.750000	42.32		68.20	25.88	500.0	200.0	н	69.0	-3.8
2788.500000		35.57	54.00	18.43	500.0	200.0	V	306.0	-1.3
3534.875000	50.34		68.20	17.86	500.0	200.0	н	27.0	1.7
3986.375000		39.33	54.00	14.67	500.0	100.0	V	0.0	3.2
4414.250000	49.36		68.20	18.84	500.0	200.0	Н	174.0	3.6
6746.125000	53.67		68.20	14.53	500.0	200.0	Н	48.0	6.5
7286.875000		41.07	54.00	12.93	500.0	200.0	V	0.0	7.0




Wi-Fi 5GHz_n20 CH64_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1070.875000		28.03	54.00	25.97	500.0	200.0	V	44.0	-10.3
1263.375000	41.04		68.20	27.16	500.0	100.0	н	18.0	-8.5
1379.750000		30.19	54.00	23.81	500.0	200.0	V	99.0	-7.7
1709.625000		31.49	54.00	22.51	500.0	100.0	Н	13.0	-5.9
1791.000000	42.50		68.20	25.70	500.0	200.0	Н	106.0	-5.5
2024.625000	42.23		68.20	25.97	500.0	100.0	н	161.0	-4.4
2791.125000		35.64	54.00	18.36	500.0	200.0	н	336.0	-1.3
3467.500000	50.98		68.20	17.22	500.0	100.0	н	56.0	1.6
3984.625000		39.50	54.00	14.50	500.0	100.0	н	215.0	3.2
4465.875000	50.03		68.20	18.17	500.0	200.0	н	273.0	3.6
6824.000000	53.35		68.20	14.85	500.0	200.0	V	2.0	6.8
7293.000000		41.08	54.00	12.92	500.0	100.0	н	224.0	7.0




Wi-Fi 5GHz_n20 CH100_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1291.375000	41.00		68.20	27.20	500.0	100.0	V	3.0	-8.3
1360.500000		30.46	54.00	23.54	500.0	200.0	V	307.0	-7.8
1700.875000		32.21	54.00	21.79	500.0	100.0	н	130.0	-6.0
1858.375000	44.26		68.20	23.94	500.0	100.0	V	161.0	-5.2
2653.750000	47.96		68.20	20.24	500.0	100.0	V	174.0	-1.9
2792.000000		36.11	54.00	17.89	500.0	100.0	V	225.0	-1.3
3488.500000	50.97		68.20	17.23	500.0	200.0	Н	351.0	1.7
3977.625000		40.02	54.00	13.98	500.0	200.0	V	0.0	3.1
5064.375000		40.19	54.00	13.81	500.0	200.0	V	0.0	5.0
5210.500000	52.57		68.20	15.63	500.0	100.0	Н	59.0	5.3
6842.375000	54.17		68.20	14.03	500.0	200.0	V	4.0	6.8
7318.375000		43.21	54.00	10.79	500.0	200.0	V	0.0	7.0




Wi-Fi 5GHz_n20 CH116_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1271.250000	41.41		68.20	26.79	500.0	200.0	Н	267.0	-8.4
1359.625000		30.50	54.00	23.50	500.0	100.0	V	351.0	-7.8
1709.625000		31.67	54.00	22.33	500.0	200.0	н	271.0	-5.9
1946.750000	44.84		68.20	23.36	500.0	200.0	V	84.0	-4.7
2092.000000	47.06		68.20	21.14	500.0	100.0	Н	2.0	-3.8
2820.000000		35.89	54.00	18.11	500.0	100.0	н	0.0	-1.2
3419.375000	50.44		68.20	17.76	500.0	100.0	н	176.0	1.4
3989.000000		39.89	54.00	14.11	500.0	200.0	V	134.0	3.2
5141.375000		39.97	54.00	14.03	500.0	100.0	н	6.0	5.0
5247.250000	52.69		68.20	15.51	500.0	100.0	V	122.0	5.3
6746.125000	53.97		68.20	14.23	500.0	100.0	V	230.0	6.5
7275.500000		41.50	54.00	12.50	500.0	100.0	н	31.0	7.1




Wi-Fi 5GHz_n20 CH140_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1257.250000	41.21		68.20	26.99	500.0	200.0	Н	150.0	-8.6
1367.500000		30.35	54.00	23.65	500.0	100.0	V	200.0	-7.7
1720.125000		31.72	54.00	22.28	500.0	100.0	V	141.0	-5.9
1979.125000	44.39		68.20	23.81	500.0	200.0	V	60.0	-4.7
2572.375000	47.00		68.20	21.20	500.0	200.0	Н	116.0	-2.0
2725.500000		36.04	54.00	17.96	500.0	100.0	н	9.0	-1.5
3501.625000	50.78		68.20	17.42	500.0	100.0	V	46.0	1.8
3987.250000		39.92	54.00	14.08	500.0	100.0	V	345.0	3.2
5120.375000		40.14	54.00	13.86	500.0	200.0	н	327.0	5.1
5221.875000	51.67		68.20	16.53	500.0	200.0	V	52.0	5.3
6594.750000	53.55		68.20	14.65	500.0	100.0	н	34.0	6.6
7319.250000		41.48	54.00	12.52	500.0	100.0	V	254.0	7.0






Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1247.625000	41.42		68.20	26.78	500.0	200.0	Н	329.0	-8.6
1412.125000		30.41	54.00	23.59	500.0	100.0	V	154.0	-7.5
1679.875000		31.77	54.00	22.23	500.0	200.0	V	0.0	-6.0
1996.625000	44.79		68.20	23.41	500.0	100.0	V	138.0	-4.6
2577.625000	47.06		68.20	21.14	500.0	200.0	V	21.0	-2.0
2815.625000		36.32	54.00	17.68	500.0	200.0	V	16.0	-1.2
3374.750000	50.65		68.20	17.55	500.0	200.0	V	21.0	1.1
3995.125000		40.07	54.00	13.93	500.0	200.0	V	8.0	3.2
5106.375000		41.22	54.00	12.78	500.0	200.0	V	0.0	5.1
5224.500000	52.41		68.20	15.79	500.0	200.0	V	33.0	5.3
6998.125000	55.05		68.20	13.15	500.0	200.0	V	0.0	7.1
7314.000000		44.04	54.00	9.96	500.0	200.0	V	0.0	7.0




Wi-Fi 5GHz_n20 CH149_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1294.000000	41.52		68.20	26.68	500.0	100.0	V	355.0	-8.2
1406.875000		30.79	54.00	23.21	500.0	200.0	V	12.0	-7.5
1719.250000		31.85	54.00	22.15	500.0	100.0	Н	323.0	-5.9
1944.125000	44.58		68.20	23.62	500.0	200.0	Н	152.0	-4.7
2572.375000	49.37		68.20	18.83	500.0	100.0	V	321.0	-2.0
2818.250000		36.26	54.00	17.74	500.0	100.0	V	268.0	-1.2
3571.625000	51.21		68.20	16.99	500.0	200.0	V	62.0	1.7
3984.625000		40.32	54.00	13.68	500.0	200.0	V	20.0	3.2
5101.125000		41.27	54.00	12.73	500.0	200.0	V	0.0	5.2
5486.125000	52.47		68.20	15.73	500.0	200.0	V	32.0	5.5
6803.000000	55.34		68.20	12.86	500.0	200.0	V	12.0	6.8
7684.125000		43.89	54.00	10.11	500.0	200.0	V	20.0	7.5




Wi-Fi 5GHz_n20 CH157_1-8GHz



Eroquoney	MaxPeak	Average	Limit	Margin	Meas.	Hoight	Pol	Azimuth	Corr.
Frequency		Average				Height	FOI		
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1280.875000	40.86		68.20	27.34	500.0	200.0	V	119.0	-8.3
1408.625000		30.43	54.00	23.57	500.0	200.0	V	199.0	-7.5
1721.875000		31.52	54.00	22.48	500.0	100.0	V	54.0	-5.9
1995.750000	44.48		68.20	23.72	500.0	200.0	V	144.0	-4.6
2439.375000	46.43		68.20	21.77	500.0	100.0	Н	106.0	-2.4
2814.750000		36.13	54.00	17.87	500.0	200.0	V	194.0	-1.2
3581.250000	51.36		68.20	16.84	500.0	100.0	н	182.0	1.8
3985.500000		39.61	54.00	14.39	500.0	100.0	V	21.0	3.2
5144.875000		39.89	54.00	14.11	500.0	100.0	н	89.0	5.0
5499.250000	51.58		68.20	16.62	500.0	100.0	н	345.0	5.5
6712.000000	53.74		68.20	14.46	500.0	200.0	Н	309.0	6.5
7289.500000		41.36	54.00	12.64	500.0	100.0	Н	194.0	7.0




Wi-Fi 5GHz_n20 CH165_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				• •	(ms)				
1269.500000	41.01		68.20	27.19	500.0	100.0	V	302.0	-8.4
1380.625000		30.33	54.00	23.67	500.0	100.0	V	199.0	-7.7
1679.000000		31.61	54.00	22.39	500.0	100.0	V	36.0	-6.0
1879.375000	44.28		68.20	23.92	500.0	100.0	V	132.0	-5.1
2608.250000	46.73		68.20	21.47	500.0	100.0	V	282.0	-2.0
2807.750000		35.79	54.00	18.21	500.0	200.0	V	192.0	-1.2
3448.250000	50.93		68.20	17.27	500.0	100.0	V	207.0	1.6
4112.375000		40.01	54.00	13.99	500.0	200.0	V	0.0	3.3
5396.000000		39.45	54.00	14.55	500.0	200.0	н	273.0	5.1
5578.875000	51.52		68.20	16.68	500.0	200.0	н	356.0	5.6
6990.250000	53.75		68.20	14.45	500.0	100.0	н	24.0	7.1
7279.000000		41.43	54.00	12.57	500.0	100.0	Н	116.0	7.1




Wi-Fi 5GHz_n40 CH38_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1287.875000	41.13		68.20	27.07	500.0	100.0	н	129.0	-8.3
1385.875000		30.78	54.00	23.22	500.0	100.0	V	177.0	-7.7
1695.625000		31.81	54.00	22.19	500.0	100.0	V	300.0	-6.0
1848.750000	45.07		68.20	23.13	500.0	100.0	V	352.0	-5.2
2626.625000	46.73		68.20	21.47	500.0	200.0	V	250.0	-2.0
2807.750000		36.31	54.00	17.69	500.0	100.0	V	233.0	-1.2
3572.500000	51.45		68.20	16.75	500.0	100.0	V	173.0	1.7
3981.125000		40.55	54.00	13.45	500.0	100.0	V	316.0	3.1
4481.625000	51.18		68.20	17.02	500.0	100.0	V	203.0	3.8
4799.250000		39.86	54.00	14.14	500.0	100.0	V	173.0	3.9
6965.750000	56.27		68.20	11.93	500.0	100.0	V	316.0	7.1
7335.000000		43.88	54.00	10.12	500.0	100.0	V	308.0	7.0




Wi-Fi 5GHz_n40 CH46_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
				-			FOI		
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1273.000000	41.48		68.20	26.72	500.0	100.0	V	0.0	-8.4
1399.000000		30.55	54.00	23.45	500.0	100.0	V	218.0	-7.6
1697.375000		32.08	54.00	21.92	500.0	100.0	н	186.0	-6.0
1956.375000	44.24		68.20	23.96	500.0	100.0	V	280.0	-4.7
2633.625000	47.23		68.20	20.97	500.0	100.0	V	231.0	-2.0
2805.125000		36.48	54.00	17.52	500.0	100.0	V	263.0	-1.2
3492.875000	51.45		68.20	16.75	500.0	100.0	н	182.0	1.8
3991.625000		40.64	54.00	13.36	500.0	100.0	н	26.0	3.2
4471.125000	51.53		68.20	16.67	500.0	100.0	н	146.0	3.7
4888.500000		40.45	54.00	13.55	500.0	100.0	н	31.0	4.4
6768.875000	56.58		68.20	11.62	500.0	100.0	V	326.0	6.6
7291.250000		43.99	54.00	10.01	500.0	100.0	н	114.0	7.0




Wi-Fi 5GHz_n40 CH54_1-8GHz



	-	_							
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				• •	(ms)				
1403.375000		30.76	54.00	23.24	500.0	100.0	н	133.0	-7.6
1704.375000		31.90	54.00	22.10	500.0	100.0	Н	161.0	-6.0
1808.500000	44.31		68.20	23.89	500.0	100.0	н	133.0	-5.4
2397.375000	47.41		68.20	20.79	500.0	100.0	Н	54.0	-2.6
2771.000000		36.28	54.00	17.72	500.0	100.0	н	182.0	-1.4
2991.500000	47.98		68.20	20.22	500.0	100.0	Н	54.0	-0.6
3545.375000	50.01		68.20	18.19	500.0	100.0	н	278.0	1.7
3996.875000		40.65	54.00	13.35	500.0	100.0	н	38.0	3.2
4481.625000	52.23		68.20	15.97	500.0	100.0	н	34.0	3.8
4934.875000		40.87	54.00	13.13	500.0	100.0	н	94.0	4.6
6663.000000	55.56		68.20	12.64	500.0	100.0	н	253.0	6.6
7303.500000		44.17	54.00	9.83	500.0	100.0	Н	34.0	7.0



Wi-Fi 5GHz_n40 CH62_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1296.625000	41.14		68.20	27.06	500.0	100.0	V	299.0	-8.2
1408.625000		30.27	54.00	23.73	500.0	200.0	V	93.0	-7.5
1696.500000		31.62	54.00	22.38	500.0	100.0	н	6.0	-6.0
1980.000000	44.37		68.20	23.83	500.0	200.0	V	118.0	-4.7
2519.875000	47.12		68.20	21.08	500.0	100.0	V	299.0	-2.2
2810.375000		35.95	54.00	18.05	500.0	100.0	н	225.0	-1.2
3462.250000	50.61		68.20	17.59	500.0	200.0	н	247.0	1.6
3968.875000		39.81	54.00	14.19	500.0	100.0	н	167.0	3.0
4486.875000	51.20		68.20	17.00	500.0	100.0	н	74.0	3.8
4912.125000		39.54	54.00	14.46	500.0	100.0	н	150.0	4.7
7293.875000		41.45	54.00	12.55	500.0	100.0	н	86.0	7.0
7965.000000	53.36		68.20	14.84	500.0	100.0	V	187.0	7.6



<u>_____RF Test Report</u> Wi-Fi 5GHz_n40 CH102_1-8GHz

🛟 eurofins




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1248.500000	41.37		68.20	26.83	500.0	100.0	V	248.0	-8.6
1410.375000		30.23	54.00	23.77	500.0	100.0	Н	12.0	-7.5
1719.250000		31.55	54.00	22.45	500.0	100.0	V	341.0	-5.9
1962.500000	44.00		68.20	24.20	500.0	200.0	Н	75.0	-4.7
2673.000000	46.83		68.20	21.37	500.0	200.0	V	102.0	-1.8
2827.000000		35.98	54.00	18.02	500.0	100.0	V	303.0	-1.1
3524.375000	50.08		68.20	18.12	500.0	200.0	V	70.0	1.7
3988.125000		39.70	54.00	14.30	500.0	200.0	Н	211.0	3.2
4893.750000		39.14	54.00	14.86	500.0	200.0	н	173.0	4.5
5247.250000	51.24		68.20	16.96	500.0	200.0	н	340.0	5.3
6595.625000	53.20		68.20	15.00	500.0	100.0	V	256.0	6.6
7282.500000		41.74	54.00	12.26	500.0	200.0	Н	0.0	7.1



Report No.: R2411A1737-R4


Wi-Fi 5GHz_n40 CH118_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1278.250000	41.43		68.20	26.77	500.0	100.0	Н	176.0	-8.4
1391.125000		30.61	54.00	23.39	500.0	100.0	V	292.0	-7.6
1534.625000		32.21	54.00	21.79	500.0	100.0	Н	0.0	-6.8
1980.000000	44.75		68.20	23.45	500.0	200.0	Н	305.0	-4.7
2476.125000	47.06		68.20	21.14	500.0	200.0	V	110.0	-2.2
2775.375000		36.46	54.00	17.54	500.0	100.0	V	253.0	-1.4
3482.375000	50.73		68.20	17.47	500.0	200.0	V	35.0	1.7
3972.375000		39.85	54.00	14.15	500.0	100.0	V	100.0	3.0
5208.750000	51.62		68.20	16.58	500.0	200.0	V	35.0	5.3
5372.375000		38.84	54.00	15.16	500.0	200.0	Н	83.0	5.1
7077.750000	53.85		68.20	14.35	500.0	100.0	V	211.0	7.0
7376.125000		41.27	54.00	12.73	500.0	100.0	Н	11.0	7.2




Wi-Fi 5GHz_n40 CH134_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1288.750000	41.15		68.20	27.05	500.0	200.0	V	5.0	-8.3
1380.625000		30.73	54.00	23.27	500.0	100.0	V	6.0	-7.7
1709.625000		31.85	54.00	22.15	500.0	200.0	V	7.0	-5.9
1996.625000	44.73		68.20	23.47	500.0	100.0	Н	219.0	-4.6
2513.750000	45.07		68.20	23.13	500.0	100.0	V	2.0	-2.1
2766.625000		36.32	54.00	17.68	500.0	200.0	н	189.0	-1.4
3533.125000	51.04		68.20	17.16	500.0	100.0	V	39.0	1.7
3991.625000		39.85	54.00	14.15	500.0	100.0	V	190.0	3.2
5121.250000		40.20	54.00	13.80	500.0	200.0	н	332.0	5.1
5170.250000	51.36		68.20	16.84	500.0	200.0	V	132.0	5.1
6576.375000	53.61		68.20	14.59	500.0	200.0	н	238.0	6.6
7345.500000		41.33	54.00	12.67	500.0	100.0	Н	119.0	7.0




<u>_____RF Test Report</u> Wi-Fi 5GHz_n40 CH142_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1267.750000	41.41		68.20	26.79	500.0	100.0	V	28.0	-8.5
1370.125000		30.32	54.00	23.68	500.0	200.0	н	0.0	-7.7
1610.750000		31.78	54.00	22.22	500.0	200.0	н	92.0	-6.3
1775.250000	42.52		68.20	25.68	500.0	200.0	Н	24.0	-5.6
2580.250000	47.03		68.20	21.17	500.0	100.0	н	350.0	-2.0
2736.000000		35.90	54.00	18.10	500.0	100.0	V	217.0	-1.5
3592.625000	50.67		68.20	17.53	500.0	100.0	V	149.0	1.8
3974.125000		39.82	54.00	14.18	500.0	200.0	н	96.0	3.1
5143.125000		40.12	54.00	13.88	500.0	100.0	V	36.0	5.0
5332.125000	52.17		68.20	16.03	500.0	100.0	V	82.0	5.3
6648.125000	53.98		68.20	14.22	500.0	200.0	н	11.0	6.6
7316.625000		41.24	54.00	12.76	500.0	100.0	н	350.0	7.0




Wi-Fi 5GHz_n40 CH151_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1287.000000	40.80		68.20	27.40	500.0	100.0	V	23.0	-8.3
1390.250000		30.38	54.00	23.62	500.0	100.0	V	195.0	-7.6
1619.500000		31.75	54.00	22.25	500.0	100.0	Н	171.0	-6.3
1715.750000	41.69		68.20	26.51	500.0	100.0	Н	0.0	-5.9
2395.625000	46.84		68.20	21.36	500.0	100.0	V	149.0	-2.6
2815.625000		35.85	54.00	18.15	500.0	100.0	Н	330.0	-1.2
3450.875000	51.04		68.20	17.16	500.0	100.0	н	210.0	1.6
3974.125000		39.70	54.00	14.30	500.0	100.0	V	170.0	3.1
5138.750000		40.06	54.00	13.94	500.0	200.0	н	344.0	5.0
5632.250000	53.07		68.20	15.13	500.0	200.0	V	234.0	5.5
6588.625000	53.85		68.20	14.35	500.0	200.0	Н	160.0	6.6
7333.250000		41.63	54.00	12.37	500.0	100.0	V	186.0	7.0




Wi-Fi 5GHz_n40 CH159_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1274.750000	41.60		68.20	26.60	500.0	200.0	Н	27.0	-8.4
1385.000000		30.39	54.00	23.61	500.0	100.0	Н	260.0	-7.7
1682.500000		31.62	54.00	22.38	500.0	200.0	Н	48.0	-6.0
1921.375000	44.31		68.20	23.89	500.0	100.0	Н	356.0	-4.9
2133.125000	47.87		68.20	20.33	500.0	200.0	V	256.0	-3.5
2809.500000		35.86	54.00	18.14	500.0	100.0	V	81.0	-1.2
3595.250000	50.95		68.20	17.25	500.0	200.0	н	195.0	1.8
3994.250000		39.66	54.00	14.34	500.0	100.0	н	260.0	3.2
5142.250000		40.06	54.00	13.94	500.0	200.0	V	156.0	5.0
5617.375000	52.54		68.20	15.66	500.0	200.0	V	244.0	5.5
6590.375000	54.47		68.20	13.73	500.0	100.0	V	18.0	6.6
7287.750000		41.18	54.00	12.82	500.0	100.0	Н	188.0	7.0




Wi-Fi 5GHz_ac80 CH42_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
				• •	(ms)				
1088.375000		28.14	54.00	25.86	500.0	200.0	Н	264.0	-10.2
1252.875000	39.56		68.20	28.64	500.0	200.0	н	260.0	-8.6
1364.000000		30.27	54.00	23.73	500.0	100.0	н	250.0	-7.7
1709.625000		31.52	54.00	22.48	500.0	100.0	Н	195.0	-5.9
1908.250000	42.48		68.20	25.72	500.0	200.0	V	87.0	-5.0
2675.625000	47.30		68.20	20.90	500.0	200.0	V	58.0	-1.8
2756.125000		35.98	54.00	18.02	500.0	200.0	н	134.0	-1.5
3438.625000	50.44		68.20	17.76	500.0	100.0	V	283.0	1.5
3987.250000		39.76	54.00	14.24	500.0	200.0	Н	46.0	3.2
4465.875000	50.44		68.20	17.76	500.0	100.0	V	96.0	3.6
6604.375000	53.48		68.20	14.72	500.0	100.0	Н	54.0	6.7
7419.875000		41.49	54.00	12.51	500.0	200.0	Н	116.0	7.2




Wi-Fi 5GHz_ac80 CH58_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				· ·
1062.125000		28.02	54.00	25.98	500.0	100.0	Н	289.0	-10.4
1266.000000	41.24		68.20	26.96	500.0	100.0	V	269.0	-8.5
1397.250000		30.38	54.00	23.62	500.0	100.0	н	181.0	-7.6
1719.250000		31.70	54.00	22.30	500.0	100.0	Н	5.0	-5.9
1778.750000	43.08		68.20	25.12	500.0	200.0	н	37.0	-5.6
2046.500000	42.67		68.20	25.53	500.0	100.0	V	130.0	-4.2
2790.250000		36.10	54.00	17.90	500.0	100.0	V	324.0	-1.3
3437.750000	51.24		68.20	16.96	500.0	100.0	V	138.0	1.5
3960.125000		39.84	54.00	14.16	500.0	200.0	н	341.0	2.9
4428.250000	50.97		68.20	17.23	500.0	100.0	V	1.0	3.5
7316.625000		41.37	54.00	12.63	500.0	100.0	н	30.0	7.0
7942.250000	53.53		68.20	14.67	500.0	200.0	V	45.0	7.6



Wi-Fi 5GHz_ac80 CH106_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1105.000000		27.88	54.00	26.12	500.0	100.0	Н	77.0	-10.0
1257.250000	41.10		68.20	27.10	500.0	100.0	н	77.0	-8.6
1401.625000		30.42	54.00	23.58	500.0	200.0	н	237.0	-7.6
1721.000000		31.50	54.00	22.50	500.0	200.0	V	64.0	-5.9
1998.375000	44.15		68.20	24.05	500.0	100.0	Н	175.0	-4.6
2628.375000	47.22		68.20	20.98	500.0	200.0	V	18.0	-2.0
2792.000000		35.87	54.00	18.13	500.0	200.0	н	287.0	-1.3
3461.375000	50.85		68.20	17.35	500.0	100.0	V	172.0	1.6
3999.500000		39.64	54.00	14.36	500.0	200.0	н	207.0	3.2
4468.500000	50.82		68.20	17.38	500.0	100.0	V	42.0	3.7
6636.750000	53.72		68.20	14.48	500.0	200.0	н	291.0	6.6
7722.625000		41.79	54.00	12.21	500.0	200.0	Н	287.0	7.5



Report No.: R2411A1737-R4


Wi-Fi 5GHz_ac80 CH122_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1081.375000		31.23	54.00	22.77	500.0	100.0	Н	52.0	-10.3
1296.625000	40.72		68.20	27.48	500.0	100.0	Н	267.0	-8.2
1721.000000		31.53	54.00	22.47	500.0	100.0	н	173.0	-5.9
1980.000000	43.89		68.20	24.31	500.0	100.0	V	104.0	-4.7
2573.250000	46.33		68.20	21.87	500.0	200.0	Н	322.0	-2.0
2815.625000		35.85	54.00	18.15	500.0	100.0	н	165.0	-1.2
3433.375000	50.25		68.20	17.95	500.0	200.0	Н	297.0	1.5
3975.875000		39.71	54.00	14.29	500.0	200.0	н	284.0	3.1
5221.000000	51.64		68.20	16.56	500.0	100.0	н	165.0	5.3
5459.875000		40.41	54.00	13.59	500.0	200.0	V	242.0	5.3
6635.875000	54.03		68.20	14.17	500.0	100.0	Н	298.0	6.6
7341.125000		41.25	54.00	12.75	500.0	100.0	Н	97.0	7.0




Wi-Fi 5GHz_ac160 CH50_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1062.125000		27.82	54.00	26.18	500.0	100.0	V	224.0	-10.4
1247.625000	40.76		68.20	27.44	500.0	200.0	V	64.0	-8.6
1405.125000		30.04	54.00	23.96	500.0	200.0	V	89.0	-7.6
1668.500000		31.47	54.00	22.53	500.0	200.0	V	8.0	-6.1
1960.750000	44.27		68.20	23.93	500.0	200.0	Н	312.0	-4.7
2686.125000	46.95		68.20	21.25	500.0	200.0	Н	266.0	-1.7
2766.625000		35.73	54.00	18.27	500.0	200.0	Н	241.0	-1.4
3478.875000	50.27		68.20	17.93	500.0	200.0	Н	291.0	1.7
3996.000000		39.64	54.00	14.36	500.0	200.0	V	199.0	3.2
4461.500000	50.34		68.20	17.86	500.0	200.0	н	220.0	3.6
6671.750000	53.19		68.20	15.01	500.0	100.0	н	32.0	6.6
7331.500000		41.17	54.00	12.83	500.0	200.0	н	266.0	7.0




Wi-Fi 5GHz_ac160 CH114_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1072.625000		28.00	54.00	26.00	500.0	200.0	V	23.0	-10.3
1287.000000	41.24		68.20	26.96	500.0	200.0	V	203.0	-8.3
1399.000000		30.16	54.00	23.84	500.0	200.0	V	248.0	-7.6
1706.125000		31.36	54.00	22.64	500.0	200.0	Н	263.0	-6.0
1973.875000	44.07		68.20	24.13	500.0	200.0	V	69.0	-4.7
2640.625000	47.11		68.20	21.09	500.0	200.0	Н	314.0	-2.0
2808.625000		35.72	54.00	18.28	500.0	200.0	Н	323.0	-1.2
3551.500000	50.56		68.20	17.64	500.0	100.0	V	0.0	1.7
3975.000000		39.51	54.00	14.49	500.0	100.0	V	151.0	3.1
4486.000000	50.13		68.20	18.07	500.0	200.0	V	177.0	3.8
6690.125000	53.68		68.20	14.52	500.0	100.0	V	260.0	6.5
7299.125000		41.17	54.00	12.84	500.0	100.0	Н	12.0	7.0




Wi-Fi 5GHz_ac160 CH138_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1287.000000	41.30		68.20	26.90	500.0	100.0	Н	104.0	-8.3
1394.625000		30.17	54.00	23.83	500.0	100.0	н	104.0	-7.6
1706.125000		31.75	54.00	22.25	500.0	100.0	н	238.0	-6.0
1989.625000	44.30		68.20	23.90	500.0	100.0	Н	63.0	-4.6
2645.000000	46.86		68.20	21.34	500.0	200.0	V	339.0	-2.0
2795.500000		35.83	54.00	18.17	500.0	200.0	V	280.0	-1.3
3563.750000	50.76		68.20	17.44	500.0	200.0	V	60.0	1.7
3985.500000		39.75	54.00	14.25	500.0	200.0	V	156.0	3.2
5119.500000		39.95	54.00	14.05	500.0	100.0	V	120.0	5.1
5210.500000	52.02		68.20	16.18	500.0	200.0	Н	187.0	5.3
6824.000000	53.64		68.20	14.56	500.0	200.0	V	206.0	6.8
7423.375000		41.36	54.00	12.64	500.0	100.0	Н	217.0	7.2




Wi-Fi 5GHz_ac160 CH155_1-8GHz



En	ManDaala	A	Lingth	Manualia	Mana	Halasha	Del	Antoniatio	0
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1299.250000	40.79		68.20	27.41	500.0	200.0	V	207.0	-8.2
1403.375000		30.01	54.00	23.99	500.0	100.0	н	175.0	-7.6
1720.125000		31.31	54.00	22.69	500.0	200.0	V	61.0	-5.9
1956.375000	44.16		68.20	24.04	500.0	100.0	V	115.0	-4.7
2551.375000	47.03		68.20	21.17	500.0	200.0	н	0.0	-2.1
2813.875000		35.83	54.00	18.17	500.0	200.0	н	326.0	-1.2
3485.000000	50.75		68.20	17.45	500.0	100.0	н	96.0	1.7
3984.625000		39.57	54.00	14.43	500.0	200.0	V	166.0	3.2
5120.375000		39.95	54.00	14.05	500.0	100.0	н	62.0	5.1
5480.000000	51.89		68.20	16.31	500.0	100.0	V	319.0	5.5
6756.625000	53.68		68.20	14.52	500.0	200.0	Н	239.0	6.5
7287.750000		41.32	54.00	12.68	500.0	100.0	Н	16.0	7.0




Wi-Fi 5GHz_ax20 CH36_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m	(dB£gV/m	(dB£gV/m	(dB)	Time	(cm)		(deg)	(dB/m)
)))		(ms)				
1074.375000		27.71	54.00	26.29	500.0	200.0	Н	58.0	-10.3
1278.250000	40.90		68.20	27.30	500.0	200.0	V	112.0	-8.4
1385.875000		30.15	54.00	23.85	500.0	200.0	V	205.0	-7.7
1703.500000		31.61	54.00	22.39	500.0	200.0	V	272.0	-6.0
1981.750000	44.08		68.20	24.12	500.0	200.0	V	121.0	-4.7
2505.875000	47.39		68.20	20.81	500.0	200.0	V	108.0	-2.1
2811.250000		35.87	54.00	18.13	500.0	200.0	Η	138.0	-1.2
3585.625000	50.46		68.20	17.74	500.0	200.0	V	336.0	1.8
3974.125000		39.70	54.00	14.30	500.0	200.0	Н	310.0	3.1
4419.500000	49.85		68.20	18.35	500.0	200.0	Н	121.0	3.6
6855.500000	53.28		68.20	14.92	500.0	200.0	Н	112.0	6.8
7285.125000		41.22	54.00	12.78	500.0	200.0	Н	104.0	7.0




Wi-Fi 5GHz_ax20 CH40_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1091.000000		27.60	54.00	26.40	500.0	200.0	Н	88.0	-10.2
1265.125000	40.58		68.20	27.62	500.0	200.0	Н	4.0	-8.5
1410.375000		30.14	54.00	23.86	500.0	200.0	н	20.0	-7.5
1721.875000		31.51	54.00	22.49	500.0	200.0	н	117.0	-5.9
1940.625000	44.13		68.20	24.07	500.0	200.0	V	291.0	-4.7
2476.125000	46.57		68.20	21.63	500.0	200.0	V	295.0	-2.2
2814.750000		35.67	54.00	18.33	500.0	200.0	V	128.0	-1.2
3533.125000	50.80		68.20	17.40	500.0	200.0	V	132.0	1.7
3992.500000		39.77	54.00	14.23	500.0	200.0	н	113.0	3.2
4476.375000	49.65		68.20	18.55	500.0	200.0	Н	178.0	3.7
6978.000000	53.65		68.20	14.55	500.0	200.0	Н	203.0	7.1
7344.625000		41.25	54.00	12.75	500.0	200.0	Н	50.0	7.0




Wi-Fi 5GHz_ax20 CH48_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1268.625000	40.80		68.20	27.40	500.0	200.0	V	342.0	-8.5
1386.750000		30.65	54.00	23.35	500.0	200.0	V	321.0	-7.7
1708.750000		31.61	54.00	22.39	500.0	200.0	V	22.0	-5.9
1920.500000	44.15		68.20	24.05	500.0	200.0	Н	119.0	-4.9
2503.250000	47.01		68.20	21.19	500.0	200.0	V	224.0	-2.1
2786.750000		35.88	54.00	18.12	500.0	200.0	V	265.0	-1.3
3394.000000	50.80		68.20	17.40	500.0	200.0	V	127.0	1.3
3996.875000		39.71	54.00	14.29	500.0	200.0	V	287.0	3.2
5139.625000		40.48	54.00	13.52	500.0	200.0	V	0.0	5.0
5550.000000	51.70		68.20	16.50	500.0	200.0	V	119.0	5.4
6761.875000	53.54		68.20	14.66	500.0	200.0	V	237.0	6.6
7258.875000		41.28	54.00	12.72	500.0	200.0	Н	214.0	7.1




Wi-Fi 5GHz_ax20 CH52_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1093.625000		27.78	54.00	26.22	500.0	200.0	Н	0.0	-10.1
1285.250000	41.09		68.20	27.11	500.0	200.0	V	130.0	-8.3
1378.000000		30.15	54.00	23.85	500.0	200.0	V	134.0	-7.7
1686.000000		31.60	54.00	22.40	500.0	200.0	Н	177.0	-6.0
1874.125000	43.76		68.20	24.44	500.0	200.0	н	227.0	-5.1
2590.750000	47.32		68.20	20.88	500.0	200.0	V	354.0	-2.0
2813.000000		35.81	54.00	18.19	500.0	200.0	н	92.0	-1.2
3443.875000	50.42		68.20	17.78	500.0	200.0	н	345.0	1.5
3991.625000		39.58	54.00	14.42	500.0	200.0	Н	104.0	3.2
4461.500000	50.70		68.20	17.50	500.0	200.0	V	139.0	3.6
7072.500000	53.33		68.20	14.87	500.0	200.0	н	345.0	7.0
7426.000000		41.43	54.00	12.57	500.0	200.0	Н	96.0	7.2




Wi-Fi 5GHz_ax20 CH60_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1252.000000	40.46		68.20	27.74	500.0	200.0	V	260.0	-8.6
1406.000000		30.01	54.00	23.99	500.0	200.0	V	308.0	-7.5
1707.000000		31.74	54.00	22.26	500.0	200.0	V	337.0	-5.9
1979.125000	44.19		68.20	24.01	500.0	200.0	V	290.0	-4.7
2569.750000	46.61		68.20	21.59	500.0	200.0	н	135.0	-2.0
2813.000000		36.22	54.00	17.78	500.0	200.0	V	321.0	-1.2
3447.375000	51.21		68.20	16.99	500.0	200.0	V	333.0	1.5
3985.500000		40.58	54.00	13.42	500.0	200.0	V	325.0	3.2
5132.625000		41.48	54.00	12.52	500.0	200.0	V	350.0	5.0
5527.250000	52.13		68.20	16.07	500.0	200.0	V	350.0	5.4
6849.375000	55.54		68.20	12.66	500.0	200.0	V	325.0	6.8
7259.750000		43.86	54.00	10.14	500.0	200.0	V	304.0	7.1




<u>RF Test Report</u> Wi-Fi 5GHz_ax20 CH64_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1088.375000		27.73	54.00	26.27	500.0	200.0	н	28.0	-10.2
1285.250000	40.71		68.20	27.49	500.0	200.0	V	42.0	-8.3
1413.000000		30.19	54.00	23.81	500.0	200.0	V	88.0	-7.5
1707.000000		31.59	54.00	22.41	500.0	200.0	V	286.0	-5.9
1813.750000	44.20		68.20	24.00	500.0	200.0	н	11.0	-5.4
2572.375000	46.61		68.20	21.59	500.0	200.0	V	0.0	-2.0
2792.000000		35.92	54.00	18.08	500.0	200.0	н	112.0	-1.3
3439.500000	50.39		68.20	17.81	500.0	200.0	н	45.0	1.5
3975.000000		39.65	54.00	14.35	500.0	200.0	н	103.0	3.1
4419.500000	50.20		68.20	18.00	500.0	200.0	н	199.0	3.6
7013.875000	53.94		68.20	14.26	500.0	200.0	н	49.0	7.0
7430.375000		41.25	54.00	12.75	500.0	200.0	Н	187.0	7.1



Wi-Fi 5GHz_ax20 CH100_1-8GHz




E	MauDeals	A	Lingth	Manada	Maga	Halasha	Del	Antoniatio	0
Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				· ·
1104.125000		27.88	54.00	26.12	500.0	200.0	V	72.0	-10.0
1252.875000	40.55		68.20	27.65	500.0	200.0	V	164.0	-8.6
1399.875000		30.52	54.00	23.48	500.0	200.0	V	50.0	-7.6
1721.875000		31.51	54.00	22.49	500.0	200.0	V	248.0	-5.9
1934.500000	44.45		68.20	23.75	500.0	200.0	V	303.0	-4.8
2540.875000	47.23		68.20	20.97	500.0	200.0	V	277.0	-2.1
2768.375000		35.91	54.00	18.09	500.0	200.0	н	135.0	-1.4
3534.000000	50.94		68.20	17.26	500.0	200.0	V	350.0	1.7
3987.250000		39.80	54.00	14.20	500.0	200.0	н	143.0	3.2
4468.500000	50.93		68.20	17.27	500.0	200.0	н	295.0	3.7
6580.750000	53.92		68.20	14.28	500.0	200.0	V	185.0	6.6
7336.750000		41.35	54.00	12.65	500.0	200.0	V	0.0	7.0



<u>RF Test Report</u> Wi-Fi 5GHz_ax20 CH116_1-8GHz


🛟 eurofins



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1105.000000		27.68	54.00	26.32	500.0	200.0	Н	15.0	-10.0
1291.375000	40.25		68.20	27.95	500.0	200.0	V	336.0	-8.3
1383.250000		30.32	54.00	23.68	500.0	200.0	V	159.0	-7.7
1721.875000		31.46	54.00	22.54	500.0	200.0	V	231.0	-5.9
1829.500000	43.70		68.20	24.50	500.0	200.0	V	168.0	-5.2
2544.375000	46.62		68.20	21.58	500.0	200.0	Н	185.0	-2.1
2734.250000		35.93	54.00	18.07	500.0	200.0	н	66.0	-1.5
3522.625000	50.50		68.20	17.70	500.0	200.0	V	299.0	1.7
4071.250000		40.06	54.00	13.94	500.0	200.0	V	159.0	3.5
5221.875000	51.36		68.20	16.84	500.0	200.0	н	95.0	5.3
6775.000000	53.50		68.20	14.70	500.0	200.0	н	334.0	6.7
7340.250000		41.44	54.00	12.56	500.0	200.0	V	257.0	7.0



Wi-Fi 5GHz_ax20 CH140_1-8GHz




Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1069.125000		27.73	54.00	26.27	500.0	200.0	Н	4.0	-10.3
1276.500000	41.17		68.20	27.03	500.0	200.0	V	256.0	-8.4
1410.375000		30.06	54.00	23.94	500.0	200.0	н	355.0	-7.5
1680.750000		31.45	54.00	22.55	500.0	200.0	V	239.0	-6.0
1981.750000	44.59		68.20	23.61	500.0	200.0	V	273.0	-4.7
2637.125000	46.52		68.20	21.68	500.0	200.0	н	63.0	-2.0
2742.125000		35.79	54.00	18.21	500.0	200.0	н	224.0	-1.5
3340.625000	50.71		68.20	17.49	500.0	200.0	V	214.0	0.9
4079.125000		39.71	54.00	14.29	500.0	200.0	н	156.0	3.4
5248.125000	51.24		68.20	16.96	500.0	200.0	V	244.0	5.3
6964.000000	53.59		68.20	14.61	500.0	200.0	н	0.0	7.1
7286.875000		41.38	54.00	12.62	500.0	200.0	V	256.0	7.0



<u>RF Test Report</u> Wi-Fi 5GHz_ax20 CH144_1-8GHz


🛟 eurofins



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1254.625000	40.57		68.20	27.63	500.0	200.0	V	122.0	-8.6
1402.500000		30.24	54.00	23.76	500.0	200.0	V	331.0	-7.6
1701.750000		31.84	54.00	22.16	500.0	200.0	V	0.0	-6.0
1922.250000	44.28		68.20	23.92	500.0	200.0	V	357.0	-4.9
2645.000000	46.54		68.20	21.66	500.0	200.0	V	286.0	-2.0
2814.750000		36.07	54.00	17.93	500.0	200.0	V	59.0	-1.2
3539.250000	50.50		68.20	17.70	500.0	200.0	н	213.0	1.7
3928.625000		39.98	54.00	14.02	500.0	200.0	V	0.0	2.7
5301.500000	52.38		68.20	15.82	500.0	200.0	V	348.0	5.4
5410.875000		41.38	54.00	12.62	500.0	200.0	V	0.0	5.1
6876.500000	55.03		68.20	13.17	500.0	200.0	V	357.0	6.7
7334.125000		43.54	54.00	10.46	500.0	200.0	V	0.0	7.0




Wi-Fi 5GHz_ax20 CH149_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1292.250000	41.11		68.20	27.09	500.0	200.0	V	146.0	-8.2
1405.125000		30.60	54.00	23.40	500.0	200.0	V	104.0	-7.6
1673.750000		31.99	54.00	22.01	500.0	200.0	V	91.0	-6.1
1979.125000	44.66		68.20	23.54	500.0	200.0	V	66.0	-4.7
2544.375000	47.01		68.20	21.19	500.0	200.0	V	279.0	-2.1
2771.000000		36.44	54.00	17.56	500.0	200.0	V	321.0	-1.4
3430.750000	51.21		68.20	16.99	500.0	200.0	V	146.0	1.5
3982.875000		40.42	54.00	13.58	500.0	200.0	V	151.0	3.2
5108.125000		41.55	54.00	12.45	500.0	200.0	V	133.0	5.1
5508.000000	53.36		68.20	14.84	500.0	200.0	V	241.0	5.4
7010.375000	56.16		68.20	12.04	500.0	200.0	V	151.0	7.0
7299.125000		43.99	54.00	10.01	500.0	200.0	V	220.0	7.0




Wi-Fi 5GHz_ax20 CH157_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1108.500000		27.83	54.00	26.17	500.0	200.0	Н	89.0	-10.0
1271.250000	40.61		68.20	27.59	500.0	200.0	V	67.0	-8.4
1382.375000		30.20	54.00	23.80	500.0	200.0	V	315.0	-7.7
1720.125000		31.69	54.00	22.31	500.0	200.0	V	127.0	-5.9
1926.625000	43.45		68.20	24.75	500.0	200.0	V	194.0	-4.8
2580.250000	46.83		68.20	21.37	500.0	200.0	V	182.0	-2.0
2739.500000		35.95	54.00	18.05	500.0	200.0	V	290.0	-1.5
3519.125000	51.06		68.20	17.14	500.0	200.0	V	141.0	1.7
4066.000000		40.03	54.00	13.97	500.0	200.0	н	102.0	3.5
4452.750000	49.03		68.20	19.17	500.0	200.0	н	110.0	3.5
6885.250000	53.30		68.20	14.90	500.0	200.0	Н	221.0	6.7
7342.000000		41.52	54.00	12.48	500.0	200.0	Н	234.0	7.0




Wi-Fi 5GHz_ax20 CH165_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1247.625000	41.17		68.20	27.03	500.0	200.0	н	224.0	-8.6
1366.625000		30.24	54.00	23.76	500.0	200.0	н	211.0	-7.7
1707.875000		31.45	54.00	22.55	500.0	200.0	н	60.0	-5.9
1994.875000	43.68		68.20	24.52	500.0	200.0	V	148.0	-4.6
2643.250000	46.77		68.20	21.43	500.0	200.0	н	69.0	-2.0
2790.250000		35.92	54.00	18.08	500.0	200.0	н	14.0	-1.3
3531.375000	51.75		68.20	16.45	500.0	200.0	н	98.0	1.7
3954.875000		40.21	54.00	13.79	500.0	200.0	н	120.0	2.9
5141.375000		39.86	54.00	14.14	500.0	200.0	V	232.0	5.0
5333.000000	51.49		68.20	16.71	500.0	200.0	V	120.0	5.3
6990.250000	53.45		68.20	14.75	500.0	200.0	н	303.0	7.1
7370.875000		41.25	54.00	12.75	500.0	200.0	Н	31.0	7.1



Wi-Fi 5GHz_ax40 CH38_1-8GHz



Frequency	MaxPeak	Average	Limit	Margin	Meas.	Height	Pol	Azimuth	Corr.
(MHz)	(dB£gV/m)	(dB£gV/m)	(dB£gV/m)	(dB)	Time	(cm)		(deg)	(dB/m)
					(ms)				
1074.375000		27.96	54.00	26.04	500.0	200.0	Н	144.0	-10.3
1298.375000	41.32		68.20	26.89	500.0	200.0	V	230.0	-8.2
1395.500000		30.45	54.00	23.55	500.0	200.0	н	102.0	-7.6
1709.625000		31.64	54.00	22.36	500.0	200.0	Н	48.0	-5.9
1915.250000	44.55		68.20	23.65	500.0	200.0	V	217.0	-4.9
2522.500000	46.77		68.20	21.43	500.0	200.0	V	187.0	-2.2
2793.750000		35.84	54.00	18.16	500.0	200.0	V	288.0	-1.3
3464.875000	50.58		68.20	17.62	500.0	200.0	Н	65.0	1.6
3994.250000		39.62	54.00	14.38	500.0	200.0	н	22.0	3.2
4482.500000	49.87		68.20	18.33	500.0	200.0	Н	10.0	3.8
6738.250000	53.60		68.20	14.60	500.0	200.0	Н	153.0	6.5
7354.250000		41.18	54.00	12.82	500.0	200.0	V	204.0	7.0