1 of 8 Page:

# Appendix B

**LTE CA 2A-12A** 



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and its document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Page: 2 of 8

#### CONTENT

| 1. | FIELD STRENGTH OF SPURIOUS RADIATION | 3 |
|----|--------------------------------------|---|
|    | 1.1. Test Band = _2A_12A _TM1        | 3 |
|    | 1.1.1. Test Channel = Low Channel    | 3 |
|    | 1.2. Test Band = _2A_12A _TM1        | 4 |
|    | 1.2.1. Test Channel = Low Channel    | 4 |
|    | 1.3. Test Band = _2A_12A _TM1        | 5 |
|    | 1.3.1. Test Channel = Mid Channel    | 5 |
|    | 1.4. Test Band = _2A_12A _TM1        | 6 |
|    | 1.4.1. Test Channel = Mid Channel    | 6 |
|    | 1.5. Test Band = _2A_12A _TM1        | 7 |
|    | 1.5.1. Test Channel = High Channel   | 7 |
|    | 1.6. Test Band = _2A_12A _TM1        |   |
|    | 1.6.1. Test Channel = High Channel   |   |



Page: 3 of 8

## 1. Field Strength of Spurious Radiation

1.1. Test Band = \_2A\_12A \_TM1

1.1.1. Test Channel = Low Channel

| Susp | Suspected Data List |                  |                |                |                |            |  |  |  |
|------|---------------------|------------------|----------------|----------------|----------------|------------|--|--|--|
| NO.  | Freq.<br>[MHz]      | Reading<br>[dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |  |  |  |
| 1    | 1086.0108           | 20.66            | -49.62         | -13.00         | 36.62          | Horizontal |  |  |  |
| 2    | 1406.3008           | 21.60            | -48.76         | -13.00         | 35.76          | Horizontal |  |  |  |
| 3    | 2999.2499           | 20.66            | -43.81         | -13.00         | 30.81          | Horizontal |  |  |  |
| 4    | 4441.5721           | 50.86            | -61.15         | -13.00         | 48.15          | Horizontal |  |  |  |
| 5    | 7975.7488           | 47.84            | -54.07         | -13.00         | 41.07          | Horizontal |  |  |  |
| 6    | 17991.749           | 47.70            | -46.01         | -13.00         | 33.01          | Horizontal |  |  |  |



Page: 4 of 8

#### 1.2. Test Band = \_2A\_12A \_TM1

#### 1.2.1. Test Channel = Low Channel

| Suspected Data List |                |               |                |                |                |          |  |  |
|---------------------|----------------|---------------|----------------|----------------|----------------|----------|--|--|
| NO.                 | Freq.<br>[MHz] | Reading [dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |  |  |
| 1                   | 1084.5106      | 20.80         | -49.43         | -13.00         | 36.43          | Vertical |  |  |
| 2                   | 1406.3008      | 22.76         | -47.60         | -13.00         | 34.60          | Vertical |  |  |
| 3                   | 2990.7488      | 20.96         | -43.79         | -13.00         | 30.79          | Vertical |  |  |
| 4                   | 4467.8234      | 51.47         | -60.42         | -13.00         | 47.42          | Vertical |  |  |
| 5                   | 7968.9985      | 51.29         | -50.65         | -13.00         | 37.65          | Vertical |  |  |
| 6                   | 17813.240      | 48.15         | -46.05         | -13.00         | 33.05          | Vertical |  |  |



Page: 5 of 8

#### 1.3. Test Band = \_2A\_12A \_TM1

#### 1.3.1. Test Channel = Mid Channel

| Suspected Data List |                |               |                |                |                |            |  |  |
|---------------------|----------------|---------------|----------------|----------------|----------------|------------|--|--|
| NO.                 | Freq.<br>[MHz] | Reading [dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |  |  |
| 1                   | 1169.1085      | 23.26         | -66.99         | -13.00         | 53.99          | Horizontal |  |  |
| 2                   | 1406.7203      | 25.59         | -64.78         | -13.00         | 51.78          | Horizontal |  |  |
| 3                   | 2573.9787      | 24.97         | -61.71         | -13.00         | 48.71          | Horizontal |  |  |
| 4                   | 6996.1998      | 49.99         | -53.60         | -13.00         | 40.60          | Horizontal |  |  |
| 5                   | 13360.268      | 47.07         | -45.67         | -13.00         | 32.67          | Horizontal |  |  |
| 6                   | 17840.992      | 49.42         | -44.80         | -13.00         | 31.80          | Horizontal |  |  |



Page: 6 of 8

#### 1.4. Test Band = \_2A\_12A \_TM1

#### 1.4.1. Test Channel = Mid Channel

| Suspected Data List |                |               |                |                |                |          |  |  |
|---------------------|----------------|---------------|----------------|----------------|----------------|----------|--|--|
| NO.                 | Freq.<br>[MHz] | Reading [dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |  |  |
| 1                   | 1151.6076      | 22.11         | -68.12         | -13.00         | 55.12          | Vertical |  |  |
| 2                   | 3855.7928      | 52.74         | -61.86         | -13.00         | 48.86          | Vertical |  |  |
| 3                   | 8247.2624      | 49.41         | -51.99         | -13.00         | 38.99          | Vertical |  |  |
| 4                   | 12415.220      | 47.48         | -46.57         | -13.00         | 33.57          | Vertical |  |  |
| 5                   | 16405.420      | 48.48         | -45.36         | -13.00         | 32.36          | Vertical |  |  |
| 6                   | 17916.745      | 49.23         | -43.71         | -13.00         | 30.71          | Vertical |  |  |



Page: 7 of 8

#### 1.5. Test Band = \_2A\_12A \_TM1

### 1.5.1. Test Channel = High Channel

| Suspected Data List |                |               |                |                |                |            |  |  |
|---------------------|----------------|---------------|----------------|----------------|----------------|------------|--|--|
| NO.                 | Freq.<br>[MHz] | Reading [dBm] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |  |  |
| 1                   | 1078.5098      | 20.47         | -49.74         | -13.00         | 36.74          | Horizontal |  |  |
| 2                   | 1406.3008      | 22.30         | -48.06         | -13.00         | 35.06          | Horizontal |  |  |
| 3                   | 2998.9999      | 20.67         | -43.81         | -13.00         | 30.81          | Horizontal |  |  |
| 4                   | 5692.6346      | 49.54         | -57.34         | -13.00         | 44.34          | Horizontal |  |  |
| 5                   | 11201.6601     | 46.66         | -49.00         | -13.00         | 36.00          | Horizontal |  |  |
| 6                   | 17934.746      | 46.95         | -45.93         | -13.00         | 32.93          | Horizontal |  |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, \*\*Sextill Metallication of the Company and the content of the content

Page: 8 of 8

#### 1.6. Test Band = \_2A\_12A \_TM1

#### 1.6.1. Test Channel = High Channel

| Suspected Data List |           |         |        |        |        |           |  |  |
|---------------------|-----------|---------|--------|--------|--------|-----------|--|--|
| NO.                 | Freq.     | Reading | Level  | Limit  | Margin | Polarity  |  |  |
| 140.                | [MHz]     | [dBm]   | [dBm]  | [dBm]  | [dB]   | 1 Olarity |  |  |
| 1                   | 1086.5108 | 20.59   | -49.70 | -13.00 | 36.70  | Vertical  |  |  |
| 2                   | 1406.3008 | 22.51   | -47.85 | -13.00 | 34.85  | Vertical  |  |  |
| 3                   | 2998.7498 | 20.72   | -43.77 | -13.00 | 30.77  | Vertical  |  |  |
| 4                   | 3281.2641 | 55.95   | -60.39 | -13.00 | 47.39  | Vertical  |  |  |
| 5                   | 7968.9985 | 50.89   | -51.05 | -13.00 | 38.05  | Vertical  |  |  |
| 6                   | 17994.749 | 48.03   | -45.74 | -13.00 | 32.74  | Vertical  |  |  |

#### Remark:

- According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2 The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data displayed in this report.
- 3 all modulation and all Bandwidth had been tested, but only the worst case data displayed in this report.

