

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5									
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
	Network	Subset				Result	Limit		
NTNV	RMC	12.2kbps RMC	826.4	23.64	-0.36	21.13	<=38.45	Pass	
			836.6	22.52	-0.36	20.01	<=38.45	Pass	
			846.6	21.28	-0.36	18.77	<=38.45	Pass	
	HSDPA	Subtest 1	826.4	21.46	-0.36	18.95	<=38.45	Pass	
		Subtest 2	826.4	21.43	-0.36	18.92	<=38.45	Pass	
		Subtest 3	826.4	21.46	-0.36	18.95	<=38.45	Pass	
		Subtest 4	826.4	21.47	-0.36	18.96	<=38.45	Pass	
		Subtest 1	836.6	20.32	-0.36	17.81	<=38.45	Pass	
		Subtest 2	836.6	20.32	-0.36	17.81	<=38.45	Pass	
		Subtest 3	836.6	20.34	-0.36	17.83	<=38.45	Pass	
		Subtest 4	836.6	20.33	-0.36	17.82	<=38.45	Pass	
		Subtest 1	846.6	19.03	-0.36	16.52	<=38.45	Pass	
		Subtest 2	846.6	19.01	-0.36	16.50	<=38.45	Pass	
		Subtest 3	846.6	19.02	-0.36	16.51	<=38.45	Pass	
		Subtest 4	846.6	19.00	-0.36	16.49	<=38.45	Pass	
		HSUPA	Subtest 1	826.4	19.42	-0.36	16.91	<=38.45	Pass
			Subtest 2	826.4	19.22	-0.36	16.71	<=38.45	Pass
			Subtest 3	826.4	19.17	-0.36	16.66	<=38.45	Pass
			Subtest 4	826.4	19.23	-0.36	16.72	<=38.45	Pass
			Subtest 5	826.4	19.18	-0.36	16.67	<=38.45	Pass
			Subtest 1	836.6	18.26	-0.36	15.75	<=38.45	Pass
			Subtest 2	836.6	18.08	-0.36	15.57	<=38.45	Pass
			Subtest 3	836.6	17.74	-0.36	15.23	<=38.45	Pass
	Subtest 4		836.6	18.25	-0.36	15.74	<=38.45	Pass	
	Subtest 5		836.6	18.08	-0.36	15.57	<=38.45	Pass	
	Subtest 1		846.6	17.01	-0.36	14.50	<=38.45	Pass	
	Subtest 2		846.6	16.51	-0.36	14.00	<=38.45	Pass	
	Subtest 3		846.6	16.53	-0.36	14.02	<=38.45	Pass	
	Subtest 4		846.6	17.02	-0.36	14.51	<=38.45	Pass	
	Subtest 5		846.6	16.77	-0.36	14.26	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	-9.470	-0.0115	-2.5 to 2.5	Pass
			3.85	-10.579	-0.0128	-2.5 to 2.5	Pass
			4.43	-8.547	-0.0103	-2.5 to 2.5	Pass
		-30	3.85	-6.495	-0.0079	-2.5 to 2.5	Pass
		-20	3.85	-9.234	-0.0112	-2.5 to 2.5	Pass

		-10	3.85	-15.585	-0.0189	-2.5 to 2.5	Pass	
		0	3.85	-11.337	-0.0137	-2.5 to 2.5	Pass	
		10	3.85	-7.682	-0.0093	-2.5 to 2.5	Pass	
		30	3.85	-11.787	-0.0143	-2.5 to 2.5	Pass	
		40	3.85	-11.108	-0.0134	-2.5 to 2.5	Pass	
		50	3.85	-11.830	-0.0143	-2.5 to 2.5	Pass	
	836.6	20	3.27	-9.513	-0.0114	-2.5 to 2.5	Pass	
			3.85	-5.658	-0.0068	-2.5 to 2.5	Pass	
			4.43	-7.060	-0.0084	-2.5 to 2.5	Pass	
		-30	3.85	-7.968	-0.0095	-2.5 to 2.5	Pass	
		-20	3.85	-7.331	-0.0088	-2.5 to 2.5	Pass	
		-10	3.85	-7.710	-0.0092	-2.5 to 2.5	Pass	
		0	3.85	-8.283	-0.0099	-2.5 to 2.5	Pass	
		10	3.85	-8.919	-0.0107	-2.5 to 2.5	Pass	
		30	3.85	-9.785	-0.0117	-2.5 to 2.5	Pass	
		40	3.85	-9.320	-0.0111	-2.5 to 2.5	Pass	
		50	3.85	-10.536	-0.0126	-2.5 to 2.5	Pass	
		846.6	20	3.27	-11.315	-0.0134	-2.5 to 2.5	Pass
	3.85			-12.531	-0.0148	-2.5 to 2.5	Pass	
	4.43			-10.872	-0.0128	-2.5 to 2.5	Pass	
	-30		3.85	-10.371	-0.0123	-2.5 to 2.5	Pass	
	-20		3.85	-9.856	-0.0116	-2.5 to 2.5	Pass	
	-10		3.85	-7.946	-0.0094	-2.5 to 2.5	Pass	
	0		3.85	-6.738	-0.0080	-2.5 to 2.5	Pass	
	10		3.85	-6.216	-0.0073	-2.5 to 2.5	Pass	
	30		3.85	-5.021	-0.0059	-2.5 to 2.5	Pass	
	40		3.85	-11.222	-0.0133	-2.5 to 2.5	Pass	
	50		3.85	-9.077	-0.0107	-2.5 to 2.5	Pass	
	HSDPA		826.4	20	3.27	-7.668	-0.0093	-2.5 to 2.5
		3.85			-4.721	-0.0057	-2.5 to 2.5	Pass
		4.43			-8.190	-0.0099	-2.5 to 2.5	Pass
		-30		3.85	-6.351	-0.0077	-2.5 to 2.5	Pass
-20		3.85		-4.456	-0.0054	-2.5 to 2.5	Pass	
-10		3.85		-9.184	-0.0111	-2.5 to 2.5	Pass	
0		3.85		-3.340	-0.0040	-2.5 to 2.5	Pass	
10		3.85		-7.102	-0.0086	-2.5 to 2.5	Pass	
30		3.85		-9.027	-0.0109	-2.5 to 2.5	Pass	
40		3.85		-3.269	-0.0040	-2.5 to 2.5	Pass	
50		3.85		-5.980	-0.0072	-2.5 to 2.5	Pass	
836.6		20		3.27	-11.952	-0.0143	-2.5 to 2.5	Pass
			3.85	-15.986	-0.0191	-2.5 to 2.5	Pass	
			4.43	-11.516	-0.0138	-2.5 to 2.5	Pass	
		-30	3.85	-15.035	-0.0180	-2.5 to 2.5	Pass	
		-20	3.85	-7.889	-0.0094	-2.5 to 2.5	Pass	
		-10	3.85	-6.974	-0.0083	-2.5 to 2.5	Pass	
		0	3.85	-15.271	-0.0183	-2.5 to 2.5	Pass	
		10	3.85	-9.270	-0.0111	-2.5 to 2.5	Pass	
		30	3.85	-8.161	-0.0098	-2.5 to 2.5	Pass	
		40	3.85	-10.986	-0.0131	-2.5 to 2.5	Pass	
		50	3.85	-7.367	-0.0088	-2.5 to 2.5	Pass	
		846.6	20	3.27	-9.120	-0.0108	-2.5 to 2.5	Pass
3.85				-8.225	-0.0097	-2.5 to 2.5	Pass	
4.43				-12.310	-0.0145	-2.5 to 2.5	Pass	
-30			3.85	-5.851	-0.0069	-2.5 to 2.5	Pass	
-20			3.85	-13.726	-0.0162	-2.5 to 2.5	Pass	
-10			3.85	-11.837	-0.0140	-2.5 to 2.5	Pass	
0			3.85	-15.013	-0.0177	-2.5 to 2.5	Pass	
10			3.85	-6.852	-0.0081	-2.5 to 2.5	Pass	
30			3.85	-13.340	-0.0158	-2.5 to 2.5	Pass	

HSUPA		40	3.85	-8.497	-0.0100	-2.5 to 2.5	Pass
		50	3.85	-11.537	-0.0136	-2.5 to 2.5	Pass
	826.4	20	3.27	-10.307	-0.0125	-2.5 to 2.5	Pass
			3.85	-8.097	-0.0098	-2.5 to 2.5	Pass
			4.43	-12.403	-0.0150	-2.5 to 2.5	Pass
		-30	3.85	-10.164	-0.0123	-2.5 to 2.5	Pass
		-20	3.85	-12.825	-0.0155	-2.5 to 2.5	Pass
		-10	3.85	-11.973	-0.0145	-2.5 to 2.5	Pass
		0	3.85	-8.061	-0.0098	-2.5 to 2.5	Pass
		10	3.85	-8.440	-0.0102	-2.5 to 2.5	Pass
		30	3.85	-8.118	-0.0098	-2.5 to 2.5	Pass
		40	3.85	-11.830	-0.0143	-2.5 to 2.5	Pass
		50	3.85	-8.519	-0.0103	-2.5 to 2.5	Pass
	836.6	20	3.27	-9.148	-0.0109	-2.5 to 2.5	Pass
			3.85	-14.141	-0.0169	-2.5 to 2.5	Pass
			4.43	-14.613	-0.0175	-2.5 to 2.5	Pass
		-30	3.85	-12.989	-0.0155	-2.5 to 2.5	Pass
		-20	3.85	-10.571	-0.0126	-2.5 to 2.5	Pass
		-10	3.85	-12.267	-0.0147	-2.5 to 2.5	Pass
		0	3.85	-13.425	-0.0160	-2.5 to 2.5	Pass
		10	3.85	-8.261	-0.0099	-2.5 to 2.5	Pass
		30	3.85	-12.317	-0.0147	-2.5 to 2.5	Pass
		40	3.85	-14.913	-0.0178	-2.5 to 2.5	Pass
		50	3.85	-11.401	-0.0136	-2.5 to 2.5	Pass
	846.6	20	3.27	-12.839	-0.0152	-2.5 to 2.5	Pass
			3.85	-10.214	-0.0121	-2.5 to 2.5	Pass
			4.43	-15.013	-0.0177	-2.5 to 2.5	Pass
		-30	3.85	-11.866	-0.0140	-2.5 to 2.5	Pass
		-20	3.85	-12.703	-0.0150	-2.5 to 2.5	Pass
		-10	3.85	-13.032	-0.0154	-2.5 to 2.5	Pass
		0	3.85	-8.762	-0.0103	-2.5 to 2.5	Pass
		10	3.85	-12.259	-0.0145	-2.5 to 2.5	Pass
		30	3.85	-10.893	-0.0129	-2.5 to 2.5	Pass
		40	3.85	-6.509	-0.0077	-2.5 to 2.5	Pass
		50	3.85	-10.350	-0.0122	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 Band5


3.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN




4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.204	/	Pass
			836.6	4.199	/	Pass
			846.6	4.197	/	Pass
	HSDPA	Subtest 1	826.4	4.215	/	Pass
			836.6	4.218	/	Pass
			846.6	4.200	/	Pass
	HSUPA	Subtest 1	826.4	4.235	/	Pass
			836.6	4.220	/	Pass
			846.6	4.203	/	Pass


4.1.2 Test Graph




Band5 RMC HCH 846.6MHz 12.2kbps RMC NTN




Band5 HSDPA LCH 826.4MHz Subtest 1 NTN




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




4.2 Band5_XDB


4.2.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.820	/	Pass
			836.6	4.775	/	Pass
			846.6	4.772	/	Pass
	HSDPA	Subtest 1	826.4	5.468	/	Pass
			836.6	5.121	/	Pass
			846.6	4.923	/	Pass
	HSUPA	Subtest 1	826.4	5.418	/	Pass
			836.6	5.095	/	Pass
			846.6	5.326	/	Pass


4.2.2 Test Graph




Band5 RMC HCH 846.6MHz 12.2kbps RMC NTN




Band5 HSDPA LCH 826.4MHz Subtest 1 NTN




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.87	<=13	Pass
			836.6	2.45	<=13	Pass
			846.6	2.23	<=13	Pass
	HSDPA	Subtest 1	826.4	5.90	<=13	Pass
			836.6	5.78	<=13	Pass
			846.6	5.73	<=13	Pass
	HSUPA	Subtest 1	826.4	5.78	<=13	Pass
			836.6	5.68	<=13	Pass
			846.6	5.65	<=13	Pass


5.1.2 Test Graph




Band5 RMC HCH 846.6MHz 12.2kbps RMC NTN



Band5 HSDPA LCH 826.4MHz Subtest 1 NTN




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




2024-06-07 14:04:53

Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




2024-06-07 14:05:06


Band5 HSUPA LCH 826.4MHz Subtest 1 NTN



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN



2024-06-07 14:05:46


6. Spurious Emission

6.1 Band5


6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSDPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	
	HSUPA	Subtest 1	826.4	Refer To Test Graph	Pass	
			836.6	Refer To Test Graph	Pass	
			846.6	Refer To Test Graph	Pass	


6.1.2 Test Graph




Band5 RMC MCH 836.6MHz 12.2kbps RMC NTN




Band5 RMC MCH 836.6MHz 12.2kbps RMC NTN




Band5 RMC HCH 846.6MHz 12.2kbps RMC NTN




Band5 RMC HCH 846.6MHz 12.2kbps RMC NTN




Band5 HSDPA LCH 826.4MHz Subtest 1 NTNV




Band5 HSDPA LCH 826.4MHz Subtest 1 NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTNV




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN




Band5 HSUPA MCH 836.6MHz Subtest 1 NTNV




Band5 HSUPA MCH 836.6MHz Subtest 1 NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.2312	0.0191	ppm	4M24F9W	22H	23.64

7.2 Form731_ERP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.1297	0.0191	ppm	4M24F9W	22H	21.13