







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5360.40</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>48.69</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>116</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.40	57.68	74.00	-16.32	48.69	34.60	10.75	36.36	0.00	116	144	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5360.40	57.68	74.00	-16.32	48.69	34.60	10.75	36.36	0.00	116	144	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.10</td><td>48.46</td><td>54.00</td><td>-5.54</td><td>39.47</td><td>34.60</td><td>10.75</td><td>36.36</td><td>0.00</td><td>116</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.10	48.46	54.00	-5.54	39.47	34.60	10.75	36.36	0.00	116	144	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5356.10	48.46	54.00	-5.54	39.47	34.60	10.75	36.36	0.00	116	144	AVERAGE																																												







		27																																																																																																										
Mode	Band Edge - L																																																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5120.48</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>45.15</td><td>34.38</td><td>10.58</td><td>36.70</td><td>0.00</td><td>374</td><td>195 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5120.48	53.41	74.00	-20.59	45.15	34.38	10.58	36.70	0.00	374	195 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>96.21</td><td>-----</td><td>-----</td><td>87.40</td><td>34.54</td><td>10.72</td><td>36.45</td><td>0.00</td><td>374</td><td>195 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	96.21	-----	-----	87.40	34.54	10.72	36.45	0.00	374	195 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5120.48	53.41	74.00	-20.59	45.15	34.38	10.58	36.70	0.00	374	195 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5290.00	96.21	-----	-----	87.40	34.54	10.72	36.45	0.00	374	195 PEAK																																																																																																	
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.68</td><td>43.62</td><td>54.00</td><td>-10.38</td><td>35.31</td><td>34.39</td><td>10.59</td><td>36.67</td><td>0.00</td><td>374</td><td>195 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5135.68	43.62	54.00	-10.38	35.31	34.39	10.59	36.67	0.00	374	195 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>87.87</td><td>-----</td><td>-----</td><td>79.06</td><td>34.54</td><td>10.72</td><td>36.45</td><td>0.00</td><td>374</td><td>195 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5290.00	87.87	-----	-----	79.06	34.54	10.72	36.45	0.00	374	195 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5135.68	43.62	54.00	-10.38	35.31	34.39	10.59	36.67	0.00	374	195 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5290.00	87.87	-----	-----	79.06	34.54	10.72	36.45	0.00	374	195 AVERAGE																																																																																																	







Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																						
Pol.	Vertical					Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.60</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>45.83</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>374</td><td>195</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.60	54.80	74.00	-19.20	45.83	34.59	10.75	36.37	0.00	374	195	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.60	54.80	74.00	-19.20	45.83	34.59	10.75	36.37	0.00	374	195	PEAK																																											
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>35.49</td><td>34.59</td><td>10.75</td><td>36.37</td><td>0.00</td><td>374</td><td>195</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	44.46	54.00	-9.54	35.49	34.59	10.75	36.37	0.00	374	195	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.10	44.46	54.00	-9.54	35.49	34.59	10.75	36.37	0.00	374	195	AVERAGE																																											




		27											
Mode		Harmonic											
		U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz											
Pol.		Horizontal											
Peak													
Avg													
		Vertical											
Peak													
Avg													




		28																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																
Pol.	Horizontal																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>59.89</td><td>74.00</td><td>-14.11</td><td>50.57</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>119 341 PEAK</td></tr><tr><td>2</td><td>5465.36</td><td>59.22</td><td>68.20</td><td>-8.98</td><td>49.88</td><td>34.70</td><td>10.85</td><td>36.21</td><td>0.00</td><td>119 341 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	59.89	74.00	-14.11	50.57	34.70	10.84	36.22	0.00	119 341 PEAK	2	5465.36	59.22	68.20	-8.98	49.88	34.70	10.85	36.21	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5458.96	59.89	74.00	-14.11	50.57	34.70	10.84	36.22	0.00	119 341 PEAK																																																							
2	5465.36	59.22	68.20	-8.98	49.88	34.70	10.85	36.21	0.00	119 341 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>100.09</td><td>-----</td><td>-----</td><td>90.54</td><td>34.76</td><td>10.91</td><td>36.12</td><td>0.00</td><td>119 341 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.09	-----	-----	90.54	34.76	10.91	36.12	0.00	119 341 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	100.09	-----	-----	90.54	34.76	10.91	36.12	0.00	119 341 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>40.79</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>119 341 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	50.11	54.00	-3.89	40.79	34.70	10.84	36.22	0.00	119 341 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5458.80	50.11	54.00	-3.89	40.79	34.70	10.84	36.22	0.00	119 341 AVERAGE																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.46</td><td>-----</td><td>-----</td><td>81.91</td><td>34.76</td><td>10.91</td><td>36.12</td><td>0.00</td><td>119 341 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.46	-----	-----	81.91	34.76	10.91	36.12	0.00	119 341 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5530.00	91.46	-----	-----	81.91	34.76	10.91	36.12	0.00	119 341 AVERAGE																																																							





Mode	28																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.28</td><td>52.24</td><td>68.20</td><td>-15.96</td><td>43.54</td><td>34.95</td><td>11.19</td><td>37.44</td><td>0.00</td><td>119</td><td>341</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.28	52.24	68.20	-15.96	43.54	34.95	11.19	37.44	0.00	119	341	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5734.28	52.24	68.20	-15.96	43.54	34.95	11.19	37.44	0.00	119	341	PEAK																																		




		28									
Mode	Band Edge - L										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz										
Pol.	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Vertical										
	Fundamental										


Peak												
	U-NII-1-U-NII-2A-U-NII-2C											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5451.60	55.54	74.00	-18.46	46.25	34.69	10.83	36.23	0.00	114	221	PEAK
2	5465.04	56.48	68.20	-11.72	47.14	34.70	10.85	36.21	0.00	114	221	PEAK

Peak												
	U-NII-1-U-NII-2A-U-NII-2C											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5530.00	95.67	-----	-----	86.06	34.77	10.94	36.10	0.00	114	221	PEAK



Avg												
	U-NII-1-U-NII-2A-U-NII-2C(AVG)											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.28	46.72	54.00	-7.28	37.40	34.70	10.84	36.22	0.00	114	221	AVERAGE

Avg												
	U-NII-1-U-NII-2A-U-NII-2C(AVG)											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5530.00	87.09	-----	-----	77.50	34.77	10.93	36.11	0.00	114	221	AVERAGE





Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.80</td><td>52.97</td><td>68.20</td><td>-15.23</td><td>44.18</td><td>34.95</td><td>11.18</td><td>37.34</td><td>0.00</td><td>114</td><td>221</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.80	52.97	68.20	-15.23	44.18	34.95	11.18	37.34	0.00	114	221	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.80	52.97	68.20	-15.23	44.18	34.95	11.18	37.34	0.00	114	221	PEAK																																												






Mode	28																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.32</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>71.99</td><td>35.00</td><td>12.73</td><td>66.46</td><td>0.00</td><td>109</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>7373.32</td><td>53.20</td><td>54.00</td><td>-0.80</td><td>71.13</td><td>35.00</td><td>12.73</td><td>66.46</td><td>0.00</td><td>109</td><td>331</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>55.62</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>245</td><td>228</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.32	54.06	74.00	-19.94	71.99	35.00	12.73	66.46	0.00	109	331	PEAK	2	7373.32	53.20	54.00	-0.80	71.13	35.00	12.73	66.46	0.00	109	331	AVERAGE	3	11060.00	42.97	74.00	-31.03	55.62	37.84	16.08	66.57	0.00	245	228	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7373.32</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>70.93</td><td>35.00</td><td>12.73</td><td>66.46</td><td>0.00</td><td>304</td><td>192</td><td>PEAK</td></tr><tr><td>2</td><td>7373.32</td><td>51.99</td><td>54.00</td><td>-2.01</td><td>69.92</td><td>35.00</td><td>12.73</td><td>66.46</td><td>0.00</td><td>304</td><td>192</td><td>AVERAGE</td></tr><tr><td>3</td><td>11060.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>56.40</td><td>37.84</td><td>16.08</td><td>66.57</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7373.32	53.00	74.00	-21.00	70.93	35.00	12.73	66.46	0.00	304	192	PEAK	2	7373.32	51.99	54.00	-2.01	69.92	35.00	12.73	66.46	0.00	304	192	AVERAGE	3	11060.00	43.75	74.00	-30.25	56.40	37.84	16.08	66.57	0.00	100	125	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	7373.32	54.06	74.00	-19.94	71.99	35.00	12.73	66.46	0.00	109	331	PEAK																																																																																																																																		
2	7373.32	53.20	54.00	-0.80	71.13	35.00	12.73	66.46	0.00	109	331	AVERAGE																																																																																																																																		
3	11060.00	42.97	74.00	-31.03	55.62	37.84	16.08	66.57	0.00	245	228	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	7373.32	53.00	74.00	-21.00	70.93	35.00	12.73	66.46	0.00	304	192	PEAK																																																																																																																																		
2	7373.32	51.99	54.00	-2.01	69.92	35.00	12.73	66.46	0.00	304	192	AVERAGE																																																																																																																																		
3	11060.00	43.75	74.00	-30.25	56.40	37.84	16.08	66.57	0.00	100	125	PEAK																																																																																																																																		





Mode	29																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5614.00</td><td>54.18</td><td>68.20</td><td>-14.02</td><td>44.32</td><td>34.84</td><td>11.02</td><td>36.00</td><td>0.00</td><td>114</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.84</td><td>68.50</td><td>-14.66</td><td>44.01</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>114</td><td>349</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>55.53</td><td>105.52</td><td>-49.99</td><td>46.38</td><td>34.92</td><td>11.14</td><td>36.91</td><td>0.00</td><td>114</td><td>349</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>63.80</td><td>116.37</td><td>-52.57</td><td>54.94</td><td>34.94</td><td>11.17</td><td>37.25</td><td>0.00</td><td>114</td><td>349</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5614.00	54.18	68.20	-14.02	44.32	34.84	11.02	36.00	0.00	114	349	PEAK	2	5650.40	53.84	68.50	-14.66	44.01	34.88	11.07	36.12	0.00	114	349	PEAK	3	5700.80	55.53	105.52	-49.99	46.38	34.92	11.14	36.91	0.00	114	349	PEAK	4	5722.40	63.80	116.37	-52.57	54.94	34.94	11.17	37.25	0.00	114	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5614.00	54.18	68.20	-14.02	44.32	34.84	11.02	36.00	0.00	114	349	PEAK																																																																																									
2	5650.40	53.84	68.50	-14.66	44.01	34.88	11.07	36.12	0.00	114	349	PEAK																																																																																									
3	5700.80	55.53	105.52	-49.99	46.38	34.92	11.14	36.91	0.00	114	349	PEAK																																																																																									
4	5722.40	63.80	116.37	-52.57	54.94	34.94	11.17	37.25	0.00	114	349	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5745.00</td><td>107.79</td><td>-----</td><td>-----</td><td>99.16</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>114</td><td>349</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	107.79	-----	-----	99.16	34.96	11.20	37.53	0.00	114	349	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	107.79	-----	-----	99.16	34.96	11.20	37.53	0.00	114	349	PEAK																																																																																									





		29																																																																																			
Mode	Band Edge																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																				
Pol.	Vertical																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with three peaks labeled 1, 2, and 3. The peak at 5745 MHz is the highest, reaching approximately 94 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.20</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>45.07</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.78</td><td>68.20</td><td>-17.42</td><td>40.95</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5713.20</td><td>54.53</td><td>109.00</td><td>-54.47</td><td>45.54</td><td>34.94</td><td>11.16</td><td>37.11</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.68</td><td>110.90</td><td>-58.22</td><td>43.79</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5621.20	54.96	68.20	-13.24	45.07	34.85	11.03	35.99	0.00	283	205	PEAK	2	5650.00	50.78	68.20	-17.42	40.95	34.88	11.07	36.12	0.00	283	205	PEAK	3	5713.20	54.53	109.00	-54.47	45.54	34.94	11.16	37.11	0.00	283	205	PEAK	4	5720.00	52.68	110.90	-58.22	43.79	34.94	11.17	37.22	0.00	283	205	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5621.20	54.96	68.20	-13.24	45.07	34.85	11.03	35.99	0.00	283	205	PEAK																																																																									
2	5650.00	50.78	68.20	-17.42	40.95	34.88	11.07	36.12	0.00	283	205	PEAK																																																																									
3	5713.20	54.53	109.00	-54.47	45.54	34.94	11.16	37.11	0.00	283	205	PEAK																																																																									
4	5720.00	52.68	110.90	-58.22	43.79	34.94	11.17	37.22	0.00	283	205	PEAK																																																																									
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a single sharp peak at 5745 MHz reaching approximately 94 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.04</td><td>-----</td><td>-----</td><td>94.41</td><td>34.96</td><td>11.20</td><td>37.53</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	103.04	-----	-----	94.41	34.96	11.20	37.53	0.00	283	205	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5745.00	103.04	-----	-----	94.41	34.96	11.20	37.53	0.00	283	205	PEAK																																																																									
Avg	Blank																																																																																				
	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a single sharp peak at 5745 MHz reaching approximately 94 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.05</td><td>-----</td><td>-----</td><td>85.49</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>283</td><td>205</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	94.05	-----	-----	85.49	34.97	11.21	37.62	0.00	283	205	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5745.00	94.05	-----	-----	85.49	34.97	11.21	37.62	0.00	283	205	AVERAGE																																																																									






		29																																																																																																																																																															
Mode		Harmonic																																																																																																																																																															
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																															
Pol.		Horizontal											Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																																	
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7659.98</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>66.94</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>48.48</td><td>54.00</td><td>-5.52</td><td>66.25</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>326</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>56.28</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>338</td><td>56</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7659.98	49.17	74.00	-24.83	66.94	36.02	13.07	66.86	0.00	100	326	PEAK	2	7659.98	48.48	54.00	-5.52	66.25	36.02	13.07	66.86	0.00	100	326	AVERAGE	3	11490.00	44.48	74.00	-29.52	56.28	38.18	16.36	66.34	0.00	338	56	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7659.98</td><td>50.14</td><td>74.00</td><td>-23.86</td><td>67.91</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>283</td><td>195</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>65.25</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>283</td><td>195</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>56.53</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>283</td><td>195</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	7659.98	50.14	74.00	-23.86	67.91	36.02	13.07	66.86	0.00	283	195	PEAK	2	7659.98	47.48	54.00	-6.52	65.25	36.02	13.07	66.86	0.00	283	195	AVERAGE	3	11490.00	44.73	74.00	-29.27	56.53	38.18	16.36	66.34	0.00	283	195	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																									
1	7659.98	49.17	74.00	-24.83	66.94	36.02	13.07	66.86	0.00	100	326	PEAK																																																																																																																																																					
2	7659.98	48.48	54.00	-5.52	66.25	36.02	13.07	66.86	0.00	100	326	AVERAGE																																																																																																																																																					
3	11490.00	44.48	74.00	-29.52	56.28	38.18	16.36	66.34	0.00	338	56	PEAK																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																									
1	7659.98	50.14	74.00	-23.86	67.91	36.02	13.07	66.86	0.00	283	195	PEAK																																																																																																																																																					
2	7659.98	47.48	54.00	-6.52	65.25	36.02	13.07	66.86	0.00	283	195	AVERAGE																																																																																																																																																					
3	11490.00	44.73	74.00	-29.27	56.53	38.18	16.36	66.34	0.00	283	195	PEAK																																																																																																																																																					






		30																																																																																																																																																																	
Mode		Harmonic																																																																																																																																																																	
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																																	
Pol.		Horizontal											Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>68.93</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>48.54</td><td>54.00</td><td>-5.46</td><td>66.18</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>100</td><td>326</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>56.92</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.31	51.29	74.00	-22.71	68.93	36.13	13.12	66.89	0.00	100	326	PEAK	2	7713.31	48.54	54.00	-5.46	66.18	36.13	13.12	66.89	0.00	100	326	AVERAGE	3	11570.00	45.20	74.00	-28.80	56.92	38.20	16.41	66.33	0.00	100	326	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>50.56</td><td>74.00</td><td>-23.44</td><td>68.20</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>64.67</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>100</td><td>326</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.60</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7713.31	50.56	74.00	-23.44	68.20	36.13	13.12	66.89	0.00	100	326	PEAK	2	7713.31	47.03	54.00	-6.97	64.67	36.13	13.12	66.89	0.00	100	326	AVERAGE	3	11570.00	44.88	74.00	-29.12	56.60	38.20	16.41	66.33	0.00	100	326	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7713.31	51.29	74.00	-22.71	68.93	36.13	13.12	66.89	0.00	100	326	PEAK																																																																																																																																																							
2	7713.31	48.54	54.00	-5.46	66.18	36.13	13.12	66.89	0.00	100	326	AVERAGE																																																																																																																																																							
3	11570.00	45.20	74.00	-28.80	56.92	38.20	16.41	66.33	0.00	100	326	PEAK																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	7713.31	50.56	74.00	-23.44	68.20	36.13	13.12	66.89	0.00	100	326	PEAK																																																																																																																																																							
2	7713.31	47.03	54.00	-6.97	64.67	36.13	13.12	66.89	0.00	100	326	AVERAGE																																																																																																																																																							
3	11570.00	44.88	74.00	-29.12	56.60	38.20	16.41	66.33	0.00	100	326	PEAK																																																																																																																																																							





		31																																																																																											
Mode	Band Edge																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																												
Pol.	Horizontal																																																																																												
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>52.67</td><td>112.27</td><td>-59.60</td><td>45.59</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>51.88</td><td>106.70</td><td>-54.82</td><td>44.76</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>51.17</td><td>68.64</td><td>-17.47</td><td>43.86</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr><tr><td>4</td><td>5970.40</td><td>52.01</td><td>68.20</td><td>-16.19</td><td>44.53</td><td>35.18</td><td>11.44</td><td>39.14</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	52.67	112.27	-59.60	45.59	35.07	11.33	39.32	0.00	116	343	PEAK	2	5870.00	51.88	106.70	-54.82	44.76	35.08	11.35	39.31	0.00	116	343	PEAK	3	5924.40	51.17	68.64	-17.47	43.86	35.13	11.40	39.22	0.00	116	343	PEAK	4	5970.40	52.01	68.20	-16.19	44.53	35.18	11.44	39.14	0.00	116	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.40	52.67	112.27	-59.60	45.59	35.07	11.33	39.32	0.00	116	343	PEAK																																																																																	
2	5870.00	51.88	106.70	-54.82	44.76	35.08	11.35	39.31	0.00	116	343	PEAK																																																																																	
3	5924.40	51.17	68.64	-17.47	43.86	35.13	11.40	39.22	0.00	116	343	PEAK																																																																																	
4	5970.40	52.01	68.20	-16.19	44.53	35.18	11.44	39.14	0.00	116	343	PEAK																																																																																	
Fundamental																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.05</td><td>-----</td><td>-----</td><td>98.63</td><td>35.05</td><td>11.31</td><td>38.94</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.05	-----	-----	98.63	35.05	11.31	38.94	0.00	116	343	PEAK																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	106.05	-----	-----	98.63	35.05	11.31	38.94	0.00	116	343	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.15</td><td>-----</td><td>-----</td><td>89.65</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>116</td><td>343</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.15	-----	-----	89.65	35.04	11.31	38.85	0.00	116	343	AVERAGE																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	97.15	-----	-----	89.65	35.04	11.31	38.85	0.00	116	343	AVERAGE																																																																																	






Mode	31																																																																																														
	Band Edge																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																														
Pol.	Vertical																																																																																														
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>49.94</td><td>111.36</td><td>-61.42</td><td>42.86</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>372</td><td>20</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>50.65</td><td>105.36</td><td>-54.71</td><td>43.51</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>372</td><td>20</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>50.10</td><td>69.23</td><td>-19.13</td><td>42.79</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>372</td><td>20</td><td>PEAK</td></tr><tr><td>4</td><td>5985.60</td><td>52.52</td><td>68.20</td><td>-15.68</td><td>44.99</td><td>35.19</td><td>11.46</td><td>39.12</td><td>0.00</td><td>372</td><td>20</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	49.94	111.36	-61.42	42.86	35.07	11.34	39.33	0.00	372	20	PEAK	2	5874.00	50.65	105.36	-54.71	43.51	35.09	11.35	39.30	0.00	372	20	PEAK	3	5923.60	50.10	69.23	-19.13	42.79	35.13	11.40	39.22	0.00	372	20	PEAK	4	5985.60	52.52	68.20	-15.68	44.99	35.19	11.46	39.12	0.00	372	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.00	49.94	111.36	-61.42	42.86	35.07	11.34	39.33	0.00	372	20	PEAK																																																																																			
2	5874.00	50.65	105.36	-54.71	43.51	35.09	11.35	39.30	0.00	372	20	PEAK																																																																																			
3	5923.60	50.10	69.23	-19.13	42.79	35.13	11.40	39.22	0.00	372	20	PEAK																																																																																			
4	5985.60	52.52	68.20	-15.68	44.99	35.19	11.46	39.12	0.00	372	20	PEAK																																																																																			
Fundamental																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.46</td><td>-----</td><td>-----</td><td>94.96</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>372</td><td>20</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.46	-----	-----	94.96	35.04	11.31	38.85	0.00	372	20	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	102.46	-----	-----	94.96	35.04	11.31	38.85	0.00	372	20	PEAK																																																																																			
Avg	Blank																																																																																														
																																																																																															
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.40</td><td>-----</td><td>-----</td><td>85.90</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>372</td><td>20</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.40	-----	-----	85.90	35.04	11.31	38.85	0.00	372	20	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5825.00	93.40	-----	-----	85.90	35.04	11.31	38.85	0.00	372	20	AVERAGE																																																																																			






Mode	31																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7766.33</td><td>47.66</td><td>68.20</td><td>-20.54</td><td>65.20</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>56.99</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7766.33	47.66	68.20	-20.54	65.20	36.20	13.17	66.91	0.00	--	--	PEAK	2	11650.00	45.37	74.00	-28.63	56.99	38.25	16.46	66.33	0.00	300	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7766.65</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>62.04</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>56.45</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7766.65	44.50	68.20	-23.70	62.04	36.20	13.17	66.91	0.00	--	--	PEAK	2	11650.00	44.83	74.00	-29.17	56.45	38.25	16.46	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	7766.33	47.66	68.20	-20.54	65.20	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																																																				
2	11650.00	45.37	74.00	-28.63	56.99	38.25	16.46	66.33	0.00	300	360	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	7766.65	44.50	68.20	-23.70	62.04	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																																																				
2	11650.00	44.83	74.00	-29.17	56.45	38.25	16.46	66.33	0.00	--	--	PEAK																																																																																																																				




Mode	32																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																								
Pol.	Horizontal										Fundamental																																																																																																																														
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.60</td><td>54.05</td><td>68.20</td><td>-14.15</td><td>44.21</td><td>34.88</td><td>11.07</td><td>36.11</td><td>0.00</td><td>133</td><td>347</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.15</td><td>68.20</td><td>-18.05</td><td>40.32</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>133</td><td>347</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>54.32</td><td>105.52</td><td>-51.20</td><td>45.17</td><td>34.92</td><td>11.14</td><td>36.91</td><td>0.00</td><td>133</td><td>347</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>60.31</td><td>112.72</td><td>-52.41</td><td>51.43</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>133</td><td>347</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.60	54.05	68.20	-14.15	44.21	34.88	11.07	36.11	0.00	133	347	PEAK	2	5650.00	50.15	68.20	-18.05	40.32	34.88	11.07	36.12	0.00	133	347	PEAK	3	5700.80	54.32	105.52	-51.20	45.17	34.92	11.14	36.91	0.00	133	347	PEAK	4	5720.80	60.31	112.72	-52.41	51.43	34.94	11.17	37.23	0.00	133	347	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.44</td><td>-----</td><td>-----</td><td>98.88</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>133</td><td>347</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.44	-----	-----	98.88	34.97	11.21	37.62	0.00	133	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5649.60	54.05	68.20	-14.15	44.21	34.88	11.07	36.11	0.00	133	347	PEAK																																																																																																																													
2	5650.00	50.15	68.20	-18.05	40.32	34.88	11.07	36.12	0.00	133	347	PEAK																																																																																																																													
3	5700.80	54.32	105.52	-51.20	45.17	34.92	11.14	36.91	0.00	133	347	PEAK																																																																																																																													
4	5720.80	60.31	112.72	-52.41	51.43	34.94	11.17	37.23	0.00	133	347	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	107.44	-----	-----	98.88	34.97	11.21	37.62	0.00	133	347	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.85</td><td>-----</td><td>-----</td><td>89.29</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>133</td><td>347</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.85	-----	-----	89.29	34.97	11.21	37.62	0.00	133	347	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	97.85	-----	-----	89.29	34.97	11.21	37.62	0.00	133	347	AVERAGE																																																																																																																													





Mode	32																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																			
Pol.	Vertical										Fundamental																																																																																																																									
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5626.00</td><td>53.69</td><td>68.20</td><td>-14.51</td><td>43.78</td><td>34.85</td><td>11.04</td><td>35.98</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>51.51</td><td>68.00</td><td>-17.29</td><td>41.69</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr><tr><td>3 5700.00</td><td>51.84</td><td>105.30</td><td>-53.46</td><td>42.68</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr><tr><td>4 5721.20</td><td>57.26</td><td>113.64</td><td>-56.38</td><td>48.38</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5626.00	53.69	68.20	-14.51	43.78	34.85	11.04	35.98	0.00	283	205	PEAK	2 5650.00	51.51	68.00	-17.29	41.69	34.88	11.07	36.13	0.00	283	205	PEAK	3 5700.00	51.84	105.30	-53.46	42.68	34.92	11.14	36.90	0.00	283	205	PEAK	4 5721.20	57.26	113.64	-56.38	48.38	34.94	11.17	37.23	0.00	283	205	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.03</td><td>-----</td><td>-----</td><td>93.47</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>283</td><td>205</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	102.03	-----	-----	93.47	34.97	11.21	37.62	0.00	283	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5626.00	53.69	68.20	-14.51	43.78	34.85	11.04	35.98	0.00	283	205	PEAK																																																																																																																									
2 5650.00	51.51	68.00	-17.29	41.69	34.88	11.07	36.13	0.00	283	205	PEAK																																																																																																																									
3 5700.00	51.84	105.30	-53.46	42.68	34.92	11.14	36.90	0.00	283	205	PEAK																																																																																																																									
4 5721.20	57.26	113.64	-56.38	48.38	34.94	11.17	37.23	0.00	283	205	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	102.03	-----	-----	93.47	34.97	11.21	37.62	0.00	283	205	PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>93.59</td><td>-----</td><td>-----</td><td>85.03</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>283</td><td>205</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	93.59	-----	-----	85.03	34.97	11.21	37.62	0.00	283	205	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	93.59	-----	-----	85.03	34.97	11.21	37.62	0.00	283	205	AVERAGE																																																																																																																									






Mode	32																																																																																
	Harmonic																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7659.98</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>66.97</td><td>36.02</td><td>13.07</td><td>66.86</td><td>0.00</td><td>100</td><td>327</td><td>AVERAGE</td></tr><tr><td>3</td><td>11490.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>57.00</td><td>38.18</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK	2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE	3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07	66.86	0.00	100	327	PEAK																																																																					
2	7659.98	49.20	54.00	-4.80	66.97	36.02	13.07	66.86	0.00	100	327	AVERAGE																																																																					
3	11490.00	45.20	74.00	-28.80	57.00	38.18	16.36	66.34	0.00	--	--	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7659.98</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>69.38</td><td>36.02</td><td>13.07</</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07</																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	7659.98	51.61	74.00	-22.39	69.38	36.02	13.07</																																																																										




Mode	33																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																																																																			
Pol.	Horizontal											Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>51.83</td><td>74.00</td><td>-22.17</td><td>69.47</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>102</td><td>329</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>49.27</td><td>54.00</td><td>-4.73</td><td>66.91</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>102</td><td>329</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>56.93</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>102</td><td>329</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.31	51.83	74.00	-22.17	69.47	36.13	13.12	66.89	0.00	102	329	PEAK	2	7713.31	49.27	54.00	-4.73	66.91	36.13	13.12	66.89	0.00	102	329	AVERAGE	3	11570.00	45.21	74.00	-28.79	56.93	38.20	16.41	66.33	0.00	102	329	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.31</td><td>49.91</td><td>74.00</td><td>-24.09</td><td>67.55</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>110</td><td>212</td><td>PEAK</td></tr><tr><td>2</td><td>7713.31</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>64.02</td><td>36.13</td><td>13.12</td><td>66.89</td><td>0.00</td><td>110</td><td>212</td><td>AVERAGE</td></tr><tr><td>3</td><td>11570.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>56.09</td><td>38.20</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.31	49.91	74.00	-24.09	67.55	36.13	13.12	66.89	0.00	110	212	PEAK	2	7713.31	46.38	54.00	-7.62	64.02	36.13	13.12	66.89	0.00	110	212	AVERAGE	3	11570.00	44.37	74.00	-29.63	56.09	38.20	16.41	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7713.31	51.83	74.00	-22.17	69.47	36.13	13.12	66.89	0.00	102	329	PEAK																																																																																																																																																								
2	7713.31	49.27	54.00	-4.73	66.91	36.13	13.12	66.89	0.00	102	329	AVERAGE																																																																																																																																																								
3	11570.00	45.21	74.00	-28.79	56.93	38.20	16.41	66.33	0.00	102	329	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	7713.31	49.91	74.00	-24.09	67.55	36.13	13.12	66.89	0.00	110	212	PEAK																																																																																																																																																								
2	7713.31	46.38	54.00	-7.62	64.02	36.13	13.12	66.89	0.00	110	212	AVERAGE																																																																																																																																																								
3	11570.00	44.37	74.00	-29.63	56.09	38.20	16.41	66.33	0.00	--	--	PEAK																																																																																																																																																								





Mode	34																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																													
Pol.	Horizontal																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.39</td><td>111.36</td><td>-56.97</td><td>47.31</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>51.98</td><td>106.25</td><td>-54.27</td><td>44.85</td><td>35.08</td><td>11.35</td><td>39.30</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>51.05</td><td>70.12</td><td>-19.07</td><td>43.74</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr><tr><td>4</td><td>5969.60</td><td>53.05</td><td>68.20</td><td>-15.15</td><td>45.57</td><td>35.18</td><td>11.44</td><td>39.14</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.39	111.36	-56.97	47.31	35.07	11.34	39.33	0.00	100	352	PEAK	2	5871.60	51.98	106.25	-54.27	44.85	35.08	11.35	39.30	0.00	100	352	PEAK	3	5922.40	51.05	70.12	-19.07	43.74	35.13	11.40	39.22	0.00	100	352	PEAK	4	5969.60	53.05	68.20	-15.15	45.57	35.18	11.44	39.14	0.00	100	352	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.00	54.39	111.36	-56.97	47.31	35.07	11.34	39.33	0.00	100	352	PEAK																																																																																		
2	5871.60	51.98	106.25	-54.27	44.85	35.08	11.35	39.30	0.00	100	352	PEAK																																																																																		
3	5922.40	51.05	70.12	-19.07	43.74	35.13	11.40	39.22	0.00	100	352	PEAK																																																																																		
4	5969.60	53.05	68.20	-15.15	45.57	35.18	11.44	39.14	0.00	100	352	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.64</td><td>-----</td><td>-----</td><td>98.14</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.64	-----	-----	98.14	35.04	11.31	38.85	0.00	100	352	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	105.64	-----	-----	98.14	35.04	11.31	38.85	0.00	100	352	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>95.88</td><td>-----</td><td>-----</td><td>88.38</td><td>35.04</td><td>11.31</td><td>38.85</td><td>0.00</td><td>100</td><td>352</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.88	-----	-----	88.38	35.04	11.31	38.85	0.00	100	352	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	95.88	-----	-----	88.38	35.04	11.31	38.85	0.00	100	352	AVERAGE																																																																																		




Mode	34										
	Band Edge										
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz										
Pol.	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Blank										
	Fundamental										



Vertical												
												
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5854.00	52.06	111.36	-59.30	44.98	35.07	11.34	39.33	0.00	353	19	PEAK
2	5869.60	52.47	106.81	-54.34	45.35	35.08	11.35	39.31	0.00	353	19	PEAK
3	5924.00	49.16	68.35	-19.19	41.85	35.13	11.40	39.22	0.00	353	19	PEAK
4	5991.20	51.88	68.20	-16.32	44.33	35.20	11.46	39.11	0.00	353	19	PEAK

Fundamental												
												
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5825.00	102.67	-----	-----	95.17	35.04	11.31	38.85	0.00	353	19	PEAK




Blank												
												
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5825.00	93.73	-----	-----	86.23	35.04	11.31	38.85	0.00	353	19	AVERAGE

Fundamental												
												
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	5825.00	93.73	-----	-----	86.23	35.04	11.31	38.85	0.00	353	19	AVERAGE




Mode	34																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7766.33</td><td>46.79</td><td>68.20</td><td>-21.41</td><td>64.33</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.36</td><td>74.00</td><td>-29.64</td><td>55.98</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7766.33	46.79	68.20	-21.41	64.33	36.20	13.17	66.91	0.00	--	--	PEAK	2	11650.00	44.36	74.00	-29.64	55.98	38.25	16.46	66.33	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7766.65</td><td>44.96</td><td>68.20</td><td>-23.24</td><td>62.50</td><td>36.20</td><td>13.17</td><td>66.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.59</td><td>38.25</td><td>16.46</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7766.65	44.96	68.20	-23.24	62.50	36.20	13.17	66.91	0.00	--	--	PEAK	2	11650.00	44.97	74.00	-29.03	56.59	38.25	16.46	66.33	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	7766.33	46.79	68.20	-21.41	64.33	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																																																			
2	11650.00	44.36	74.00	-29.64	55.98	38.25	16.46	66.33	0.00	--	--	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	7766.65	44.96	68.20	-23.24	62.50	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																																																			
2	11650.00	44.97	74.00	-29.03	56.59	38.25	16.46	66.33	0.00	--	--	PEAK																																																																																																																			






		35																																																																																																																																								
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																																																									
Pol.	Horizontal										Fundamental																																																																																																																															
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5619.69</td><td>54.84</td><td>68.20</td><td>-13.36</td><td>44.95</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>5651.93</td><td>55.33</td><td>69.63</td><td>-14.30</td><td>45.53</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr><tr><td>3</td><td>5711.91</td><td>65.05</td><td>108.64</td><td>-43.59</td><td>56.05</td><td>34.93</td><td>11.16</td><td>37.09</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>66.03</td><td>111.19</td><td>-45.16</td><td>57.14</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5619.69	54.84	68.20	-13.36	44.95	34.85	11.03	35.99	0.00	127	346	PEAK	2	5651.93	55.33	69.63	-14.30	45.53	34.88	11.07	36.15	0.00	127	346	PEAK	3	5711.91	65.05	108.64	-43.59	56.05	34.93	11.16	37.09	0.00	127	346	PEAK	4	5720.13	66.03	111.19	-45.16	57.14	34.94	11.17	37.22	0.00	127	346	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.06</td><td>-----</td><td>-----</td><td>94.60</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5755.00	103.06	-----	-----	94.60	34.97	11.21	37.72	0.00	127	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																		
1	5619.69	54.84	68.20	-13.36	44.95	34.85	11.03	35.99	0.00	127	346	PEAK																																																																																																																														
2	5651.93	55.33	69.63	-14.30	45.53	34.88	11.07	36.15	0.00	127	346	PEAK																																																																																																																														
3	5711.91	65.05	108.64	-43.59	56.05	34.93	11.16	37.09	0.00	127	346	PEAK																																																																																																																														
4	5720.13	66.03	111.19	-45.16	57.14	34.94	11.17	37.22	0.00	127	346	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	103.06	-----	-----	94.60	34.97	11.21	37.72	0.00	127	346	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.00</td><td>-----</td><td>-----</td><td>85.62</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>127</td><td>346</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5755.00	94.00	-----	-----	85.62	34.97	11.21	37.72	0.00	127	346	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	94.00	-----	-----	85.62	34.97	11.21	37.72	0.00	127	346	AVERAGE																																																																																																																														



Mode	35																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>49.27</td><td>112.15</td><td>-62.88</td><td>42.19</td><td>35.07</td><td>11.33</td><td>39.32</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>5870.05</td><td>52.03</td><td>106.68</td><td>-54.65</td><td>44.91</td><td>35.08</td><td>11.35</td><td>39.31</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>48.67</td><td>68.31</td><td>-19.64</td><td>41.36</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr><tr><td>4</td><td>5927.97</td><td>50.97</td><td>68.20</td><td>-17.23</td><td>43.64</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>127</td><td>346</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	49.27	112.15	-62.88	42.19	35.07	11.33	39.32	0.00	127	346	PEAK	2	5870.05	52.03	106.68	-54.65	44.91	35.08	11.35	39.31	0.00	127	346	PEAK	3	5924.85	48.67	68.31	-19.64	41.36	35.13	11.40	39.22	0.00	127	346	PEAK	4	5927.97	50.97	68.20	-17.23	43.64	35.14	11.40	39.21	0.00	127	346	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.45	49.27	112.15	-62.88	42.19	35.07	11.33	39.32	0.00	127	346	PEAK																																																																									
2	5870.05	52.03	106.68	-54.65	44.91	35.08	11.35	39.31	0.00	127	346	PEAK																																																																									
3	5924.85	48.67	68.31	-19.64	41.36	35.13	11.40	39.22	0.00	127	346	PEAK																																																																									
4	5927.97	50.97	68.20	-17.23	43.64	35.14	11.40	39.21	0.00	127	346	PEAK																																																																									



Mode	35																																																																																						
	Band Edge - L																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.94</td><td>53.39</td><td>68.20</td><td>-14.81</td><td>43.49</td><td>34.85</td><td>11.03</td><td>35.98</td><td>0.00</td><td>346</td><td>205 PEAK</td></tr><tr><td>2 5650.22</td><td>52.27</td><td>68.36</td><td>-16.09</td><td>42.44</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>346</td><td>205 PEAK</td></tr><tr><td>3 5719.35</td><td>59.15</td><td>110.72</td><td>-51.57</td><td>50.24</td><td>34.94</td><td>11.17</td><td>37.20</td><td>0.00</td><td>346</td><td>205 PEAK</td></tr><tr><td>4 5720.75</td><td>59.75</td><td>112.60</td><td>-52.85</td><td>50.87</td><td>34.94</td><td>11.17</td><td>37.23</td><td>0.00</td><td>346</td><td>205 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5622.94	53.39	68.20	-14.81	43.49	34.85	11.03	35.98	0.00	346	205 PEAK	2 5650.22	52.27	68.36	-16.09	42.44	34.88	11.07	36.12	0.00	346	205 PEAK	3 5719.35	59.15	110.72	-51.57	50.24	34.94	11.17	37.20	0.00	346	205 PEAK	4 5720.75	59.75	112.60	-52.85	50.87	34.94	11.17	37.23	0.00	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5622.94	53.39	68.20	-14.81	43.49	34.85	11.03	35.98	0.00	346	205 PEAK																																																																													
2 5650.22	52.27	68.36	-16.09	42.44	34.88	11.07	36.12	0.00	346	205 PEAK																																																																													
3 5719.35	59.15	110.72	-51.57	50.24	34.94	11.17	37.20	0.00	346	205 PEAK																																																																													
4 5720.75	59.75	112.60	-52.85	50.87	34.94	11.17	37.23	0.00	346	205 PEAK																																																																													
Fundamental																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>98.65</td><td>-----</td><td>-----</td><td>90.09</td><td>34.97</td><td>11.21</td><td>37.62</td><td>0.00</td><td>346</td><td>205 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	98.65	-----	-----	90.09	34.97	11.21	37.62	0.00	346	205 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5755.00	98.65	-----	-----	90.09	34.97	11.21	37.62	0.00	346	205 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>98.02</td><td>-----</td><td>-----</td><td>81.56</td><td>34.97</td><td>11.21</td><td>37.72</td><td>0.00</td><td>346</td><td>205 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	98.02	-----	-----	81.56	34.97	11.21	37.72	0.00	346	205 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5755.00	98.02	-----	-----	81.56	34.97	11.21	37.72	0.00	346	205 AVERAGE																																																																													



Mode	35																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>48.40</td><td>111.26</td><td>-62.86</td><td>41.32</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>346</td><td>205</td><td>PEAK</td></tr><tr><td>2</td><td>5874.15</td><td>50.67</td><td>105.54</td><td>-54.87</td><td>43.53</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>346</td><td>205</td><td>PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>49.70</td><td>69.03</td><td>-19.33</td><td>42.39</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>346</td><td>205</td><td>PEAK</td></tr><tr><td>4</td><td>5927.38</td><td>50.86</td><td>68.20</td><td>-17.34</td><td>43.53</td><td>35.14</td><td>11.40</td><td>39.21</td><td>0.00</td><td>346</td><td>205</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	48.40	111.26	-62.86	41.32	35.07	11.34	39.33	0.00	346	205	PEAK	2	5874.15	50.67	105.54	-54.87	43.53	35.09	11.35	39.30	0.00	346	205	PEAK	3	5923.87	49.70	69.03	-19.33	42.39	35.13	11.40	39.22	0.00	346	205	PEAK	4	5927.38	50.86	68.20	-17.34	43.53	35.14	11.40	39.21	0.00	346	205	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.84	48.40	111.26	-62.86	41.32	35.07	11.34	39.33	0.00	346	205	PEAK																																																																									
2	5874.15	50.67	105.54	-54.87	43.53	35.09	11.35	39.30	0.00	346	205	PEAK																																																																									
3	5923.87	49.70	69.03	-19.33	42.39	35.13	11.40	39.22	0.00	346	205	PEAK																																																																									
4	5927.38	50.86	68.20	-17.34	43.53	35.14	11.40	39.21	0.00	346	205	PEAK																																																																									



35

Harmonic

U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz


Pol.

Horizontal


Vertical

Peak

Avg






	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7673.31	51.49	74.00	-22.51	69.23	36.05	13.08	66.87	0.00	100	327 PEAK
2	7673.31	48.78	54.00	-5.22	66.52	36.05	13.08	66.87	0.00	100	327 AVERAGE
3	11510.00	44.29	74.00	-29.71	56.05	38.20	16.37	66.33	0.00	--	-- PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7673.31	49.66	74.00	-24.34	67.40	36.05	13.08	66.87	0.00	101	211 PEAK
2	7673.31	46.77	54.00	-7.23	64.51	36.05	13.08	66.87	0.00	101	211 AVERAGE
3	11510.00	44.43	74.00	-29.57	56.19	38.20	16.37	66.33	0.00	--	-- PEAK






Mode	36																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5618.00</td><td>53.25</td><td>68.20</td><td>-14.95</td><td>43.36</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>51.19</td><td>68.50</td><td>-17.31</td><td>41.36</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>52.00</td><td>106.42</td><td>-54.42</td><td>42.88</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>52.42</td><td>111.81</td><td>-59.39</td><td>43.53</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5618.00	53.25	68.20	-14.95	43.36	34.85	11.03	35.99	0.00	128	343	PEAK	2	5650.40	51.19	68.50	-17.31	41.36	34.88	11.07	36.12	0.00	128	343	PEAK	3	5704.00	52.00	106.42	-54.42	42.88	34.93	11.15	36.96	0.00	128	343	PEAK	4	5720.40	52.42	111.81	-59.39	43.53	34.94	11.17	37.22	0.00	128	343	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																								
1	5618.00	53.25	68.20	-14.95	43.36	34.85	11.03	35.99	0.00	128	343	PEAK																																																																																				
2	5650.40	51.19	68.50	-17.31	41.36	34.88	11.07	36.12	0.00	128	343	PEAK																																																																																				
3	5704.00	52.00	106.42	-54.42	42.88	34.93	11.15	36.96	0.00	128	343	PEAK																																																																																				
4	5720.40	52.42	111.81	-59.39	43.53	34.94	11.17	37.22	0.00	128	343	PEAK																																																																																				
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.31</td><td>-----</td><td>-----</td><td>93.32</td><td>35.01</td><td>11.26</td><td>38.28</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5795.00	101.31	-----	-----	93.32	35.01	11.26	38.28	0.00	128	343	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																								
1	5795.00	101.31	-----	-----	93.32	35.01	11.26	38.28	0.00	128	343	PEAK																																																																																				
Avg	Blank																																																																																															
	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.87</td><td>-----</td><td>-----</td><td>85.04</td><td>35.02</td><td>11.28</td><td>38.47</td><td>0.00</td><td>128</td><td>343</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5795.00	92.87	-----	-----	85.04	35.02	11.28	38.47	0.00	128	343	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																								
1	5795.00	92.87	-----	-----	85.04	35.02	11.28	38.47	0.00	128	343	AVERAGE																																																																																				




Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>49.42</td><td>111.36</td><td>-61.94</td><td>42.34</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>51.16</td><td>105.92</td><td>-54.76</td><td>44.02</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>49.87</td><td>68.35</td><td>-18.48</td><td>42.56</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr><tr><td>4</td><td>5971.20</td><td>51.86</td><td>68.20</td><td>-16.34</td><td>44.37</td><td>35.18</td><td>11.45</td><td>39.14</td><td>0.00</td><td>128</td><td>343</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	49.42	111.36	-61.94	42.34	35.07	11.34	39.33	0.00	128	343	PEAK	2	5872.80	51.16	105.92	-54.76	44.02	35.09	11.35	39.30	0.00	128	343	PEAK	3	5924.80	49.87	68.35	-18.48	42.56	35.13	11.40	39.22	0.00	128	343	PEAK	4	5971.20	51.86	68.20	-16.34	44.37	35.18	11.45	39.14	0.00	128	343	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	49.42	111.36	-61.94	42.34	35.07	11.34	39.33	0.00	128	343	PEAK																																																																									
2	5872.80	51.16	105.92	-54.76	44.02	35.09	11.35	39.30	0.00	128	343	PEAK																																																																									
3	5924.80	49.87	68.35	-18.48	42.56	35.13	11.40	39.22	0.00	128	343	PEAK																																																																									
4	5971.20	51.86	68.20	-16.34	44.37	35.18	11.45	39.14	0.00	128	343	PEAK																																																																									





Mode	36																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																			
Pol.	Vertical										Fundamental																																																																																																																									
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5638.00</td><td>53.84</td><td>68.20</td><td>-14.36</td><td>43.88</td><td>34.86</td><td>11.06</td><td>35.96</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr><tr><td>2 5652.00</td><td>51.44</td><td>69.69</td><td>-18.25</td><td>41.64</td><td>34.88</td><td>11.07</td><td>36.15</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr><tr><td>3 5701.20</td><td>51.40</td><td>105.64</td><td>-54.24</td><td>42.26</td><td>34.92</td><td>11.14</td><td>36.92</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>49.88</td><td>110.90</td><td>-61.02</td><td>40.99</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5638.00	53.84	68.20	-14.36	43.88	34.86	11.06	35.96	0.00	316	244	PEAK	2 5652.00	51.44	69.69	-18.25	41.64	34.88	11.07	36.15	0.00	316	244	PEAK	3 5701.20	51.40	105.64	-54.24	42.26	34.92	11.14	36.92	0.00	316	244	PEAK	4 5720.00	49.88	110.90	-61.02	40.99	34.94	11.17	37.22	0.00	316	244	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>96.87</td><td>-----</td><td>-----</td><td>88.97</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	96.87	-----	-----	88.97	35.01	11.27	38.38	0.00	316	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5638.00	53.84	68.20	-14.36	43.88	34.86	11.06	35.96	0.00	316	244	PEAK																																																																																																																									
2 5652.00	51.44	69.69	-18.25	41.64	34.88	11.07	36.15	0.00	316	244	PEAK																																																																																																																									
3 5701.20	51.40	105.64	-54.24	42.26	34.92	11.14	36.92	0.00	316	244	PEAK																																																																																																																									
4 5720.00	49.88	110.90	-61.02	40.99	34.94	11.17	37.22	0.00	316	244	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	96.87	-----	-----	88.97	35.01	11.27	38.38	0.00	316	244	PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>88.31</td><td>-----</td><td>-----</td><td>80.41</td><td>35.01</td><td>11.27</td><td>38.38</td><td>0.00</td><td>316</td><td>244</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	88.31	-----	-----	80.41	35.01	11.27	38.38	0.00	316	244	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	88.31	-----	-----	80.41	35.01	11.27	38.38	0.00	316	244	AVERAGE																																																																																																																									






Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>48.13</td><td>111.36</td><td>-63.23</td><td>41.05</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>49.76</td><td>105.69</td><td>-55.93</td><td>42.62</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>51.07</td><td>68.94</td><td>-17.87</td><td>43.76</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr><tr><td>4</td><td>5932.80</td><td>54.17</td><td>68.20</td><td>-14.03</td><td>46.82</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>316</td><td>244</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	48.13	111.36	-63.23	41.05	35.07	11.34	39.33	0.00	316	244	PEAK	2	5873.60	49.76	105.69	-55.93	42.62	35.09	11.35	39.30	0.00	316	244	PEAK	3	5924.00	51.07	68.94	-17.87	43.76	35.13	11.40	39.22	0.00	316	244	PEAK	4	5932.80	54.17	68.20	-14.03	46.82	35.14	11.41	39.20	0.00	316	244	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	48.13	111.36	-63.23	41.05	35.07	11.34	39.33	0.00	316	244	PEAK																																																																									
2	5873.60	49.76	105.69	-55.93	42.62	35.09	11.35	39.30	0.00	316	244	PEAK																																																																									
3	5924.00	51.07	68.94	-17.87	43.76	35.13	11.40	39.22	0.00	316	244	PEAK																																																																									
4	5932.80	54.17	68.20	-14.03	46.82	35.14	11.41	39.20	0.00	316	244	PEAK																																																																									




Mode	36																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>68.73</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>100</td><td>326</td><td>PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>48.67</td><td>54.00</td><td>-5.33</td><td>66.28</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>100</td><td>326</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>56.10</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7726.65	51.12	74.00	-22.88	68.73	36.15	13.13	66.89	0.00	100	326	PEAK	2	7726.65	48.67	54.00	-5.33	66.28	36.15	13.13	66.89	0.00	100	326	AVERAGE	3	11590.00	44.39	74.00	-29.61	56.10	38.20	16.42	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.65</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>68.34</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>239</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>7726.65</td><td>48.23</td><td>54.00</td><td>-5.77</td><td>65.84</td><td>36.15</td><td>13.13</td><td>66.89</td><td>0.00</td><td>239</td><td>197</td><td>AVERAGE</td></tr><tr><td>3</td><td>11590.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>56.22</td><td>38.20</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7726.65	50.73	74.00	-23.27	68.34	36.15	13.13	66.89	0.00	239	197	PEAK	2	7726.65	48.23	54.00	-5.77	65.84	36.15	13.13	66.89	0.00	239	197	AVERAGE	3	11590.00	44.51	74.00	-29.49	56.22	38.20	16.42	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	7726.65	51.12	74.00	-22.88	68.73	36.15	13.13	66.89	0.00	100	326	PEAK																																																																																																																																												
2	7726.65	48.67	54.00	-5.33	66.28	36.15	13.13	66.89	0.00	100	326	AVERAGE																																																																																																																																												
3	11590.00	44.39	74.00	-29.61	56.10	38.20	16.42	66.33	0.00	--	--	PEAK																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	7726.65	50.73	74.00	-23.27	68.34	36.15	13.13	66.89	0.00	239	197	PEAK																																																																																																																																												
2	7726.65	48.23	54.00	-5.77	65.84	36.15	13.13	66.89	0.00	239	197	AVERAGE																																																																																																																																												
3	11590.00	44.51	74.00	-29.49	56.22	38.20	16.42	66.33	0.00	--	--	PEAK																																																																																																																																												






		37																																																																										
Mode	Band Edge - L																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																											
Pol.	Horizontal																																																																											
Peak																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.40</td><td>50.21</td><td>68.20</td><td>-17.99</td><td>40.31</td><td>34.85</td><td>11.03</td><td>35.98</td><td>0.00</td><td>125 345 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>47.44</td><td>68.00</td><td>-21.36</td><td>37.62</td><td>34.88</td><td>11.07</td><td>36.13</td><td>0.00</td><td>125 345 PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>59.64</td><td>105.52</td><td>-45.88</td><td>50.49</td><td>34.92</td><td>11.14</td><td>36.91</td><td>0.00</td><td>125 345 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.32</td><td>110.90</td><td>-51.58</td><td>50.43</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>125 345 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5622.40	50.21	68.20	-17.99	40.31	34.85	11.03	35.98	0.00	125 345 PEAK	2	5650.80	47.44	68.00	-21.36	37.62	34.88	11.07	36.13	0.00	125 345 PEAK	3	5700.80	59.64	105.52	-45.88	50.49	34.92	11.14	36.91	0.00	125 345 PEAK	4	5720.00	59.32	110.90	-51.58	50.43	34.94	11.17	37.22	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5622.40	50.21	68.20	-17.99	40.31	34.85	11.03	35.98	0.00	125 345 PEAK																																																																		
2	5650.80	47.44	68.00	-21.36	37.62	34.88	11.07	36.13	0.00	125 345 PEAK																																																																		
3	5700.80	59.64	105.52	-45.88	50.49	34.92	11.14	36.91	0.00	125 345 PEAK																																																																		
4	5720.00	59.32	110.90	-51.58	50.43	34.94	11.17	37.22	0.00	125 345 PEAK																																																																		
Fundamental																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.80</td><td>-----</td><td>-----</td><td>88.57</td><td>34.99</td><td>11.24</td><td>38.00</td><td>0.00</td><td>125 345 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	96.80	-----	-----	88.57	34.99	11.24	38.00	0.00	125 345 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5775.00	96.80	-----	-----	88.57	34.99	11.24	38.00	0.00	125 345 PEAK																																																																		
Avg	Blank																																																																											
																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.04</td><td>-----</td><td>-----</td><td>78.81</td><td>34.99</td><td>11.24</td><td>38.00</td><td>0.00</td><td>125 345 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5775.00	87.04	-----	-----	78.81	34.99	11.24	38.00	0.00	125 345 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5775.00	87.04	-----	-----	78.81	34.99	11.24	38.00	0.00	125 345 AVERAGE																																																																		




Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>51.54</td><td>111.36</td><td>-59.82</td><td>44.46</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>125</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>49.16</td><td>105.47</td><td>-56.31</td><td>42.02</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>125</td><td>345</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>45.51</td><td>68.64</td><td>-23.13</td><td>38.20</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>125</td><td>345</td><td>PEAK</td></tr><tr><td>4</td><td>5930.80</td><td>46.45</td><td>68.20</td><td>-21.75</td><td>39.11</td><td>35.14</td><td>11.41</td><td>39.21</td><td>0.00</td><td>125</td><td>345</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	51.54	111.36	-59.82	44.46	35.07	11.34	39.33	0.00	125	345	PEAK	2	5874.40	49.16	105.47	-56.31	42.02	35.09	11.35	39.30	0.00	125	345	PEAK	3	5924.40	45.51	68.64	-23.13	38.20	35.13	11.40	39.22	0.00	125	345	PEAK	4	5930.80	46.45	68.20	-21.75	39.11	35.14	11.41	39.21	0.00	125	345	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	51.54	111.36	-59.82	44.46	35.07	11.34	39.33	0.00	125	345	PEAK																																																																									
2	5874.40	49.16	105.47	-56.31	42.02	35.09	11.35	39.30	0.00	125	345	PEAK																																																																									
3	5924.40	45.51	68.64	-23.13	38.20	35.13	11.40	39.22	0.00	125	345	PEAK																																																																									
4	5930.80	46.45	68.20	-21.75	39.11	35.14	11.41	39.21	0.00	125	345	PEAK																																																																									






Mode	37																																																																																												
	Band Edge - L																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																												
Pol.	Vertical																																																																																												
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.20</td><td>48.39</td><td>68.20</td><td>-19.81</td><td>38.52</td><td>34.87</td><td>11.07</td><td>36.07</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>46.66</td><td>69.39</td><td>-22.73</td><td>36.85</td><td>34.88</td><td>11.07</td><td>36.14</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>46.08</td><td>105.30</td><td>-59.22</td><td>36.92</td><td>34.92</td><td>11.14</td><td>36.90</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.87</td><td>110.90</td><td>-62.03</td><td>39.98</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.20	48.39	68.20	-19.81	38.52	34.87	11.07	36.07	0.00	368	250	PEAK	2	5651.60	46.66	69.39	-22.73	36.85	34.88	11.07	36.14	0.00	368	250	PEAK	3	5700.00	46.08	105.30	-59.22	36.92	34.92	11.14	36.90	0.00	368	250	PEAK	4	5720.00	48.87	110.90	-62.03	39.98	34.94	11.17	37.22	0.00	368	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5647.20	48.39	68.20	-19.81	38.52	34.87	11.07	36.07	0.00	368	250	PEAK																																																																																	
2	5651.60	46.66	69.39	-22.73	36.85	34.88	11.07	36.14	0.00	368	250	PEAK																																																																																	
3	5700.00	46.08	105.30	-59.22	36.92	34.92	11.14	36.90	0.00	368	250	PEAK																																																																																	
4	5720.00	48.87	110.90	-62.03	39.98	34.94	11.17	37.22	0.00	368	250	PEAK																																																																																	
Fundamental																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>93.07</td><td>-----</td><td>-----</td><td>85.00</td><td>35.00</td><td>11.26</td><td>38.19</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.07	-----	-----	85.00	35.00	11.26	38.19	0.00	368	250	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5775.00	93.07	-----	-----	85.00	35.00	11.26	38.19	0.00	368	250	PEAK																																																																																	
Avg	Blank																																																																																												
																																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>83.50</td><td>-----</td><td>-----</td><td>75.27</td><td>34.99</td><td>11.24</td><td>38.00</td><td>0.00</td><td>368</td><td>250</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	83.50	-----	-----	75.27	34.99	11.24	38.00	0.00	368	250	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5775.00	83.50	-----	-----	75.27	34.99	11.24	38.00	0.00	368	250	AVERAGE																																																																																	





Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>43.47</td><td>111.36</td><td>-67.89</td><td>36.39</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>44.37</td><td>105.47</td><td>-61.10</td><td>37.23</td><td>35.09</td><td>11.35</td><td>39.30</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>43.66</td><td>68.35</td><td>-24.69</td><td>36.35</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr><tr><td>4</td><td>5934.40</td><td>45.61</td><td>68.20</td><td>-22.59</td><td>38.26</td><td>35.14</td><td>11.41</td><td>39.20</td><td>0.00</td><td>368</td><td>250</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	43.47	111.36	-67.89	36.39	35.07	11.34	39.33	0.00	368	250	PEAK	2	5874.40	44.37	105.47	-61.10	37.23	35.09	11.35	39.30	0.00	368	250	PEAK	3	5924.00	43.66	68.35	-24.69	36.35	35.13	11.40	39.22	0.00	368	250	PEAK	4	5934.40	45.61	68.20	-22.59	38.26	35.14	11.41	39.20	0.00	368	250	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	43.47	111.36	-67.89	36.39	35.07	11.34	39.33	0.00	368	250	PEAK																																																																									
2	5874.40	44.37	105.47	-61.10	37.23	35.09	11.35	39.30	0.00	368	250	PEAK																																																																									
3	5924.00	43.66	68.35	-24.69	36.35	35.13	11.40	39.22	0.00	368	250	PEAK																																																																									
4	5934.40	45.61	68.20	-22.59	38.26	35.14	11.41	39.20	0.00	368	250	PEAK																																																																									



Mode	37																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.98</td><td>51.19</td><td>74.00</td><td>-22.81</td><td>68.86</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>121</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>7699.98</td><td>49.83</td><td>54.00</td><td>-4.17</td><td>67.50</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>121</td><td>328</td><td>AVERAGE</td></tr><tr><td>3</td><td>11550.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>54.92</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7699.98	51.19	74.00	-22.81	68.86	36.10	13.11	66.88	0.00	121	328	PEAK	2	7699.98	49.83	54.00	-4.17	67.50	36.10	13.11	66.88	0.00	121	328	AVERAGE	3	11550.00	43.18	74.00	-30.82	54.92	38.20	16.39	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.98</td><td>48.85</td><td>74.00</td><td>-25.15</td><td>66.52</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>278</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>7699.98</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>65.05</td><td>36.10</td><td>13.11</td><td>66.88</td><td>0.00</td><td>278</td><td>194</td><td>AVERAGE</td></tr><tr><td>3</td><td>11550.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>53.97</td><td>38.20</td><td>16.39</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7699.98	48.85	74.00	-25.15	66.52	36.10	13.11	66.88	0.00	278	194	PEAK	2	7699.98	47.38	54.00	-6.62	65.05	36.10	13.11	66.88	0.00	278	194	AVERAGE	3	11550.00	42.23	74.00	-31.77	53.97	38.20	16.39	66.33	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7699.98	51.19	74.00	-22.81	68.86	36.10	13.11	66.88	0.00	121	328	PEAK																																																																																																																																											
2	7699.98	49.83	54.00	-4.17	67.50	36.10	13.11	66.88	0.00	121	328	AVERAGE																																																																																																																																											
3	11550.00	43.18	74.00	-30.82	54.92	38.20	16.39	66.33	0.00	--	--	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7699.98	48.85	74.00	-25.15	66.52	36.10	13.11	66.88	0.00	278	194	PEAK																																																																																																																																											
2	7699.98	47.38	54.00	-6.62	65.05	36.10	13.11	66.88	0.00	278	194	AVERAGE																																																																																																																																											
3	11550.00	42.23	74.00	-31.77	53.97	38.20	16.39	66.33	0.00	--	--	PEAK																																																																																																																																											









Mode	37																																																																																																																																																																																																																						
	30M-1G																																																																																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																																																						
Pol.	Horizontal											Vertical																																																																																																																																																																																																											
Peak																																																																																																																																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>20.15</td><td>40.00</td><td>-19.85</td><td>28.34</td><td>24.07</td><td>0.73</td><td>32.99</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>106.63</td><td>20.08</td><td>43.50</td><td>-23.42</td><td>34.41</td><td>16.97</td><td>1.56</td><td>32.86</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>142.52</td><td>18.00</td><td>43.50</td><td>-24.70</td><td>33.31</td><td>16.52</td><td>1.00</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>213.33</td><td>22.59</td><td>43.50</td><td>-20.91</td><td>36.97</td><td>16.22</td><td>2.22</td><td>32.82</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>284.14</td><td>22.90</td><td>46.00</td><td>-23.10</td><td>34.09</td><td>19.04</td><td>2.57</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>340.40</td><td>25.12</td><td>46.00</td><td>-20.88</td><td>35.00</td><td>20.22</td><td>2.81</td><td>32.91</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	20.15	40.00	-19.85	28.34	24.07	0.73	32.99	0.00	---	Peak	2	106.63	20.08	43.50	-23.42	34.41	16.97	1.56	32.86	0.00	---	Peak	3	142.52	18.00	43.50	-24.70	33.31	16.52	1.00	32.83	0.00	---	Peak	4	213.33	22.59	43.50	-20.91	36.97	16.22	2.22	32.82	0.00	---	Peak	5	284.14	22.90	46.00	-23.10	34.09	19.04	2.57	32.80	0.00	---	Peak	6	340.40	25.12	46.00	-20.88	35.00	20.22	2.81	32.91	0.00	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>46.49</td><td>29.57</td><td>40.00</td><td>-10.43</td><td>45.78</td><td>15.76</td><td>0.99</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>23.15</td><td>43.50</td><td>-20.35</td><td>39.22</td><td>15.35</td><td>1.43</td><td>32.85</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>169.68</td><td>20.44</td><td>43.50</td><td>-23.06</td><td>35.28</td><td>16.02</td><td>1.97</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>325.85</td><td>21.05</td><td>46.00</td><td>-24.95</td><td>31.28</td><td>19.90</td><td>2.75</td><td>32.88</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>482.99</td><td>22.96</td><td>46.00</td><td>-23.04</td><td>29.33</td><td>23.24</td><td>3.36</td><td>32.97</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>706.09</td><td>25.82</td><td>46.00</td><td>-20.18</td><td>29.50</td><td>25.30</td><td>4.07</td><td>33.05</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	46.49	29.57	40.00	-10.43	45.78	15.76	0.99	32.96	0.00	---	Peak	2	91.11	23.15	43.50	-20.35	39.22	15.35	1.43	32.85	0.00	---	Peak	3	169.68	20.44	43.50	-23.06	35.28	16.02	1.97	32.83	0.00	---	Peak	4	325.85	21.05	46.00	-24.95	31.28	19.90	2.75	32.88	0.00	---	Peak	5	482.99	22.96	46.00	-23.04	29.33	23.24	3.36	32.97	0.00	---	Peak	6	706.09	25.82	46.00	-20.18	29.50	25.30	4.07	33.05	0.00	---
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																												
1	30.97	20.15	40.00	-19.85	28.34	24.07	0.73	32.99	0.00	---	Peak																																																																																																																																																																																																												
2	106.63	20.08	43.50	-23.42	34.41	16.97	1.56	32.86	0.00	---	Peak																																																																																																																																																																																																												
3	142.52	18.00	43.50	-24.70	33.31	16.52	1.00	32.83	0.00	---	Peak																																																																																																																																																																																																												
4	213.33	22.59	43.50	-20.91	36.97	16.22	2.22	32.82	0.00	---	Peak																																																																																																																																																																																																												
5	284.14	22.90	46.00	-23.10	34.09	19.04	2.57	32.80	0.00	---	Peak																																																																																																																																																																																																												
6	340.40	25.12	46.00	-20.88	35.00	20.22	2.81	32.91	0.00	---	Peak																																																																																																																																																																																																												
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																												
1	46.49	29.57	40.00	-10.43	45.78	15.76	0.99	32.96	0.00	---	Peak																																																																																																																																																																																																												
2	91.11	23.15	43.50	-20.35	39.22	15.35	1.43	32.85	0.00	---	Peak																																																																																																																																																																																																												
3	169.68	20.44	43.50	-23.06	35.28	16.02	1.97	32.83	0.00	---	Peak																																																																																																																																																																																																												
4	325.85	21.05	46.00	-24.95	31.28	19.90	2.75	32.88	0.00	---	Peak																																																																																																																																																																																																												
5	482.99	22.96	46.00	-23.04	29.33	23.24	3.36	32.97	0.00	---	Peak																																																																																																																																																																																																												
6	706.09	25.82	46.00	-20.18	29.50	25.30	4.07	33.05	0.00	---	Peak																																																																																																																																																																																																												




Co-location mode:

		38																																																															
Mode		Co-location Band Edge																																																															
		802.11ac VHT20_CH100_5500MHz																																																															
Pol.		Horizontal					Fundamental																																																										
Peak																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.64</td><td>51.06</td><td>74.00</td><td>-22.94</td><td>41.76</td><td>34.69</td><td>10.83</td><td>36.22</td><td>0.00</td><td>118</td><td>0 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>46.61</td><td>34.70</td><td>10.85</td><td>36.20</td><td>0.00</td><td>118</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.64	51.06	74.00	-22.94	41.76	34.69	10.83	36.22	0.00	118	0 PEAK	2	5467.60	55.96	68.20	-12.24	46.61	34.70	10.85	36.20	0.00	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5454.64	51.06	74.00	-22.94	41.76	34.69	10.83	36.22	0.00	118	0 PEAK																																																						
2	5467.60	55.96	68.20	-12.24	46.61	34.70	10.85	36.20	0.00	118	0 PEAK																																																						
Avg																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>41.67</td><td>54.00</td><td>-12.33</td><td>32.35</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>118</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	41.67	54.00	-12.33	32.35	34.70	10.84	36.22	0.00	118	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.76	41.67	54.00	-12.33	32.35	34.70	10.84	36.22	0.00	118	0 AVERAGE																																																						
Peak																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.71</td><td>-----</td><td>-----</td><td>99.23</td><td>34.74</td><td>10.89</td><td>36.15</td><td>0.00</td><td>118</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.71	-----	-----	99.23	34.74	10.89	36.15	0.00	118	0 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	108.71	-----	-----	99.23	34.74	10.89	36.15	0.00	118	0 PEAK																																																						
Avg																																																																	
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.78</td><td>-----</td><td>-----</td><td>90.32</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>118</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.78	-----	-----	90.32	34.73	10.89	36.16	0.00	118	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	99.78	-----	-----	90.32	34.73	10.89	36.16	0.00	118	0 AVERAGE																																																						



		38																																																																																																																									
Mode		Co-location Band Edge																																																																																																																									
		802.11ac VHT20_CH100_5500MHz																																																																																																																									
Pol.		Vertical											Fundamental																																																																																																														
Peak																																																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>40.42</td><td>34.70</td><td>10.84</td><td>36.22</td><td>0.00</td><td>395</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>53.02</td><td>68.20</td><td>-15.18</td><td>43.66</td><td>34.71</td><td>10.85</td><td>36.20</td><td>0.00</td><td>395</td><td>76</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	49.74	74.00	-24.26	40.42	34.70	10.84	36.22	0.00	395	76	PEAK	2	5469.68	53.02	68.20	-15.18	43.66	34.71	10.85	36.20	0.00	395	76	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.68</td><td>-----</td><td>-----</td><td>95.22</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>395</td><td>76</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.68	-----	-----	95.22	34.73	10.89	36.16	0.00	395	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5458.80	49.74	74.00	-24.26	40.42	34.70	10.84	36.22	0.00	395	76	PEAK																																																																																																															
2	5469.68	53.02	68.20	-15.18	43.66	34.71	10.85	36.20	0.00	395	76	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5500.00	104.68	-----	-----	95.22	34.73	10.89	36.16	0.00	395	76	PEAK																																																																																																															
Avg																																																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>40.30</td><td>54.00</td><td>-13.70</td><td>30.97</td><td>34.70</td><td>10.84</td><td>36.21</td><td>0.00</td><td>395</td><td>76</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	40.30	54.00	-13.70	30.97	34.70	10.84	36.21	0.00	395	76	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.87</td><td>-----</td><td>-----</td><td>87.41</td><td>34.73</td><td>10.89</td><td>36.16</td><td>0.00</td><td>395</td><td>76</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.87	-----	-----	87.41	34.73	10.89	36.16	0.00	395	76	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5459.92	40.30	54.00	-13.70	30.97	34.70	10.84	36.21	0.00	395	76	AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5500.00	96.87	-----	-----	87.41	34.73	10.89	36.16	0.00	395	76	AVERAGE																																																																																																															




Note: The frequency point 3/4/6 are LTE Band 41 RF signal which can be ignored.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.25	-	-	10Hz
802.11ac VHT20	98.13	-	-	10Hz
802.11ac VHT40	96.27	0.935	1.070	1.1kHz
802.11ac VHT80	92.69	0.459	2.177	2.2kHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

