E105 USER MANUAL



Launch mode

- Turn the TX/RX switch to the TX,Launch mode will be entered at this time.
- Presss the power button and hold it for 2 seconds to start, it will enter Bluetooth search status when power button red and blue lights alternate flash quickly, the power button turns blue and constantly on and then flashes slowly when one device is connected, bluetooth will automatically search and pair the next device , the power button turns the blue light to the red light and then turns purple and constantly on when the second device is connected (turn the product off after connected the device, you just press the power button to restart and the bluetooth will automatically connects the paired devices)
- Turn the SPDIF/AUX switch to the AUX, input the audio source signal from AUX headphone jack, then the two paired Bluetooth devices will play the audio input fromAUX headphone jack at the same time.
- Turn the SPDIF/AUX switch to the SPDIF, when fiber optic signals are input from SPDIF TX interface, the two paired bluetoothdevices can simultaneously play audio input from SPDIF TX interface.
- You can press the power button for 5seconds to shutdown at any state.

Receive mode:

- Turn the TX/RX switch to the RX and receive mode will be entered
- Press the power button for 1 second to start, it will enter Bluetooth search status whenpower button red and blue lights altmate flash quickly, After the bluetooth is paired with "zf-380", the power button will turn to blue light to keep it on.
- Turn the SPDIF/AUX switch to AUX, and the audio signal received by bluetooth will be output from AUX headphone jack.Turn SPDIF/AUX switch to SPDIF position, then the audio signal received by bluetooth will be output from SPDIF RX interface.
- During playback, press the power button to pause/play.
- You can press the power button for 5seconds to shutdown at any state.

Charge

After power off, use micro USB cable to input 5V voltage through DC 5V interface to charge, the power button will turn red when charging.

FCC Warning

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation

. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.