




11AX40SISO_Ant2_5310_242Tone_RU62




11AX40SISO_Ant1_5510_242Tone_RU61




11AX40SISO_Ant2_5510_242Tone_RU61




11AX40SISO_Ant1_5550_242Tone_RU61




11AX40SISO_Ant2_5550_242Tone_RU61




11AX40SISO_Ant1_5670_242Tone_RU62



11AX40SISO_Ant2_5670_242Tone_RU62



11AX40SISO_Ant1_5710_UNII-2C_242Tone_RU61



MultiView Spectrum

Ref Level 30.00 dBm Offset 11.93 dB BW 1 MHz

Att 30.00 dB SMT 20 Hz dBW 3.00 Hz Mode Sweep

Cursor 100.100

1 Frequency Sweep

100 View

M[1] -36.7 dBm

M[2] -3.86 dBm

M[3] 5.716200 GHz

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

5.71 GHz

100 pts

8.0 MHz

Span 80.0 MHz

Decay

Multisim Spectrum

Ref Level 30.00 dB Offset 11.97 dB BW 1.00 Hz

Att 20 dB BW1 20 ms VBW 3 Hz Mode Sweep

Frequency Sweep

Count 100/1000

5.71 GHz 6.03 GHz

M1[1] -17.89 dB
5.725000 GHz
M2[1] -9.23 dB
5.7046400 GHz

0 dB
-20 dB
-40 dB
-60 dB

100 MHz

5.71 GHz 100 MHz 6.03 GHz

0.01 MHz

Span 60.3 MHz

Multiview Spectrum

Ref Level 30.0 dBm Offset 11.96 dB RBW 1 kHz

Att 27.0 dB BW 20 ms View 3 kHz Mode Sweep

Frequency Sweep

Count 100/1000

100 kHz

M1[1] 2.96 dB

M2[1] 3.20 dB

3.720000 GHz

5.7174000 GHz

10 dB

0 dB

-10 dB

-20 dB

-30 dB

-40 dB

-50 dB

-60 dB

0.571 GHz

1000 pts


0.010 GHz

Span 0.031 GHz


Resolving

[illegible]


11AX40SISO_Ant1_5710_UNII-3_242Tone_RU62




11AX40SISO_Ant2_5710_UNII-3_242Tone_RU61




11AX40SISO_Ant2_5710_UNII-3_242Tone_RU62




11AX40SISO_Ant1_5755_242Tone_RU61




11AX40SISO_Ant2_5755_242Tone_RU61




11AX40SISO_Ant1_5795_242Tone_RU62




11AX40SISO_Ant2_5795_242Tone_RU62




11AX80SISO_Ant1_5210_484Tone_RU65




11AX80SISO_Ant2_5210_484Tone_RU65




11AX80SISO_Ant1_5290_484Tone_RU66




11AX80SISO_Ant2_5290_484Tone_RU66




11AX80SISO_Ant1_5530_484Tone_RU65




11AX80SISO_Ant2_5530_484Tone_RU65




11AX80SISO_Ant1_5610_484Tone_RU66



11AX80SISO_Ant2_5610_484Tone_RU66



11AX80SISO_Ant1_5690_UNII-2C_484Tone_RU65



MultiView ■ Spectrum

RefLevel 30.00 dBm Offset 11.75 dB RBW 1.00 Hz
 = All 32 dB = BW 20.00 MHz = View 3.00 Hz Mode Sweep

1 Frequency Sweep

Count 100/100
 5.00 View

M1[1] 1.03 dBm
 5.72000 GHz
 M2[1] -1.28 dBm
 5.69850 GHz


20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm

1001 GHz 1.6 THz


5.69 GHz 1001 GHz 1.6 THz 160.0 dBm

[illegible][illegible][illegible]


11AX80SISO_Ant1_5690_UNII-3_484Tone_RU66




11AX80SISO_Ant2_5690_UNII-3_484Tone_RU65




11AX80SISO_Ant2_5690_UNII-3_484Tone_RU66




11AX80SISO_Ant1_5775_484Tone_RU65




11AX80SISO_Ant2_5775_484Tone_RU65




11AX160SISO_Ant1_5250_996Tone_RU67




11AX160SISO_Ant2_5250_996Tone_RU67




11AX160SISO_Ant1_5570_996Tone_RU67




11AX160SISO_Ant2_5570_996Tone_RU67




11AX20MIMO_Ant1_5180_26Tone_RU0




11AX20MIMO_Ant1_5180_52Tone_RU37




11AX20MIMO_Ant1_5180_106Tone_RU53




11AX20MIMO_Ant2_5180_26Tone_RU0




11AX20MIMO_Ant2_5180_52Tone_RU37




11AX20MIMO_Ant2_5180_106Tone_RU53




11AX20MIMO_Ant1_5220_26Tone_RU0




11AX20MIMO_Ant1_5220_52Tone_RU37




11AX20MIMO_Ant1_5220_106Tone_RU53




11AX20MIMO_Ant2_5220_26Tone_RU0




11AX20MIMO_Ant2_5220_52Tone_RU37




11AX20MIMO_Ant2_5220_106Tone_RU53




11AX20MIMO_Ant1_5240_26Tone_RU8




11AX20MIMO_Ant1_5240_52Tone_RU40




11AX20MIMO_Ant1_5240_106Tone_RU54




11AX20MIMO_Ant2_5240_26Tone_RU8




11AX20MIMO_Ant2_5240_52Tone_RU40




11AX20MIMO_Ant2_5240_106Tone_RU54




11AX20MIMO_Ant1_5260_26Tone_RU0




11AX20MIMO_Ant1_5260_52Tone_RU37




11AX20MIMO_Ant1_5260_106Tone_RU53




11AX20MIMO_Ant2_5260_26Tone_RU0




11AX20MIMO_Ant2_5260_52Tone_RU37




11AX20MIMO_Ant2_5260_106Tone_RU53




11AX20MIMO_Ant1_5300_26Tone_RU0




11AX20MIMO_Ant1_5300_52Tone_RU37




11AX20MIMO_Ant1_5300_106Tone_RU53




11AX20MIMO_Ant2_5300_26Tone_RU0




11AX20MIMO_Ant2_5300_52Tone_RU37



11AX20MIMO_Ant2_5300_106Tone_RU53



11AX20MIMO_Ant1_5320_26Tone_RU8



The screenshot displays the Spectrum Analyzer window in Keysight ADS. The plot shows a noise floor rising from -50 dBm at 5.37 GHz to a peak of approximately -10 dBm at 5.378330 GHz, then falling back to -50 dBm. The x-axis is frequency in GHz, and the y-axis is power in dBm. The status bar at the bottom shows 'Q1 5.37 GHz', '1001 pts', '4.0 MHz', and 'Span 40.0 MHz'.

MultiView Spectrum

Ref Level 30.00 dBm Offset 11.60 dB = RBW 1 MHz

Att -30 dB BW 20 ms VBW 3 MHz Mode Sweep

Frequency Span

Count 100/100

M[1] 4.90 GHz 5.3267530 GHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

4.8 GHz

4.9 GHz

5.0 GHz

4.85 GHz

4.90 GHz

4.95 GHz

5.00 GHz

5.05 GHz

5.10 GHz

5.15 GHz

5.20 GHz

5.25 GHz

5.30 GHz

5.35 GHz

5.40 GHz

5.45 GHz

5.50 GHz

5.55 GHz

5.60 GHz

5.65 GHz

5.70 GHz

5.75 GHz

5.80 GHz

5.85 GHz

5.90 GHz

5.95 GHz

6.00 GHz

6.05 GHz

6.10 GHz

6.15 GHz

6.20 GHz

6.25 GHz

6.30 GHz

6.35 GHz

6.40 GHz

6.45 GHz

6.50 GHz

6.55 GHz

6.60 GHz

6.65 GHz

6.70 GHz

6.75 GHz

6.80 GHz

6.85 GHz

6.90 GHz

6.95 GHz

7.00 GHz

7.05 GHz

7.10 GHz

7.15 GHz

7.20 GHz

7.25 GHz

7.30 GHz

7.35 GHz

7.40 GHz

7.45 GHz

7.50 GHz

7.55 GHz

7.60 GHz

7.65 GHz

7.70 GHz

7.75 GHz

7.80 GHz

7.85 GHz

7.90 GHz

7.95 GHz

8.00 GHz

8.05 GHz

8.10 GHz

8.15 GHz

8.20 GHz

8.25 GHz

8.30 GHz

8.35 GHz

8.40 GHz

8.45 GHz

8.50 GHz

8.55 GHz

8.60 GHz

8.65 GHz

8.70 GHz

8.75 GHz

8.80 GHz

8.85 GHz

8.90 GHz

8.95 GHz

9.00 GHz

9.05 GHz

9.10 GHz

9.15 GHz

9.20 GHz

9.25 GHz

9.30 GHz

9.35 GHz

9.40 GHz

9.45 GHz

9.50 GHz

9.55 GHz

9.60 GHz

9.65 GHz

9.70 GHz

9.75 GHz

9.80 GHz

9.85 GHz

9.90 GHz

9.95 GHz

10.00 GHz

10.05 GHz

10.10 GHz

10.15 GHz

10.20 GHz

10.25 GHz

10.30 GHz

10.35 GHz

10.40 GHz

10.45 GHz

10.50 GHz

10.55 GHz

10.60 GHz

10.65 GHz

10.70 GHz

10.75 GHz

10.80 GHz

10.85 GHz

10.90 GHz

10.95 GHz

11.00 GHz

11.05 GHz

11.10 GHz

11.15 GHz

11.20 GHz

11.25 GHz

11.30 GHz

11.35 GHz

11.40 GHz

11.45 GHz

11.50 GHz

11.55 GHz

11.60 GHz

11.65 GHz

11.70 GHz

11.75 GHz

11.80 GHz

11.85 GHz

11.90 GHz

11.95 GHz

12.00 GHz

12.05 GHz

12.10 GHz

12.15 GHz

12.20 GHz

12.25 GHz

12.30 GHz

12.35 GHz

12.40 GHz

12.45 GHz

12.50 GHz

12.55 GHz

12.60 GHz

12.65 GHz

12.70 GHz

12.75 GHz

12.80 GHz

12.85 GHz

12.90 GHz

12.95 GHz

13.00 GHz

13.05 GHz

13.10 GHz

13.15 GHz

13.20 GHz

13.25 GHz

13.30 GHz

13.35 GHz

13.40 GHz

13.45 GHz

13.50 GHz

13.55 GHz

13.60 GHz

13.65 GHz

13.70 GHz

13.75 GHz

13.80 GHz

13.85 GHz

13.90 GHz

13.95 GHz

14.00 GHz

14.05 GHz

14.10 GHz

14.15 GHz

14.20 GHz

14.25 GHz

14.30 GHz

14.35 GHz

14.40 GHz

14.45 GHz

14.50 GHz

14.55 GHz

14.60 GHz

14.65 GHz

14.70 GHz

14.75 GHz

14.80 GHz

14.85 GHz

14.90 GHz

14.95 GHz

15.00 GHz

15.05 GHz

15.10 GHz

15.15 GHz

15.20 GHz

15.25 GHz

15.30 GHz

15.35 GHz

15.40 GHz

15.45 GHz

15.50 GHz

15.55 GHz

15.60 GHz

15.65 GHz

15.70 GHz

15.75 GHz

15.80 GHz

15.85 GHz

15.90 GHz

15.95 GHz

16.00 GHz

16.05 GHz

16.10 GHz

16.15 GHz

16.20 GHz

16.25 GHz

16.30 GHz

16.35 GHz

16.40 GHz

16.45 GHz

16.50 GHz

16.55 GHz

16.60 GHz

16.65 GHz

16.70 GHz

16.75 GHz

16.80 GHz

16.85 GHz

16.90 GHz

16.95 GHz

17.00 GHz

17.05 GHz

17.10 GHz

17.15 GHz

17.20 GHz

17.25 GHz

17.30 GHz

17.35 GHz

17.40 GHz

17.45 GHz

17.50 GHz

17.55 GHz

17.60 GHz

17.65 GHz

17.70 GHz

17.75 GHz

17.80 GHz

17.85 GHz

17.90 GHz

17.95 GHz

18.00 GHz

18.05 GHz

18.10 GHz

18.15 GHz

18.20 GHz

18.25 GHz

18.30 GHz

18.35 GHz

18.40 GHz

18.45 GHz

18.50 GHz

18.55 GHz

18.60 GHz

18.65 GHz

18.70 GHz

18.75 GHz

18.80 GHz

18.85 GHz

18.90 GHz

18.95 GHz

19.00 GHz

19.05 GHz

19.10 GHz

19.15 GHz

19.20 GHz

19.25 GHz

19.30 GHz

19.35 GHz

19.40 GHz

19.45 GHz

19.50 GHz

19.55 GHz

19.60 GHz

19.65 GHz

19.70 GHz

19.75 GHz

19.80 GHz

19.85 GHz

19.90 GHz

19.95 GHz

20.00 GHz

20.05 GHz

20.10 GHz

20.15 GHz

20.20 GHz

20.25 GHz

20.30 GHz

20.35 GHz

20.40 GHz

20.45 GHz

20.50 GHz

20.55 GHz

20.60 GHz

20.65 GHz

20.70 GHz

MultiView Spectrum

RefLevel: 20.00 dBm Offset: 11.58 dB RBW: 1 kHz

Att: -52 dB BW: 20 ms VBW: 3 kHz Mode: Sweep

Frequency Span: Count: 100/100

M1[1] 6.63 dBm 5.3285520 GHz

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

5.0 GHz

5.5 GHz


1000 pts

4.0 MHz/div


Span: 40.0 MHz

The screenshot shows the Spectrum Analyzer window in Keysight ADS. The plot displays a signal spectrum with a peak at 5.3270330 GHz. The y-axis represents power in dBm, ranging from -50 to 20. The x-axis represents frequency in GHz, ranging from 5.327 to 5.328. The signal is labeled 'S1012'. The plot shows a noisy baseline with a distinct peak at the specified frequency.


11AX20MIMO_Ant2_5320_106Tone_RU54




11AX20MIMO_Ant1_5500_26Tone_RU0



11AX20MIMO_Ant1_5500_52Tone_RU37



11AX20MIMO_Ant1_5500_106Tone_RU53



The screenshot shows the Keysight Spectrum Analyzer interface. The main display is a plot of the signal spectrum. The x-axis is labeled 'Frequency (GHz)' and ranges from 5.4 GHz to 5.5 GHz. The y-axis is labeled 'Power Level (dBm)' and ranges from -60 dBm to 20 dBm. A prominent peak is visible at approximately 5.45 GHz, reaching a power level of 20.00 dBm. The plot shows a noisy baseline around -20 dBm between 5.42 GHz and 5.48 GHz. The interface includes a top menu bar with 'MultiView' and 'Spectrum' tabs. Below the menu bar, there are control panels for 'Level' (20.00 dBm), 'Offset' (11.42 dB), 'BW' (3 MHz), 'Att' (30 dB), 'SST' (20 ms), 'VBW' (3 MHz), and 'Mode' (Sweep). The bottom status bar displays 'CF 5.5 GHz', '1001 pts', '4.0 MHz', and 'Span 40.0 MHz'.

The screenshot displays the Spectrum Analyzer window in Keysight ADS. The plot shows a frequency response with a peak at 11.42 GHz. The x-axis ranges from 5.5 GHz to 40.0 GHz, and the y-axis ranges from -50 dBm to 20 dBm. The plot title is 'Frequency Sweep'. The status bar shows 'QF 5.5 GHz', '1001 pts', '4.0 MHz/pt', and 'Span 40.0 MHz'.

MultiView Spectrum

RefLevel: 20.00 dBm Offset: 11.45 dB RBW: 3.00 Hz

Att: 20 dB SWT: 20 ms VSWR: 3.00 Hz Mode: Sweep

Frequency Span: Count: 100/1000

M1[1]	6.21 dBm	1 Lock
5.4949250 GHz		

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

5.5 GHz

1000 pts

4.0 MHz

Span: 40.0 MHz

Multiview ☒ Spectrum

Ref Level 30.00 dBm Offset 11.40 dB BW BW 3.19 Hz

Att 12.00 dB BW 20.00 MHz Span 3.19 Hz Mode Sweep

Frequency Sweep

Count 100/1000 0.000 Level 0.000

20 dBm 20.00 dBm

0 dBm 0.000 dBm

-20 dBm -20.00 dBm

-40 dBm -40.00 dBm

-60 dBm -60.00 dBm

-80 dBm -80.00 dBm

-100 dBm -100.00 dBm


5.58 MHz

1000 kHz


4.0 MHz

Span 40.0 MHz


11AX20MIMO_Ant1_5580_52Tone_RU37




11AX20MIMO_Ant1_5580_106Tone_RU53




11AX20MIMO_Ant2_5580_26Tone_RU0




11AX20MIMO_Ant2_5580_52Tone_RU37




11AX20MIMO_Ant2_5580_106Tone_RU53




11AX20MIMO_Ant1_5700_26Tone_RU8




11AX20MIMO_Ant1_5700_52Tone_RU40




11AX20MIMO_Ant1_5700_106Tone_RU54




11AX20MIMO_Ant2_5700_26Tone_RU8




11AX20MIMO_Ant2_5700_52Tone_RU40



11AX20MIMO_Ant2_5700_106Tone_RU54



11AX20MIMO_Ant1_5720_UNII-2C_26Tone_RU0



MultView Spectrum

RefLevel 30.00 dBm Offset 11.87 dB RBW 1 kHz
 BW 30 dB SWT 20 VMW 3 kHz Mode Sweep Count 100/100

Frequency Sweep 9

5.72 GHz 1001 pts 4.0 MHz Span 40.0 MHz

Multiview ▶ Spectrum

Ref Level 30.00 dBm Offset 11.83 dB RBW 1 kHz

At 30 dB BW 20 dB VIEW 3 kHz Mode Sweep Count 100/100

1 Frequency (MHz)

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

5.72 MHz

1001 pts

0.0 MHz

Span 80.0 MHz

Receiving

MultiView • Spectrum

RefLevel 30.00 dBm Offset 11.86 dB BWW 1 MHz

• All 30 dB • SWI 20 dB • VIEW 3 MHz Mode Sweep

Count 100/100

dBm 20.00

10.00

0.00

-10.00

-20.00

-30.00

-40.00

-50.00

5.70 GHz 5.72 GHz 5.74 GHz

5.72 GHz

1001 pts 4.0 MHz Span 40.0 MHz

The screenshot shows the Spectrum Analyzer interface. The top bar has 'MultView' and 'Spectrum' tabs. The main display area shows a spectrum plot with a blue line representing the signal. A yellow cursor is positioned at the peak of the signal, which is labeled '5.72 GHz'. The Y-axis is labeled 'dBm' and ranges from -50 to 20. The X-axis is labeled 'GHz' and ranges from 5.71 to 5.73. The bottom bar contains various settings and a 'Save' button.

Top Bar: MultView | Spectrum

Settings: RefLevel 30.00 dBm, Offset 11.00 dB, RBW 1 kHz, A11, 30 dB, SW1, 20 dB, VIEW 3 kHz, Mode Sweep


Count 100/100, Unit 100.000

Y-axis: 20 dBm, 10 dBm, 0 dBm, -10 dBm, -20 dBm, -30 dBm, -40 dBm, -50 dBm


X-axis: 5.71 GHz, 5.72 GHz, 5.73 GHz

Bottom Bar: 5.72 GHz, 1001 pts, 0.0 MHz, Span 40.0 MHz, Save


11AX20MIMO_Ant1_5720_UNII-2C_106Tone_RU54




11AX20MIMO_Ant2_5720_UNII-2C_26Tone_RU0




11AX20MIMO_Ant2_5720_UNII-2C_26Tone_RU8




11AX20MIMO_Ant2_5720_UNII-2C_52Tone_RU37




11AX20MIMO_Ant2_5720_UNII-2C_52Tone_RU40




11AX20MIMO_Ant2_5720_UNII-2C_106Tone_RU53




11AX20MIMO_Ant2_5720_UNII-2C_106Tone_RU54




11AX20MIMO_Ant1_5720_UNII-3_26Tone_RU0




11AX20MIMO_Ant1_5720_UNII-3_26Tone_RU8




11AX20MIMO_Ant1_5720_UNII-3_52Tone_RU37



11AX20MIMO_Ant1_5720_UNII-3_52Tone_RU40



11AX20MIMO_Ant1_5720_UNII-3_106Tone_RU53



[illegible][illegible][illegible]

MultiView Spectrum

Ref Level 30.0 dBm Offset 11.95 dB BW 500 Hz
 A11 30 dB SW1 20 ns VIEW 2 MHz Mode Sweep

Count 100/100

Frequency Sweep

20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm

5.72 GHz 1000 pts 4.0 MHz

5.720200 GHz

19.27 dBm


19.27 dBm

5.72 GHz


5.720200 GHz

Scan 40.0 MHz


11AX20MIMO_Ant2_5720_UNII-3_52Tone_RU40




11AX20MIMO_Ant2_5720_UNII-3_106Tone_RU53




11AX20MIMO_Ant2_5720_UNII-3_106Tone_RU54




11AX20MIMO_Ant1_5745_26Tone_RU0




11AX20MIMO_Ant1_5745_52Tone_RU37




11AX20MIMO_Ant1_5745_106Tone_RU53




11AX20MIMO_Ant2_5745_26Tone_RU0




11AX20MIMO_Ant2_5745_52Tone_RU37




11AX20MIMO_Ant2_5745_106Tone_RU53




11AX20MIMO_Ant1_5785_26Tone_RU0




11AX20MIMO_Ant1_5785_52Tone_RU37




11AX20MIMO_Ant1_5785_106Tone_RU53




11AX20MIMO_Ant2_5785_26Tone_RU0




11AX20MIMO_Ant2_5785_52Tone_RU37




11AX20MIMO_Ant2_5785_106Tone_RU53




11AX20MIMO_Ant1_5825_26Tone_RU8




11AX20MIMO_Ant1_5825_52Tone_RU40




11AX20MIMO_Ant1_5825_106Tone_RU54




11AX20MIMO_Ant2_5825_26Tone_RU8




11AX20MIMO_Ant2_5825_52Tone_RU40




11AX20MIMO_Ant2_5825_106Tone_RU54




11AX40MIMO_Ant1_5190_242Tone_RU61




11AX40MIMO_Ant2_5190_242Tone_RU61




11AX40MIMO_Ant1_5230_242Tone_RU62




11AX40MIMO_Ant2_5230_242Tone_RU62




11AX40MIMO_Ant1_5270_242Tone_RU61




11AX40MIMO_Ant2_5270_242Tone_RU61




11AX40MIMO_Ant1_5310_242Tone_RU62




11AX40MIMO_Ant2_5310_242Tone_RU62




11AX40MIMO_Ant1_5510_242Tone_RU61




11AX40MIMO_Ant2_5510_242Tone_RU61




11AX40MIMO_Ant1_5550_242Tone_RU61




11AX40MIMO_Ant2_5550_242Tone_RU61




11AX40MIMO_Ant1_5670_242Tone_RU62




11AX40MIMO_Ant2_5670_242Tone_RU62




11AX40MIMO_Ant1_5710_UNII-2C_242Tone_RU61




11AX40MIMO_Ant1_5710_UNII-2C_242Tone_RU62




11AX40MIMO_Ant2_5710_UNII-2C_242Tone_RU61




11AX40MIMO_Ant2_5710_UNII-2C_242Tone_RU62




11AX40MIMO_Ant1_5710_UNII-3_242Tone_RU61




11AX40MIMO_Ant1_5710_UNII-3_242Tone_RU62




11AX40MIMO_Ant2_5710_UNII-3_242Tone_RU61




11AX40MIMO_Ant2_5710_UNII-3_242Tone_RU62




11AX40MIMO_Ant1_5755_242Tone_RU61




11AX40MIMO_Ant2_5755_242Tone_RU61




11AX40MIMO_Ant1_5795_242Tone_RU62




11AX40MIMO_Ant2_5795_242Tone_RU62




11AX80MIMO_Ant1_5210_484Tone_RU65




11AX80MIMO_Ant2_5210_484Tone_RU65




11AX80MIMO_Ant1_5290_484Tone_RU66




11AX80MIMO_Ant2_5290_484Tone_RU66




11AX80MIMO_Ant1_5530_484Tone_RU65




11AX80MIMO_Ant2_5530_484Tone_RU65




11AX80MIMO_Ant1_5610_484Tone_RU66




11AX80MIMO_Ant2_5610_484Tone_RU66




11AX80MIMO_Ant1_5690_UNII-2C_484Tone_RU65




11AX80MIMO_Ant2_5690_UNII-2C_484Tone_RU65




11AX80MIMO_Ant2_5690_UNII-2C_484Tone_RU66




11AX80MIMO_Ant1_5690_UNII-3_484Tone_RU65




11AX80MIMO_Ant2_5690_UNII-3_484Tone_RU65




11AX80MIMO_Ant2_5690_UNII-3_484Tone_RU66




11AX80MIMO_Ant1_5775_484Tone_RU65




11AX80MIMO_Ant2_5775_484Tone_RU65




11AX160MIMO_Ant1_5250_996Tone_RU67




11AX160MIMO_Ant2_5250_996Tone_RU67



11AX160MIMO_Ant1_5570_996Tone_RU67



11AX160MIMO_Ant2_5570_996Tone_RU67



6 Appendix F: Band edge measurements

6.1 Test Result

6.1.1 Test Band = U-NII 1 & U-NII 2A & U-NII 2C

6.1.1.1 Full RU for 11AX mode

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-55.45	≤ -27	PASS
	Ant2	Low	5180	-45.37	≤ -27	PASS
	Ant1	Low	5200	-54.99	≤ -27	PASS
	Ant2	Low	5200	-44.53	≤ -27	PASS
	Ant1	High	5320	-53.00	≤ -27	PASS
	Ant2	High	5320	-46.98	≤ -27	PASS
	Ant1	Low	5500	-47.65	≤ -27	PASS
	Ant2	Low	5500	-47.59	≤ -27	PASS
	Ant1	Low	5520	-48.35	≤ -27	PASS
	Ant2	Low	5520	-48.16	≤ -27	PASS
	Ant1	High	5680	-48.29	≤ -27	PASS
	Ant2	High	5680	-48.97	≤ -27	PASS
	Ant1	High	5700	-48.17	≤ -27	PASS
	Ant2	High	5700	-48.12	≤ -27	PASS
11N20SISO	Ant1	Low	5180	-45.50	≤ -27	PASS
	Ant2	Low	5180	-44.72	≤ -27	PASS
	Ant1	Low	5200	-44.38	≤ -27	PASS
	Ant2	Low	5200	-45.49	≤ -27	PASS
	Ant1	High	5320	-47.32	≤ -27	PASS
	Ant2	High	5320	-46.53	≤ -27	PASS
	Ant1	Low	5500	-48.91	≤ -27	PASS
	Ant2	Low	5500	-47.93	≤ -27	PASS
	Ant1	Low	5520	-47.81	≤ -27	PASS
	Ant2	Low	5520	-48.76	≤ -27	PASS
	Ant1	High	5680	-48.43	≤ -27	PASS
	Ant2	High	5680	-47.87	≤ -27	PASS
	Ant1	High	5700	-48.23	≤ -27	PASS
	Ant2	High	5700	-48.42	≤ -27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11N40SISO	Ant1	Low	5190	-45.2	≤-27	PASS
	Ant2	Low	5190	-45.44	≤-27	PASS
	Ant1	High	5310	-46.78	≤-27	PASS
	Ant2	High	5310	-47.19	≤-27	PASS
	Ant1	Low	5510	-47.79	≤-27	PASS
	Ant2	Low	5510	-48.26	≤-27	PASS
	Ant1	High	5630	-47.89	≤-27	PASS
	Ant2	High	5630	-47.75	≤-27	PASS
	Ant1	High	5670	-47.59	≤-27	PASS
	Ant2	High	5670	-47.62	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-44.29	≤-27	PASS
	Ant2	Low	5180	-44.26	≤-27	PASS
	Ant1	Low	5200	-45.4	≤-27	PASS
	Ant2	Low	5200	-45.52	≤-27	PASS
	Ant1	High	5320	-46.92	≤-27	PASS
	Ant2	High	5320	-47.4	≤-27	PASS
	Ant1	Low	5500	-48.88	≤-27	PASS
	Ant2	Low	5500	-47.95	≤-27	PASS
	Ant1	Low	5520	-47.88	≤-27	PASS
	Ant2	Low	5520	-48.48	≤-27	PASS
	Ant1	High	5680	-47.67	≤-27	PASS
	Ant2	High	5680	-47.97	≤-27	PASS
	Ant1	High	5700	-48.57	≤-27	PASS
	Ant2	High	5700	-48.68	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-45.02	≤-27	PASS
	Ant2	Low	5190	-44.49	≤-27	PASS
	Ant1	High	5310	-47.74	≤-27	PASS
	Ant2	High	5310	-46.54	≤-27	PASS
	Ant1	Low	5510	-48.08	≤-27	PASS
	Ant2	Low	5510	-48.23	≤-27	PASS
	Ant1	High	5630	-48.23	≤-27	PASS
	Ant2	High	5630	-48.07	≤-27	PASS
	Ant1	High	5670	-47.92	≤-27	PASS
	Ant2	High	5670	-47.03	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-45.32	≤-27	PASS
	Ant2	Low	5210	-45.05	≤-27	PASS
	Ant1	High	5290	-47.02	≤-27	PASS
	Ant2	High	5290	-47.14	≤-27	PASS
	Ant1	Low	5530	-47.69	≤-27	PASS
	Ant2	Low	5530	-47.85	≤-27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11AC80SISO	Ant1	High	5610	-47.97	≤-27	PASS
	Ant2	High	5610	-47.97	≤-27	PASS
11AC160SISO	Ant1	Low	5250	-45.33	≤-27	PASS
	Ant2	Low	5250	-44.31	≤-27	PASS
	Ant1	High	5250	-46.82	≤-27	PASS
	Ant2	High	5250	-46.53	≤-27	PASS
	Ant1	Low	5570	-47.09	≤-27	PASS
	Ant2	Low	5570	-46.85	≤-27	PASS
	Ant1	High	5570	-47.21	≤-27	PASS
	Ant2	High	5570	-47.12	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-45.16	≤-27	PASS
	Ant2	Low	5180	-45.07	≤-27	PASS
	Ant1	Low	5200	-45.35	≤-27	PASS
	Ant2	Low	5200	-44.82	≤-27	PASS
	Ant1	High	5320	-47.24	≤-27	PASS
	Ant2	High	5320	-47.4	≤-27	PASS
	Ant1	Low	5500	-48.32	≤-27	PASS
	Ant2	Low	5500	-48.3	≤-27	PASS
	Ant1	Low	5520	-47.68	≤-27	PASS
	Ant2	Low	5520	-47.3	≤-27	PASS
	Ant1	High	5680	-48.09	≤-27	PASS
	Ant2	High	5680	-48.03	≤-27	PASS
	Ant1	High	5700	-48.27	≤-27	PASS
	Ant2	High	5700	-47.88	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-45.28	≤-27	PASS
	Ant2	Low	5190	-45.14	≤-27	PASS
	Ant1	High	5310	-46.66	≤-27	PASS
	Ant2	High	5310	-46.83	≤-27	PASS
	Ant1	Low	5510	-48.75	≤-27	PASS
	Ant2	Low	5510	-48.15	≤-27	PASS
	Ant1	High	5630	-47.86	≤-27	PASS
	Ant2	High	5630	-47.49	≤-27	PASS
	Ant1	High	5670	-41.23	≤-27	PASS
	Ant2	High	5670	-47.77	≤-27	PASS
11AX80SISO	Ant1	Low	5210	-44.88	≤-27	PASS
	Ant2	Low	5210	-45.1	≤-27	PASS
	Ant1	High	5290	-46.92	≤-27	PASS
	Ant2	High	5290	-46.33	≤-27	PASS
	Ant1	Low	5530	-47.66	≤-27	PASS
	Ant2	Low	5530	-47.87	≤-27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11AX80SISO	Ant1	High	5610	-47.65	≤-27	PASS
	Ant2	High	5610	-47.45	≤-27	PASS
11AX160SISO	Ant1	Low	5250	-45.21	≤-27	PASS
	Ant2	Low	5250	-44.17	≤-27	PASS
	Ant1	High	5250	-47.39	≤-27	PASS
	Ant2	High	5250	-45.99	≤-27	PASS
	Ant1	Low	5570	-47.15	≤-27	PASS
	Ant2	Low	5570	-46.48	≤-27	PASS
	Ant1	High	5570	-47.65	≤-27	PASS
	Ant2	High	5570	-46.96	≤-27	PASS
11A-CDD	Ant1	Low	5180	-45.69	≤-27	PASS
	Ant2	Low	5180	-44.45	≤-27	PASS
	Ant1	Low	5200	-45.19	≤-27	PASS
	Ant2	Low	5200	-44.93	≤-27	PASS
	Ant1	High	5320	-47.18	≤-27	PASS
	Ant2	High	5320	-46.74	≤-27	PASS
	Ant1	Low	5500	-48.52	≤-27	PASS
	Ant2	Low	5500	-47.38	≤-27	PASS
	Ant1	Low	5520	-48.68	≤-27	PASS
	Ant2	Low	5520	-47.75	≤-27	PASS
	Ant1	High	5680	-48.1	≤-27	PASS
	Ant2	High	5680	-47.29	≤-27	PASS
	Ant1	High	5700	-48.61	≤-27	PASS
	Ant2	High	5700	-48.53	≤-27	PASS
11N20MIMO	Ant1	Low	5180	-49.82	≤-27	PASS
	Ant2	Low	5180	-50.71	≤-27	PASS
	Ant1	Low	5200	-49.84	≤-27	PASS
	Ant2	Low	5200	-50.55	≤-27	PASS
	Ant1	High	5320	-52.21	≤-27	PASS
	Ant2	High	5320	-52.29	≤-27	PASS
	Ant1	Low	5500	-52.84	≤-27	PASS
	Ant2	Low	5500	-52.82	≤-27	PASS
	Ant1	Low	5520	-53.83	≤-27	PASS
	Ant2	Low	5520	-53.21	≤-27	PASS
	Ant1	High	5680	-52.1	≤-27	PASS
	Ant2	High	5680	-53.35	≤-27	PASS
	Ant1	High	5700	-53.56	≤-27	PASS
	Ant2	High	5700	-53.34	≤-27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11N40MIMO	Ant1	Low	5190	-49.79	≤-27	PASS
	Ant2	Low	5190	-49.75	≤-27	PASS
	Ant1	High	5310	-52.29	≤-27	PASS
	Ant2	High	5310	-52.03	≤-27	PASS
	Ant1	Low	5510	-52.94	≤-27	PASS
	Ant2	Low	5510	-52.43	≤-27	PASS
	Ant1	High	5630	-52.77	≤-27	PASS
	Ant2	High	5630	-52	≤-27	PASS
	Ant1	High	5670	-52.46	≤-27	PASS
	Ant2	High	5670	-52.38	≤-27	PASS
11AC20MIMO	Ant1	Low	5180	-50.21	≤-27	PASS
	Ant2	Low	5180	-50.33	≤-27	PASS
	Ant1	Low	5200	-50.33	≤-27	PASS
	Ant2	Low	5200	-49.95	≤-27	PASS
	Ant1	High	5320	-52.16	≤-27	PASS
	Ant2	High	5320	-51.8	≤-27	PASS
	Ant1	Low	5500	-53.03	≤-27	PASS
	Ant2	Low	5500	-53.47	≤-27	PASS
	Ant1	Low	5520	-53.25	≤-27	PASS
	Ant2	Low	5520	-52.74	≤-27	PASS
	Ant1	High	5680	-53.46	≤-27	PASS
	Ant2	High	5680	-52.96	≤-27	PASS
	Ant1	High	5700	-53.07	≤-27	PASS
	Ant2	High	5700	-52.71	≤-27	PASS
11AC40MIMO	Ant1	Low	5190	-50.05	≤-27	PASS
	Ant2	Low	5190	-50.33	≤-27	PASS
	Ant1	High	5310	-51.94	≤-27	PASS
	Ant2	High	5310	-51.96	≤-27	PASS
	Ant1	Low	5510	-53.62	≤-27	PASS
	Ant2	Low	5510	-52.9	≤-27	PASS
	Ant1	High	5630	-52.02	≤-27	PASS
	Ant2	High	5630	-52.02	≤-27	PASS
	Ant1	High	5670	-52.88	≤-27	PASS
	Ant2	High	5670	-52.32	≤-27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11AC80MIMO	Ant1	Low	5210	-49.97	≤-27	PASS
	Ant2	Low	5210	-50.35	≤-27	PASS
	Ant1	High	5290	-52.21	≤-27	PASS
	Ant2	High	5290	-52.05	≤-27	PASS
	Ant1	Low	5530	-52.75	≤-27	PASS
	Ant2	Low	5530	-52.27	≤-27	PASS
	Ant1	High	5610	-51.96	≤-27	PASS
	Ant2	High	5610	-52.82	≤-27	PASS
11AC160MIMO	Ant1	Low	5250	-50.08	≤-27	PASS
	Ant2	Low	5250	-50.01	≤-27	PASS
	Ant1	High	5250	-51.49	≤-27	PASS
	Ant2	High	5250	-51.3	≤-27	PASS
	Ant1	Low	5570	-51.71	≤-27	PASS
	Ant2	Low	5570	-51.33	≤-27	PASS
	Ant1	High	5570	-52	≤-27	PASS
	Ant2	High	5570	-52.39	≤-27	PASS
11AX20MIMO	Ant1	Low	5180	-50.48	≤-27	PASS
	Ant2	Low	5180	-50.33	≤-27	PASS
	Ant1	Low	5200	-49.88	≤-27	PASS
	Ant2	Low	5200	-49.82	≤-27	PASS
	Ant1	High	5320	-51.77	≤-27	PASS
	Ant2	High	5320	-52.21	≤-27	PASS
	Ant1	Low	5500	-53.37	≤-27	PASS
	Ant2	Low	5500	-53.11	≤-27	PASS
	Ant1	Low	5520	-52.81	≤-27	PASS
	Ant2	Low	5520	-53.46	≤-27	PASS
	Ant1	High	5680	-53.68	≤-27	PASS
	Ant2	High	5680	-52.72	≤-27	PASS
	Ant1	High	5700	-52.69	≤-27	PASS
	Ant2	High	5700	-52.99	≤-27	PASS
11AX40MIMO	Ant1	Low	5190	-49.75	≤-27	PASS
	Ant2	Low	5190	-49.63	≤-27	PASS
	Ant1	High	5310	-51.58	≤-27	PASS
	Ant2	High	5310	-52.06	≤-27	PASS
	Ant1	Low	5510	-53.33	≤-27	PASS
	Ant2	Low	5510	-53.47	≤-27	PASS
	Ant1	High	5630	-52.77	≤-27	PASS
	Ant2	High	5630	-52.67	≤-27	PASS
	Ant1	High	5670	-52.01	≤-27	PASS
	Ant2	High	5670	-51.87	≤-27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11AX80MIMO	Ant1	Low	5210	-49.14	≤ -27	PASS
	Ant2	Low	5210	-50.07	≤ -27	PASS
	Ant1	High	5290	-52.05	≤ -27	PASS
	Ant2	High	5290	-51.78	≤ -27	PASS
	Ant1	Low	5530	-52.5	≤ -27	PASS
	Ant2	Low	5530	-52.96	≤ -27	PASS
	Ant1	High	5610	-52.19	≤ -27	PASS
	Ant2	High	5610	-52.19	≤ -27	PASS
11AX160MIMO	Ant1	Low	5250	-50.05	≤ -27	PASS
	Ant2	Low	5250	-50.13	≤ -27	PASS
	Ant1	High	5250	-51.62	≤ -27	PASS
	Ant2	High	5250	-50.93	≤ -27	PASS
	Ant1	Low	5570	-51.9	≤ -27	PASS
	Ant2	Low	5570	-50.62	≤ -27	PASS
	Ant1	High	5570	-51.43	≤ -27	PASS
	Ant2	High	5570	-52.22	≤ -27	PASS

6.1.1.2 Partial RU for 11AX mode

Test Mode	Antenna	ChName	Frequency[MHz]	Ru Size	Ru Index	Result [dBm]	Limit [dBm]	Verdict
11AX20SISO	Ant1	Low	5180	26Tone	RU0	-49.68	≤-27	PASS
				52Tone	RU37	-48.63	≤-27	PASS
				106Tone	RU53	-50.34	≤-27	PASS
	Ant2	Low	5180	26Tone	RU0	-48.16	≤-27	PASS
				52Tone	RU37	-49.9	≤-27	PASS
				106Tone	RU53	-49.64	≤-27	PASS
	Ant1	High	5320	26Tone	RU8	-52.09	≤-27	PASS
				52Tone	RU40	-51.18	≤-27	PASS
				106Tone	RU54	-51.88	≤-27	PASS
	Ant2	High	5320	26Tone	RU8	-51.5	≤-27	PASS
				52Tone	RU40	-51.77	≤-27	PASS
				106Tone	RU54	-51.22	≤-27	PASS
	Ant1	Low	5500	26Tone	RU0	-53.19	≤-27	PASS
				52Tone	RU37	-53.39	≤-27	PASS
				106Tone	RU53	-53.3	≤-27	PASS
	Ant2	Low	5500	26Tone	RU0	-53.35	≤-27	PASS
				52Tone	RU37	-51.99	≤-27	PASS
				106Tone	RU53	-52.46	≤-27	PASS
	Ant1	High	5700	26Tone	RU8	-53.52	≤-27	PASS
				52Tone	RU40	-50.64	≤-27	PASS
				106Tone	RU54	-50.78	≤-27	PASS
	Ant2	High	5700	26Tone	RU8	-52.72	≤-27	PASS
				52Tone	RU40	-52.21	≤-27	PASS
				106Tone	RU54	-52.31	≤-27	PASS
11AX40SISO	Ant1	Low	5190	242Tone	RU61	-44.79	≤-27	PASS
	Ant2	Low	5190	242Tone	RU61	-46.37	≤-27	PASS
	Ant1	High	5310	242Tone	RU62	-48.53	≤-27	PASS
	Ant2	High	5310	242Tone	RU62	-44.94	≤-27	PASS
	Ant1	Low	5510	242Tone	RU61	-47.41	≤-27	PASS
	Ant2	Low	5510	242Tone	RU61	-46.3	≤-27	PASS
	Ant1	High	5670	242Tone	RU62	-46.87	≤-27	PASS
	Ant2	High	5670	242Tone	RU62	-45.35	≤-27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Ru Size	Ru Index	Result [dBm]	Limit [dBm]	Verdict
11AX80SISO	Ant1	Low	5210	484Tone	RU65	-44.34	≤-27	PASS
	Ant2	Low	5210	484Tone	RU65	-46	≤-27	PASS
	Ant1	High	5290	484Tone	RU66	-49.17	≤-27	PASS
	Ant2	High	5290	484Tone	RU66	-44.98	≤-27	PASS
	Ant1	Low	5530	484Tone	RU65	-47.06	≤-27	PASS
	Ant2	Low	5530	484Tone	RU65	-45.34	≤-27	PASS
	Ant1	High	5610	484Tone	RU66	-52.36	≤-27	PASS
	Ant2	High	5610	484Tone	RU66	-50.75	≤-27	PASS
11AX160SISO	Ant1	Low	5250	996Tone	RU67	-47.83	≤-27	PASS
	Ant2	Low	5250	996Tone	RU67	-42.2	≤-27	PASS
	Ant1	High	5250	996Tone	RU67	-45.84	≤-27	PASS
	Ant2	High	5250	996Tone	RU67	-39.56	≤-27	PASS
	Ant1	Low	5570	996Tone	RU67	-41.27	≤-27	PASS
	Ant2	Low	5570	996Tone	RU67	-40.62	≤-27	PASS
	Ant1	High	5570	996Tone	RU67	-40.29	≤-27	PASS
	Ant2	High	5570	996Tone	RU67	-41.29	≤-27	PASS
11AX20MIMO	Ant1	Low	5180	26Tone	RU0	-50.24	≤-27	PASS
				52Tone	RU37	-48.69	≤-27	PASS
				106Tone	RU53	-49.86	≤-27	PASS
	Ant2	Low	5180	26Tone	RU0	-49.85	≤-27	PASS
				52Tone	RU37	-49.25	≤-27	PASS
				106Tone	RU53	-49.46	≤-27	PASS
	Ant1	High	5320	26Tone	RU8	-51.81	≤-27	PASS
				52Tone	RU40	-49.92	≤-27	PASS
				106Tone	RU54	-51.8	≤-27	PASS
	Ant2	High	5320	26Tone	RU8	-51.95	≤-27	PASS
				52Tone	RU40	-51.27	≤-27	PASS
				106Tone	RU54	-52.09	≤-27	PASS
	Ant1	Low	5500	26Tone	RU0	-53.03	≤-27	PASS
				52Tone	RU37	-52.35	≤-27	PASS
				106Tone	RU53	-53.28	≤-27	PASS
	Ant2	Low	5500	26Tone	RU0	-52.85	≤-27	PASS
				52Tone	RU37	-52.73	≤-27	PASS
				106Tone	RU53	-52.91	≤-27	PASS
	Ant1	High	5700	26Tone	RU8	-52.48	≤-27	PASS
				52Tone	RU40	-51.05	≤-27	PASS
				106Tone	RU54	-53.37	≤-27	PASS
	Ant2	High	5700	26Tone	RU8	-52.93	≤-27	PASS
				52Tone	RU40	-50.57	≤-27	PASS
				106Tone	RU54	-49.68	≤-27	PASS

Test Mode	Antenna	ChName	Frequency[MHz]	Ru Size	Ru Index	Result [dBm]	Limit [dBm]	Verdict
11AX40MIMO	Ant1	Low	5190	242Tone	RU61	-40.35	≤-27	PASS
	Ant2	Low	5190	242Tone	RU61	-40.97	≤-27	PASS
	Ant1	High	5310	242Tone	RU62	-44.83	≤-27	PASS
	Ant2	High	5310	242Tone	RU62	-42	≤-27	PASS
	Ant1	Low	5510	242Tone	RU61	-43.73	≤-27	PASS
	Ant2	Low	5510	242Tone	RU61	-41.77	≤-27	PASS
	Ant1	High	5670	242Tone	RU62	-44.37	≤-27	PASS
	Ant2	High	5670	242Tone	RU62	-42.63	≤-27	PASS
11AX80MIMO	Ant1	Low	5210	484Tone	RU65	-43.27	≤-27	PASS
	Ant2	Low	5210	484Tone	RU65	-44.49	≤-27	PASS
	Ant1	High	5290	484Tone	RU66	-45.05	≤-27	PASS
	Ant2	High	5290	484Tone	RU66	-43.58	≤-27	PASS
	Ant1	Low	5530	484Tone	RU65	-43.79	≤-27	PASS
	Ant2	Low	5530	484Tone	RU65	-43.44	≤-27	PASS
	Ant1	High	5610	484Tone	RU66	-51.07	≤-27	PASS
	Ant2	High	5610	484Tone	RU66	-50.37	≤-27	PASS
11AX160MIMO	Ant1	Low	5250	996Tone	RU67	-43.53	≤-27	PASS
	Ant2	Low	5250	996Tone	RU67	-46.01	≤-27	PASS
	Ant1	High	5250	996Tone	RU67	-41.18	≤-27	PASS
	Ant2	High	5250	996Tone	RU67	-40.75	≤-27	PASS
	Ant1	Low	5570	996Tone	RU67	-38.71	≤-27	PASS
	Ant2	Low	5570	996Tone	RU67	-38.15	≤-27	PASS
	Ant1	High	5570	996Tone	RU67	-39.87	≤-27	PASS
	Ant2	High	5570	996Tone	RU67	-39.86	≤-27	PASS

6.1.2 Test Band = U-NII 3

Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-47.82	≤-19.30	PASS
				5700~5720	-41.70	≤15.59	PASS
				5720~5725	-36.46	≤26.04	PASS
				5760~5650	-47.92	≤-27	PASS
	Ant2	Low	5745	5650~5700	-47.06	≤-1.77	PASS
				5700~5720	-43.15	≤15.59	PASS
				5720~5725	-38.91	≤26.83	PASS
				5760~5650	-48.47	≤-27	PASS
	Ant1	High	5825	5850~5855	-41.02	≤16.10	PASS
				5855~5875	-46.26	≤10.10	PASS
				5875~5925	-48.43	≤-12.57	PASS
				5925~5935	-48.72	≤-27	PASS
	Ant2	High	5825	5850~5855	-43.08	≤21.33	PASS
				5855~5875	-45.73	≤10.10	PASS
				5875~5925	-47.28	≤1.62	PASS
				5925~5935	-48.61	≤-27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-47.92	≤3.77	PASS
				5700~5720	-43.99	≤15.34	PASS
				5720~5725	-39.69	≤25.52	PASS
				5760~5650	-49.13	≤-27	PASS
	Ant2	Low	5745	5650~5700	-47.8	≤1.72	□ASS
				5700~5720	-45.86	≤15.43	PASS
				5720~5725	-42.6	≤25.52	PASS
				5760~5650	-48.37	≤-27	PASS
	Ant1	High	5825	5850~5855	-44.58	≤17.03	PASS
				5855~5875	-46.47	≤10.06	PASS
				5875~5925	-48.26	≤-15.77	PASS
				5925~5935	-48.73	≤-27	PASS
	Ant2	High	5825	5850~5855	-45.96	≤16.72	PASS
				5855~5875	-47.85	≤11.04	PASS
				5875~5925	-47.84	≤-11.37	PASS
				5925~5935	-48.73	≤-27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-46.92	≤6.26	PASS
				5700~5720	-39.32	≤15.58	PASS
				5720~5725	-37.04	≤25.59	PASS
				5780~5650	-48.53	≤-27	PASS

Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11N40SISO	Ant2	Low	5755	5650~5700	-46.54	≤7.66	PASS
				5700~5720	-42.08	≤14.90	PASS
				5720~5725	-40.57	≤26.20	PASS
				5780~5650	-48.3	≤-27	PASS
	Ant1	High	5795	5850~5855	-46.75	≤20.92	PASS
				5855~5875	-47.25	≤10.04	PASS
				5875~5925	-47.83	≤-15.93	PASS
				5925~5935	-48.6	≤-27	PASS
	Ant2	High	5795	5850~5855	-47.19	≤15.66	PASS
				5855~5875	-47.19	≤10.73	PASS
				5875~5925	-47.9	≤-25.70	PASS
				5925~5935	-48.79	≤-27	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-48	≤-1.51	PASS
				5700~5720	-46.35	≤15.24	PASS
				5720~5725	-42.44	≤25.78	PASS
				5760~5650	-48.15	≤-27	PASS
	Ant2	Low	5745	5650~5700	-47.41	≤7.51	PASS
				5700~5720	-46.27	≤15.34	PASS
				5720~5725	-45.33	≤26.30	PASS
				5760~5650	-48.7	≤-27	PASS
	Ant1	High	5825	5850~5855	-44.98	≤17.03	PASS
				5855~5875	-47.91	≤10.14	PASS
				5875~5925	-48.23	≤8.31	PASS
				5925~5935	-48.78	≤-27	PASS
	Ant2	High	5825	5850~5855	-46.25	≤16.41	PASS
				5855~5875	-47.93	≤11.46	PASS
				5875~5925	-47.68	≤0.12	PASS
				5925~5935	-48.37	≤-27	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-46.71	≤8.56	PASS
				5700~5720	-41.32	≤15.58	PASS
				5720~5725	-38.88	≤26.20	PASS
				5780~5650	-48.52	≤-27	PASS
	Ant2	Low	5755	5650~5700	-47.75	≤-21.81	PASS
				5700~5720	-44.37	≤15.47	PASS
				5720~5725	-43.02	≤22.82	PASS
				5780~5650	-48.33	≤-27	PASS
	Ant1	High	5795	5850~5855	-47.35	≤16.79	PASS
				5855~5875	-47.74	≤10.50	PASS
				5875~5925	-48.01	≤-21.79	PASS
				5925~5935	-47.99	≤-27	PASS

Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11AC40SISO	Ant2	High	5795	5850~5855	-48.11	≤21.68	PASS
				5855~5875	-47.72	≤10.50	PASS
				5875~5925	-46.99	≤-10.81	PASS
				5925~5935	-48.56	≤-27	PASS
11AC80SISO	Ant1	Low	5775	5650~5700	-44.09	≤9.45	PASS
				5700~5720	-41.68	≤15.17	PASS
				5720~5725	-39.64	≤20.59	PASS
				5800~5650	-48.12	≤-27	PASS
		High	5775	5850~5855	-43.75	≤17.06	PASS
				5855~5875	-44.36	≤11.47	PASS
				5875~5925	-47.64	≤-23.53	PASS
				5925~5935	-48.19	≤-27	PASS
	Ant2	Low	5775	5650~5700	-44.4	≤9.56	PASS
				5700~5720	-42.64	≤15.52	PASS
				5720~5725	-41.65	≤24.83	PASS
				5800~5650	-48.14	≤-27	PASS
		High	5775	5850~5855	-44.9	≤19.17	PASS
				5855~5875	-45.38	≤12.72	PASS
				5875~5925	-46.46	≤-12.44	PASS
				5925~5935	-48.72	≤-27	PASS
11AX20SISO	Ant1	Low	5745	5650~5700	-47.47	≤-5.34	PASS
				5700~5720	-44.98	≤15.50	PASS
				5720~5725	-39.36	≤26.57	PASS
				5760~5650	-48.15	≤-27	PASS
	Ant2	Low	5745	5650~5700	-47.3	≤-23.81	PASS
				5700~5720	-46.61	≤15.50	PASS
				5720~5725	-41.78	≤26.30	PASS
				5760~5650	-48.71	≤-27	PASS
	Ant1	High	5825	5850~5855	-42.42	≤16.41	PASS
				5855~5875	-47.29	≤10.32	PASS
				5875~5925	-47.92	≤-10.77	PASS
				5925~5935	-48.94	≤-27	PASS
	Ant2	High	5825	5850~5855	-44.97	≤22.26	PASS
				5855~5875	-47.41	≤11.99	PASS
				5875~5925	-47.35	≤7.21	PASS
				5925~5935	-48.86	≤-27	PASS

Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11AX40SISO	Ant1	Low	5755	5650~5700	-47.21	≤7.16	PASS
				5700~5720	-41.25	≤15.43	PASS
				5720~5725	-36.81	≤25.28	PASS
				5780~5650	-48.27	≤-27	PASS
	Ant2	Low	5755	5650~5700	-46.5	≤0.67	PASS
				5700~5720	-44.17	≤15.09	PASS
				5720~5725	-39.87	≤25.28	PASS
				5780~5650	-47.39	≤-27	PASS
	Ant1	High	5795	5850~5855	-47.38	≤24.69	PASS
				5855~5875	-48.3	≤11.66	PASS
				5875~5925	-48.6	≤-24.24	PASS
				5925~5935	-48.6	≤-27	PASS
	Ant2	High	5795	5850~5855	-46.45	≤26.19	PASS
				5855~5875	-47.86	≤12.95	PASS
				5875~5925	-47.8	≤-21.92	PASS
				5925~5935	-48.71	≤-27	PASS
11AX80SISO	Ant1	Low	5775	5650~5700	-42.88	≤9.79	PASS
				5700~5720	-40.21	≤14.56	PASS
				5720~5725	-39.52	≤25.89	PASS
				5800~5650	-47.84	≤-27	PASS
		High	5775	5850~5855	-42.75	≤16.22	PASS
				5855~5875	-42.85	≤10.13	PASS
				5875~5925	-47.3	≤-25.59	PASS
				5925~5935	-48.61	≤-27	PASS
	Ant2	Low	5775	5650~5700	-44.59	≤8.64	PASS
				5700~5720	-41.95	≤15.43	PASS
				5720~5725	-41.97	≤15.65	PASS
				5800~5650	-48.15	≤-27	PASS
		High	5775	5850~5855	-43.64	≤18.75	PASS
				5855~5875	-44.85	≤10.02	PASS
				5875~5925	-47.03	≤-23.26	PASS
				5925~5935	-47.82	≤-27	PASS
11A-CDD	Ant1	Low	5745	5650~5700	-47.74	≤-12.32	PASS
				5700~5720	-42.06	≤15.59	PASS
				5720~5725	-34.53	≤25.52	PASS
				5760~5650	-48.27	≤-27	PASS
	Ant2	Low	5745	5650~5700	-47.37	≤4.19	PASS
				5700~5720	-41.14	≤15.59	PASS
				5720~5725	-36.18	≤26.83	PASS
				5760~5650	-48.58	≤-27	PASS

Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A-CDD	Ant1	High	5825	5850~5855	-41.19	≤16.10	PASS
				5855~5875	-45.19	≤10.06	PASS
				5875~5925	-48.27	≤4.31	PASS
				5925~5935	-47.44	≤-27	PASS
	Ant2	High	5825	5850~5855	-39.84	≤16.10	PASS
				5855~5875	-43.66	≤10.44	PASS
				5875~5925	-47.12	≤-19.86	PASS
				5925~5935	-48.19	≤-27	PASS
11N20MIMO	Ant1	Low	5745	5650~5700	-51.17	≤2.32	PASS
				5700~5720	-47.11	≤15.59	PASS
				5720~5725	-41.21	≤26.57	PASS
				5760~5650	-52.85	≤-27	PASS
	Ant2	Low	5745	5650~5700	-52.29	≤-12.74	PASS
				5700~5720	-49.08	≤15.24	PASS
				5720~5725	-44.06	≤26.57	PASS
				5760~5650	-53.3	≤-27	PASS
	Ant1	High	5825	5850~5855	-46.24	≤18.56	PASS
				5855~5875	-50.42	≤10.78	PASS
				5875~5925	-51.8	≤-2.48	PASS
				5925~5935	-53.09	≤-27	PASS
	Ant2	High	5825	5850~5855	-47.57	≤16.41	PASS
				5855~5875	-50.84	≤10.10	PASS
				5875~5925	-52.96	≤-0.38	PASS
				5925~5935	-52.84	≤-27	PASS
11N40MIMO	Ant1	Low	5755	5650~5700	-50.67	≤7.16	PASS
				5700~5720	-41.08	≤15.31	PASS
				5720~5725	-40.25	≤26.51	PASS
				5780~5650	-52.97	≤-27	PASS
	Ant2	Low	5755	5650~5700	-50.92	≤9.66	PASS
				5700~5720	-40.97	≤15.58	PASS
				5720~5725	-40.27	≤16.97	PASS
				5780~5650	-52.95	≤-27	PASS
	Ant1	High	5795	5850~5855	-50.96	≤16.79	PASS
				5855~5875	-52.53	≤10.73	PASS
				5875~5925	-52.35	≤-12.39	PASS
				5925~5935	-53.76	≤-27	PASS
	Ant2	High	5795	5850~5855	-50.66	≤25.06	PASS
				5855~5875	-51.15	≤10.69	PASS
				5875~5925	-52.77	≤-4.94	PASS
				5925~5935	-52.53	≤-27	PASS

Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11AC20MIMO	Ant1	Low	5745	5650~5700	-52.73	≤8.11	PASS
				5700~5720	-48.82	≤15.59	PASS
				5720~5725	-43.28	≤25.52	PASS
				5760~5650	-52.8	≤-27	PASS
	Ant2	Low	5745	5650~5700	-52.2	≤-8.49	PASS
				5700~5720	-51.93	≤14.05	PASS
				5720~5725	-48.63	≤25.78	PASS
				5760~5650	-53.21	≤-27	PASS
	Ant1	High	5825	5850~5855	-49.11	≤16.10	PASS
				5855~5875	-51.44	≤10.17	PASS
				5875~5925	-52.18	≤-11.07	PASS
				5925~5935	-53.58	≤-27	PASS
	Ant2	High	5825	5850~5855	-52.76	≤18.87	PASS
				5855~5875	-52.77	≤12.03	PASS
				5875~5925	-52.18	≤7.91	PASS
				5925~5935	-53.34	≤-27	PASS
11AC40MIMO	Ant1	Low	5755	5650~5700	-51.2	≤9.96	PASS
				5700~5720	-43.26	≤15.58	PASS
				5720~5725	-40.6	≤26.82	PASS
				5780~5650	-52.83	≤-27	PASS
	Ant2	Low	5755	5650~5700	-52.19	≤-4.73	PASS
				5700~5720	-48.02	≤14.90	PASS
				5720~5725	-46.44	≤22.82	PASS
				5780~5650	-52.85	≤-27	PASS
	Ant1	High	5795	5850~5855	-52.23	≤15.66	PASS
				5855~5875	-52.45	≤10.50	PASS
				5875~5925	-52.96	≤-23.38	PASS
				5925~5935	-52.73	≤-27	PASS
	Ant2	High	5795	5850~5855	-52.5	≤19.42	PASS
				5855~5875	-52.97	≤12.21	PASS
				5875~5925	-53.12	≤-21.79	PASS
				5925~5935	-53.04	≤-27	PASS
11AC80MIMO	Ant1	Low	5775	5650~5700	-47.03	≤8.64	PASS
				5700~5720	-43.6	≤14.82	PASS
				5720~5725	-42.91	≤20.59	PASS
				5800~5650	-52.3	≤-27	PASS
		High	5775	5850~5855	-45.91	≤19.17	PASS
				5855~5875	-46.85	≤10.18	PASS
				5875~5925	-51.44	≤-26.54	PASS
				5925~5935	-52.95	≤-27	PASS

Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11AC80MIMO	Ant2	Low	5775	5650~5700	-48.55	≤9.90	PASS
				5700~5720	-46	≤13.31	PASS
				5720~5725	-45.81	≤22.71	PASS
				5800~5650	-53.34	≤-27	PASS
		High	5775	5850~5855	-48.21	≤20.43	PASS
				5855~5875	-49.95	≤10.23	PASS
				5875~5925	-52.18	≤-5.33	PASS
				5925~5935	-53.15	≤-27	PASS
11AX20MIMO	Ant1	Low	5745	5650~5700	-52.23	≤4.62	PASS
				5700~5720	-47.01	≤15.59	PASS
				5720~5725	-41.82	≤26.30	PASS
				5760~5650	-53.56	≤-27	PASS
	Ant2	Low	5745	5650~5700	-51.82	≤-15.64	PASS
				5700~5720	-48.91	≤15.53	PASS
				5720~5725	-44.95	≤26.30	PASS
				5760~5650	-52.28	≤-27	PASS
	Ant1	High	5825	5850~5855	-46.37	≤17.03	PASS
				5855~5875	-50	≤10.17	PASS
				5875~5925	-52.61	≤-8.67	PASS
				5925~5935	-53.41	≤-27	PASS
	Ant2	High	5825	5850~5855	-47.7	≤15.79	PASS
				5855~5875	-51.13	≤10.40	PASS
				5875~5925	-52.53	≤-22.56	PASS
				5925~5935	-53.33	≤-27	PASS
11AX40MIMO	Ant1	Low	5755	5650~5700	-50.39	≤8.46	PASS
				5700~5720	-43.1	≤15.24	PASS
				5720~5725	-39.81	≤25.89	PASS
				5780~5650	-53.24	≤-27	PASS
	Ant2	Low	5755	5650~5700	-52.01	≤-14.52	PASS
				5700~5720	-46.21	≤15.16	PASS
				5720~5725	-41.61	≤25.28	PASS
				5780~5650	-52.97	≤-27	PASS
	Ant1	High	5795	5850~5855	-51.12	≤25.06	PASS
				5855~5875	-51.69	≤10.18	PASS
				5875~5925	-52.36	≤-20.45	PASS
				5925~5935	-54.04	≤-27	PASS
	Ant2	High	5795	5850~5855	-51.52	≤20.92	PASS
				5855~5875	-52.22	≤10.27	PASS
				5875~5925	-53.09	≤-2.99	PASS
				5925~5935	-53.39	≤-27	PASS


Test Mode	Antenna	ChName	Freq. [MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11AX80MIMO	Ant1	Low	5775	5650~5700	-44.23	≤8.53	PASS
				5700~5720	-40.38	≤14.95	PASS
				5720~5725	-39.29	≤16.71	PASS
				5800~5650	-51.8	≤-27	PASS
		High	5775	5850~5855	-42.24	≤18.75	PASS
				5855~5875	-43.87	≤11.06	PASS
				5875~5925	-49.68	≤-24.49	PASS
				5925~5935	-52.75	≤-27	PASS
	Ant2	Low	5775	5650~5700	-46.53	≤6.12	PASS
				5700~5720	-44.69	≤14.09	PASS
				5720~5725	-43.47	≤26.60	PASS
				5800~5650	-52.57	≤-27	PASS
		High	5775	5850~5855	-46.75	≤15.79	PASS
				5855~5875	-47.55	≤10.38	PASS
				5875~5925	-51.53	≤-26.41	PASS
				5925~5935	-52.99	≤-27	PASS

6.2 Test Graphs


6.2.1 Test Band = U-NII 1 & U-NII 2A & U-NII 2C

6.2.1.1 Full RU for 11AX mode

11A_Ant1_Low_5180



11A_Ant2_Low_5180



11A_Ant1_Low_5200

