



















n66 15M CP-OFDM QPSK Outer_Full Mid




n66 15M CP-OFDM 256QAM Outer_Full Mid




n66 15M DFT-s-OFDM BPSK Outer_Full High




n66 15M DFT-s-OFDM 256QAM Outer_Full High




n66 15M CP-OFDM QPSK Outer_Full High




n66 15M CP-OFDM 256QAM Outer_Full High







n66 20M CP-OFDM QPSK Outer_Full Mid




n66 20M CP-OFDM 256QAM Outer_Full Mid




n66 20M DFT-s-OFDM BPSK Outer_Full High



n66 20M DFT-s-OFDM 256QAM Outer_Full High



n66 20M CP-OFDM QPSK Outer_Full High



n66 20M CP-OFDM 256QAM Outer_Full High

Band	SCS	BW	ARFCN	Modulation	RB	Result	Limit	Verdict
------	-----	----	-------	------------	----	--------	-------	---------



	(kHz)	(MHz)				(dB)	(dB)	
n77(3450-3550MHz)	30	10	630334	DFT-s-OFDM PI/2 BPSK	24/0	4.31	13	PASS
n77(3450-3550MHz)	30	10	630334	DFT-s-OFDM 256QAM	24/0	6.86	13	PASS
n77(3450-3550MHz)	30	10	630334	CP-OFDM QPSK	24/0	7.28	13	PASS
n77(3450-3550MHz)	30	10	630334	CP-OFDM 256QAM	24/0	8.52	13	PASS
n77(3450-3550MHz)	30	10	633334	DFT-s-OFDM PI/2 BPSK	24/0	4.29	13	PASS
n77(3450-3550MHz)	30	10	633334	DFT-s-OFDM 256QAM	24/0	6.87	13	PASS
n77(3450-3550MHz)	30	10	633334	CP-OFDM QPSK	24/0	7.5	13	PASS
n77(3450-3550MHz)	30	10	633334	CP-OFDM 256QAM	24/0	8.43	13	PASS
n77(3450-3550MHz)	30	10	636332	DFT-s-OFDM PI/2 BPSK	24/0	4.29	13	PASS
n77(3450-3550MHz)	30	10	636332	DFT-s-OFDM 256QAM	24/0	6.99	13	PASS
n77(3450-3550MHz)	30	10	636332	CP-OFDM QPSK	24/0	7.52	13	PASS
n77(3450-3550MHz)	30	10	636332	CP-OFDM 256QAM	24/0	8.54	13	PASS
n77(3450-3550MHz)	30	15	630500	DFT-s-OFDM PI/2 BPSK	36/0	4.62	13	PASS
n77(3450-3550MHz)	30	15	630500	DFT-s-OFDM 256QAM	36/0	6.6	13	PASS
n77(3450-3550MHz)	30	15	630500	CP-OFDM QPSK	36/0	7.25	13	PASS
n77(3450-3550MHz)	30	15	630500	CP-OFDM 256QAM	36/0	8.11	13	PASS
n77(3450-3550MHz)	30	15	633334	DFT-s-OFDM PI/2 BPSK	36/0	4.51	13	PASS
n77(3450-3550MHz)	30	15	633334	DFT-s-OFDM 256QAM	36/0	6.59	13	PASS
n77(3450-3550MHz)	30	15	633334	CP-OFDM QPSK	36/0	7.61	13	PASS
n77(3450-3550MHz)	30	15	633334	CP-OFDM 256QAM	36/0	8.49	13	PASS
n77(3450-3550MHz)	30	15	636166	DFT-s-OFDM PI/2 BPSK	36/0	4.23	13	PASS
n77(3450-3550MHz)	30	15	636166	DFT-s-OFDM 256QAM	36/0	6.69	13	PASS



n77(3450-3550MHz)	30	15	636166	CP-OFDM QPSK	36/0	7.57	13	PASS
n77(3450-3550MHz)	30	15	636166	CP-OFDM 256QAM	36/0	8.1	13	PASS
n77(3450-3550MHz)	30	20	630668	DFT-s-OFDM PI/2 BPSK	50/0	4.32	13	PASS
n77(3450-3550MHz)	30	20	630668	DFT-s-OFDM 256QAM	50/0	7.08	13	PASS
n77(3450-3550MHz)	30	20	630668	CP-OFDM QPSK	51/0	7.27	13	PASS
n77(3450-3550MHz)	30	20	630668	CP-OFDM 256QAM	51/0	8.31	13	PASS
n77(3450-3550MHz)	30	20	633334	DFT-s-OFDM PI/2 BPSK	50/0	4.31	13	PASS
n77(3450-3550MHz)	30	20	633334	DFT-s-OFDM 256QAM	50/0	7.07	13	PASS
n77(3450-3550MHz)	30	20	633334	CP-OFDM QPSK	51/0	7.67	13	PASS
n77(3450-3550MHz)	30	20	633334	CP-OFDM 256QAM	51/0	8.33	13	PASS
n77(3450-3550MHz)	30	20	636000	DFT-s-OFDM PI/2 BPSK	50/0	4.5	13	PASS
n77(3450-3550MHz)	30	20	636000	DFT-s-OFDM 256QAM	50/0	7.07	13	PASS
n77(3450-3550MHz)	30	20	636000	CP-OFDM QPSK	51/0	7.56	13	PASS
n77(3450-3550MHz)	30	20	636000	CP-OFDM 256QAM	51/0	8.31	13	PASS
n77(3700-3980MHz)	30	10	647000	DFT-s-OFDM PI/2 BPSK	24/0	4.28	13	PASS
n77(3700-3980MHz)	30	10	647000	DFT-s-OFDM 256QAM	24/0	6.86	13	PASS
n77(3700-3980MHz)	30	10	647000	CP-OFDM QPSK	24/0	7.37	13	PASS
n77(3700-3980MHz)	30	10	647000	CP-OFDM 256QAM	24/0	8.57	13	PASS
n77(3700-3980MHz)	30	10	656000	DFT-s-OFDM PI/2 BPSK	24/0	4.65	13	PASS
n77(3700-3980MHz)	30	10	656000	DFT-s-OFDM 256QAM	24/0	7.11	13	PASS
n77(3700-3980MHz)	30	10	656000	CP-OFDM QPSK	24/0	7.59	13	PASS
n77(3700-3980MHz)	30	10	656000	CP-OFDM 256QAM	24/0	8.69	13	PASS
n77(3700-	30	10	665000	DFT-s-OFDM	24/0	4.59	13	PASS















3980MHz)				PI/2 BPSK				
n77(3700-3980MHz)	30	10	665000	DFT-s-OFDM 256QAM	24/0	6.98	13	PASS
n77(3700-3980MHz)	30	10	665000	CP-OFDM QPSK	24/0	8.61	13	PASS
n77(3700-3980MHz)	30	10	665000	CP-OFDM 256QAM	24/0	8.56	13	PASS
n77(3700-3980MHz)	30	15	647168	DFT-s-OFDM PI/2 BPSK	36/0	4.57	13	PASS
n77(3700-3980MHz)	30	15	647168	DFT-s-OFDM 256QAM	36/0	6.66	13	PASS
n77(3700-3980MHz)	30	15	647168	CP-OFDM QPSK	36/0	8.16	13	PASS
n77(3700-3980MHz)	30	15	647168	CP-OFDM 256QAM	36/0	8.17	13	PASS
n77(3700-3980MHz)	30	15	656000	DFT-s-OFDM PI/2 BPSK	36/0	4.66	13	PASS
n77(3700-3980MHz)	30	15	656000	DFT-s-OFDM 256QAM	36/0	6.75	13	PASS
n77(3700-3980MHz)	30	15	656000	CP-OFDM QPSK	36/0	8.08	13	PASS
n77(3700-3980MHz)	30	15	656000	CP-OFDM 256QAM	36/0	8.44	13	PASS
n77(3700-3980MHz)	30	15	664832	DFT-s-OFDM PI/2 BPSK	36/0	4.41	13	PASS
n77(3700-3980MHz)	30	15	664832	DFT-s-OFDM 256QAM	36/0	6.77	13	PASS
n77(3700-3980MHz)	30	15	664832	CP-OFDM QPSK	36/0	8.03	13	PASS
n77(3700-3980MHz)	30	15	664832	CP-OFDM 256QAM	36/0	8.28	13	PASS
n77(3700-3980MHz)	30	20	647334	DFT-s-OFDM PI/2 BPSK	50/0	4.77	13	PASS
n77(3700-3980MHz)	30	20	647334	DFT-s-OFDM 256QAM	50/0	7.12	13	PASS
n77(3700-3980MHz)	30	20	647334	CP-OFDM QPSK	51/0	7.31	13	PASS
n77(3700-3980MHz)	30	20	647334	CP-OFDM 256QAM	51/0	8.35	13	PASS
n77(3700-3980MHz)	30	20	656000	DFT-s-OFDM PI/2 BPSK	50/0	4.83	13	PASS
n77(3700-3980MHz)	30	20	656000	DFT-s-OFDM 256QAM	50/0	7.24	13	PASS
n77(3700-3980MHz)	30	20	656000	CP-OFDM QPSK	51/0	8.03	13	PASS















REPORT No.: SZ24100188W01


n77(3700-3980MHz)	30	20	656000	CP-OFDM 256QAM	51/0	8.49	13	PASS
n77(3700-3980MHz)	30	20	664666	DFT-s-OFDM PI/2 BPSK	50/0	4.46	13	PASS
n77(3700-3980MHz)	30	20	664666	DFT-s-OFDM 256QAM	50/0	7.2	13	PASS
n77(3700-3980MHz)	30	20	664666	CP-OFDM QPSK	51/0	8.03	13	PASS
n77(3700-3980MHz)	30	20	664666	CP-OFDM 256QAM	51/0	8.49	13	PASS

n77(3450-3550MHz) 10M DFT-s-OFDM
BPSK Outer_Full Lown77(3450-3550MHz) 10M DFT-s-OFDM
256QAM Outer_Full Lown77(3450-3550MHz) 10M CP-OFDM QPSK
Outer_Full Lown77(3450-3550MHz) 10M CP-OFDM
256QAM Outer_Full Lown77(3450-3550MHz) 10M DFT-s-OFDM
BPSK Outer_Full Midn77(3450-3550MHz) 10M DFT-s-OFDM
256QAM Outer_Full Mid


n77(3450-3550MHz) 10M CP-OFDM QPSK
Outer_Full Midn77(3450-3550MHz) 10M CP-OFDM
256QAM Outer_Full Midn77(3450-3550MHz) 10M DFT-s-OFDM
BPSK Outer_Full Highn77(3450-3550MHz) 10M DFT-s-OFDM
256QAM Outer_Full Highn77(3450-3550MHz) 10M CP-OFDM QPSK
Outer_Full Highn77(3450-3550MHz) 10M CP-OFDM
256QAM Outer_Full High

n77(3450-3550MHz) 15M DFT-s-OFDM
BPSK Outer_Full Lown77(3450-3550MHz) 15M DFT-s-OFDM
256QAM Outer_Full Lown77(3450-3550MHz) 15M CP-OFDM QPSK
Outer_Full Lown77(3450-3550MHz) 15M CP-OFDM
256QAM Outer_Full Lown77(3450-3550MHz) 15M DFT-s-OFDM
BPSK Outer_Full Midn77(3450-3550MHz) 15M DFT-s-OFDM
256QAM Outer_Full Mid


n77(3450-3550MHz) 15M CP-OFDM QPSK
Outer_Full Midn77(3450-3550MHz) 15M CP-OFDM
256QAM Outer_Full Midn77(3450-3550MHz) 15M DFT-s-OFDM
BPSK Outer_Full Highn77(3450-3550MHz) 15M DFT-s-OFDM
256QAM Outer_Full Highn77(3450-3550MHz) 15M CP-OFDM QPSK
Outer_Full Highn77(3450-3550MHz) 15M CP-OFDM
256QAM Outer_Full High




n77(3450-3550MHz) 20M DFT-s-OFDM
BPSK Outer_Full Low




n77(3450-3550MHz) 20M DFT-s-OFDM
256QAM Outer_Full Low




n77(3450-3550MHz) 20M CP-OFDM QPSK
Outer_Full Low




n77(3450-3550MHz) 20M CP-OFDM
256QAM Outer_Full Low




n77(3450-3550MHz) 20M DFT-s-OFDM
BPSK Outer_Full Mid




n77(3450-3550MHz) 20M DFT-s-OFDM
256QAM Outer_Full Mid







n77(3700-3980MHz) 10M DFT-s-OFDM
BPSK Outer_Full Low




n77(3700-3980MHz) 10M DFT-s-OFDM
256QAM Outer_Full Low




n77(3700-3980MHz) 10M CP-OFDM QPSK
Outer_Full Low




n77(3700-3980MHz) 10M CP-OFDM
256QAM Outer_Full Low




n77(3700-3980MHz) 10M DFT-s-OFDM
BPSK Outer_Full Mid




n77(3700-3980MHz) 10M DFT-s-OFDM
256QAM Outer_Full Mid




n77(3700-3980MHz) 10M CP-OFDM QPSK
Outer_Full Mid




n77(3700-3980MHz) 10M CP-OFDM
256QAM Outer_Full Mid




n77(3700-3980MHz) 10M DFT-s-OFDM
BPSK Outer_Full High




n77(3700-3980MHz) 10M DFT-s-OFDM
256QAM Outer_Full High




n77(3700-3980MHz) 10M CP-OFDM QPSK
Outer_Full High




n77(3700-3980MHz) 10M CP-OFDM
256QAM Outer_Full High




n77(3700-3980MHz) 15M DFT-s-OFDM
BPSK Outer_Full Low




n77(3700-3980MHz) 15M DFT-s-OFDM
256QAM Outer_Full Low




n77(3700-3980MHz) 15M CP-OFDM QPSK
Outer_Full Low




n77(3700-3980MHz) 15M CP-OFDM
256QAM Outer_Full Low




n77(3700-3980MHz) 15M DFT-s-OFDM
BPSK Outer_Full Mid




n77(3700-3980MHz) 15M DFT-s-OFDM
256QAM Outer_Full Mid







n77(3700-3980MHz) 20M DFT-s-OFDM
BPSK Outer_Full Low




n77(3700-3980MHz) 20M DFT-s-OFDM
256QAM Outer_Full Low




n77(3700-3980MHz) 20M CP-OFDM QPSK
Outer_Full Low




n77(3700-3980MHz) 20M CP-OFDM
256QAM Outer_Full Low



n77(3700-3980MHz) 20M DFT-s-OFDM
BPSK Outer_Full Mid



n77(3700-3980MHz) 20M DFT-s-OFDM
256QAM Outer_Full Mid





REPORT No.: SZ24100188W01

2.5. Conducted Spurious Emissions

2.5.1. Requirement

According to FCC section 2.1051, section 22.917(a), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This calculated to be -13dBm.

According to FCC section 24.238(a) for n2, n25, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Additional to FCC section 22.917(a) for n5, n26, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This calculated to be -13dBm.

According to FCC section 90.543(f) for n14, on any frequency outside of the frequency ranges covered by the ACP tables in this section, the power of any emission must be reduced below the mean output power (P) by at least $43 + 10 \log(P)$ dB measured in a 100 kHz bandwidth for frequencies less than 1 GHz, and in a 1 MHz bandwidth for frequencies greater than 1 GHz.

According to FCC section 27.53(m)(4) for n7, n41, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. This calculated to be -25dBm.

According to FCC section 27.53(g) for n12, n71, for operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB.

According to FCC section 27.53 for n30, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $70 + 10 \log(P)$ dB. This calculated to be -40dBm.

According to FCC section 96.41(e) for n48, the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.


According to FCC section 27.53(h) for n66, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

According to FCC section 27.53(l)(2) for n77, n78, for mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not

exceed -13 dBm/MHz.

According to FCC section 27.53(n)(2) for n77, n78, for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.

2.5.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.5.3. Test procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.







2.5.4. Test Result


Note: In the same NR frequency band, The measured power in SA mode is higher than that in NSA mode, SA mode is selected to test all test cases.

Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dBm)	Limit (dBm)	Verdict
n2	15	5	370500	DFT-s-OFDM QPSK	1/1	-43.38	-13	PASS
n2	15	5	370500	DFT-s-OFDM QPSK	1/23	-43.07	-13	PASS
n2	15	5	376000	DFT-s-OFDM QPSK	1/1	-43.32	-13	PASS




n2	15	5	376000	DFT-s-OFDM QPSK	1/23	-43.37	-13	PASS
n2	15	5	381500	DFT-s-OFDM QPSK	1/1	-43.31	-13	PASS
n2	15	5	381500	DFT-s-OFDM QPSK	1/23	-43.36	-13	PASS
n2	15	10	371000	DFT-s-OFDM QPSK	1/1	-43.37	-13	PASS
n2	15	10	371000	DFT-s-OFDM QPSK	1/50	-43.15	-13	PASS
n2	15	10	376000	DFT-s-OFDM QPSK	1/1	-43.36	-13	PASS
n2	15	10	376000	DFT-s-OFDM QPSK	1/50	-43.24	-13	PASS
n2	15	10	381000	DFT-s-OFDM QPSK	1/1	-43.36	-13	PASS
n2	15	10	381000	DFT-s-OFDM QPSK	1/50	-43.41	-13	PASS
n2	15	15	371500	DFT-s-OFDM QPSK	1/1	-43.42	-13	PASS
n2	15	15	371500	DFT-s-OFDM QPSK	1/77	-43.20	-13	PASS
n2	15	15	376000	DFT-s-OFDM QPSK	1/1	-43.25	-13	PASS
n2	15	15	376000	DFT-s-OFDM QPSK	1/77	-43.40	-13	PASS
n2	15	15	380500	DFT-s-OFDM QPSK	1/1	-43.31	-13	PASS
n2	15	15	380500	DFT-s-OFDM QPSK	1/77	-43.34	-13	PASS
n2	15	20	372000	DFT-s-OFDM QPSK	1/1	-43.33	-13	PASS
n2	15	20	372000	DFT-s-OFDM QPSK	1/104	-43.41	-13	PASS
n2	15	20	376000	DFT-s-OFDM QPSK	1/1	-43.24	-13	PASS
n2	15	20	376000	DFT-s-OFDM QPSK	1/104	-43.57	-13	PASS
n2	15	20	380000	DFT-s-OFDM QPSK	1/1	-43.30	-13	PASS
n2	15	20	380000	DFT-s-OFDM QPSK	1/104	-43.42	-13	PASS


n2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Left_Lown2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Right_Lown2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Left_Midn2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Right_Midn2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Left_Highn2 (30MHz-20GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Right_High




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Left_Low




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Right_Low




n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Left_Mid









n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Right_Mid









n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Left_High



n2 (30MHz-20GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Right_High

n2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK
Inner_1RB_Left_Lown2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK
Inner_1RB_Right_Lown2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK
Inner_1RB_Left_Midn2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK
Inner_1RB_Right_Midn2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK
Inner_1RB_Left_Highn2 (30MHz-20GHz) 15M DFT-s-OFDM QPSK
Inner_1RB_Right_High

n2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK
Inner_1RB_Left_Lown2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK
Inner_1RB_Right_Lown2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK
Inner_1RB_Left_Midn2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK
Inner_1RB_Right_Midn2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK
Inner_1RB_Left_Highn2 (30MHz-20GHz) 20M DFT-s-OFDM QPSK
Inner_1RB_Right_High

Band

SCS

BW

ARFCN

Modulation

RB

Result

Limit

Verdict















	(kHz)	(MHz)				(dBm)	(dBm)	
n5	15	5	165300	DFT-s-OFDM QPSK	1/1	-46.42	-13	PASS
n5	15	5	165300	DFT-s-OFDM QPSK	1/23	-46.64	-13	PASS
n5	15	5	167300	DFT-s-OFDM QPSK	1/1	-46.72	-13	PASS
n5	15	5	167300	DFT-s-OFDM QPSK	1/23	-46.84	-13	PASS
n5	15	5	169300	DFT-s-OFDM QPSK	1/1	-46.80	-13	PASS
n5	15	5	169300	DFT-s-OFDM QPSK	1/23	-46.82	-13	PASS
n5	15	10	165800	DFT-s-OFDM QPSK	1/1	-46.63	-13	PASS
n5	15	10	165800	DFT-s-OFDM QPSK	1/50	-46.59	-13	PASS
n5	15	10	167300	DFT-s-OFDM QPSK	1/1	-46.84	-13	PASS
n5	15	10	167300	DFT-s-OFDM QPSK	1/50	-46.84	-13	PASS
n5	15	10	168800	DFT-s-OFDM QPSK	1/1	-46.82	-13	PASS
n5	15	10	168800	DFT-s-OFDM QPSK	1/50	-46.63	-13	PASS
n5	15	15	166300	DFT-s-OFDM QPSK	1/1	-46.86	-13	PASS
n5	15	15	166300	DFT-s-OFDM QPSK	1/77	-46.87	-13	PASS
n5	15	15	167300	DFT-s-OFDM QPSK	1/1	-46.68	-13	PASS
n5	15	15	167300	DFT-s-OFDM QPSK	1/77	-46.76	-13	PASS
n5	15	15	168300	DFT-s-OFDM QPSK	1/1	-46.85	-13	PASS
n5	15	15	168300	DFT-s-OFDM QPSK	1/77	-46.41	-13	PASS
n5	15	20	166800	DFT-s-OFDM QPSK	1/1	-46.83	-13	PASS
n5	15	20	166800	DFT-s-OFDM QPSK	1/104	-46.79	-13	PASS
n5	15	20	167300	DFT-s-OFDM QPSK	1/1	-46.90	-13	PASS



REPORT No.: SZ24100188W01

n5	15	20	167300	DFT-s-OFDM QPSK	1/104	-46.98	-13	PASS
n5	15	20	167800	DFT-s-OFDM QPSK	1/1	-46.90	-13	PASS
n5	15	20	167800	DFT-s-OFDM QPSK	1/104	-46.79	-13	PASS

n5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Left_Lown5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Right_Lown5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Left_Midn5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Right_Midn5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Left_Highn5 (30MHz-9GHz) 5M DFT-s-OFDM QPSK
Inner_1RB_Right_High

n5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Left_Lown5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Right_Lown5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Left_Midn5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Right_Midn5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Left_Highn5 (30MHz-9GHz) 10M DFT-s-OFDM QPSK
Inner_1RB_Right_High