


EXHIBIT B - EUT PHOTOGRAPHS

D800 NEWB/Hitachi – Notebook TopView



D800 NEWB/Hitachi – Notebook Rear View




D800 NEWEB/Hitachi – Notebook Rear View



D800 NEWEB/Hitachi – Notebook Open View



D600 NEWEB/Hitachi – Notebook Top View



D600 NEWEB/Hitachi – Notebook Bottom View




D600 NEWEB/Hitachi – Notebook Rear View




D600 NEWEB/Hitachi – Notebook Open View



D400 NEWEB / C400 NEWEB – Notebook Top View



D400 NEWEB / C400 NEWEB – Notebook Bottom View




D400 NEWEB / C400 NEWEB – Notebook Rear View




D400 NEWEB / C400 NEWEB – Notebook Open View



C640 Foxonn – Notebook Top View



C640 Foxonn – Notebook Bottom View




C640 Foxonn – Notebook Rear View




C640 Foxonn – Notebook Open View




Top View



Bottom View




Shield Removed Top View




D800 NEWEB – Antenna Front View




D800 NEWEB – Antenna Rear View




D800 Hitachi – Antenna Front View




D800 Hitachi – Antenna Rear View




D600 NEWEB – Antenna Front View




D600 NEWEB – Antenna Rear View



D600 Hitachi – Antenna Front View




D600 Hitachi – Antenna Rear View




D400 NEWEB – Antenna Front View




D400 NEWEB – Antenna Rear View



C400 NEWEB – Antenna Front View



C400 NEWEB – Antenna Rear View



C640 Foxonn – Antenna Front View



C640 Foxonn – Antenna Rear View



EXHIBIT C – Z-Axis


Ambit. Dell notebook model name: D800 Neweb, Antenna model name: CA0-C (Back touching flat phantom, Antenna position: Right side, Middle channel, Ambient Temp = 23 Deg C, Liquid Temp = 21 Deg C, 5/17/2003)

SAM Phantom; Section; Position; ; Frequency: 2437 MHz

Probe: ET3DV6 - SN1604; ConvF(4.30,4.30,4.30); Crest factor: 1.0; 2450; $\sigma = 1.96 \text{ mho/m}$ $\epsilon_r = 55.1$ $\rho = 1.00 \text{ g/cm}^3$

$\epsilon_r = 0$

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0




Ambit Dell notebook model name: D800 Hitachi (Body back touch with flat phantom,
Antenna position: right side, Middle channel, Ambient Temp = 23 Deg C, Liquid Temp = 21
Deg C, 5/17/2003)

SAM Phantom; Section; Position: ; Frequency: 2437 MHz

Probe: ET3DV6 - SN1604; ConvF(4.30,4.30,4.30); Crest factor: 1.0; 2450 MHz: $\sigma = 1.96 \text{ mho/m}$ $\epsilon_r = 55.1$ $\rho = 1.00 \text{ g/cm}^3$
:, 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0




Ambit. Dell notebook model name: D600 Neweb, Antenna model name: CA5-Q (Back touching flat phantom, Antenna position: Left side, Low channel, Ambient Temp = 23 Deg C, Liquid Temp = 21 Deg C, 5/16/2003)

SAM Phantom; Section; Position: ; Frequency: 2462 MHz

Probe: ET3DV6 - SN1604; ConvF(4.30,4.30,4.30); Crest factor: 1.0; 2450: $\sigma = 2.01 \text{ mho/m}$ $\epsilon_r = 55.0$ $\rho = 1.00 \text{ g/cm}^3$

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0




Ambit Dell notebook model name: D600 Hitachi (Body back touch with flat phantom,
Antenna position: left side, Low channel, Ambient Temp = 23 Deg C, Liquid Temp = 21 Deg
C, 5/16/2003)

SAM Phantom: Section; Position: ; Frequency: 2412 MHz

Probe: ET3DV6 - SN1604; ConvF(4.30,4.30,4.30); Crest factor: 1.0; 2450 MHz: $\sigma = 2.01 \text{ mho/m}$ $\epsilon_r = 55.0$ $\rho = 1.00 \text{ g/cm}^3$

z: 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0




Ambit. Dell notebook model name: D400 Neweb, Antenna model name: CAB-A (Back touching flat phantom, Antenna position: right side, Middle channel, Ambient Temp = 23 Deg C, Liquid Temp = 22 Deg C, 5/21/2003)

SAM Phantom; Section; Position: ; Frequency: 2437 MHz

Probe: ET3DV6 - SN1604; ConvF(4.30,4.30,4.30); Crest factor: 1.0; 2450: $\sigma = 1.95$ mho/m $\epsilon_r = 54.7$ $\rho = 1.00$ g/cm³

; , 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0




Ambit. Dell notebook model name: C400 Neweb, Antenna model name: C23-A (Back touching flat phantom, Antenna position: right side, Middle channel, Ambient Temp = 23 Deg C, Liquid Temp = 22 Deg C, 5/30/2003)

SAM Phantom: Section: Position: ; Frequency: 2437 MHz

Probe: ET3DV6 - SN1604; ConvF(4.30,4.30,4.30); Crest factor: 1.0; 2450: $\sigma = 1.96 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$

; , 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0



Ambit. Dell notebook model name: C600 Foxconn, Antenna model name: BM2-CABLE-ME
(Back touching flat phantom, Antenna position: right side, Mid channel, Ambient Temp = 23
Deg C, Liquid Temp = 21 Deg C, 5/17/2003)

SAM Phantom: Section: Position: ; Frequency: 2437 MHz

Probe: ET3DV6 - SN1604; ConvF(4.30,4.30,4.30); Crest factor: 1.0; 2450: $\sigma = 1.97 \text{ mho/m}$ $\epsilon_r = 54.4$ $\rho = 1.00 \text{ g/cm}^3$

1, 0

Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

