

Report No.: AGC02180201102FE03 Page 41 of 63

| EUT | Bluetooth FM Transmitter | Model Name | HK302 |
|-------------|--------------------------|-------------------|----------------|
| Temperature | 25°C | Relative Humidity | 55.4% |
| Pressure | 960hPa | Test Voltage | Normal Voltage |
| Test Mode | Mode 5 | Antenna | Horizontal |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Type |
|---------------|-------------------|-------------|----------------|---------------------------------------|--------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | value Type |
| 4882.000 | 47.75 | 0.14 | 47.89 | 74 | -26.11 | peak |
| 4882.000 | 36.49 | 0.14 | 36.63 | 54 | -17.37 | AVG |
| 7323.000 | 40.63 | 2.36 | 42.99 | 74 | -31.01 | peak |
| 7323.000 | 33.41 | 2.36 | 35.77 | 54 | -18.23 | AVG |
| ® | | | | e e e e e e e e e e e e e e e e e e e | | |
| | 8 | | | | 0 | |
| emark: | - 6 | 8 | | ~ GY | - 6 | |
| actor = Anter | na Factor + Cable | Loss – Pre- | amplifier. | | | - 6 |

| EUT | Bluetooth FM Transmitter | Model Name | HK302 |
|-------------|--------------------------|-------------------|----------------|
| Temperature | 25°C | Relative Humidity | 55.4% |
| Pressure | 960hPa | Test Voltage | Normal Voltage |
| Test Mode | Mode 5 | Antenna | Vertical |

| Meter Reading | Factor | Emission Level | Limits | Margin | |
|---------------|----------------------------------|---|--|--|--|
| (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | Value Type |
| 47.23 | 0.14 | 47.37 | 74 | -26.63 | peak |
| 39.65 | 0.14 | 39.79 | 54 | -14.21 | AVG |
| 41.4 | 2.36 | 43.76 | 74 | -30.24 | peak |
| 33.45 | 2.36 | 35.81 | 54 | -18.19 | AVG |
| | | C.U | | | |
| 8 | | | | C | 0 |
| | 8 | | | | |
| | (dBµV) 47.23 39.65 41.4 | (dBµV) (dB) 47.23 0.14 39.65 0.14 41.4 2.36 | (dBµV) (dB) (dBµV/m) 47.23 0.14 47.37 39.65 0.14 39.79 41.4 2.36 43.76 | (dBµV) (dB) (dBµV/m) (dBµV/m) 47.23 0.14 47.37 74 39.65 0.14 39.79 54 41.4 2.36 43.76 74 | (dBµV) (dB) (dBµV/m) (dBµV/m) (dBµ 47.23 0.14 47.37 74 -26.63 39.65 0.14 39.79 54 -14.21 41.4 2.36 43.76 74 -30.24 |

Factor = Antenna Factor + Cable Loss - Pre-amplifier.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 42 of 63

| EUT | Bluetooth FM Transmitter | Model Name | HK302 |
|-------------|--------------------------|-------------------|----------------|
| Temperature | 25°C | Relative Humidity | 55.4% |
| Pressure | 960hPa | Test Voltage | Normal Voltage |
| Test Mode | Mode 6 | Antenna | Horizontal |

| Frequency | Meter Reading | Factor | Emission Level | Limits | Margin | Value Type |
|---------------|-------------------|-------------|----------------|----------|-----------|------------|
| (MHz) | (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | value Type |
| 4960.000 | 45.89 | 0.22 | 46.11 | 74 | -27.89 | peak |
| 4960.000 | 36.47 | 0.22 | 36.69 | 54 | -17.31 | AVG |
| 7440.000 | 39.63 | 2.64 | 42.27 | 74 | -31.73 | peak |
| 7440.000 | 30.51 | 2.64 | 33.15 | 54 | -20.85 | AVG |
| 0 | | | | ® | | |
| | 8 | | | | | |
| emark: | - 61 | 8 | | | - 6 | 6 |
| actor = Anter | na Factor + Cable | Loss – Pre- | amplifier. | | NO | |

EUT **Bluetooth FM Transmitter Model Name** HK302 Temperature 25°C **Relative Humidity** 55.4% Pressure 960hPa **Test Voltage** Normal Voltage **Test Mode** Mode 6 Vertical Antenna

| | | | | Margin | Value Type |
|--------|-------------------------|--------------------------------------|--|---|--|
| (dBµV) | (dB) | (dBµV/m) | (dBµV/m) | (dB) | value Type |
| 45.85 | 0.22 | 46.07 | 74 | -27.93 | peak |
| 35.49 | 0.22 | 35.71 | 54 | -18.29 | AVG |
| 39.63 | 2.64 | 42.27 | 74 | -31.73 | peak |
| 30.87 | 2.64 | 33.51 | 54 | -20.49 | AVG |
| 0 | <u> </u> | 8 | | | |
| | | | 8 | | |
| | 45.85 35.49 39.63 | 45.85 0.22 35.49 0.22 39.63 2.64 | 45.85 0.22 46.07 35.49 0.22 35.71 39.63 2.64 42.27 | 45.85 0.22 46.07 74 35.49 0.22 35.71 54 39.63 2.64 42.27 74 | 45.85 0.22 46.07 74 -27.93 35.49 0.22 35.71 54 -18.29 39.63 2.64 42.27 74 -31.73 |

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

RESULT: PASS

Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Margin= Level -Limit.

The "Factor" value can be calculated automatically by software of measurement system.

All test modes had been tested. The π /4-DQPSK modulation is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| TEST RESULT OK RESTRICTED BANDS REGULEMENTS | | | | | |
|---|--------------------------|-------------------|----------------|--|--|
| EUT | Bluetooth FM Transmitter | Model Name | HK302 | | |
| Temperature | 25°C | Relative Humidity | 55.4% | | |
| Pressure | 960hPa | Test Voltage | Normal Voltage | | |
| Test Mode | Mode 4 | Antenna | Horizontal | | |

TEST RESULT FOR RESTRICTED BANDS REQUIREMENTS

PK



AV



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphroization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC02180201102FE03 Page 44 of 63

| EUT | Bluetooth FM Transmitter | Model Name | HK302 |
|-------------|--------------------------|-------------------|----------------|
| Temperature | 25°C | Relative Humidity | 55.4% |
| Pressure | 960hPa | Test Voltage | Normal Voltage |
| Test Mode | Mode 4 | Antenna | Vertical |

PK



AV



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 45 of 63

| EUT | Bluetooth FM Transmitter | Model Name | HK302 |
|-------------|--------------------------|-------------------|----------------|
| Temperature | 25°C | Relative Humidity | 55.4% |
| Pressure | 960hPa | Test Voltage | Normal Voltage |
| Test Mode | Mode 6 | Antenna | Horizontal |

PK



AV



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC02180201102FE03 Page 46 of 63

| EUT | Bluetooth FM Transmitter | Model Name | HK302 |
|-------------|--------------------------|-------------------|----------------|
| Temperature | 25°C | Relative Humidity | 55.4% |
| Pressure | 960hPa | Test Voltage | Normal Voltage |
| Test Mode | Mode 6 | Antenna | Vertical |



PK


AV



RESULT: PASS

Note: The factor had been edited in the "Input Correction" of the Spectrum Analyzer. The π /4-DQPSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated frame/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter aphorization of AGE in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





11. NUMBER OF HOPPING FREQUENCY

11.1. MEASUREMENT PROCEDURE

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span: The frequency band of operation. Depending on the number of channels the device supports, it may be necessary to divide the frequency range of operation across multiple spans, to allow the individual channels to be clearly seen.

2. RBW: To identify clearly the individual channels, set the RBW to less than 30% of the channel spacing or the 20 dB bandwidth, whichever is smaller.

3. VBW \geq RBW. Sweep: Auto. Detector function: Peak. Trace: Max hold.

4. Allow the trace to stabilize.

11.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)

Same as described in section 8.2

11.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6

11.4. LIMITS AND MEASUREMENT RESULT

| TOTAL NO. OF HOPPING CHANNEL | LIMIT (NO. OF CH) | MEASUREMENT (NO. OF CH) | RESULT |
|---------------------------------|-------------------|----------------------------|--------|
| | >=15 | 79 | PASS |

7 AM Nov 25, 2020 Frequency Center Freq 2.441750000 GHz Avg Type: Log-Pw Avg[Hold: 100/100 Trig: Free Run Atten: 30 dB IEGain'l ov Auto Tune Ref 20.00 dBm 0 dB/div Center Freq 2.441750000 GHz Start Fred 2.40000000 GHz ▋╜║╜┨╷╜╠╜╎┨┧┟┙┥┓┥╴┑┙┟╴┥╻╷╴╸ <u>┥╙╗╗╞┤┠╗╉╓╢┼╞╤╠┢╢┠┾╫┾┾</u>┾┼ Stop Freq 2.483500000 GHz **CF** Step 8.350000 MH <u>Auto</u> Mar Freq Offset $0 H_2$ Start 2.40000 GHz #Res BW 200 kHz Stop 2.48350 GHz Sweep 2.000 ms (1001 pts) #VBW 620 kHz

TEST PLOT FOR NO. OF TOTAL CHANNELS

Note: The GFSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



12. TIME OF OCCUPANCY (DWELL TIME)

12.1. MEASUREMENT PROCEDURE

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span: Zero span, centered on a hopping channel.

2. RBW shall be \leq channel spacing and where possible RBW should be set >> 1 / T, where T is the expected dwell time per channel.

3. Sweep: As necessary to capture the entire dwell time per hopping channel; where possible use a video trigger and trigger delay so that the transmitted signal starts a little to the right of the start of the plot. The trigger level might need slight adjustment to prevent triggering when the system hops on an adjacent channel; a second plot might be needed with a longer sweep time to show two successive hops on a channel.

4. Detector function: Peak. Trace: Max hold.

5. Use the marker-delta function to determine the transmit time per hop.

6. Repeat the measurement using a longer sweep time to determine the number of hops over the period specified in the requirements. The sweep time shall be equal to, or less than, the period specified in the requirements. Determine the number of hops over the sweep time and calculate the total number of hops in the period specified in the requirements, using the following equation:

(Number of hops in the period specified in the requirements) = (number of hops on spectrum analyzer) × (period specified in the requirements / analyzer sweep time)

7. The average time of occupancy is calculated from the transmit time per hop multiplied by the number of hops in the period specified in the requirements.

12.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)

Same as described in section 8.2

12.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6


12.4. LIMITS AND MEASUREMENT RESULT

| Channel | Time of Pulse for DH5 (ms) | Number of hops in the period specified in the requirements | Sweep Time (ms) | Limit (ms) |
|---------|----------------------------------|--|--------------------|---------------|
| Low | 2.879 | 28*4 | 322.448 | 400 |
| Middle | 2.879 | 27*4 | 310.932 | 400 |
| High | 2.879 | 30*4 | 345.480 | 400 |

Note: The π /4-DQPSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






TEST PLOT OF LOW CHANNEL

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





TEST PLOT OF MIDDLE CHANNEL

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



m Analyz Trig Delay-2.000 ms Trig: Video Atten: 30 dB Frequency Center Freg 2.480000000 GHz Avg Type: Log-Pwr PNO: Fast IFGain:Low Auto Tune Mkr1 4.858 ms 0.02 dBm 10 dB/div Ref 20.00 dBm **Center Freq** 2.480000000 GHz 1 -3.00 dE Start Fred 2.879 ms 2.480000000 GHz Stop Freq 2.480000000 GHz **CF** Step 1.000000 MH Mar <u>Auto</u> er han her frei heile Herris Alter als eit seinen a at in Add, it should be **Freq Offset** 0 Hz Center 2.480000000 GHz Res BW 1.0 MHz Span 0 Hz Sweep 8.000 ms (30000 pts) #VBW 3.0 MHz G iPoints changed; all traces cleared STATUS Frequency Center Freq 2.480000000 GHz Avg Type: Log-Pwr Trig: Free Run TYP PNO: Fast IFGain:Low Atten: 30 dB DET Auto Tune Ref 20.00 dBm 10 dB/div Center Frea 2.480000000 GHz Start Freq 2.48000000 GHz Stop Freq 2.48000000 GHz CF Step 1.000000 MHz Auto Mar Freq Offset 0 Hz Center 2.480000000 GHz Res BW 1.0 MHz Span 0 Hz Sweep 7.902 s (30000 pts) #VBW 3.0 MHz File <image.png> saved

TEST PLOT OF HIGH CHANNEL

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



13. FREQUENCY SEPARATION

13.1. MEASUREMENT PROCEDURE

The EUT shall have its hopping function enabled. Use the following spectrum analyzer settings:

1. Span: Wide enough to capture the peaks of two adjacent channels.

2. RBW: Start with the RBW set to approximately 30% of the channel spacing; adjust as necessary to best identify the center of each individual channel.

3. Video (or average) bandwidth (VBW) \geq RBW.

4. Sweep: Auto. e) Detector function: Peak. f) Trace: Max hold. g) Allow the trace to stabilize.

Use the marker-delta function to determine the separation between the peaks of the adjacent channels.

13.2. TEST SETUP (BLOCK DIAGRAM OF CONFIGURATION)

Same as described in section 6.2

13.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6.3

13.4. LIMITS AND MEASUREMENT RESULT

| CHANNEL | CHANNEL SEPARATION | LIMIT | RESULT | |
|-----------|-----------------------|----------|--------|--|
| | MHZ | | Dava | |
| CH40-CH41 | 1.005 | 20 dB BW | - Pass | |

nalyzer - Swept SA F S0 Q AC CORREC SENSE:PULSE ALIGNAUTO 02:17:20 AMNov 25, 2020 2.441000000 GHz PN0: Wide →→ IFGain:Low Trig: Free Run Atten: 30 dB AC Sense:PULSE ALIGNAUTO 02:17:20 AMNov 25, 2020 Avg Type: Log-Pwr Avg|Hold: 100/100 Tree Run Avg|Hold: 100/100 Tree Run Atten: 30 dB AC Sense:PULSE ALIGNAUTO 02:17:20 AMNov 25, 2020 Avg Type: Log-Pwr Trig: Free Run Avg|Hold: 100/100 Tree Run Atten: 30 dB AC Sense:PULSE ALIGNAUTO 02:17:20 AMNov 25, 2020 PRO: Wide ALIGNAUTO 02:17:20 AMNov 25, 2020 PRO: Wide ALIGNAUTO 02:17:20 AMNov 25, 2020 Avg Type: Log-Pwr Trig: Free Run Atten: 30 dB AC Sense:PULSE ALIGNAUTO 02:17:20 AMNov 25, 2020 PRO: Wide ALIGNAUTO 02:17:20 AMNOV 25,

TEST PLOT FOR FREQUENCY SEPARATION




Note: The GFSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "bedicated resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGS". The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC02180201102FE03 Page 53 of 63



APPENDIX A: PHOTOGRAPHS OF TEST SETUP

RADIATED EMISSION TEST SETUP ABOVE 1GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC02180201102FE03 Page 54 of 63

CONDUCTED TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 55 of 63

ξ× 144 W SSER 100 **Z0ENH** 8 80 2 99 20 40 30 20 eo eo eo eo eo eo u 0 01 001 OL 08 06 50 92 02 06 07 05 09 0L 08 0 01 oe DOF or 50 30 00

APPENDIX B: PHOTOGRAPHS OF EUT TOP VIEW OF EUT

BOTTOM VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of the stand of the test results of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day affective report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 56 of 63

FRONT VIEW OF EUT



BACK VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 57 of 63

LEFT VIEW OF EUT



RIGHT VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 58 of 63

VIEW OF EUT(PORT)-1



VIEW OF EUT(PORT)-2

TF Card

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 59 of 63



OPEN VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC02180201102FE03 Page 60 of 63

60 **BT** Antenna 40 30 20 10 50 30 Ó 07 20 09 04 06 001 80 0 0, 50 3.0 10 09 0,9 01 0.8 0,6 0L 01 50

INTERNAL VIEW OF EUT-1

INTERNAL VIEW OF EUT-2




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated fresh g/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, being a standard fresh g/inspection of AGC in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC02180201102FE03 Page 61 of 63

INTERNAL VIEW OF EUT-3



INTERNAL VIEW OF EUT-4




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




Report No.: AGC02180201102FE03 Page 62 of 63

INTERNAL VIEW OF EUT-5




INTERNAL VIEW OF EUT-6



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC02180201102FE03 Page 63 of 63



INTERNAL VIEW OF EUT-7

----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.

5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturn/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.