

PDF

Product Specification

Product Type : Commercial LCD Display

Product Model: M65T5A

Version : V1.1



Technical Specifications

1. Product Features



- Narrow Bezel with Four Equal Edges
- Display modes: landscape and portrait
- ➢ 4K display
- > Anti-glare panel
- High Colour Accuracy
- > 2* HDMI signal input
- ➢ RS232 serial port ring connection
- > Off-screen remote control (external remote control available)
- > 24/7

2. Display Parameters

Size	65 inches			
Screen Type	VA			
Response Time	6.5ms			
Aspect Ratio	16:9			
Max. Display Size	1428.48(H)x803.52 (V)mm			
Resolution	3840(H)×2160(V)			
Pixel Pitch	0.124(H) x 0.372(V) mm			
Refresh Rate	60Hz			
Color Depth	1.07G (8bit+2bit FRC)			
Color Gamut DCI-P3 (Typ)	72%			
Contrast (Typ)	5000:1			
Viewing Angle	178°/178°(H/V)			
Backlight Type	DLED			
Brightness (Typ)	700cd/m2 (WHITE BAL)			
Haze	25%			
Lifespan	≥50000 hours			

3. Operation System

OS Version	Android 13.0
RAM	4G
ROM	32G

CPU	Quad-core A55
GPU	Mali-G52 MP2

4. Speaker

Channels	2.0
Power	2×5W

5. Electrical Parameters

Power Input	100-240V~50/60Hz 2.5A
Maximum Power	TBD
Consumption	
Standby Power Consumption	≤0.5W

6. I/O Interface

LAN IN	1	10/100Mbps				
IR IN	1	3.5mm headphone jack IR input				
AUDIO OUT	1	3.5mm headphone jack output				
RS232 IN	1	3.5mm headphone jack input				
RS232 OUT	1	3.5mm headphone jack output				
USB 3.0	1	Data Transfer				
USB 2.0	1	System Upgrade/Data Transfer				
	0	Supports HDCP 2.2, maximum support for 4K@60Hz,				
HDMI IN	2	(Optional HDMI IN*3 for Premium version)				

Wifi		
(IEEE 802.1	1	2.4GHz: 2412-2472MHz , <20dBm
1 a/b/g/n/ac/	/	5.8GHz: 5745~5825MHz, <13.98dBm
ax)		
вт	1	1

7. Size/Weight

Overall Dimensions (L×W×H)	1449.3×824.3×57.8mm
Package Dimensions (L×W×H)	1569 $ imes$ 157 $ imes$ 946.8mm
VESA Hole Specifications (L×W)	600×400mm
Wall Mount Screw Specifications	M6
Net Weight	TBD
Gross Weight	TBD

8. Accessories


Power Cord	×1
Remote Control	×1
AAA Battery	×2

9. Environmental Factors

|--|

Working Humidity	10%~80%RH
Storage Temperature	-10°C~55°C
Storage Humidity	10%~80%RH

10. Dimensions



11. Disclaimer

The actual dimensions/weight of the device may vary due to product configuration and manufacturing process. Please refer to the physical product for accurate information.

The product images in this Specification are for illustration purposes only, and the actual product may have slight differences in appearance, color, and size. Please refer to the physical product for accurate details.

In order to provide as accurate specification parameters as possible, the text description, picture effects, etc. of this Specification may be adjusted and revised in real-time, so as to match the actual product performance, specifications, etc.

If it is necessary to make the above revision and adjustment, no special notification will be issued.

Hereby, [Shanghai Goodview Electronic Technology Co., Ltd] declares that the radio equipment type [M65T5A] is in compliance with Directive 2014/53/EU

The full Doc please refer to the DOC Letter

	AT .	100	80	HR.	CŤ	.cz	DK
	11	n	- 216	DE	н.	m	×
_	IT.	147	11	z.v	MT	NL	FL
	14	RO	96	- 14	10	64	UK

The device is restricted to indoor use only when operating in the 5150 to 5350 MHz frequency range.

FCC Caution

§ 15.19 Labeling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Information to user.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-Reorient or relocate the receiving antenna.

-Increase the separation between the equipment and receiver.

-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in mobile exposure condition at least 20cm distance between the human body



Shanghai Goodview Electronic Technology Co., Ltd. |

Address: No. 458 Jinwan Road, Pudong New District, Shanghai | www.goodview.com