


Appendix D


Photographs

1. SAR measurement System
2. Photographs of Tissue Simulate Liquid
3. Photographs of EUT test position
4. EUT Antenna Locations
5. EUT Constructional Details

1. SAR measurement System



2. Photographs of Tissue Simulate Liquid

Photo 1: Tissue Simulant Liquid for HBBL600-10000MHz	NA
	NA

3. Photographs of EUT test position









Photo 2: Left Earphone Front side	Photo 3: Right Earphone Front side
 A photograph showing the front side of the left earphone assembly. The assembly is mounted on a white plastic base. A black earphone driver is visible, connected to a small black PCB. Several colored wires (red, green, blue, black) are connected to the assembly. The background is a light blue surface.	 A photograph showing the front side of the right earphone assembly. The assembly is mounted on a white plastic base. A black earphone driver is visible, connected to a small black PCB. Several colored wires (red, green, blue, black) are connected to the assembly. The background is a light blue surface.
Photo 4: Left Earphone Left side	Photo 5: Right Earphone Left side
 A photograph showing the left side of the left earphone assembly. The assembly is mounted on a white plastic base. A black earphone driver is visible, connected to a small black PCB. Several colored wires (red, green, blue, black) are connected to the assembly. The background is a light blue surface.	 A photograph showing the left side of the right earphone assembly. The assembly is mounted on a white plastic base. A black earphone driver is visible, connected to a small black PCB. Several colored wires (red, green, blue, black) are connected to the assembly. The background is a light blue surface.
Photo 6: Left Earphone Right side	Photo 7: Right Earphone Right side
 A photograph showing the right side of the left earphone assembly. The assembly is mounted on a white plastic base. A black earphone driver is visible, connected to a small black PCB. Several colored wires (red, green, blue, black) are connected to the assembly. The background is a light blue surface.	 A photograph showing the right side of the right earphone assembly. The assembly is mounted on a white plastic base. A black earphone driver is visible, connected to a small black PCB. Several colored wires (red, green, blue, black) are connected to the assembly. The background is a light blue surface.

Photo 8: Left Earphone touch cheek	Photo 9: Right Earphone touch cheek
	

4. EUT Antenna Locations



5. EUT Constructional Details

