

Band	Mode	Channel	Frequency (MHz)	PSD							Limit (dBm/MHz)
				Chain 0			Chain 1			Total (dBm/MHz)	
				Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)		
5250-5350 MHz	802.11a	Low	5260	3.64	1.37	5.01	3.45	1.37	4.82	/	11
		Middle	5280	3.36	1.37	4.73	3.38	1.37	4.75	/	
		High	5320	3.30	1.37	4.67	3.25	1.37	4.62	/	
	802.11ac20	Low	5260	3.35	1.58	4.93	3.50	1.58	5.08	8.02	
		Middle	5280	3.05	1.58	4.63	3.15	1.58	4.73	7.69	
		High	5320	2.95	1.58	4.53	3.08	1.58	4.66	7.61	
	802.11ac40	Low	5270	-1.53	2.75	1.22	-1.42	2.73	1.31	4.28	
		High	5310	-2.06	2.75	0.69	-2.17	2.73	0.56	3.64	
	802.11ac80	Middle	5290	-6.35	4.39	-1.96	-6.31	4.39	-1.92	1.07	
	802.11ax20	Low	5260	3.19	1.79	4.98	3.25	1.79	5.04	8.02	
		Middle	5280	3.13	1.79	4.92	3.15	1.79	4.94	7.94	
		High	5320	2.43	1.79	4.22	2.67	1.79	4.46	7.35	
	802.11ax40	Low	5270	-2.34	2.95	0.61	-2.50	2.95	0.45	3.54	
		High	5310	-3.86	2.95	-0.91	-3.79	2.95	-0.84	2.14	
	802.11ax80	Middle	5290	-6.73	1.37	-5.36	-6.64	4.49	-2.15	-0.45	

Note:

The maximum antenna gain is 2.93 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(N_{\text{ANT}}/N_{\text{SS}})$ dB.

So: Directional gain = GANT + Array Gain = $2.93 + 10 \cdot \log(2/1) = 5.93\text{dBi} < 6\text{dBi}$, so no power spectral density limit was reduced

Band	Mode	Channel	Frequency (MHz)	PSD							Limit (dBm/MHz)
				Chain 0			Chain 1			Total (dBm/MHz)	
				Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)	Reading (dBm/MHz)	Duty Cycle Factor (dB)	Result (dBm/MHz)		
5470- 5725 MHz	802.11a	Low	5500	3.09	1.37	4.46	3.12	1.37	4.49	/	11
		Middle	5580	3.06	1.37	4.43	3.11	1.37	4.48	/	
		High	5700	3.24	1.37	4.61	3.17	1.37	4.54	/	
		Cross	5720	3.27	1.37	4.64	3.28	1.37	4.65	/	
	802.11ac20	Low	5500	2.90	1.58	4.48	3.33	1.58	4.91	7.71	10.99
		Middle	5580	3.73	1.58	5.31	4.53	1.58	6.11	8.74	
		High	5700	-2.15	1.58	-0.57	-2.05	1.58	-0.47	2.49	
		Cross	5720	-1.88	1.58	-0.3	-1.63	1.58	-0.05	2.84	
	802.11ac40	Low	5510	-2.34	2.75	0.41	-2.31	2.73	0.42	3.43	
		Middle	5550	-2.67	2.75	0.08	-2.52	2.73	0.21	3.16	
		High	5670	-2.98	2.75	-0.23	-2.89	2.73	-0.16	2.82	
		Cross	5710	-3.04	2.75	-0.29	-2.99	2.73	-0.26	2.74	
	802.11ac80	Low	5530	-4.11	4.39	0.28	-3.89	4.39	0.5	3.40	
		Middle	5610	-4.99	4.39	-0.6	-4.88	4.39	-0.49	2.47	
		High	5690	-4.98	4.39	-0.59	-4.46	4.39	-0.07	2.69	
	802.11ax20	Low	5500	2.33	1.79	4.12	2.67	1.79	4.46	7.30	
		Middle	5580	2.20	1.79	3.99	2.15	1.79	3.94	6.98	
		High	5700	-1.74	1.79	0.05	-1.75	1.79	0.04	3.06	
		Cross	5720	-1.53	1.79	0.26	-1.71	1.79	0.08	3.18	
	802.11ax40	Low	5510	-2.15	2.75	0.6	-2.33	2.95	0.62	3.62	
		Middle	5550	-2.83	2.75	-0.08	-2.84	2.95	0.11	3.03	
		High	5670	-3.16	2.75	-0.41	-3.11	2.95	-0.16	2.73	
		Cross	5710	-3.33	2.75	-0.58	-3.28	2.95	-0.33	2.56	
	802.11ax80	Low	5530	-4.45	4.39	-0.06	-4.29	4.49	0.2	3.08	
		Middle	5610	-6.44	4.39	-2.05	-6.41	4.49	-1.92	1.03	
		High	5690	-5.56	4.39	-1.17	-5.43	4.49	-0.94	1.96	

Note:

The maximum antenna gain is 3.01 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:

Array Gain = $10 \cdot \log(N_{\text{ANT}}/N_{\text{SS}})$ dB.

So: Directional gain = GANT + Array Gain = $3.01 + 10 \cdot \log(2/1) = 6.01 \text{ dBi} > 6 \text{ dBi}$, so power spectral density limit was reduced 0.01 dBm/MHz.

Band	Mode	Frequency (MHz)	PSD							Limit (dBm/500kHz)
			Chain 0			Chain 1			Total (dBm/500kHz)	
			Reading (dBm/500kHz)	Duty Cycle Factor (dB)	Result (dBm/500kHz)	Reading (dBm/500kHz)	Duty Cycle Factor (dB)	Result (dBm/500kHz)		
5725-5850 MHz	802.11a	5745	1.59	1.37	2.96	1.66	1.37	3.03	/	30
		5785	1.85	1.37	3.22	1.81	1.37	3.18	/	
		5825	2.28	1.37	3.65	2.27	1.37	3.64	/	
	802.11ac20	5745	1.30	1.58	2.88	1.32	1.58	2.9	5.90	29.89
		5785	1.38	1.58	2.96	1.33	1.58	2.91	5.95	
		5825	1.87	1.58	3.45	1.76	1.58	3.34	6.41	
	802.11ac40	5755	-1.71	2.73	1.02	-1.98	2.73	0.75	3.90	
		5795	-1.32	2.73	1.41	-1.40	2.73	1.33	4.38	
	802.11ac80	5775	-5.89	4.39	-1.5	-6.10	4.39	-1.71	1.41	
	802.11ax20	5745	2.28	1.79	4.07	2.32	1.79	4.11	7.10	
		5785	2.53	1.79	4.32	2.32	1.79	4.11	7.23	
		5825	2.03	1.79	3.82	2.08	1.79	3.87	6.86	
	802.11ax40	5745	-1.57	2.95	1.38	-2.38	2.95	0.57	4.00	
		5785	-1.01	2.95	1.94	-1.98	2.95	0.97	4.49	
	802.11ax80	5825	-5.67	4.49	-1.18	-6.12	4.49	-1.63	1.61	

Note:

The maximum antenna gain is 3.11 dBi. The device employed Cyclic Delay Diversity (CDD) for 802.11MIMO transmitting, per KDB 662911 D01 Multiple Transmitter Output v02r01, for power spectral density (PSD) measurements on the devices:


Array Gain = $10 \cdot \log(N_{\text{ANT}}/N_{\text{SS}})$ dB.

So: Directional gain = GANT + Array Gain = $3.11 + 10 \cdot \log(2/1) = 6.11 \text{ dBi} > 6 \text{ dBi}$, so power spectral density limit was reduced 0.11 dBm/MHz

Chain 0:


5150-5250 MHz Band:

802.11a mode, 5180MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:28:06

802.11a mode, 5200MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:30:42

802.11a mode, 5240MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:32:57

802.11ac20 mode, 5180MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:35:13

802.11 ac20 mode, 5200MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:36:48

802.11 ac20 mode, 5240MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 6 JUN 2024 10:38:30

802.11ax20 mode, 5180MHz




ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 27 SEP 2024 11:30:41

802.11ax20 mode, 5200MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 10:50:46

802.11ax20 mode, 5240MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 10:52:25

802.11ac40 mode, 5190MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 10:40:15

802.11 ac40 mode, 5230MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 10:41:49

802.11ax40 mode, 5190MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 11:00:51


802.11ax40 mode, 5230MHz




802.11ac80 mode, 5210MHz



802.11ax80 mode, 5210MHz




5250-5350 MHz Band:
802.11a mode, 5260MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:06:35

802.11a mode, 5280MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:08:35

802.11a mode, 5320MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 11:17:52

802.11ac20 mode, 5260MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:12:36

802.11 ac20 mode, 5280MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:14:21

802.11 ac20 mode, 5320MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 11:17:07


802.11ax20 mode, 5260MHz




802.11ax20 mode, 5280MHz




802.11ax20 mode, 5320MHz




802.11ac40 mode, 5270MHz




802.11 ac40 mode, 5310MHz




802.11ax40 mode, 5270MHz







ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27,SEP,2024 13:43:31




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6,JUN,2024 11:39:45




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6,JUN,2024 11:56:29

**5470-5725 MHz Band:
802.11a mode, 5500MHz**


ProjectNo.: RKSA240325003 Tester: Bard Liu
Date: 6 JUN 2024 11:58:41

802.11a mode, 5580MHz


ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 27 SEP 2024 13:57:37

802.11a mode, 5700MHz


ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 27 SEP 2024 14:01:07

802.11a mode, 5720MHz

ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 27 SEP 2024 14:05:34


802.11 ac20 mode, 5500MHz

ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 17:01:30

802.11 ac20 mode, 5580MHz


ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 17:03:19

802.11 ac20 mode, 5700MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 13:33:11

802.11 ac20 mode, 5720MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 13:35:28

802.11ac40 mode, 5510MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 13:38:08

802.11ac40 mode, 5550MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 18:01:55

802.11 ac40 mode, 5670MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 14:35:55

802.11 ac40 mode, 5710MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 14:44:08

802.11ac80 mode, 5530MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 13:45:07

802.11ac80 mode, 5610MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 13:46:53

802.11ac80 mode, 5690MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 13:48:36

802.11ax20 mode, 5500MHz




ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 17:12:25

802.11ax20 mode, 5580MHz




ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 17:13:37


802.11ax20 mode, 5700MHz




ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 27 SEP 2024 15:32:51

802.11ax20 mode, 5720MHz


ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:05:09

802.11ax40 mode, 5510MHz


ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:09:04

802.11ax40 mode, 5550MHz


ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:10:35

802.11ax40 mode, 5670MHz


ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:13:31

802.11ax40 mode, 5710MHz


ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:15:04

802.11ax80 mode, 5530MHz

ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 14:17:02




ProjectNo.:RKSA240325003 Tester:Barb Liu
Date: 6 JUN 2024 14:18:41



ProjectNo.:RKSA240325003 Tester:Barb Liu
Date: 6 JUN 2024 14:20:36


5725-5850 MHz Band:

802.11a mode, 5745MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:03:37

802.11a mode, 5785MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 17:15:101

802.11a mode, 5825MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:06:47

802.11ac20 mode, 5745MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:08:18

802.11 ac20 mode, 5785MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:14:01

802.11 ac20 mode, 5825MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:15:33

802.11ax20 mode, 5745MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6 JUN 2024 15:02:11

802.11ax20 mode, 5785MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6 JUN 2024 15:04:56

802.11ax20 mode, 5825MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6 JUN 2024 15:07:44

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 15:17:11

802.11 ac40 mode, 5795MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 15:21:29

802.11ax40 mode, 5755MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6 JUN 2024 15:10:21

802.11ax40 mode, 5795MHz




ProjectNo.:RKSA240325003 Tester:Barb Liu
Date: 6 JUN 2024 15:11:50

802.11ac80 mode, 5775MHz



ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 14:59:29

802.11ax80 mode, 5775MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 15:01:01

Chain 1:


5150-5250 MHz Band:

802.11a mode, 5180MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 15:32:46

802.11a mode, 5200MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 15:34:54

802.11a mode, 5240MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 15:37:24

802.11ac20 mode, 5180MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 15:41:07

802.11 ac20 mode, 5200MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 15:44:37

802.11 ac20 mode, 5240MHz




ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 15:51:39

802.11ax20 mode, 5180MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 16:04:19

802.11ax20 mode, 5200MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 16:06:01

802.11ax20 mode, 5240MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 11:29:10

802.11ac40 mode, 5190MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 15:55:24

802.11 ac40 mode, 5230MHz



ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 15:58:22


802.11ax40 mode, 5190MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 6 JUN 2024 16:10:33



ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27,SEP,2024 16:20:17




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6,JUN,2024 16:02:24




ProjectNo.:RKSA240325003 Tester:Band Liu
Date: 6,JUN,2024 16:13:51

5250-5350 MHz Band:
802.11a mode, 5260MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 11:34:59

802.11a mode, 5280MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 13:11:16

802.11a mode, 5320MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 12:00:30

802.11ac20 mode, 5260MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 13:14:22

802.11 ac20 mode, 5280MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 13:16:45


802.11 ac20 mode, 5320MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 13:20:31




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:37:14




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:39:11




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 15:40:03




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 13:31:27




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 13:35:23




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 13:39:10



ProjectNo.:RKSA240325003 Tester:Neil Zhou
 Date: 27.SEP.2024 13:41:00




ProjectNo.:RKSA240325003 Tester:Neil Zhou
 Date: 27.SEP.2024 13:47:29



ProjectNo.:RKSA240325003 Tester:Neil Zhou
 Date: 27.SEP.2024 13:48:40


5470-5725 MHz Band:

802.11a mode, 5500MHz




ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 27. SEP. 2024 13:54:33

802.11a mode, 5580MHz




ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 27. SEP. 2024 13:59:02

802.11a mode, 5700MHz




ProjectNo.: RKSA240325003 Tester: Bard Liu
Date: 6 JUN 2024 17:03:10

802.11a mode, 5720MHz




ProjectNo.: RKSA240325003 Tester: Bard Liu
Date: 6 JUN 2024 17:05:05

802.11 ac20 mode, 5500MHz




ProjectNo.: RKSA240325003 Tester: Bard Liu
Date: 6 JUN 2024 17:07:33

802.11 ac20 mode, 5580MHz




ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 18:23:52

802.11 ac20 mode, 5700MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 16:11:10

802.11 ac20 mode, 5720MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 16:14:05

802.11ac40 mode, 5510MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 14:25:59

802.11ac40 mode, 5550MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 18:03:15

802.11 ac40 mode, 5670MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 14:38:08


802.11 ac40 mode, 5710MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27.SEP.2024 14:48:01

802.11ac80 mode, 5530MHz


ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 18:25:37

802.11ac80 mode, 5610MHz


ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 18:28:26

802.11ac80 mode, 5690MHz


ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 18:31:25

802.11ax20 mode, 5500MHz

ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 18:40:50


802.11ax20 mode, 5580MHz

ProjectNo.: RKSA240325003 Tester: Neil Zhou
Date: 10 SEP 2024 18:38:39


802.11ax20 mode, 5700MHz

ProjectNo.: RKSA240325003 Tester: Band Liu
Date: 6 JUN 2024 17:48:37


802.11ax20 mode, 5720MHz




802.11ax40 mode, 5510MHz




802.11ax40 mode, 5550MHz




802.11ax40 mode, 5670MHz




802.11ax40 mode, 5710MHz



802.11ax80 mode, 5530MHz




802.11ax80 mode, 5610MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 7 JUN 2024 09:21:45

802.11ax80 mode, 5690MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 17:04:00

5725-5850 MHz Band:
802.11a mode, 5745MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 7 JUN 2024 09:25:29

802.11a mode, 5785MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 7 JUN 2024 09:27:50

802.11a mode, 5825MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 7 JUN 2024 09:33:18

802.11ac20 mode, 5745MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
Date: 27 SEP 2024 15:12:03

802.11 ac20 mode, 5785MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 7 JUN 2024 09:39:52

802.11 ac20 mode, 5825MHz




ProjectNo.:RKSA240325003 Tester:Bard Liu
Date: 7 JUN 2024 09:56:44

802.11ax20 mode, 5745MHz




ProjectNo.:RKSA240325003 Tester:Neil Zhou
 Date: 27.SEP.2024 15:24:32

802.11ax20 mode, 5785MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
 Date: 7.JUN.2024 10:29:36

802.11ax20 mode, 5825MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
 Date: 7.JUN.2024 10:31:12

802.11ac40 mode, 5755MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
 Date: 7.JUN.2024 09:58:36

802.11 ac40 mode, 5795MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
 Date: 7.JUN.2024 10:00:08

802.11ax40 mode, 5755MHz




ProjectNo.:RKSA240325003 Tester:Band Liu
 Date: 7.JUN.2024 10:32:44

802.11ax40 mode, 5795MHz




ProjectNo. RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 10:34:04

802.11ac80 mode, 5775MHz



ProjectNo. RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 10:02:08

802.11ax80 mode, 5775MHz



ProjectNo. RKSA240325003 Tester Band Liu
Date: 7 JUN 2024 10:35:34

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A - EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B - EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT D - TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******