

SUPALILOG-XXXX



WiFi Repeater Pro Quick Installation Guide

1.Plug the device into a wall socket. You will find the signal "SUPALIOLOG-2.4G-***"and "SUPALIOLOG-5G-***2 from your mobile WLAN list or PC. Then click anyone.




2. Click the "Start" .
If it cannot automatically ,
please the Web browser
and then input
"192.168.8.1", it
you can also find
the "Start".

Step 2




3. In the page ,you can set a password (more than 5 numbers or letters), and then click "**Next**".

Step 3



4. Select your wifi router's SSID from the list .Then click "Next"

Step 4



5. Input the password of your extend wifi router. (The password is your original wifi password.) Then click "Next"

The screenshot shows a mobile app interface titled "Select RootAp". At the top, there is a search bar with a magnifying glass icon on the left and a refresh icon on the right, containing the text "D0625". Below the title, there are two sections for selecting a RootAP. The first section is for "2.4 GHz" and the second is for "5 GHz". Each section contains a "SSID" field with a placeholder "###" and a "Password" field with a placeholder "*****". Red arrows point from the text "Input the password" to the "Password" fields in both sections. Another red arrow points from the text "Then click 'Next'" to the "Next" button at the bottom right. At the bottom of the screen, there are two buttons: "Previous" (orange) and "Next" (green).

Step 5

6. Finished setting, please find the new wifi name "####-PLUS" and "####-5G-PLUS" , you can connect the internet.

Step 6



Product Description

Product name	1200Mbps Wireless amplifier 2.4G Wifi Repeater wifi repeater 5G
Frequency range	2.4-2.4835GHz&5G
Type	Wireless WiFi booster wifi repeater
Voltage support	100-240V AC
Plug type	US/ EU /AU /UK
Color	White /Black
Storage temperature	-40℃~70℃ (-40 F ~158 F)

Features:

- All goods is brand new
- It Can improve wireless coverage in all WLAN networks.
- Access to the Internet for computers and mobile phones located on the edge or outside of the range of your access point.
- Complies with IEEE 802.11n,IEEE 802.11g,IEEE 802.11b standards.
- Provides up to 1200Mbps transmission rates.
- Support 2.4GHz and 5G WLAN networks.
- Maximum WLAN security with WPA2,WEP(128/64)

RF exposure statement

This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE 1: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device is restricted to indoor use only when operating in the 5150 to 5250 MHz frequency range.