

# **RF Exposure Evaluation Report**

Applicant:	C&A Marketing Inc.		
Address of Applicant:	114 Tived Lane East Edison New Jersey 08837 United States		
Equipment Under Test (E	EUT)		
Product Name:	Smart Photo Frame		
Model No.:	LPWPF100B, LPWPF100W		
Trade mark:	Lifeprint		
FCC ID:	2AD2W-LPWPF100B		
Applicable standards:	FCC CFR Title 47 Part 2 Subpart J Section 2.1091		
Date of sample receipt:	27 Jul., 2020		
Date of Test:	28 Jul., to 12 Oct., 2020		
Date of report issue:	12 Oct., 2020		
Test Result:	PASS*		

Authorized Signature:



Bruce Zhang Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the CCIS product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



#### 2 Version

Version No.	Date	Description
00	12 Oct., 2020	Original

 Tested by:
 Carry Chen
 Date:
 12 Oct., 2020

 Test Engineer
 Date:
 12 Oct., 2020

 Reviewed by:
 Winner Thang
 Date:
 12 Oct., 2020

**Project Engineer** 

# <u>CCIS</u>

# 3 Contents

	F	Page
1	COVER PAGE	1
2	VERSION	2
3	CONTENTS	3
4	GENERAL INFORMATION	4
4.1	1 CLIENT INFORMATION	4
4.2	2 GENERAL DESCRIPTION OF E.U.T.	4
4.3		4
4.4		4
4.5	5 LABORATORY LOCATION	4
5	TECHNICAL REQUIREMENTS SPECIFICATION IN FCC CFR TITLE 47 PART 2.1091	5
5.1	1 LIMITS	
5.2		
5.3		6
5.4	4 CONCLUSION	6



### 4 General Information

#### 4.1 Client Information

Applicant:	C&A Marketing Inc.
Address:	114 Tived Lane East Edison New Jersey 08837 United States
Manufacturer:	CHITECH SHENZHEN TECHNOLOGY CO., LTD
Address:	Chitech industrial Park, NO. 48, Xiashijia Road, Gongming Town, Guangming New Dist., Shenzhen, China

#### 4.2 General Description of E.U.T.

<b>_</b>				
Product Name:	Smart Photo Frame			
Model No.:	LPWPF100B, LPWPF100W			
Operation Frequency:	2.4G Wi-Fi: 2412MHz~2462MHz ; 2422MHz~2452MHz			
	Bluetooth/ BLE: 2402MHz~2480MHz			
Modulation technology:	802.11b: DSSS, 802.11g/n20/n40: OFDM			
	Bluetooth BDR /BLE: GFSK, Bluetooth EDR: π/4-DQPSK, 8DPSK			
Antenna Type:	Internal Antenna			
Antenna gain:	BT/ BLE: 0.27 dBi; Wi-Fi: 0.27 dBi			
Test Sample Condition:	The test samples were provided in good working order with no visible defects.			

#### 4.3 Operating Modes

Operating mode	Detail description
BLE mode	Keep the EUT in continuously transmitting in BLE mode
BT mode	Keep the EUT in continuously transmitting in BT mode
2.4G WIFI mode	Keep the EUT in continuously transmitting in 2.4G WIFI mode

#### 4.4 Additions to, deviations, or exclusions from the method

#### No

#### 4.5 Laboratory Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • FCC - Designation No.: CN1211

Shenzhen Zhongjian Nanfang Testing Co., Ltd. has been accredited as a testing laboratory by FCC(Federal Communications Commission). The test firm Registration No. is 727551.

#### • ISED - CAB identifier.: CN0021

The 3m Semi-anechoic chamber of Shenzhen Zhongjian Nanfang Testing Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.

#### • A2LA - Registration No.: 4346.01

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: <u>https://portal.a2la.org/scopepdf/4346-01.pdf</u>

#### 4.6 Laboratory Location

Shenzhen Zhongjian Nanfang Testing Co., Ltd. Address: No.110~116, Building B, Jinyuan Business Building, Xixiang Road, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755-23118282, Fax: +86-755-23116366 Email: info@ccis-cb.com, Website: http://www.ccis-cb.com



## 5 Technical Requirements Specification in FCC CFR Title 47 Part 2.1091

#### 5.1 Limits

The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in 1.1307(b)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)		
(A) Limits for Occupational/Controlled Exposures						
0.3–3.0	*(100)	6				
3.0–30	1842/f	4.89/f	*(900/f <sup>2</sup> )	6		
30–300 61.4		0.163	1.0	6		
300–1500			f/300	6		
1500–100,000			5	6		
(B) Limits for General Population/Uncontrolled Exposure						
0.3–1.34	614	1.63	*(100)	30		
1.34–30	824/f	2.19/f	*(180/f <sup>2</sup> )	30		
30–300	27.5	0.073	0.2	30		
300–1500			f/1500	30		
1500–100,000			1.0	30		

#### 5.2 Test Procedure

Equation from page 18 of OET Bulletin 65, Edition 97-01

$$S = \frac{P \times G}{4 \times \pi \times R^2}$$

Where:

S = power density

P = power input to the antenna

G = numeric gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the centre of radiation of the antenna



#### 5.3 Result

Frequency (MHz)	Maximum Output power (dBm)	Maximum Output power (mW)	Antenna Gain (dBi)	Antenna Gain (numeric)	Distance (cm)	Result (mW/cm <sup>2</sup> )	Limits for General Population/ Uncontrolled Exposure (mW/cm <sup>2</sup> )
			2.4G	Wi-Fi			
2462	14.41	27.61	0.27	1.06	20.00	0.0058	1.0
BLE							
2402	5.181	3.30	0.27	1.06	20.00	0.0007	1.0
	BT						
2480	9.334	8.578	0.27	1.06	20.00	0.0018	1.0

Note: Just the worst case mode was shown in report.

#### 5.4 Conclusion

The device is exempt from the RF exposure evaluation.

-----End of report-----