





Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-533. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-534. Radiated Restricted Lower Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 330 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-535. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-536. Radiated Restricted Lower Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 331 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-537. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-538. Radiated Restricted Lower Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 332 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-539. Radiated Restricted Lower Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-540. Radiated Restricted Lower Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 333 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 6



Plot 7-541. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-542. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 334 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-543. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-544. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 335 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-545. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-546. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 336 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-547. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-548. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 337 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-549. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2452MHz
Channel: 9



Plot 7-550. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 338 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-551. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-552. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 339 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2457MHz
Channel: 10



Plot 7-553. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-554. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 340 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-555. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2462MHz
Channel: 11



Plot 7-556. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 341 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11ax - SU
Data Rate: MCS2
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-557. Radiated Restricted Upper Band Edge Measurement ANT2

Mode: 802.11ax - SU
Data Rate: MCS4
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-558. Radiated Restricted Upper Band Edge Measurement ANT2


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 342 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Mode: 802.11ax - SU
Data Rate: MCS9
Distance of Measurements: 3 Meters
Operating Frequency: 2467MHz
Channel: 12



Plot 7-559. Radiated Restricted Upper Band Edge Measurement ANT2

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 343 of 388


V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

7.7.6 CDD Radiated Restricted Band Edge Measurements


§15.205 §15.209; RSS-Gen [8.9]

Mode:	802.11n
Data Rate:	MCS10
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1




Plot 7-560. Radiated Restricted Lower Band Edge Measurement CDD

Mode:	802.11n
Data Rate:	MCS12
Distance of Measurements:	3 Meters
Operating Frequency:	2412MHz
Channel:	1




Plot 7-561. Radiated Restricted Lower Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 344 of 388

V 10.5 12/15/2021




Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2412MHz
Channel: 1



Plot 7-562. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
Data Rate: MCS10
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-563. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 345 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
Data Rate: MCS12
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-564. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2417MHz
Channel: 2



Plot 7-565. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 346 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
Data Rate: MCS10
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-566. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
Data Rate: MCS12
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-567. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 347 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2422MHz
Channel: 3



Plot 7-568. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
Data Rate: MCS10
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-569. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 348 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
Data Rate: MCS12
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-570. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2427MHz
Channel: 4



Plot 7-571. Radiated Restricted Lower Band Edge Measurement CDD


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 349 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2432MHz
Channel: 5



Plot 7-572. Radiated Restricted Lower Band Edge Measurement CDD

Mode: 802.11n
Data Rate: MCS12
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-573. Radiated Restricted Upper Band Edge Measurement CDD


FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 350 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Mode: 802.11n
Data Rate: MCS15
Distance of Measurements: 3 Meters
Operating Frequency: 2442MHz
Channel: 7



Plot 7-574. Radiated Restricted Upper Band Edge Measurement CDD

Mode: 802.11n
Data Rate: MCS10
Distance of Measurements: 3 Meters
Operating Frequency: 2447MHz
Channel: 8



Plot 7-575. Radiated Restricted Upper Band Edge Measurement CDD

FCC ID: BCGA2117 IC: 579C-A2117		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2302130007-05.BCG	Test Dates: 2/10/2023 - 4/25/2023	EUT Type: Head Mounted Device	Page 351 of 388

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology Morgan Hill. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.