










FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 48 of 147




Plot 8-67. Peak To Average Power Ratio Plot
(B85_2C_5M+5M_QPSK - High Channel, Port 0)



Plot 8-68. Peak To Average Power Ratio Plot
(B85_2C_5M+10M_QPSK - Mid Channel, Port 0)




Plot 8-69. Peak To Average Power Ratio Plot
(n85_1C_5M_16QAM - Mid Channel, Port 1)



Plot 8-70. Peak To Average Power Ratio Plot
(n85_1C_10M_64QAM - High Channel, Port 1)



Plot 8-71. Peak To Average Power Ratio Plot
(n85_2C_5M+5M_QPSK - High Channel, Port 2)



Plot 8-72. Peak To Average Power Ratio Plot
(n85_2C_5M+10M_QPSK - Low Channel, Port 0)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 49 of 147

8.5 Band Edge Emissions and Emission Mask at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6

KDB 662911 D01 v02r01 – Section E)3) Out-of-Band and Spurious Emission Measurements

a) Absolute Emission Limits

iii) Measure and add $10 \log(N_{\text{ANT}})$ dB

ANSI C63.26-2015 – Section 5.7.3

Test Setting

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW: Please see test notes below.
4. $\text{VBW} \geq 3 \times \text{RBW}$
5. Detector = RMS
6. Number of sweep points $\geq 2 \times \text{Span}/\text{RBW}$
7. Trace mode = trace average
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Limit

Part 27.53

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{\text{[Watts]}})$, where P is the transmitter power in Watts.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 8-4. Test Instrument & Measurement Setup

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 50 of 147

Test Notes

1. Per Part 27.53(g), Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least 30 kilohertz may be employed.
2. All the measurement has been tested but test plots are referred from the highest of value of each of modulation of each antenna ports.
3. When the channel edge detect with a margin of under 1dB to Limit, That used to integration method was performed using the spectrum analyzer's band power functions according to ANSI C63.26-2015 – Section 5.7. The spectrum analyzer marker was placed at one-half of the RBW away from the band edge. The integration value was set to a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter.
4. The limits were adjusted by a factor of $[-10 \cdot \log(4)]$ dB to account for the device operation as a 4 port MIMO transmitter, as per FCC KDB 622911. MIMO Factor calculation as below:
MIMO Factor = $10 \cdot \log(4) = 6.02$ dB

Frequency range	Basic Limit (dBm)	4Tx MIMO Factor (dB)	RBW Factor (dB)	Adjusted limit (dBm)
Low Frequency block – 100kHz	-13	6.02	0	-19.02
High Frequency block + 100kHz	-13	6.02	0	-19.02
Note: Adjusted limit (dBm) = Basic limit (dBm) - MIMO Factor - RBW Factor				

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 51 of 147

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	616.9 to 617	-32.84	-32.61	-34.51	-32.94	-19.02	-13.59
	1	616.9 to 617	-33.23	-32.59	-32.21	-33.39		-13.19
	2	616.9 to 617	-31.92	-30.73	-31.87	-31.48		-11.71
	3	616.9 to 617	-31.50	-28.59	-30.18	-31.21		-9.57
High	0	652 to 652.1	-32.14	-33.05	-33.29	-31.54		-12.52
	1	652 to 652.1	-33.06	-31.81	-33.01	-32.31		-12.79
	2	652 to 652.1	-32.09	-32.52	-32.23	-31.51		-12.49
	3	652 to 652.1	-31.13	-30.82	-32.36	-32.13		-11.80

Table 8-52. Band Edge Emission Summary Data (B71_1C_5M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	616.9 to 617	-31.81	-33.72	-31.32	-31.53	-19.02	-12.30
	1	616.9 to 617	-32.25	-33.08	-32.45	-32.07		-13.05
	2	616.9 to 617	-31.09	-31.50	-32.73	-31.79		-12.07
	3	616.9 to 617	-28.22	-30.10	-31.98	-29.96		-9.20
High	0	652 to 652.1	-33.62	-32.66	-34.47	-33.55		-13.64
	1	652 to 652.1	-33.89	-34.95	-32.80	-33.95		-13.78
	2	652 to 652.1	-34.09	-34.93	-34.21	-34.74		-15.07
	3	652 to 652.1	-29.08	-30.17	-29.80	-29.91		-10.06

Table 8-53. Band Edge Emission Summary Data (B71_1C_10M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	616.9 to 617	-30.64	-30.62	-31.47	-32.15	-19.02	-11.60
	1	616.9 to 617	-33.57	-33.37	-34.09	-33.41		-14.35
	2	616.9 to 617	-32.37	-31.97	-32.59	-32.48		-12.95
	3	616.9 to 617	-31.49	-31.37	-30.95	-31.54		-11.93
High	0	652 to 652.1	-31.35	-33.97	-30.95	-35.54		-11.93
	1	652 to 652.1	-35.30	-34.30	-35.21	-34.70		-15.28
	2	652 to 652.1	-35.00	-34.12	-34.16	-34.88		-15.10
	3	652 to 652.1	-31.68	-34.58	-35.21	-34.60		-12.66

Table 8-54. Band Edge Emission Summary Data (B71_1C_15M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			B71_2C_5M+5M	B71_2NC_5M+5M	B71_2C_5M+10M	B71_2NC_5M+10M		
Low	0	616.9 to 617	-29.44	-28.41	-29.42	-28.01	-19.02	-8.99
	1	616.9 to 617	-28.42	-26.45	-29.45	-28.46		-7.43
	2	616.9 to 617	-28.98	-26.78	-28.86	-27.81		-7.76
	3	616.9 to 617	-27.91	-26.53	-29.10	-27.85		-7.51
High	0	652 to 652.1	-28.25	-25.96	-35.24	-32.76		-6.94
	1	652 to 652.1	-29.47	-24.07	-35.36	-32.86		-5.05
	2	652 to 652.1	-28.73	-24.98	-35.84	-33.15		-5.96
	3	652 to 652.1	-29.71	-24.02	-35.16	-31.03		-5.00

Table 8-55. Band Edge Emission Summary Data (B71_Multi carriers)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 52 of 147

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	616.9 to 617	-32.50	-29.49	-31.19	-30.22	-19.02	-10.47
	1	616.9 to 617	-31.71	-29.33	-29.92	-30.75		-10.31
	2	616.9 to 617	-31.22	-30.80	-31.25	-30.35		-11.33
	3	616.9 to 617	-30.39	-30.03	-31.79	-29.60		-10.58
High	0	652 to 652.1	-32.15	-31.30	-30.24	-30.75		-11.22
	1	652 to 652.1	-32.16	-31.13	-31.17	-32.06		-12.11
	2	652 to 652.1	-31.82	-31.27	-30.84	-31.08		-11.82
	3	652 to 652.1	-31.60	-30.60	-29.09	-29.26		-10.07

Table 8-56. Band Edge Emission Summary Data (n71_1C_5M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	616.9 to 617	-32.96	-33.44	-33.22	-31.70	-19.02	-12.68
	1	616.9 to 617	-31.10	-30.28	-31.07	-30.69		-11.26
	2	616.9 to 617	-30.78	-30.35	-30.30	-31.80		-11.28
	3	616.9 to 617	-30.25	-30.60	-30.28	-30.95		-11.23
High	0	652 to 652.1	-33.96	-32.65	-34.00	-33.28		-13.63
	1	652 to 652.1	-33.20	-33.20	-31.57	-33.27		-12.55
	2	652 to 652.1	-32.44	-34.54	-34.04	-35.02		-13.42
	3	652 to 652.1	-32.91	-34.63	-31.55	-34.06		-12.53

Table 8-57. Band Edge Emission Summary Data (n71_1C_10M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	616.9 to 617	-32.03	-30.63	-31.56	-31.85	-19.02	-11.61
	1	616.9 to 617	-32.05	-32.01	-31.89	-31.60		-12.58
	2	616.9 to 617	-29.80	-31.01	-30.88	-31.29		-10.78
	3	616.9 to 617	-29.73	-29.42	-30.50	-30.91		-10.40
High	0	652 to 652.1	-33.95	-33.12	-33.72	-33.32		-14.10
	1	652 to 652.1	-32.91	-33.67	-33.60	-33.30		-13.89
	2	652 to 652.1	-31.84	-32.69	-31.91	-32.59		-12.82
	3	652 to 652.1	-31.98	-33.13	-32.91	-33.07		-12.96

Table 8-58. Band Edge Emission Summary Data (n71_1C_15M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			n71_2C_5M+5M	n71_2NC_5M+5M	n71_2C_5M+10M	n71_2NC_5M+10M		
Low	0	616.9 to 617	-29.81	-28.25	-26.82	-27.84	-19.02	-7.80
	1	616.9 to 617	-29.04	-27.85	-28.74	-26.77		-7.75
	2	616.9 to 617	-27.67	-27.14	-28.63	-28.02		-8.12
	3	616.9 to 617	-27.17	-26.84	-26.51	-27.10		-7.49
High	0	652 to 652.1	-29.01	-26.63	-32.60	-31.37		-7.61
	1	652 to 652.1	-30.42	-27.17	-35.22	-32.14		-8.15
	2	652 to 652.1	-29.52	-25.92	-34.18	-31.78		-6.90
	3	652 to 652.1	-28.50	-25.20	-35.64	-32.39		-6.18

Table 8-59. Band Edge Emission Summary Data (n71_Multi carriers)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 53 of 147

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	727.9 to 728	-29.40	-30.23	-30.91	-29.71	-19.02	-10.38
	1	727.9 to 728	-31.46	-30.46	-32.82	-30.62		-11.44
	2	727.9 to 728	-30.21	-29.58	-31.46	-28.29		-9.27
	3	727.9 to 728	-29.29	-29.70	-29.99	-28.35		-9.33
High	0	746 to 746.1	-30.17	-30.51	-29.74	-28.89		-9.87
	1	746 to 746.1	-29.84	-30.93	-31.29	-31.53		-10.82
	2	746 to 746.1	-28.75	-29.40	-30.21	-28.97		-9.73
	3	746 to 746.1	-28.48	-30.06	-30.17	-30.17		-9.46

Table 8-60. Band Edge Emission Summary Data (B85_1C_5M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	727.9 to 728	-27.32	-25.40	-26.35	-27.07	-19.02	-6.38
	1	727.9 to 728	-26.83	-27.95	-26.53	-26.37		-7.35
	2	727.9 to 728	-27.03	-27.20	-27.25	-25.66		-6.64
	3	727.9 to 728	-25.33	-25.64	-24.88	-24.27		-5.25
High	0	746 to 746.1	-29.08	-25.30	-27.93	-29.20		-6.28
	1	746 to 746.1	-29.34	-28.21	-28.78	-29.33		-9.19
	2	746 to 746.1	-27.95	-23.88	-25.54	-27.12		-4.86
	3	746 to 746.1	-29.26	-27.29	-27.10	-28.13		-8.08

Table 8-61. Band Edge Emission Summary Data (B85_1C_10M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			B85_2C_5M+5M	B85_2NC_5M+5M	B85_2C_5M+10M	B85_2NC_5M+10M		
Low	0	727.9 to 728	-25.93	-26.26	-26.46	-24.19	-19.02	-5.17
	1	727.9 to 728	-25.36	-25.72	-25.48	-26.53		-6.34
	2	727.9 to 728	-25.13	-25.21	-25.71	-26.32		-6.11
	3	727.9 to 728	-24.03	-23.88	-24.68	-24.28		-4.86
High	0	746 to 746.1	-27.12	-25.62	-30.91	-30.52		-6.60
	1	746 to 746.1	-27.82	-25.51	-31.65	-30.16		-6.49
	2	746 to 746.1	-23.24	-24.98	-30.05	-29.78		-4.22
	3	746 to 746.1	-26.47	-25.04	-29.44	-29.85		-6.02

Table 8-62. Band Edge Emission Summary Data (B85_Multi carriers)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 54 of 147

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	727.9 to 728	-28.58	-29.13	-28.39	-29.07	-19.02	-9.37
	1	727.9 to 728	-29.28	-31.43	-29.08	-28.82		-9.80
	2	727.9 to 728	-29.24	-30.18	-28.07	-27.36		-8.34
	3	727.9 to 728	-28.87	-29.66	-27.91	-28.66		-8.89
High	0	746 to 746.1	-29.35	-27.62	-27.91	-28.62		-8.60
	1	746 to 746.1	-29.18	-28.95	-30.46	-29.34		-9.93
	2	746 to 746.1	-28.15	-28.06	-28.48	-27.99		-8.97
	3	746 to 746.1	-29.29	-28.23	-29.27	-27.96		-8.94

Table 8-63. Band Edge Emission Summary Data (n85_1C_5M)


Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	727.9 to 728	-25.70	-29.20	-27.60	-26.79	-19.02	-6.68
	1	727.9 to 728	-24.91	-28.10	-26.33	-24.95		-5.89
	2	727.9 to 728	-26.39	-27.83	-26.26	-25.73		-6.71
	3	727.9 to 728	-23.53	-28.76	-25.02	-23.35		-4.33
High	0	746 to 746.1	-28.59	-31.59	-28.26	-29.64		-9.24
	1	746 to 746.1	-29.58	-30.66	-27.45	-29.89		-8.43
	2	746 to 746.1	-26.10	-27.58	-26.36	-26.23		-7.08
	3	746 to 746.1	-28.14	-28.43	-27.55	-28.52		-8.53

Table 8-64. Band Edge Emission Summary Data (n85_1C_10M)

Edge	Port	Measured Range (MHz)	Max. Value (dBm)				Limit (dBm)	Worst Margin (dB)
			n85_2C_5M+5M	n85_2NC_5M+5M	n85_2C_5M+10M	n85_2NC_5M+10M		
Low	0	727.9 to 728	-25.12	-27.87	-26.55	-26.81	-19.02	-6.10
	1	727.9 to 728	-25.28	-26.19	-26.28	-26.10		-6.26
	2	727.9 to 728	-25.80	-24.41	-25.66	-26.14		-5.39
	3	727.9 to 728	-25.13	-24.68	-25.46	-25.85		-5.66
High	0	746 to 746.1	-28.12	-26.39	-31.41	-32.50		-7.37
	1	746 to 746.1	-28.32	-25.69	-28.60	-31.11		-6.67
	2	746 to 746.1	-25.68	-24.89	-28.15	-29.00		-5.87
	3	746 to 746.1	-26.72	-24.85	-28.49	-30.37		-5.83

Table 8-65. Band Edge Emission Summary Data (n85_Multi carriers)


FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 55 of 147



Plot 8-73 Band Edge Emission Plot
(B71_1C_5M_16QAM - Low Edge, Port 3)




Plot 8-74. Band Edge Emission Plot
(B71_1C_5M_16QAM - High Edge, Port 3)



Plot 8-75 Band Edge Emission Plot
(B71_1C_10M_QPSK - Low Edge, Port 3)



Plot 8-76. Band Edge Emission Plot
(B71_1C_10M_QPSK - High Edge, Port 3)




Plot 8-77 Band Edge Emission Plot
(B71_1C_15M_16QAM - Low Edge, Port 0)



Plot 8-78. Band Edge Emission Plot
(B71_1C_15M_64QAM - High Edge, Port 0)


FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 56 of 147



Plot 8-79 Band Edge Emission Plot
(B71_2NC_5M+5M_QPSK - Low Edge, Port 1)




Plot 8-80. Band Edge Emission Plot
(B71_2NC_5M+5M_QPSK - High Edge, Port 3)




Plot 8-81 Band Edge Emission Plot
(n71_1C_5M_16QAM - Low Edge, Port 1)



Plot 8-82. Band Edge Emission Plot
(n71_1C_5M_64QAM - High Edge, Port 3)




Plot 8-83 Band Edge Emission Plot
(n71_1C_10M_QPSK - Low Edge, Port 3)



Plot 8-84. Band Edge Emission Plot
(n71_1C_10M_64QAM - High Edge, Port 3)


FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 57 of 147



Plot 8-85 Band Edge Emission Plot
(n71 1C 15M 16QAM – Low Edge, Port 3)




Plot 8-86 Band Edge Emission Plot
(n71 1C 15M QPSK – High Edge, Port 2)



Plot 8-87 Band Edge Emission Plot
(n71 2C 5M+10M QPSK – Low Edge, Port 3)



Plot 8-88 Band Edge Emission Plot
(n71 2NC 5M+5M QPSK – High Edge, Port 3)




Plot 8-89 Band Edge Emission Plot
(B85_1C_5M_256QAM – Low Edge, Port 2)



Plot 8-90 Band Edge Emission Plot
(B85_1C_5M_QPSK – High Edge, Port 3)


FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 58 of 147




Plot 8-91. Band Edge Emission Plot
(B85 1C 10M 256QAM – Low Edge, Port 3)




Plot 8-92. Band Edge Emission Plot
(B85 1C 10M 16QAM – High Edge, Port 2)




Plot 8-93. Band Edge Emission Plot
(B85 2NC 5M+5M QPSK – Low Edge, Port 3)



Plot 8-94. Band Edge Emission Plot
(B85 2C 5M+5M QPSK – High Edge, Port 2)




Plot 8-95. Band Edge Emission Plot
(n85_1C_5M_256QAM – Low Edge, Port 2)



Plot 8-96. Band Edge Emission Plot
(n85_1C_5M_16QAM – High Edge, Port 0)


FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 59 of 147



Plot 8-97. Band Edge Emission Plot
(n85 1C 10M 256QAM – Low Edge, Port 3)



Plot 8-98. Band Edge Emission Plot
(n85 1C 10M QPSK – High Edge, Port 2)



Plot 8-99. Band Edge Emission Plot
(n85_2NC_5M+5M_QPSK – Low Edge, Port 2)



Plot 8-100. Band Edge Emission Plot
(n85_2NC_5M+5M_QPSK – High Edge, Port 3)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 60 of 147

8.6 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

KDB 971168 D01 v03r01 – Section 6

KDB 662911 D01 v02r01 – Section E)3) Out-of-Band and Spurious Emission Measurements

a) Absolute Emission Limits

iii) Measure and add $10 \log(N_{ANT})$ dB

ANSI C63.26-2015 – Section 5.7

Test Setting

1. Start frequency was set to 9 kHz and stop frequency was set to at least $10 \times$ the fundamental frequency excluding the frequency range of the band edge measurement.
2. RBW: Please see test notes below.
3. $VBW \geq 3 \times RBW$
4. Detector = RMS
5. Number of sweep points $\geq 2 \times \text{Span}/RBW$
6. Trace mode = trace average
7. Sweep time = auto couple
8. The trace was allowed to stabilize

Limit

Part 27.53

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 8-5. Test Instrument & Measurement Setup

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 61 of 147

Test Notes

1. Per Part 27.53(g), Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least 30 kilohertz may be employed.
2. All the measurement has been tested but test plots are referred from the highest of value of each of modulation of each antenna ports.
3. The limits were adjusted by a factor of $[-10 \cdot \log(4)]$ dB to account for the device operation as a 4 port MIMO transmitter, as per FCC KDB 622911. MIMO Factor calculation as below:
MIMO Factor = $10 \cdot \log(4) = 6.02$ dB
4. Narrower RBW parameter is applied according to Section 5.7 of ANSI C63.26-2015 for some edge channels due to improving measurement accuracy. RBW Factor calculation as below:
 - RBW Factor = $10 \cdot \log(1/0.01) = 20$ dB for the measurement range from 9 kHz to 150 kHz.
 - RBW Factor = $10 \cdot \log(1/0.1) = 10$ dB for the measurement range from 150 kHz to 30 MHz.

Frequency range	Basic Limit (dBm/MHz)	MIMO Factor (dB)	References RBW (MHz)	Measurement RBW (MHz)	RBW Factor (dB)	Adjusted limit (dBm)
9 kHz to 150 kHz	-13.00	6.02	0.1	0.001	20	-39.02
150 kHz to 30 MHz				0.01	10	-29.02
30 MHz to 1 GHz				0.1	0	-19.02
1 GHz to 8 GHz				1		
Note: Adjusted limit (dBm/MHz) = Basic limit (dBm/1MHz) - MIMO Factor - RBW Factor						

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 62 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-56.76	-57.86	-58.32	-57.46	-39.02	-17.74
		150 kHz to 30 MHz	-51.00	-50.82	-52.31	-50.78	-29.02	-21.76
		30 MHz to 600 MHz	-42.84	-43.16	-43.14	-43.22	-19.02	-23.82
		600 MHz to 616.9 MHz	-31.95	-31.56	-31.28	-31.18	-19.02	-12.16
		652.1 MHz to 700 MHz	-34.84	-35.01	-34.45	-34.45	-19.02	-15.43
		700 MHz to 1 GHz	-30.68	-30.84	-30.82	-30.99	-19.02	-11.66
		1 GHz to 3 GHz	-38.42	-38.31	-38.52	-37.96	-19.02	-18.94
		3 GHz to 8 GHz	-29.11	-29.67	-29.56	-29.76	-19.02	-10.09
	1	9 kHz to 150 kHz	-57.54	-58.15	-58.82	-57.90	-39.02	-18.52
		150 kHz to 30 MHz	-51.33	-51.60	-50.53	-50.22	-29.02	-21.20
		30 MHz to 600 MHz	-42.33	-42.08	-42.38	-42.23	-19.02	-23.06
		600 MHz to 616.9 MHz	-30.62	-30.17	-30.29	-31.16	-19.02	-11.15
		652.1 MHz to 700 MHz	-34.23	-33.48	-34.49	-34.03	-19.02	-14.46
		700 MHz to 1 GHz	-31.83	-31.00	-31.66	-31.55	-19.02	-11.98
		1 GHz to 3 GHz	-38.89	-38.93	-38.93	-38.97	-19.02	-19.87
		3 GHz to 8 GHz	-31.09	-31.11	-31.10	-31.12	-19.02	-12.07
	2	9 kHz to 150 kHz	-59.15	-58.40	-59.56	-58.97	-39.02	-19.38
		150 kHz to 30 MHz	-52.66	-52.30	-52.22	-53.47	-29.02	-23.20
		30 MHz to 600 MHz	-42.20	-42.03	-41.97	-42.18	-19.02	-22.95
		600 MHz to 616.9 MHz	-25.17	-29.79	-29.58	-29.32	-19.02	-6.15
		652.1 MHz to 700 MHz	-33.42	-33.67	-33.03	-33.86	-19.02	-14.01
		700 MHz to 1 GHz	-30.53	-30.31	-30.12	-30.51	-19.02	-11.10
		1 GHz to 3 GHz	-38.34	-38.35	-38.44	-38.08	-19.02	-19.06
		3 GHz to 8 GHz	-29.82	-29.79	-29.91	-29.86	-19.02	-10.77
	3	9 kHz to 150 kHz	-57.48	-56.47	-57.51	-56.77	-39.02	-17.45
		150 kHz to 30 MHz	-50.35	-50.58	-50.47	-50.99	-29.02	-21.33
		30 MHz to 600 MHz	-42.40	-42.43	-42.45	-42.56	-19.02	-23.38
		600 MHz to 616.9 MHz	-27.17	-26.78	-26.81	-26.08	-19.02	-7.06
		652.1 MHz to 700 MHz	-34.60	-34.75	-34.45	-34.47	-19.02	-15.43
		700 MHz to 1 GHz	-31.08	-31.47	-31.80	-31.79	-19.02	-12.06
		1 GHz to 3 GHz	-38.48	-38.47	-38.39	-38.55	-19.02	-19.37
		3 GHz to 8 GHz	-30.21	-30.33	-29.88	-30.29	-19.02	-10.86
Mid	0	9 kHz to 150 kHz	-56.03	-55.80	-56.19	-55.10	-39.02	-16.08
		150 kHz to 30 MHz	-50.91	-51.78	-50.61	-52.67	-29.02	-21.59
		30 MHz to 600 MHz	-43.07	-43.14	-43.18	-43.10	-19.02	-24.05
		600 MHz to 616.9 MHz	-35.86	-34.94	-35.64	-35.54	-19.02	-15.92
		652.1 MHz to 700 MHz	-34.14	-34.38	-34.25	-34.51	-19.02	-15.12
		700 MHz to 1 GHz	-32.62	-32.87	-32.92	-33.07	-19.02	-13.60
		1 GHz to 3 GHz	-38.34	-38.40	-38.39	-38.01	-19.02	-18.99
		3 GHz to 8 GHz	-29.66	-29.68	-29.39	-29.57	-19.02	-10.37
	1	9 kHz to 150 kHz	-56.53	-56.77	-57.81	-56.69	-39.02	-17.51
		150 kHz to 30 MHz	-52.24	-50.52	-49.85	-51.16	-29.02	-20.83
		30 MHz to 600 MHz	-42.15	-42.34	-42.34	-42.10	-19.02	-23.08
		600 MHz to 616.9 MHz	-35.38	-35.46	-35.46	-35.20	-19.02	-16.18
		652.1 MHz to 700 MHz	-33.77	-34.29	-34.42	-34.47	-19.02	-14.75
		700 MHz to 1 GHz	-35.65	-35.81	-35.71	-35.67	-19.02	-16.63
		1 GHz to 3 GHz	-38.79	-38.96	-38.91	-38.81	-19.02	-19.77
		3 GHz to 8 GHz	-30.94	-30.92	-30.97	-31.07	-19.02	-11.90
	2	9 kHz to 150 kHz	-57.75	-57.88	-58.58	-57.79	-39.02	-18.73
		150 kHz to 30 MHz	-52.51	-51.99	-51.83	-53.36	-29.02	-22.81
		30 MHz to 600 MHz	-42.20	-42.13	-42.19	-42.22	-19.02	-23.11
		600 MHz to 616.9 MHz	-35.30	-35.37	-35.77	-35.38	-19.02	-16.28
		652.1 MHz to 700 MHz	-34.10	-34.23	-34.25	-33.20	-19.02	-14.18
		700 MHz to 1 GHz	-35.24	-35.24	-35.19	-35.17	-19.02	-16.15
		1 GHz to 3 GHz	-38.29	-38.38	-38.38	-38.46	-19.02	-19.27
		3 GHz to 8 GHz	-29.83	-29.91	-29.60	-29.63	-19.02	-10.58

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)			Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 63 of 147	

	3	9 kHz to 150 kHz	-55.90	-55.75	-56.49	-56.01	-39.02	-16.73
		150 kHz to 30 MHz	-50.79	-51.25	-51.97	-51.09	-29.02	-21.77
		30 MHz to 600 MHz	-42.52	-42.50	-42.22	-42.57	-19.02	-23.20
		600 MHz to 616.9 MHz	-35.57	-35.60	-36.01	-35.60	-19.02	-16.55
		652.1 MHz to 700 MHz	-33.73	-34.27	-34.40	-34.61	-19.02	-14.71
		700 MHz to 1 GHz	-31.93	-32.19	-31.42	-31.89	-19.02	-12.40
		1 GHz to 3 GHz	-38.54	-38.39	-38.42	-38.52	-19.02	-19.37
		3 GHz to 8 GHz	-30.25	-30.13	-30.02	-30.15	-19.02	-11.00
High	0	9 kHz to 150 kHz	-55.50	-55.84	-56.42	-56.16	-39.02	-16.48
		150 kHz to 30 MHz	-50.56	-50.54	-50.43	-51.98	-29.02	-21.41
		30 MHz to 600 MHz	-42.99	-43.23	-43.27	-43.20	-19.02	-23.97
		600 MHz to 616.9 MHz	-34.67	-35.28	-35.22	-35.02	-19.02	-15.65
		652.1 MHz to 700 MHz	-25.27	-25.75	-24.99	-24.69	-19.02	-5.67
		700 MHz to 1 GHz	-32.49	-32.42	-32.76	-32.73	-19.02	-13.40
		1 GHz to 3 GHz	-38.34	-38.37	-38.00	-38.47	-19.02	-18.98
		3 GHz to 8 GHz	-29.50	-29.48	-29.43	-29.67	-19.02	-10.41
	1	9 kHz to 150 kHz	-57.21	-57.04	-57.34	-56.95	-39.02	-17.93
		150 kHz to 30 MHz	-50.67	-50.22	-51.62	-50.19	-29.02	-21.17
		30 MHz to 600 MHz	-42.38	-42.03	-42.46	-42.01	-19.02	-22.99
		600 MHz to 616.9 MHz	-34.42	-34.96	-34.70	-34.62	-19.02	-15.40
		652.1 MHz to 700 MHz	-24.11	-25.74	-23.33	-25.72	-19.02	-4.31
		700 MHz to 1 GHz	-35.27	-35.08	-35.18	-35.08	-19.02	-16.06
		1 GHz to 3 GHz	-38.90	-38.98	-38.92	-38.83	-19.02	-19.81
		3 GHz to 8 GHz	-31.21	-30.80	-31.01	-30.71	-19.02	-11.69
	2	9 kHz to 150 kHz	-57.23	-57.77	-58.52	-57.15	-39.02	-18.13
		150 kHz to 30 MHz	-53.25	-51.87	-51.62	-52.18	-29.02	-22.60
		30 MHz to 600 MHz	-42.22	-41.86	-42.12	-42.16	-19.02	-22.84
		600 MHz to 616.9 MHz	-34.68	-34.51	-35.32	-35.16	-19.02	-15.49
		652.1 MHz to 700 MHz	-24.23	-24.79	-25.88	-24.70	-19.02	-5.21
		700 MHz to 1 GHz	-34.28	-34.60	-34.50	-34.63	-19.02	-15.26
		1 GHz to 3 GHz	-38.28	-38.35	-38.11	-38.45	-19.02	-19.09
		3 GHz to 8 GHz	-29.79	-29.86	-29.95	-29.82	-19.02	-10.77
	3	9 kHz to 150 kHz	-56.13	-56.10	-56.85	-56.38	-39.02	-17.08
		150 kHz to 30 MHz	-51.36	-52.07	-51.40	-50.02	-29.02	-21.00
		30 MHz to 600 MHz	-42.39	-42.42	-42.55	-42.10	-19.02	-23.08
		600 MHz to 616.9 MHz	-35.43	-35.25	-35.45	-35.71	-19.02	-16.23
		652.1 MHz to 700 MHz	-24.48	-25.18	-25.28	-23.88	-19.02	-4.86
		700 MHz to 1 GHz	-31.84	-32.08	-31.77	-32.29	-19.02	-12.75
		1 GHz to 3 GHz	-38.40	-38.30	-38.40	-38.43	-19.02	-19.28
		3 GHz to 8 GHz	-30.04	-30.31	-30.05	-30.16	-19.02	-11.02

Table 8-66. Conducted Spurious Emission Summary Data (B71_1C_5M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 64 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-53.47	-53.83	-53.56	-53.66	-39.02	-14.45
		150 kHz to 30 MHz	-50.78	-49.81	-51.69	-51.72	-29.02	-20.79
		30 MHz to 600 MHz	-43.08	-43.07	-43.00	-42.79	-19.02	-23.77
		600 MHz to 616.9 MHz	-27.35	-27.24	-26.16	-26.12	-19.02	-7.10
		652.1 MHz to 700 MHz	-34.38	-34.54	-34.79	-34.92	-19.02	-15.36
		700 MHz to 1 GHz	-31.24	-31.30	-31.19	-31.32	-19.02	-12.17
	1	1 GHz to 3 GHz	-31.74	-28.91	-29.08	-29.62	-19.02	-9.89
		3 GHz to 8 GHz	-29.42	-29.64	-29.48	-29.27	-19.02	-10.25
		9 kHz to 150 kHz	-55.10	-55.10	-54.98	-54.57	-39.02	-15.55
		150 kHz to 30 MHz	-50.55	-51.65	-49.20	-51.92	-29.02	-20.18
		30 MHz to 600 MHz	-41.88	-42.15	-42.03	-42.04	-19.02	-22.86
		600 MHz to 616.9 MHz	-27.28	-27.15	-27.10	-27.22	-19.02	-8.08
	2	652.1 MHz to 700 MHz	-33.52	-33.80	-34.45	-33.79	-19.02	-14.50
		700 MHz to 1 GHz	-31.85	-31.58	-32.06	-31.75	-19.02	-12.56
		1 GHz to 3 GHz	-38.98	-38.81	-39.00	-38.95	-19.02	-19.79
		3 GHz to 8 GHz	-30.92	-30.72	-30.95	-31.01	-19.02	-11.70
		9 kHz to 150 kHz	-55.78	-56.20	-56.07	-55.97	-39.02	-16.76
		150 kHz to 30 MHz	-52.46	-51.90	-53.30	-51.38	-29.02	-22.36
	3	30 MHz to 600 MHz	-42.03	-41.97	-41.97	-41.80	-19.02	-22.78
		600 MHz to 616.9 MHz	-25.28	-26.70	-26.93	-26.38	-19.02	-6.26
		652.1 MHz to 700 MHz	-33.43	-33.97	-33.80	-33.74	-19.02	-14.41
		700 MHz to 1 GHz	-31.11	-31.09	-31.24	-31.04	-19.02	-12.02
		1 GHz to 3 GHz	-38.13	-38.32	-38.45	-38.36	-19.02	-19.11
		3 GHz to 8 GHz	-29.73	-29.76	-29.92	-29.62	-19.02	-10.60
Mid	0	9 kHz to 150 kHz	-54.05	-54.07	-53.94	-53.80	-39.02	-14.78
		150 kHz to 30 MHz	-51.70	-51.44	-49.56	-51.13	-29.02	-20.54
		30 MHz to 600 MHz	-42.36	-41.96	-42.39	-42.31	-19.02	-22.94
		600 MHz to 616.9 MHz	-23.91	-24.65	-25.15	-25.02	-19.02	-4.89
		652.1 MHz to 700 MHz	-34.08	-34.04	-34.38	-34.01	-19.02	-14.99
		700 MHz to 1 GHz	-31.89	-31.44	-31.73	-31.54	-19.02	-12.42
	1	1 GHz to 3 GHz	-31.95	-36.06	-33.27	-34.03	-19.02	-12.93
		3 GHz to 8 GHz	-30.19	-30.05	-30.29	-30.25	-19.02	-11.03
		9 kHz to 150 kHz	-52.90	-52.77	-52.84	-52.60	-39.02	-13.58
		150 kHz to 30 MHz	-51.65	-51.53	-51.40	-51.48	-29.02	-22.38
		30 MHz to 600 MHz	-42.86	-42.68	-43.04	-43.11	-19.02	-23.66
		600 MHz to 616.9 MHz	-34.70	-34.99	-34.85	-35.10	-19.02	-15.68
	2	652.1 MHz to 700 MHz	-34.44	-34.60	-34.48	-34.85	-19.02	-15.42
		700 MHz to 1 GHz	-33.10	-32.63	-33.66	-32.70	-19.02	-13.61
		1 GHz to 3 GHz	-33.97	-35.32	-35.57	-38.37	-19.02	-14.95
		3 GHz to 8 GHz	-29.44	-29.55	-29.56	-29.64	-19.02	-10.42
		9 kHz to 150 kHz	-53.79	-54.13	-53.80	-54.31	-39.02	-14.77
		150 kHz to 30 MHz	-50.89	-50.84	-51.76	-50.34	-29.02	-21.32
	0	30 MHz to 600 MHz	-42.28	-42.00	-42.10	-42.23	-19.02	-22.98
		600 MHz to 616.9 MHz	-33.81	-33.66	-34.46	-34.55	-19.02	-14.64
		652.1 MHz to 700 MHz	-33.59	-33.96	-33.98	-34.11	-19.02	-14.57
		700 MHz to 1 GHz	-35.33	-35.05	-35.47	-35.49	-19.02	-16.03
		1 GHz to 3 GHz	-38.71	-38.84	-38.93	-38.80	-19.02	-19.69
		3 GHz to 8 GHz	-30.59	-31.10	-30.87	-31.18	-19.02	-11.57
	1	9 kHz to 150 kHz	-55.29	-55.26	-54.97	-55.45	-39.02	-15.95
		150 kHz to 30 MHz	-52.18	-52.85	-53.76	-51.84	-29.02	-22.82
		30 MHz to 600 MHz	-41.87	-41.91	-42.20	-42.16	-19.02	-22.85
		600 MHz to 616.9 MHz	-33.62	-33.86	-34.40	-34.42	-19.02	-14.60
		652.1 MHz to 700 MHz	-32.86	-33.21	-33.48	-33.35	-19.02	-13.84
		700 MHz to 1 GHz	-34.83	-34.55	-34.86	-35.02	-19.02	-15.53
	2	1 GHz to 3 GHz	-37.97	-38.29	-38.34	-38.25	-19.02	-18.95
		3 GHz to 8 GHz	-29.83	-29.50	-29.69	-29.67	-19.02	-10.48
		9 kHz to 150 kHz	-52.90	-52.77	-52.84	-52.60	-39.02	-13.58
		150 kHz to 30 MHz	-51.65	-51.53	-51.40	-51.48	-29.02	-22.38
		30 MHz to 600 MHz	-42.86	-42.68	-43.04	-43.11	-19.02	-23.66
		600 MHz to 616.9 MHz	-34.70	-34.99	-34.85	-35.10	-19.02	-15.68
	3	652.1 MHz to 700 MHz	-34.44	-34.60	-34.48	-34.85	-19.02	-15.42
		700 MHz to 1 GHz	-33.10	-32.63	-33.66	-32.70	-19.02	-13.61
		1 GHz to 3 GHz	-33.97	-35.32	-35.57	-38.37	-19.02	-14.95
		3 GHz to 8 GHz	-29.44	-29.55	-29.56	-29.64	-19.02	-10.42
		9 kHz to 150 kHz	-53.79	-54.13	-53.80	-54.31	-39.02	-14.77
		150 kHz to 30 MHz	-50.89	-50.84	-51.76	-50.34	-29.02	-21.32

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 65 of 147

High	3	9 kHz to 150 kHz	-52.82	-53.05	-53.13	-52.66	-39.02	-13.64
		150 kHz to 30 MHz	-50.19	-51.93	-51.11	-50.72	-29.02	-21.17
		30 MHz to 600 MHz	-42.41	-42.34	-42.12	-42.22	-19.02	-23.10
		600 MHz to 616.9 MHz	-33.95	-34.40	-34.47	-34.89	-19.02	-14.93
		652.1 MHz to 700 MHz	-33.92	-33.95	-33.81	-34.11	-19.02	-14.79
		700 MHz to 1 GHz	-32.46	-31.74	-31.68	-32.35	-19.02	-12.66
		1 GHz to 3 GHz	-37.23	-38.54	-32.31	-31.70	-19.02	-12.68
		3 GHz to 8 GHz	-30.32	-29.94	-29.93	-30.03	-19.02	-10.91
	0	9 kHz to 150 kHz	-52.95	-52.98	-52.89	-52.86	-39.02	-13.84
		150 kHz to 30 MHz	-50.54	-51.16	-50.34	-50.35	-29.02	-21.32
		30 MHz to 600 MHz	-43.06	-43.00	-42.98	-43.20	-19.02	-23.96
		600 MHz to 616.9 MHz	-34.79	-34.96	-34.92	-35.12	-19.02	-15.77
		652.1 MHz to 700 MHz	-27.21	-28.62	-28.55	-28.30	-19.02	-8.19
		700 MHz to 1 GHz	-32.95	-31.98	-33.40	-32.54	-19.02	-12.96
		1 GHz to 3 GHz	-38.54	-32.85	-32.60	-30.03	-19.02	-11.01
		3 GHz to 8 GHz	-29.55	-29.65	-29.50	-29.48	-19.02	-10.46
	1	9 kHz to 150 kHz	-53.69	-53.75	-54.00	-53.95	-39.02	-14.67
		150 kHz to 30 MHz	-51.27	-50.23	-51.34	-51.25	-29.02	-21.21
		30 MHz to 600 MHz	-42.24	-42.27	-42.14	-42.22	-19.02	-23.12
		600 MHz to 616.9 MHz	-34.79	-35.21	-34.19	-34.43	-19.02	-15.17
		652.1 MHz to 700 MHz	-28.66	-28.83	-28.24	-28.44	-19.02	-9.22
		700 MHz to 1 GHz	-34.96	-35.51	-34.60	-34.82	-19.02	-15.58
		1 GHz to 3 GHz	-39.17	-39.02	-38.93	-38.77	-19.02	-19.75
		3 GHz to 8 GHz	-31.14	-31.01	-31.12	-30.96	-19.02	-11.94
	2	9 kHz to 150 kHz	-54.91	-55.22	-55.32	-55.22	-39.02	-15.89
		150 kHz to 30 MHz	-53.00	-52.96	-54.19	-52.79	-29.02	-23.77
		30 MHz to 600 MHz	-42.20	-42.18	-42.00	-42.16	-19.02	-22.98
		600 MHz to 616.9 MHz	-34.94	-34.86	-34.74	-34.41	-19.02	-15.39
		652.1 MHz to 700 MHz	-30.18	-28.71	-28.86	-28.65	-19.02	-9.63
		700 MHz to 1 GHz	-34.71	-34.58	-34.60	-34.31	-19.02	-15.29
		1 GHz to 3 GHz	-38.36	-38.47	-38.20	-38.31	-19.02	-19.18
		3 GHz to 8 GHz	-29.86	-29.90	-29.90	-29.96	-19.02	-10.84
	3	9 kHz to 150 kHz	-52.94	-52.87	-53.43	-52.99	-39.02	-13.85
		150 kHz to 30 MHz	-51.39	-50.85	-51.53	-49.74	-29.02	-20.72
		30 MHz to 600 MHz	-42.30	-42.39	-42.18	-42.51	-19.02	-23.16
		600 MHz to 616.9 MHz	-34.93	-34.83	-35.11	-35.21	-19.02	-15.81
		652.1 MHz to 700 MHz	-23.80	-24.50	-25.19	-24.56	-19.02	-4.78
		700 MHz to 1 GHz	-31.39	-31.34	-32.10	-31.77	-19.02	-12.32
		1 GHz to 3 GHz	-38.01	-36.65	-37.12	-37.02	-19.02	-17.63
		3 GHz to 8 GHz	-30.19	-30.09	-30.23	-30.13	-19.02	-11.07

Table 8-67. Conducted Spurious Emission Summary Data (B71_1C_10M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 66 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-55.24	-55.09	-55.40	-55.23	-39.02	-16.07
		150 kHz to 30 MHz	-52.62	-51.59	-51.49	-51.64	-29.02	-22.47
		30 MHz to 600 MHz	-42.96	-42.79	-43.14	-42.77	-19.02	-23.75
		600 MHz to 616.9 MHz	-24.74	-25.97	-27.19	-27.40	-19.02	-5.72
		652.1 MHz to 700 MHz	-34.08	-34.57	-34.38	-33.94	-19.02	-14.92
		700 MHz to 1 GHz	-31.79	-31.90	-31.54	-32.05	-19.02	-12.52
		1 GHz to 3 GHz	-34.77	-38.21	-36.61	-35.29	-19.02	-15.75
		3 GHz to 8 GHz	-29.47	-29.58	-29.64	-29.50	-19.02	-10.45
	1	9 kHz to 150 kHz	-56.75	-56.49	-56.42	-56.77	-39.02	-17.40
		150 kHz to 30 MHz	-51.55	-50.28	-50.86	-50.92	-29.02	-21.26
		30 MHz to 600 MHz	-42.18	-42.21	-42.24	-42.03	-19.02	-23.01
		600 MHz to 616.9 MHz	-28.44	-27.90	-27.89	-28.57	-19.02	-8.87
		652.1 MHz to 700 MHz	-33.81	-33.72	-34.20	-33.56	-19.02	-14.54
		700 MHz to 1 GHz	-32.65	-32.12	-32.72	-32.61	-19.02	-13.10
		1 GHz to 3 GHz	-38.90	-38.73	-38.86	-38.82	-19.02	-19.71
		3 GHz to 8 GHz	-30.97	-30.95	-30.78	-30.97	-19.02	-11.76
	2	9 kHz to 150 kHz	-57.73	-58.10	-58.03	-57.60	-39.02	-18.58
		150 kHz to 30 MHz	-53.61	-53.70	-52.65	-52.67	-29.02	-23.63
		30 MHz to 600 MHz	-41.96	-42.04	-42.11	-42.09	-19.02	-22.94
		600 MHz to 616.9 MHz	-27.27	-26.67	-26.92	-26.17	-19.02	-7.15
		652.1 MHz to 700 MHz	-33.97	-33.22	-33.72	-33.34	-19.02	-14.20
		700 MHz to 1 GHz	-31.64	-31.72	-31.85	-31.69	-19.02	-12.62
		1 GHz to 3 GHz	-38.38	-38.26	-38.40	-37.95	-19.02	-18.93
		3 GHz to 8 GHz	-29.83	-29.85	-29.90	-29.92	-19.02	-10.81
	3	9 kHz to 150 kHz	-55.17	-55.64	-55.37	-55.06	-39.02	-16.04
		150 kHz to 30 MHz	-51.28	-51.54	-50.72	-51.85	-29.02	-21.70
		30 MHz to 600 MHz	-42.31	-42.41	-42.42	-42.33	-19.02	-23.29
		600 MHz to 616.9 MHz	-25.94	-26.36	-25.41	-25.55	-19.02	-6.39
		652.1 MHz to 700 MHz	-34.17	-33.62	-33.85	-34.17	-19.02	-14.60
		700 MHz to 1 GHz	-32.59	-31.82	-32.46	-31.71	-19.02	-12.69
		1 GHz to 3 GHz	-38.55	-38.52	-38.43	-38.43	-19.02	-19.41
		3 GHz to 8 GHz	-30.23	-30.14	-30.40	-30.31	-19.02	-11.12
Mid	0	9 kHz to 150 kHz	-54.92	-54.21	-53.55	-54.79	-39.02	-14.53
		150 kHz to 30 MHz	-51.83	-49.67	-51.36	-50.60	-29.02	-20.65
		30 MHz to 600 MHz	-43.07	-43.27	-43.08	-43.15	-19.02	-24.05
		600 MHz to 616.9 MHz	-33.12	-32.60	-33.94	-33.38	-19.02	-13.58
		652.1 MHz to 700 MHz	-34.16	-33.43	-33.39	-33.24	-19.02	-14.22
		700 MHz to 1 GHz	-33.44	-33.00	-32.60	-33.10	-19.02	-13.58
		1 GHz to 3 GHz	-33.95	-34.54	-34.30	-34.72	-19.02	-14.93
		3 GHz to 8 GHz	-29.57	-29.61	-29.53	-29.62	-19.02	-10.51
	1	9 kHz to 150 kHz	-55.83	-54.76	-55.59	-55.86	-39.02	-15.74
		150 kHz to 30 MHz	-50.98	-52.25	-51.13	-52.26	-29.02	-21.96
		30 MHz to 600 MHz	-42.10	-42.18	-42.11	-42.16	-19.02	-23.08
		600 MHz to 616.9 MHz	-32.92	-32.84	-33.39	-33.17	-19.02	-13.82
		652.1 MHz to 700 MHz	-33.09	-33.63	-33.77	-33.67	-19.02	-14.07
		700 MHz to 1 GHz	-35.03	-35.30	-35.18	-35.29	-19.02	-16.01
		1 GHz to 3 GHz	-38.74	-38.95	-38.81	-38.80	-19.02	-19.72
		3 GHz to 8 GHz	-31.03	-30.96	-30.99	-31.10	-19.02	-11.94
	2	9 kHz to 150 kHz	-56.49	-56.03	-55.74	-56.58	-39.02	-16.72
		150 kHz to 30 MHz	-52.95	-52.97	-53.19	-53.26	-29.02	-23.93
		30 MHz to 600 MHz	-42.14	-42.02	-42.11	-41.74	-19.02	-22.72
		600 MHz to 616.9 MHz	-32.41	-32.35	-32.88	-32.60	-19.02	-13.33
		652.1 MHz to 700 MHz	-32.72	-33.09	-32.94	-33.58	-19.02	-13.70
		700 MHz to 1 GHz	-34.82	-34.79	-34.50	-34.59	-19.02	-15.48
		1 GHz to 3 GHz	-38.05	-38.18	-38.33	-38.25	-19.02	-19.03
		3 GHz to 8 GHz	-29.82	-29.95	-29.98	-29.92	-19.02	-10.80

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 67 of 147

High	3	9 kHz to 150 kHz	-54.51	-53.52	-54.61	-54.47	-39.02	-14.50
		150 kHz to 30 MHz	-52.32	-51.44	-52.13	-51.98	-29.02	-22.42
		30 MHz to 600 MHz	-42.34	-42.25	-42.24	-42.51	-19.02	-23.22
		600 MHz to 616.9 MHz	-32.19	-33.52	-32.48	-32.12	-19.02	-13.10
		652.1 MHz to 700 MHz	-33.43	-33.20	-33.01	-33.01	-19.02	-13.99
		700 MHz to 1 GHz	-31.77	-32.09	-31.48	-31.90	-19.02	-12.46
		1 GHz to 3 GHz	-38.30	-38.45	-38.42	-38.36	-19.02	-19.28
		3 GHz to 8 GHz	-30.08	-30.20	-30.34	-30.13	-19.02	-11.06
	0	9 kHz to 150 kHz	-55.07	-53.02	-52.78	-54.94	-39.02	-13.76
		150 kHz to 30 MHz	-51.06	-51.54	-51.44	-50.79	-29.02	-21.77
		30 MHz to 600 MHz	-43.06	-42.80	-43.19	-42.98	-19.02	-23.78
		600 MHz to 616.9 MHz	-35.15	-34.10	-34.46	-34.77	-19.02	-15.08
		652.1 MHz to 700 MHz	-28.09	-28.64	-27.63	-30.62	-19.02	-8.61
		700 MHz to 1 GHz	-33.07	-33.02	-32.94	-32.58	-19.02	-13.56
		1 GHz to 3 GHz	-35.08	-32.33	-32.05	-33.01	-19.02	-13.03
		3 GHz to 8 GHz	-29.48	-29.48	-29.61	-29.59	-19.02	-10.46
	1	9 kHz to 150 kHz	-55.87	-55.16	-54.72	-55.59	-39.02	-15.70
		150 kHz to 30 MHz	-51.38	-51.75	-52.81	-52.72	-29.02	-22.36
		30 MHz to 600 MHz	-41.95	-41.96	-42.24	-42.24	-19.02	-22.93
		600 MHz to 616.9 MHz	-34.43	-34.34	-34.24	-34.41	-19.02	-15.22
		652.1 MHz to 700 MHz	-31.25	-29.64	-30.37	-30.39	-19.02	-10.62
		700 MHz to 1 GHz	-35.08	-34.93	-35.29	-35.21	-19.02	-15.91
		1 GHz to 3 GHz	-38.83	-38.92	-38.94	-38.67	-19.02	-19.65
		3 GHz to 8 GHz	-30.94	-30.71	-30.91	-30.77	-19.02	-11.69
	2	9 kHz to 150 kHz	-56.89	-56.09	-56.71	-56.63	-39.02	-17.07
		150 kHz to 30 MHz	-53.00	-52.98	-52.86	-53.76	-29.02	-23.84
		30 MHz to 600 MHz	-41.95	-42.10	-42.01	-42.12	-19.02	-22.93
		600 MHz to 616.9 MHz	-34.51	-34.36	-34.74	-34.56	-19.02	-15.34
		652.1 MHz to 700 MHz	-30.29	-29.62	-30.24	-30.28	-19.02	-10.60
		700 MHz to 1 GHz	-34.78	-34.84	-34.79	-34.85	-19.02	-15.76
		1 GHz to 3 GHz	-38.38	-38.08	-38.08	-38.19	-19.02	-19.06
		3 GHz to 8 GHz	-29.56	-29.57	-29.98	-29.98	-19.02	-10.54
	3	9 kHz to 150 kHz	-55.28	-54.19	-53.82	-54.91	-39.02	-14.80
		150 kHz to 30 MHz	-50.73	-51.28	-51.89	-51.24	-29.02	-21.71
		30 MHz to 600 MHz	-42.21	-42.30	-42.44	-42.58	-19.02	-23.19
		600 MHz to 616.9 MHz	-34.47	-34.09	-34.55	-34.91	-19.02	-15.07
		652.1 MHz to 700 MHz	-28.93	-28.84	-30.60	-29.32	-19.02	-9.82
		700 MHz to 1 GHz	-31.32	-31.74	-31.53	-31.61	-19.02	-12.30
		1 GHz to 3 GHz	-38.40	-38.44	-36.50	-35.70	-19.02	-16.68
		3 GHz to 8 GHz	-30.29	-30.25	-30.13	-29.85	-19.02	-10.83

Table 8-68. Conducted Spurious Emission Summary Data (B71_1C_15M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 68 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)	
			B71_2C_5 M+5M	B71_2NC 5M+5M	B71_2C_5 M+10M	B71_2NC 5M+10M			
Low	0	9 kHz to 150 kHz	-54.30	N/A	-54.44	N/A	-39.02	-15.28	
		150 kHz to 30 MHz	-51.64		-50.50		-29.02	-21.48	
		30 MHz to 600 MHz	-43.12		-43.02		-19.02	-24.00	
		600 MHz to 616.9 MHz	-27.75		-26.94		-19.02	-7.92	
		652.1 MHz to 700 MHz	-34.28		-33.59		-19.02	-14.57	
		700 MHz to 1 GHz	-31.35		-31.18		-19.02	-12.16	
		1 GHz to 3 GHz	-30.30		-34.40		-19.02	-11.28	
		3 GHz to 8 GHz	-29.66		-29.61		-19.02	-10.59	
	1	9 kHz to 150 kHz	-54.81		-55.78		-39.02	-15.79	
		150 kHz to 30 MHz	-51.12		-51.23		-29.02	-22.10	
		30 MHz to 600 MHz	-42.24		-42.32		-19.02	-23.22	
		600 MHz to 616.9 MHz	-27.36		-27.29		-19.02	-8.27	
		652.1 MHz to 700 MHz	-33.78		-32.81		-19.02	-13.79	
		700 MHz to 1 GHz	-31.72		-31.63		-19.02	-12.61	
		1 GHz to 3 GHz	-38.49		-38.90		-19.02	-19.47	
		3 GHz to 8 GHz	-30.91		-30.99		-19.02	-11.89	
	2	9 kHz to 150 kHz	-55.84		-56.22		-39.02	-16.82	
		150 kHz to 30 MHz	-53.31		-52.52		-29.02	-23.50	
		30 MHz to 600 MHz	-42.06		-41.71		-19.02	-22.69	
		600 MHz to 616.9 MHz	-26.61		-25.94		-19.02	-6.92	
		652.1 MHz to 700 MHz	-33.56		-33.52		-19.02	-14.50	
		700 MHz to 1 GHz	-31.27		-30.87		-19.02	-11.85	
		1 GHz to 3 GHz	-38.13		-38.18		-19.02	-19.11	
		3 GHz to 8 GHz	-29.92		-29.82		-19.02	-10.80	
	3	9 kHz to 150 kHz	-53.44		-55.68		-39.02	-14.42	
		150 kHz to 30 MHz	-51.61		-51.53		-29.02	-22.51	
		30 MHz to 600 MHz	-42.36		-42.43		-19.02	-23.34	
		600 MHz to 616.9 MHz	-25.58		-24.66		-19.02	-5.64	
		652.1 MHz to 700 MHz	-34.21		-33.75		-19.02	-14.73	
		700 MHz to 1 GHz	-32.15		-31.83		-19.02	-12.81	
		1 GHz to 3 GHz	-38.58		-38.32		-19.02	-19.30	
		3 GHz to 8 GHz	-30.05		-29.88		-19.02	-10.86	
Mid	0	9 kHz to 150 kHz	-53.16	-54.20	-54.15	-54.66	-39.02	-14.14	
		150 kHz to 30 MHz	-50.65	-49.39	-50.44	-49.67	-29.02	-20.37	
		30 MHz to 600 MHz	-42.98	-39.44	-42.77	-38.28	-19.02	-19.26	
		600 MHz to 616.9 MHz	-34.55	-25.11	-33.16	-25.21	-19.02	-6.09	
		652.1 MHz to 700 MHz	-33.84	-23.31	-33.04	-25.91	-19.02	-4.29	
		700 MHz to 1 GHz	-33.16	-30.12	-33.61	-30.60	-19.02	-11.10	
		1 GHz to 3 GHz	-34.03	-36.13	-35.81	-33.91	-19.02	-14.89	
		3 GHz to 8 GHz	-29.35	-29.58	-29.18	-29.28	-19.02	-10.16	
	1	9 kHz to 150 kHz	-54.22	-54.77	-54.72	-55.73	-39.02	-15.20	
		150 kHz to 30 MHz	-51.78	-50.88	-50.78	-51.17	-29.02	-21.76	
		30 MHz to 600 MHz	-42.17	-41.93	-41.98	-41.70	-19.02	-22.68	
		600 MHz to 616.9 MHz	-34.06	-25.04	-31.94	-25.98	-19.02	-6.02	
		652.1 MHz to 700 MHz	-33.43	-21.20	-32.95	-26.23	-19.02	-2.18	
		700 MHz to 1 GHz	-35.33	-30.39	-35.19	-30.91	-19.02	-11.37	
	2	1 GHz to 3 GHz	-38.78	-38.61	-38.44	-38.82	-19.02	-19.42	
		3 GHz to 8 GHz	-30.80	-30.73	-30.72	-30.71	-19.02	-11.69	
		9 kHz to 150 kHz	-55.21	-54.58	-55.94	-56.23	-39.02	-15.56	
		150 kHz to 30 MHz	-51.63	-51.65	-53.16	-51.77	-29.02	-22.61	
		30 MHz to 600 MHz	-41.90	-31.33	-41.84	-41.05	-19.02	-12.31	
		600 MHz to 616.9 MHz	-33.20	-24.49	-30.41	-25.76	-19.02	-5.47	
FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)					Approved by: Technical Manager		
Test Report S/N: 8K24091001-00.A3L		Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)					Page 69 of 147	

		652.1 MHz to 700 MHz	-32.05	-20.49	-32.65	-26.76	-19.02	-1.47
		700 MHz to 1 GHz	-34.62	-29.39	-34.57	-30.14	-19.02	-10.37
		1 GHz to 3 GHz	-38.10	-35.17	-38.06	-38.11	-19.02	-16.15
		3 GHz to 8 GHz	-29.61	-29.62	-29.71	-29.63	-19.02	-10.59
	3	9 kHz to 150 kHz	-52.64	-53.17	-53.98	-54.46	-39.02	-13.62
		150 kHz to 30 MHz	-52.80	-51.59	-52.02	-50.06	-29.02	-21.04
		30 MHz to 600 MHz	-42.39	-30.66	-42.06	-37.00	-19.02	-11.64
		600 MHz to 616.9 MHz	-34.43	-23.38	-29.34	-25.30	-19.02	-4.36
		652.1 MHz to 700 MHz	-33.28	-20.45	-32.68	-25.28	-19.02	-1.43
		700 MHz to 1 GHz	-31.91	-30.49	-31.84	-30.94	-19.02	-11.47
		1 GHz to 3 GHz	-38.54	-29.35	-34.35	-38.55	-19.02	-10.33
		3 GHz to 8 GHz	-30.17	-29.98	-30.04	-29.81	-19.02	-10.79
High	0	9 kHz to 150 kHz	-52.49	N/A	-53.32	N/A	-39.02	-13.47
		150 kHz to 30 MHz	-51.25		-49.75		-29.02	-20.73
		30 MHz to 600 MHz	-43.04		-42.74		-19.02	-23.72
		600 MHz to 616.9 MHz	-35.05		-34.51		-19.02	-15.49
		652.1 MHz to 700 MHz	-23.47		-30.95		-19.02	-4.45
		700 MHz to 1 GHz	-33.36		-32.56		-19.02	-13.54
		1 GHz to 3 GHz	-30.53		-38.15		-19.02	-11.51
		3 GHz to 8 GHz	-29.70		-29.41		-19.02	-10.39
	1	9 kHz to 150 kHz	-54.12		-54.34		-39.02	-15.10
		150 kHz to 30 MHz	-51.54		-50.70		-29.02	-21.68
		30 MHz to 600 MHz	-42.11		-42.06		-19.02	-23.04
		600 MHz to 616.9 MHz	-34.78		-34.11		-19.02	-15.09
		652.1 MHz to 700 MHz	-24.90		-30.48		-19.02	-5.88
		700 MHz to 1 GHz	-35.31		-34.95		-19.02	-15.93
		1 GHz to 3 GHz	-39.00		-38.54		-19.02	-19.52
		3 GHz to 8 GHz	-30.84		-30.83		-19.02	-11.81
	2	9 kHz to 150 kHz	-54.76		-56.04		-39.02	-15.74
		150 kHz to 30 MHz	-53.16		-52.21		-29.02	-23.19
		30 MHz to 600 MHz	-41.99		-41.67		-19.02	-22.65
		600 MHz to 616.9 MHz	-34.07		-33.91		-19.02	-14.89
		652.1 MHz to 700 MHz	-23.43		-28.87		-19.02	-4.41
		700 MHz to 1 GHz	-33.93		-34.58		-19.02	-14.91
		1 GHz to 3 GHz	-37.93		-38.05		-19.02	-18.91
		3 GHz to 8 GHz	-29.72		-29.50		-19.02	-10.48
	3	9 kHz to 150 kHz	-52.97		-53.54		-39.02	-13.95
		150 kHz to 30 MHz	-51.12		-51.04		-29.02	-22.02
		30 MHz to 600 MHz	-42.32		-42.03		-19.02	-23.01
		600 MHz to 616.9 MHz	-34.80		-34.12		-19.02	-15.10
		652.1 MHz to 700 MHz	-22.84		-29.59		-19.02	-3.82
		700 MHz to 1 GHz	-31.68		-31.43		-19.02	-12.41
		1 GHz to 3 GHz	-36.02		-38.26		-19.02	-17.00
		3 GHz to 8 GHz	-30.09		-29.96		-19.02	-10.94

Table 8-69. Conducted Spurious Emission Summary Data (B71_Multi-carrier)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 70 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-57.39	-55.96	-56.86	-56.86	-39.02	-16.94
		150 kHz to 30 MHz	-51.10	-49.19	-51.08	-50.65	-29.02	-20.17
		30 MHz to 600 MHz	-42.90	-43.13	-43.02	-43.10	-19.02	-23.88
		600 MHz to 616.9 MHz	-29.39	-26.68	-27.42	-23.07	-19.02	-4.05
		652.1 MHz to 700 MHz	-34.26	-33.87	-34.52	-34.76	-19.02	-14.85
		700 MHz to 1 GHz	-30.74	-30.22	-30.96	-30.52	-19.02	-11.20
		1 GHz to 3 GHz	-32.35	-34.39	-33.94	-35.59	-19.02	-13.33
		3 GHz to 8 GHz	-29.45	-29.60	-29.63	-29.39	-19.02	-10.37
	1	9 kHz to 150 kHz	-58.06	-57.32	-58.45	-59.04	-39.02	-18.30
		150 kHz to 30 MHz	-51.46	-49.81	-50.67	-50.82	-29.02	-20.79
		30 MHz to 600 MHz	-42.02	-42.25	-42.25	-42.36	-19.02	-23.00
		600 MHz to 616.9 MHz	-28.67	-23.10	-28.62	-29.55	-19.02	-4.08
		652.1 MHz to 700 MHz	-34.21	-34.52	-34.32	-34.51	-19.02	-15.19
		700 MHz to 1 GHz	-31.92	-30.79	-31.52	-31.90	-19.02	-11.77
		1 GHz to 3 GHz	-38.79	-38.86	-38.92	-38.73	-19.02	-19.71
		3 GHz to 8 GHz	-31.12	-31.04	-30.70	-30.93	-19.02	-11.68
	2	9 kHz to 150 kHz	-59.67	-58.41	-59.73	-59.53	-39.02	-19.39
		150 kHz to 30 MHz	-52.90	-51.67	-51.98	-51.82	-29.02	-22.65
		30 MHz to 600 MHz	-41.91	-42.00	-41.85	-42.04	-19.02	-22.83
		600 MHz to 616.9 MHz	-29.17	-24.60	-28.98	-27.60	-19.02	-5.58
		652.1 MHz to 700 MHz	-33.33	-33.51	-33.46	-33.59	-19.02	-14.31
		700 MHz to 1 GHz	-30.38	-29.39	-30.14	-30.07	-19.02	-10.37
		1 GHz to 3 GHz	-37.88	-37.91	-38.16	-38.00	-19.02	-18.86
		3 GHz to 8 GHz	-29.43	-29.92	-29.59	-29.81	-19.02	-10.41
	3	9 kHz to 150 kHz	-57.39	-56.14	-57.61	-57.22	-39.02	-17.12
		150 kHz to 30 MHz	-51.17	-50.72	-49.19	-51.28	-29.02	-20.17
		30 MHz to 600 MHz	-42.34	-42.22	-42.26	-42.46	-19.02	-23.20
		600 MHz to 616.9 MHz	-27.01	-23.67	-27.56	-28.03	-19.02	-4.65
		652.1 MHz to 700 MHz	-34.71	-34.35	-34.16	-34.36	-19.02	-15.14
		700 MHz to 1 GHz	-29.34	-29.54	-29.47	-29.03	-19.02	-10.01
		1 GHz to 3 GHz	-31.77	-38.48	-38.25	-38.17	-19.02	-12.75
		3 GHz to 8 GHz	-30.07	-30.10	-30.24	-29.95	-19.02	-10.93
Mid	0	9 kHz to 150 kHz	-56.20	-54.77	-56.39	-56.24	-39.02	-15.75
		150 kHz to 30 MHz	-50.52	-50.53	-49.68	-51.03	-29.02	-20.66
		30 MHz to 600 MHz	-43.05	-43.14	-42.98	-43.28	-19.02	-23.96
		600 MHz to 616.9 MHz	-35.26	-35.40	-35.05	-35.34	-19.02	-16.03
		652.1 MHz to 700 MHz	-33.86	-33.88	-34.32	-34.67	-19.02	-14.84
		700 MHz to 1 GHz	-34.79	-35.11	-34.84	-35.14	-19.02	-15.77
		1 GHz to 3 GHz	-35.00	-36.25	-35.25	-37.36	-19.02	-15.98
		3 GHz to 8 GHz	-29.47	-29.36	-29.42	-29.47	-19.02	-10.34
	1	9 kHz to 150 kHz	-57.30	-56.45	-57.30	-57.34	-39.02	-17.43
		150 kHz to 30 MHz	-50.86	-50.27	-50.30	-51.09	-29.02	-21.25
		30 MHz to 600 MHz	-42.14	-42.19	-41.97	-42.24	-19.02	-22.95
		600 MHz to 616.9 MHz	-35.23	-35.30	-34.94	-35.32	-19.02	-15.92
		652.1 MHz to 700 MHz	-34.24	-34.06	-33.98	-34.31	-19.02	-14.96
		700 MHz to 1 GHz	-35.36	-35.52	-35.28	-35.82	-19.02	-16.26
		1 GHz to 3 GHz	-38.84	-38.72	-38.82	-39.02	-19.02	-19.70
		3 GHz to 8 GHz	-31.09	-31.07	-30.84	-30.96	-19.02	-11.82
	2	9 kHz to 150 kHz	-58.13	-57.46	-58.59	-58.31	-39.02	-18.44
		150 kHz to 30 MHz	-51.10	-50.81	-51.37	-51.28	-29.02	-21.79
		30 MHz to 600 MHz	-41.74	-42.02	-42.05	-42.06	-19.02	-22.72
		600 MHz to 616.9 MHz	-35.62	-34.90	-34.81	-35.33	-19.02	-15.79
		652.1 MHz to 700 MHz	-34.08	-33.92	-33.66	-34.00	-19.02	-14.64
		700 MHz to 1 GHz	-35.21	-35.16	-35.01	-34.48	-19.02	-15.46
		1 GHz to 3 GHz	-38.15	-38.02	-38.05	-38.34	-19.02	-19.00
		3 GHz to 8 GHz	-29.53	-29.72	-29.70	-29.75	-19.02	-10.51

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 71 of 147

High	3	9 kHz to 150 kHz	-56.06	-55.45	-56.23	-56.52	-39.02	-16.43
		150 kHz to 30 MHz	-50.57	-50.54	-50.77	-49.83	-29.02	-20.81
		30 MHz to 600 MHz	-42.14	-42.29	-42.36	-42.46	-19.02	-23.12
		600 MHz to 616.9 MHz	-35.66	-35.54	-35.33	-35.73	-19.02	-16.31
		652.1 MHz to 700 MHz	-34.32	-34.41	-34.26	-34.37	-19.02	-15.24
		700 MHz to 1 GHz	-29.43	-29.54	-29.21	-29.64	-19.02	-10.19
		1 GHz to 3 GHz	-38.34	-38.35	-38.53	-38.33	-19.02	-19.31
		3 GHz to 8 GHz	-30.11	-30.15	-30.31	-29.88	-19.02	-10.86
	0	9 kHz to 150 kHz	-55.96	-55.11	-56.70	-56.48	-39.02	-16.09
		150 kHz to 30 MHz	-50.86	-50.79	-51.16	-50.70	-29.02	-21.68
		30 MHz to 600 MHz	-42.88	-42.75	-42.99	-43.23	-19.02	-23.73
		600 MHz to 616.9 MHz	-35.43	-35.04	-35.14	-35.51	-19.02	-16.02
		652.1 MHz to 700 MHz	-25.65	-24.70	-24.10	-25.36	-19.02	-5.08
		700 MHz to 1 GHz	-34.21	-34.41	-34.60	-34.68	-19.02	-15.19
		1 GHz to 3 GHz	-35.10	-35.19	-35.81	-35.35	-19.02	-16.08
		3 GHz to 8 GHz	-29.60	-29.41	-29.41	-29.74	-19.02	-10.39
	1	9 kHz to 150 kHz	-56.92	-56.62	-57.43	-57.74	-39.02	-17.60
		150 kHz to 30 MHz	-51.52	-48.75	-51.64	-50.65	-29.02	-19.73
		30 MHz to 600 MHz	-42.12	-42.22	-42.21	-42.15	-19.02	-23.10
		600 MHz to 616.9 MHz	-34.68	-34.78	-34.89	-34.89	-19.02	-15.66
		652.1 MHz to 700 MHz	-25.12	-24.50	-25.79	-26.49	-19.02	-5.48
		700 MHz to 1 GHz	-34.96	-34.90	-35.10	-35.24	-19.02	-15.88
		1 GHz to 3 GHz	-38.51	-38.80	-38.64	-38.72	-19.02	-19.49
		3 GHz to 8 GHz	-30.83	-31.07	-30.73	-30.94	-19.02	-11.71
	2	9 kHz to 150 kHz	-58.44	-57.75	-58.47	-58.35	-39.02	-18.73
		150 kHz to 30 MHz	-51.48	-51.46	-51.90	-51.65	-29.02	-22.44
		30 MHz to 600 MHz	-41.90	-41.96	-41.97	-41.68	-19.02	-22.66
		600 MHz to 616.9 MHz	-35.22	-34.82	-35.05	-35.06	-19.02	-15.80
		652.1 MHz to 700 MHz	-25.04	-24.16	-25.29	-24.17	-19.02	-5.14
		700 MHz to 1 GHz	-34.36	-34.47	-34.48	-34.64	-19.02	-15.34
		1 GHz to 3 GHz	-38.16	-38.13	-38.24	-38.19	-19.02	-19.11
		3 GHz to 8 GHz	-29.87	-29.91	-29.73	-29.79	-19.02	-10.71
	3	9 kHz to 150 kHz	-56.82	-55.31	-55.93	-56.59	-39.02	-16.29
		150 kHz to 30 MHz	-51.11	-50.95	-51.33	-50.86	-29.02	-21.84
		30 MHz to 600 MHz	-42.29	-42.32	-42.47	-42.11	-19.02	-23.09
		600 MHz to 616.9 MHz	-34.82	-35.35	-35.06	-35.66	-19.02	-15.80
		652.1 MHz to 700 MHz	-25.32	-25.01	-24.23	-25.45	-19.02	-5.21
		700 MHz to 1 GHz	-29.12	-29.71	-28.95	-29.06	-19.02	-9.93
		1 GHz to 3 GHz	-38.22	-38.54	-38.47	-38.35	-19.02	-19.20
		3 GHz to 8 GHz	-30.07	-30.16	-30.07	-29.88	-19.02	-10.86

Table 8-70. Conducted Spurious Emission Summary Data (n71_1C_5M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 72 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-54.43	-53.93	-53.26	-54.14	-39.02	-14.24
		150 kHz to 30 MHz	-50.80	-51.13	-52.05	-52.26	-29.02	-21.78
		30 MHz to 600 MHz	-42.73	-43.04	-42.94	-43.04	-19.02	-23.71
		600 MHz to 616.9 MHz	-27.29	-29.18	-27.58	-29.56	-19.02	-8.27
		652.1 MHz to 700 MHz	-34.29	-34.27	-34.41	-34.35	-19.02	-15.25
		700 MHz to 1 GHz	-31.11	-30.02	-30.86	-31.06	-19.02	-11.00
	1	1 GHz to 3 GHz	-27.39	-29.19	-29.66	-31.37	-19.02	-8.37
		3 GHz to 8 GHz	-29.16	-29.24	-29.40	-29.60	-19.02	-10.14
		9 kHz to 150 kHz	-55.24	-54.28	-54.98	-55.24	-39.02	-15.26
		150 kHz to 30 MHz	-51.12	-52.01	-52.45	-51.83	-29.02	-22.10
		30 MHz to 600 MHz	-42.05	-42.00	-42.06	-41.99	-19.02	-22.97
		600 MHz to 616.9 MHz	-25.64	-25.15	-26.31	-27.96	-19.02	-6.13
	2	652.1 MHz to 700 MHz	-33.57	-33.80	-33.98	-34.01	-19.02	-14.55
		700 MHz to 1 GHz	-31.65	-29.79	-32.13	-32.04	-19.02	-10.77
		1 GHz to 3 GHz	-38.80	-38.81	-38.69	-38.33	-19.02	-19.31
		3 GHz to 8 GHz	-30.75	-30.65	-30.85	-31.00	-19.02	-11.63
		9 kHz to 150 kHz	-55.18	-54.50	-55.87	-56.20	-39.02	-15.48
		150 kHz to 30 MHz	-52.17	-53.24	-51.37	-53.57	-29.02	-22.35
	3	30 MHz to 600 MHz	-41.80	-41.94	-42.04	-41.98	-19.02	-22.78
		600 MHz to 616.9 MHz	-23.89	-25.99	-25.37	-27.21	-19.02	-4.87
		652.1 MHz to 700 MHz	-32.76	-32.92	-33.40	-33.00	-19.02	-13.74
		700 MHz to 1 GHz	-30.44	-29.46	-30.59	-30.60	-19.02	-10.44
		1 GHz to 3 GHz	-38.10	-37.16	-36.28	-37.91	-19.02	-17.26
		3 GHz to 8 GHz	-29.91	-29.74	-29.70	-29.63	-19.02	-10.61
Mid	0	9 kHz to 150 kHz	-53.61	-52.90	-53.69	-53.80	-39.02	-13.88
		150 kHz to 30 MHz	-50.27	-51.08	-51.65	-51.11	-29.02	-21.25
		30 MHz to 600 MHz	-42.30	-41.99	-42.11	-42.29	-19.02	-22.97
		600 MHz to 616.9 MHz	-25.59	-25.72	-23.58	-27.28	-19.02	-4.56
		652.1 MHz to 700 MHz	-33.85	-34.44	-34.26	-34.12	-19.02	-14.83
		700 MHz to 1 GHz	-31.38	-30.21	-31.29	-30.70	-19.02	-11.19
	1	1 GHz to 3 GHz	-34.44	-36.37	-33.82	-37.86	-19.02	-14.80
		3 GHz to 8 GHz	-30.10	-30.14	-30.17	-30.06	-19.02	-11.04
		9 kHz to 150 kHz	-53.97	-52.96	-52.35	-52.70	-39.02	-13.33
		150 kHz to 30 MHz	-51.52	-50.97	-51.17	-51.66	-29.02	-21.95
		30 MHz to 600 MHz	-42.98	-42.87	-43.11	-43.09	-19.02	-23.85
		600 MHz to 616.9 MHz	-34.60	-34.07	-33.40	-34.19	-19.02	-14.38
	2	652.1 MHz to 700 MHz	-34.36	-34.19	-33.75	-33.41	-19.02	-14.39
		700 MHz to 1 GHz	-34.73	-34.88	-34.55	-34.34	-19.02	-15.32
		1 GHz to 3 GHz	-30.32	-34.22	-34.30	-29.45	-19.02	-10.43
		3 GHz to 8 GHz	-29.42	-29.41	-29.30	-29.36	-19.02	-10.28
		9 kHz to 150 kHz	-53.83	-53.15	-53.99	-54.20	-39.02	-14.13
		150 kHz to 30 MHz	-51.56	-50.46	-51.43	-49.62	-29.02	-20.60
	1	30 MHz to 600 MHz	-41.73	-42.04	-42.19	-42.01	-19.02	-22.71
		600 MHz to 616.9 MHz	-34.40	-34.20	-34.78	-34.48	-19.02	-15.18
		652.1 MHz to 700 MHz	-33.93	-33.74	-33.48	-33.74	-19.02	-14.46
		700 MHz to 1 GHz	-35.41	-35.02	-35.21	-34.86	-19.02	-15.84
		1 GHz to 3 GHz	-38.73	-38.87	-38.85	-38.56	-19.02	-19.54
		3 GHz to 8 GHz	-30.78	-31.04	-30.93	-31.01	-19.02	-11.76
	2	9 kHz to 150 kHz	-53.50	-54.36	-54.70	-54.70	-39.02	-14.48
		150 kHz to 30 MHz	-52.07	-53.45	-52.27	-52.81	-29.02	-23.05
		30 MHz to 600 MHz	-41.90	-41.84	-41.96	-42.00	-19.02	-22.82
		600 MHz to 616.9 MHz	-33.39	-33.23	-31.62	-33.55	-19.02	-12.60
		652.1 MHz to 700 MHz	-32.76	-32.58	-31.28	-32.97	-19.02	-12.26
		700 MHz to 1 GHz	-34.47	-34.23	-34.07	-34.13	-19.02	-15.05
		1 GHz to 3 GHz	-38.07	-33.29	-37.36	-38.00	-19.02	-14.27
		3 GHz to 8 GHz	-29.75	-29.53	-29.86	-29.65	-19.02	-10.51

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 73 of 147

High	3	9 kHz to 150 kHz	-52.89	-52.04	-52.54	-52.76	-39.02	-13.02
		150 kHz to 30 MHz	-50.71	-51.10	-51.41	-52.05	-29.02	-21.69
		30 MHz to 600 MHz	-42.27	-42.19	-42.45	-42.27	-19.02	-23.17
		600 MHz to 616.9 MHz	-34.72	-35.10	-35.05	-34.32	-19.02	-15.30
		652.1 MHz to 700 MHz	-33.87	-34.35	-33.94	-34.02	-19.02	-14.85
		700 MHz to 1 GHz	-30.45	-31.14	-31.19	-31.02	-19.02	-11.43
		1 GHz to 3 GHz	-31.40	-37.22	-38.35	-38.33	-19.02	-12.38
		3 GHz to 8 GHz	-29.80	-30.02	-30.06	-30.18	-19.02	-10.78
	0	9 kHz to 150 kHz	-52.55	-52.37	-52.94	-52.85	-39.02	-13.35
		150 kHz to 30 MHz	-50.52	-51.64	-51.67	-51.14	-29.02	-21.50
		30 MHz to 600 MHz	-42.97	-43.16	-42.79	-42.96	-19.02	-23.77
		600 MHz to 616.9 MHz	-34.58	-34.69	-34.60	-34.38	-19.02	-15.36
		652.1 MHz to 700 MHz	-27.88	-26.13	-27.11	-27.57	-19.02	-7.11
		700 MHz to 1 GHz	-34.23	-34.10	-34.33	-34.42	-19.02	-15.08
		1 GHz to 3 GHz	-30.47	-29.78	-32.55	-32.41	-19.02	-10.76
		3 GHz to 8 GHz	-29.47	-29.46	-29.44	-29.75	-19.02	-10.42
	1	9 kHz to 150 kHz	-53.98	-53.44	-53.52	-53.72	-39.02	-14.42
		150 kHz to 30 MHz	-52.28	-51.63	-51.72	-52.00	-29.02	-22.61
		30 MHz to 600 MHz	-42.22	-42.23	-42.12	-41.92	-19.02	-22.90
		600 MHz to 616.9 MHz	-33.89	-33.98	-33.53	-33.70	-19.02	-14.51
		652.1 MHz to 700 MHz	-28.46	-28.90	-28.37	-28.25	-19.02	-9.23
		700 MHz to 1 GHz	-34.37	-34.59	-34.64	-34.80	-19.02	-15.35
		1 GHz to 3 GHz	-38.82	-38.83	-38.28	-38.84	-19.02	-19.26
		3 GHz to 8 GHz	-30.70	-31.11	-30.85	-31.07	-19.02	-11.68
	2	9 kHz to 150 kHz	-53.48	-54.27	-54.74	-54.71	-39.02	-14.46
		150 kHz to 30 MHz	-51.57	-52.99	-52.95	-53.44	-29.02	-22.55
		30 MHz to 600 MHz	-41.75	-41.87	-41.95	-42.01	-19.02	-22.73
		600 MHz to 616.9 MHz	-33.93	-34.52	-33.89	-34.31	-19.02	-14.87
		652.1 MHz to 700 MHz	-26.47	-29.29	-29.11	-29.29	-19.02	-7.45
		700 MHz to 1 GHz	-33.78	-34.18	-33.96	-34.03	-19.02	-14.76
		1 GHz to 3 GHz	-37.97	-34.26	-38.14	-37.89	-19.02	-15.24
		3 GHz to 8 GHz	-29.78	-29.87	-29.75	-29.82	-19.02	-10.73
	3	9 kHz to 150 kHz	-52.81	-52.24	-52.58	-52.41	-39.02	-13.22
		150 kHz to 30 MHz	-51.43	-51.54	-52.17	-51.13	-29.02	-22.11
		30 MHz to 600 MHz	-42.35	-42.23	-42.45	-42.33	-19.02	-23.21
		600 MHz to 616.9 MHz	-34.48	-34.04	-34.25	-34.61	-19.02	-15.02
		652.1 MHz to 700 MHz	-27.22	-26.74	-25.22	-27.66	-19.02	-6.20
		700 MHz to 1 GHz	-29.87	-30.23	-30.02	-30.35	-19.02	-10.85
		1 GHz to 3 GHz	-38.34	-33.15	-38.41	-38.14	-19.02	-14.13
		3 GHz to 8 GHz	-29.97	-29.83	-30.18	-30.19	-19.02	-10.81

Table 8-71. Conducted Spurious Emission Summary Data (n71_1C_10M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 74 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-55.48	-54.28	-55.03	-54.95	-39.02	-15.26
		150 kHz to 30 MHz	-50.87	-50.93	-51.02	-50.52	-29.02	-21.50
		30 MHz to 600 MHz	-42.96	-42.68	-43.00	-42.87	-19.02	-23.66
		600 MHz to 616.9 MHz	-26.29	-26.64	-26.70	-27.57	-19.02	-7.27
		652.1 MHz to 700 MHz	-33.63	-33.94	-33.62	-33.55	-19.02	-14.53
		700 MHz to 1 GHz	-31.37	-30.67	-31.49	-31.44	-19.02	-11.65
		1 GHz to 3 GHz	-31.56	-35.20	-31.83	-35.74	-19.02	-12.54
		3 GHz to 8 GHz	-29.49	-29.46	-29.39	-29.42	-19.02	-10.37
	1	9 kHz to 150 kHz	-57.11	-55.22	-56.57	-56.64	-39.02	-16.20
		150 kHz to 30 MHz	-50.27	-52.02	-51.40	-50.91	-29.02	-21.25
		30 MHz to 600 MHz	-42.02	-42.05	-42.03	-42.15	-19.02	-23.00
		600 MHz to 616.9 MHz	-28.52	-27.00	-27.40	-27.12	-19.02	-7.98
		652.1 MHz to 700 MHz	-33.03	-33.05	-33.18	-33.78	-19.02	-14.01
		700 MHz to 1 GHz	-32.38	-31.15	-32.80	-32.78	-19.02	-12.13
		1 GHz to 3 GHz	-38.62	-38.48	-38.88	-38.91	-19.02	-19.46
		3 GHz to 8 GHz	-30.84	-30.56	-30.86	-30.78	-19.02	-11.54
	2	9 kHz to 150 kHz	-57.95	-55.86	-57.52	-57.26	-39.02	-16.84
		150 kHz to 30 MHz	-52.43	-52.89	-52.96	-53.85	-29.02	-23.41
		30 MHz to 600 MHz	-42.04	-41.95	-41.69	-41.90	-19.02	-22.67
		600 MHz to 616.9 MHz	-26.39	-26.15	-25.68	-26.89	-19.02	-6.66
		652.1 MHz to 700 MHz	-33.08	-32.97	-33.04	-32.97	-19.02	-13.95
		700 MHz to 1 GHz	-31.59	-29.99	-31.17	-30.89	-19.02	-10.97
		1 GHz to 3 GHz	-38.19	-37.80	-38.05	-38.16	-19.02	-18.78
		3 GHz to 8 GHz	-29.78	-29.68	-29.75	-29.73	-19.02	-10.66
	3	9 kHz to 150 kHz	-56.03	-54.62	-55.55	-55.18	-39.02	-15.60
		150 kHz to 30 MHz	-50.01	-51.36	-50.93	-50.66	-29.02	-20.99
		30 MHz to 600 MHz	-42.31	-42.08	-41.90	-42.36	-19.02	-22.88
		600 MHz to 616.9 MHz	-24.41	-25.11	-25.15	-26.19	-19.02	-5.39
		652.1 MHz to 700 MHz	-33.55	-33.12	-33.26	-33.63	-19.02	-14.10
		700 MHz to 1 GHz	-31.78	-30.28	-31.20	-31.01	-19.02	-11.26
		1 GHz to 3 GHz	-38.30	-34.12	-36.82	-38.37	-19.02	-15.10
		3 GHz to 8 GHz	-30.09	-29.90	-30.18	-30.06	-19.02	-10.88
Mid	0	9 kHz to 150 kHz	-54.99	-53.23	-55.21	-54.90	-39.02	-14.21
		150 kHz to 30 MHz	-50.83	-51.39	-51.64	-51.66	-29.02	-21.81
		30 MHz to 600 MHz	-43.03	-42.63	-42.97	-42.91	-19.02	-23.61
		600 MHz to 616.9 MHz	-31.59	-31.10	-32.26	-33.19	-19.02	-12.08
		652.1 MHz to 700 MHz	-32.98	-31.74	-32.08	-32.98	-19.02	-12.72
		700 MHz to 1 GHz	-33.75	-33.27	-34.05	-33.39	-19.02	-14.25
		1 GHz to 3 GHz	-29.72	-36.27	-33.30	-34.73	-19.02	-10.70
		3 GHz to 8 GHz	-29.33	-29.38	-29.44	-29.25	-19.02	-10.23
	1	9 kHz to 150 kHz	-55.75	-54.45	-55.84	-56.12	-39.02	-15.43
		150 kHz to 30 MHz	-50.31	-52.19	-50.36	-50.46	-29.02	-21.29
		30 MHz to 600 MHz	-42.28	-41.89	-42.02	-41.96	-19.02	-22.87
		600 MHz to 616.9 MHz	-31.50	-32.77	-32.66	-31.83	-19.02	-12.48
		652.1 MHz to 700 MHz	-33.40	-32.65	-33.22	-33.27	-19.02	-13.63
		700 MHz to 1 GHz	-34.44	-34.67	-34.43	-35.41	-19.02	-15.41
		1 GHz to 3 GHz	-38.48	-38.51	-38.87	-38.93	-19.02	-19.46
		3 GHz to 8 GHz	-30.64	-30.97	-30.96	-30.82	-19.02	-11.62
	2	9 kHz to 150 kHz	-56.96	-56.22	-56.90	-56.19	-39.02	-17.17
		150 kHz to 30 MHz	-52.93	-52.74	-52.92	-51.69	-29.02	-22.67
		30 MHz to 600 MHz	-41.98	-41.82	-41.82	-41.83	-19.02	-22.80
		600 MHz to 616.9 MHz	-29.93	-32.10	-32.12	-31.59	-19.02	-10.91
		652.1 MHz to 700 MHz	-31.69	-32.26	-32.19	-32.87	-19.02	-12.67
		700 MHz to 1 GHz	-34.18	-34.21	-34.12	-34.13	-19.02	-15.10
		1 GHz to 3 GHz	-37.16	-35.77	-38.16	-38.17	-19.02	-16.75
		3 GHz to 8 GHz	-29.74	-29.74	-29.69	-29.65	-19.02	-10.63

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 75 of 147

High	3	9 kHz to 150 kHz	-55.16	-53.62	-54.79	-54.46	-39.02	-14.60
		150 kHz to 30 MHz	-51.07	-50.41	-50.95	-51.41	-29.02	-21.39
		30 MHz to 600 MHz	-42.22	-42.14	-42.28	-42.17	-19.02	-23.12
		600 MHz to 616.9 MHz	-31.70	-31.65	-32.15	-32.23	-19.02	-12.63
		652.1 MHz to 700 MHz	-33.37	-32.77	-32.09	-33.35	-19.02	-13.07
		700 MHz to 1 GHz	-31.16	-30.59	-30.83	-31.08	-19.02	-11.57
		1 GHz to 3 GHz	-38.22	-38.04	-38.22	-38.26	-19.02	-19.02
		3 GHz to 8 GHz	-30.07	-30.10	-30.08	-30.09	-19.02	-11.05
	0	9 kHz to 150 kHz	-54.77	-53.67	-54.63	-54.32	-39.02	-14.65
		150 kHz to 30 MHz	-51.60	-51.00	-50.21	-50.89	-29.02	-21.19
		30 MHz to 600 MHz	-42.92	-43.00	-42.99	-43.10	-19.02	-23.90
		600 MHz to 616.9 MHz	-34.15	-34.44	-34.15	-34.63	-19.02	-15.13
		652.1 MHz to 700 MHz	-28.47	-28.37	-29.35	-28.41	-19.02	-9.35
		700 MHz to 1 GHz	-32.76	-33.62	-33.71	-33.82	-19.02	-13.74
		1 GHz to 3 GHz	-28.56	-31.80	-32.97	-33.13	-19.02	-9.54
		3 GHz to 8 GHz	-29.36	-29.24	-29.22	-29.52	-19.02	-10.20
	1	9 kHz to 150 kHz	-55.81	-54.56	-55.65	-55.63	-39.02	-15.54
		150 kHz to 30 MHz	-49.71	-50.30	-50.54	-51.06	-29.02	-20.69
		30 MHz to 600 MHz	-42.05	-42.07	-41.98	-42.25	-19.02	-22.96
		600 MHz to 616.9 MHz	-33.82	-33.07	-34.10	-33.84	-19.02	-14.05
		652.1 MHz to 700 MHz	-28.62	-28.51	-28.88	-29.30	-19.02	-9.49
		700 MHz to 1 GHz	-34.48	-34.64	-34.52	-34.46	-19.02	-15.44
		1 GHz to 3 GHz	-38.01	-38.76	-38.54	-38.76	-19.02	-18.99
		3 GHz to 8 GHz	-30.90	-30.68	-30.82	-30.88	-19.02	-11.66
	2	9 kHz to 150 kHz	-55.93	-55.69	-57.01	-56.69	-39.02	-16.67
		150 kHz to 30 MHz	-52.60	-51.87	-51.84	-52.00	-29.02	-22.82
		30 MHz to 600 MHz	-42.05	-41.95	-41.86	-41.95	-19.02	-22.84
		600 MHz to 616.9 MHz	-33.32	-33.03	-34.19	-34.02	-19.02	-14.01
		652.1 MHz to 700 MHz	-28.14	-28.74	-28.56	-29.13	-19.02	-9.12
		700 MHz to 1 GHz	-33.94	-33.93	-33.83	-34.16	-19.02	-14.81
		1 GHz to 3 GHz	-37.71	-37.93	-38.02	-38.23	-19.02	-18.69
		3 GHz to 8 GHz	-29.77	-29.43	-29.60	-29.67	-19.02	-10.41
	3	9 kHz to 150 kHz	-55.10	-54.17	-55.44	-54.59	-39.02	-15.15
		150 kHz to 30 MHz	-52.14	-51.23	-50.84	-50.36	-29.02	-21.34
		30 MHz to 600 MHz	-42.27	-41.98	-42.21	-42.28	-19.02	-22.96
		600 MHz to 616.9 MHz	-33.93	-33.97	-34.07	-34.28	-19.02	-14.91
		652.1 MHz to 700 MHz	-27.95	-28.76	-28.72	-28.56	-19.02	-8.93
		700 MHz to 1 GHz	-30.42	-30.99	-30.11	-31.11	-19.02	-11.09
		1 GHz to 3 GHz	-38.10	-38.53	-38.33	-38.41	-19.02	-19.08
		3 GHz to 8 GHz	-30.13	-30.04	-29.75	-30.20	-19.02	-10.73

Table 8-72. Conducted Spurious Emission Summary Data (n71_1C_15M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 76 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			n71_2C_5 M+5M	n71_2NC_ 5M+5M	n71_2C_5 M+10M	n71_2NC_ 5M+10M		
Low	0	9 kHz to 150 kHz	-53.02		-54.27		-39.02	-14.00
		150 kHz to 30 MHz	-51.59		-51.25		-29.02	-22.23
		30 MHz to 600 MHz	-42.84		-42.87		-19.02	-23.82
		600 MHz to 616.9 MHz	-26.97		-24.54		-19.02	-5.52
		652.1 MHz to 700 MHz	-33.65		-33.11		-19.02	-14.09
		700 MHz to 1 GHz	-31.14		-30.72		-19.02	-11.70
		1 GHz to 3 GHz	-33.73		-37.00		-19.02	-14.71
		3 GHz to 8 GHz	-29.41		-29.11		-19.02	-10.09
	1	9 kHz to 150 kHz	-55.11		-55.18		-39.02	-16.09
		150 kHz to 30 MHz	-51.93		-50.65		-29.02	-21.63
		30 MHz to 600 MHz	-42.22		-41.78		-19.02	-22.76
		600 MHz to 616.9 MHz	-27.64		-23.53		-19.02	-4.51
		652.1 MHz to 700 MHz	-33.56		-33.08		-19.02	-14.06
		700 MHz to 1 GHz	-31.89		-31.46		-19.02	-12.44
		1 GHz to 3 GHz	-38.87		-38.59		-19.02	-19.57
		3 GHz to 8 GHz	-30.68		-30.73		-19.02	-11.66
	2	9 kHz to 150 kHz	-55.58		-56.82		-39.02	-16.56
		150 kHz to 30 MHz	-52.05		-52.62		-29.02	-23.03
		30 MHz to 600 MHz	-41.60		-41.89		-19.02	-22.58
		600 MHz to 616.9 MHz	-26.30		-25.65		-19.02	-6.63
		652.1 MHz to 700 MHz	-32.97		-33.37		-19.02	-13.95
		700 MHz to 1 GHz	-30.69		-30.84		-19.02	-11.67
		1 GHz to 3 GHz	-38.15		-38.11		-19.02	-19.09
		3 GHz to 8 GHz	-29.59		-29.34		-19.02	-10.32
	3	9 kHz to 150 kHz	-53.78		-54.54		-39.02	-14.76
		150 kHz to 30 MHz	-51.14		-50.08		-29.02	-21.06
		30 MHz to 600 MHz	-42.28		-42.19		-19.02	-23.17
		600 MHz to 616.9 MHz	-26.41		-25.76		-19.02	-6.74
		652.1 MHz to 700 MHz	-33.78		-33.56		-19.02	-14.54
		700 MHz to 1 GHz	-31.47		-31.21		-19.02	-12.19
		1 GHz to 3 GHz	-30.61		-38.32		-19.02	-11.59
		3 GHz to 8 GHz	-29.85		-29.69		-19.02	-10.67
Mid	0	9 kHz to 150 kHz	-51.98	-53.73	-53.88	-54.29	-39.02	-12.96
		150 kHz to 30 MHz	-50.11	-51.55	-50.20	-50.03	-29.02	-21.01
		30 MHz to 600 MHz	-43.12	-42.83	-42.85	-35.55	-19.02	-16.53
		600 MHz to 616.9 MHz	-34.05	-26.37	-32.72	-27.60	-19.02	-7.35
		652.1 MHz to 700 MHz	-34.42	-23.40	-33.30	-25.56	-19.02	-4.38
		700 MHz to 1 GHz	-34.24	-30.22	-33.43	-30.16	-19.02	-11.14
		1 GHz to 3 GHz	-33.42	-37.69	-38.19	-35.39	-19.02	-14.40
		3 GHz to 8 GHz	-29.31	-29.33	-29.24	-29.12	-19.02	-10.10
	1	9 kHz to 150 kHz	-53.49	-54.31	-54.76	-56.15	-39.02	-14.47
		150 kHz to 30 MHz	-49.97	-51.63	-50.09	-49.05	-29.02	-20.03
		30 MHz to 600 MHz	-42.02	-41.27	-41.96	-41.41	-19.02	-22.25
		600 MHz to 616.9 MHz	-34.31	-25.26	-30.92	-26.51	-19.02	-6.24
		652.1 MHz to 700 MHz	-33.73	-22.10	-33.44	-26.87	-19.02	-3.08
		700 MHz to 1 GHz	-35.47	-31.22	-35.39	-30.86	-19.02	-11.84
		1 GHz to 3 GHz	-38.61	-38.54	-38.58	-38.69	-19.02	-19.52
		3 GHz to 8 GHz	-30.96	-30.64	-30.66	-30.69	-19.02	-11.62
	2	9 kHz to 150 kHz	-53.57	-55.75	-55.69	-57.27	-39.02	-14.55
		150 kHz to 30 MHz	-52.14	-52.12	-51.66	-50.77	-29.02	-21.75
		30 MHz to 600 MHz	-41.91	-41.14	-41.91	-41.32	-19.02	-22.12
		600 MHz to 616.9 MHz	-33.55	-25.17	-30.13	-27.08	-19.02	-6.15
		652.1 MHz to 700 MHz	-32.68	-22.79	-31.76	-27.88	-19.02	-3.77
		700 MHz to 1 GHz	-34.20	-29.93	-34.20	-30.11	-19.02	-10.91
		1 GHz to 3 GHz	-38.19	-37.85	-38.27	-37.78	-19.02	-18.76

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 77 of 147

	3	3 GHz to 8 GHz	-29.70	-29.52	-29.66	-29.53	-19.02	-10.50
		9 kHz to 150 kHz	-53.01	-53.90	-54.35	-55.55	-39.02	-13.99
		150 kHz to 30 MHz	-51.04	-50.16	-51.52	-50.52	-29.02	-21.14
		30 MHz to 600 MHz	-42.18	-35.22	-42.23	-41.39	-19.02	-16.20
		600 MHz to 616.9 MHz	-34.19	-25.56	-29.54	-27.04	-19.02	-6.54
		652.1 MHz to 700 MHz	-33.36	-21.33	-31.59	-26.39	-19.02	-2.31
		700 MHz to 1 GHz	-31.17	-30.42	-30.83	-30.28	-19.02	-11.26
		1 GHz to 3 GHz	-33.14	-38.24	-38.18	-38.19	-19.02	-14.12
High	0	3 GHz to 8 GHz	-29.94	-29.95	-29.88	-29.62	-19.02	-10.60
		9 kHz to 150 kHz	-51.50		-53.25		-39.02	-12.48
		150 kHz to 30 MHz	-50.12		-50.46		-29.02	-21.10
		30 MHz to 600 MHz	-42.88		-42.72		-19.02	-23.70
		600 MHz to 616.9 MHz	-34.76		-34.24		-19.02	-15.22
		652.1 MHz to 700 MHz	-24.54		-27.74		-19.02	-5.52
		700 MHz to 1 GHz	-33.41		-32.85		-19.02	-13.83
		1 GHz to 3 GHz	-35.63		-35.65		-19.02	-16.61
	1	3 GHz to 8 GHz	-29.27		-28.97		-19.02	-9.95
		9 kHz to 150 kHz	-53.53		-55.06		-39.02	-14.51
		150 kHz to 30 MHz	-50.09		-51.06		-29.02	-21.07
		30 MHz to 600 MHz	-41.86		-42.02		-19.02	-22.84
		600 MHz to 616.9 MHz	-34.36		-33.72		-19.02	-14.70
		652.1 MHz to 700 MHz	-24.62		-31.06		-19.02	-5.60
		700 MHz to 1 GHz	-34.81		-34.89		-19.02	-15.79
		1 GHz to 3 GHz	-38.49		-38.59		-19.02	-19.47
	2	3 GHz to 8 GHz	-30.47		-30.39		-19.02	-11.37
		9 kHz to 150 kHz	-53.62		-54.48		-39.02	-14.60
		150 kHz to 30 MHz	-51.83		-53.42		-29.02	-22.81
		30 MHz to 600 MHz	-41.91		-41.75		-19.02	-22.73
		600 MHz to 616.9 MHz	-34.26		-33.84		-19.02	-14.82
		652.1 MHz to 700 MHz	-25.29		-29.73		-19.02	-6.27
		700 MHz to 1 GHz	-34.44		-34.12		-19.02	-15.10
		1 GHz to 3 GHz	-37.98		-37.90		-19.02	-18.88
	3	3 GHz to 8 GHz	-29.58		-29.46		-19.02	-10.44
		9 kHz to 150 kHz	-51.34		-53.59		-39.02	-12.32
		150 kHz to 30 MHz	-49.71		-51.28		-29.02	-20.69
		30 MHz to 600 MHz	-42.21		-41.89		-19.02	-22.87
		600 MHz to 616.9 MHz	-35.09		-33.84		-19.02	-14.82
		652.1 MHz to 700 MHz	-22.47		-29.15		-19.02	-3.45
		700 MHz to 1 GHz	-30.87		-30.60		-19.02	-11.58
		1 GHz to 3 GHz	-37.96		-35.97		-19.02	-16.95
		3 GHz to 8 GHz	-29.89		-29.89		-19.02	-10.87

Table 8-73. Conducted Spurious Emission Summary Data (n71_Multi-carrier)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 78 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-56.42	-56.36	-57.16	-55.81	-39.02	-16.79
		150 kHz to 30 MHz	-51.44	-51.47	-49.84	-50.41	-29.02	-20.82
		30 MHz to 700 MHz	-33.10	-33.32	-33.14	-33.18	-19.02	-14.08
		700 MHz to 727.9 MHz	-25.97	-26.47	-26.90	-25.39	-19.02	-6.37
		746.1 MHz to 800 MHz	-34.06	-34.52	-33.84	-34.15	-19.02	-14.82
		800 MHz to 1 GHz	-40.78	-41.04	-41.21	-41.08	-19.02	-21.76
		1 GHz to 3 GHz	-37.95	-38.24	-38.21	-38.15	-19.02	-18.93
		3 GHz to 8 GHz	-29.22	-29.42	-29.40	-28.98	-19.02	-9.96
	1	9 kHz to 150 kHz	-57.12	-56.65	-57.98	-57.21	-39.02	-17.63
		150 kHz to 30 MHz	-51.08	-49.34	-51.00	-49.55	-29.02	-20.32
		30 MHz to 700 MHz	-32.42	-32.13	-32.54	-32.56	-19.02	-13.11
		700 MHz to 727.9 MHz	-25.58	-25.93	-27.05	-25.29	-19.02	-6.27
		746.1 MHz to 800 MHz	-33.83	-34.30	-34.05	-34.39	-19.02	-14.81
		800 MHz to 1 GHz	-41.01	-40.99	-40.98	-40.90	-19.02	-21.88
		1 GHz to 3 GHz	-38.56	-38.67	-38.82	-38.88	-19.02	-19.54
		3 GHz to 8 GHz	-30.68	-30.80	-30.70	-30.61	-19.02	-11.59
	2	9 kHz to 150 kHz	-58.36	-58.07	-58.94	-57.77	-39.02	-18.75
		150 kHz to 30 MHz	-52.00	-51.92	-51.35	-51.61	-29.02	-22.33
		30 MHz to 700 MHz	-32.14	-32.31	-32.30	-32.64	-19.02	-13.12
		700 MHz to 727.9 MHz	-26.26	-26.48	-27.03	-25.65	-19.02	-6.63
		746.1 MHz to 800 MHz	-33.67	-33.50	-33.75	-34.05	-19.02	-14.48
		800 MHz to 1 GHz	-40.59	-40.72	-40.68	-40.74	-19.02	-21.57
		1 GHz to 3 GHz	-38.09	-37.86	-38.07	-38.32	-19.02	-18.84
		3 GHz to 8 GHz	-29.74	-29.40	-29.58	-29.64	-19.02	-10.38
	3	9 kHz to 150 kHz	-56.64	-56.55	-57.28	-55.95	-39.02	-16.93
		150 kHz to 30 MHz	-50.11	-51.40	-49.58	-50.30	-29.02	-20.56
		30 MHz to 700 MHz	-32.66	-32.72	-32.63	-32.77	-19.02	-13.61
		700 MHz to 727.9 MHz	-25.89	-25.59	-25.74	-24.67	-19.02	-5.65
		746.1 MHz to 800 MHz	-34.52	-33.85	-34.40	-33.61	-19.02	-14.59
		800 MHz to 1 GHz	-40.83	-40.80	-40.98	-40.77	-19.02	-21.75
		1 GHz to 3 GHz	-38.20	-38.34	-38.24	-38.34	-19.02	-19.18
		3 GHz to 8 GHz	-30.02	-29.99	-29.54	-29.95	-19.02	-10.52
Mid	0	9 kHz to 150 kHz	-56.18	-55.92	-56.89	-55.90	-39.02	-16.88
		150 kHz to 30 MHz	-50.06	-50.95	-51.88	-50.55	-29.02	-21.04
		30 MHz to 700 MHz	-33.27	-33.28	-33.09	-32.99	-19.02	-13.97
		700 MHz to 727.9 MHz	-32.79	-32.89	-33.08	-32.79	-19.02	-13.77
		746.1 MHz to 800 MHz	-33.97	-33.83	-33.76	-33.55	-19.02	-14.53
		800 MHz to 1 GHz	-41.07	-41.11	-40.98	-41.17	-19.02	-21.96
		1 GHz to 3 GHz	-37.91	-38.23	-37.97	-38.27	-19.02	-18.89
		3 GHz to 8 GHz	-29.16	-29.30	-29.19	-29.21	-19.02	-10.14
	1	9 kHz to 150 kHz	-56.30	-57.03	-57.82	-56.60	-39.02	-17.28
		150 kHz to 30 MHz	-51.67	-50.33	-51.00	-50.90	-29.02	-21.31
		30 MHz to 700 MHz	-32.30	-32.53	-32.37	-32.26	-19.02	-13.24
		700 MHz to 727.9 MHz	-33.63	-34.16	-34.34	-34.09	-19.02	-14.61
		746.1 MHz to 800 MHz	-33.64	-33.82	-33.97	-33.65	-19.02	-14.62
		800 MHz to 1 GHz	-40.98	-40.92	-40.89	-41.05	-19.02	-21.87
		1 GHz to 3 GHz	-38.61	-38.39	-38.84	-38.70	-19.02	-19.37
		3 GHz to 8 GHz	-30.65	-30.65	-30.75	-30.79	-19.02	-11.63
	2	9 kHz to 150 kHz	-57.63	-57.81	-58.66	-58.04	-39.02	-18.61
		150 kHz to 30 MHz	-52.73	-51.90	-51.36	-51.99	-29.02	-22.34
		30 MHz to 700 MHz	-32.06	-32.48	-32.49	-32.69	-19.02	-13.04
		700 MHz to 727.9 MHz	-32.75	-32.93	-33.48	-33.08	-19.02	-13.73
		746.1 MHz to 800 MHz	-32.94	-33.10	-33.24	-32.88	-19.02	-13.86
		800 MHz to 1 GHz	-40.78	-40.85	-40.90	-40.89	-19.02	-21.76
		1 GHz to 3 GHz	-37.82	-38.10	-37.95	-38.16	-19.02	-18.80
		3 GHz to 8 GHz	-29.60	-29.38	-29.72	-29.64	-19.02	-10.36

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 79 of 147

High	3	9 kHz to 150 kHz	-56.47	-56.11	-57.34	-56.27	-39.02	-17.09
		150 kHz to 30 MHz	-50.76	-50.54	-50.96	-50.36	-29.02	-21.34
		30 MHz to 700 MHz	-32.90	-32.45	-32.84	-32.61	-19.02	-13.43
		700 MHz to 727.9 MHz	-33.42	-33.40	-33.51	-33.20	-19.02	-14.18
		746.1 MHz to 800 MHz	-32.98	-33.64	-33.57	-32.46	-19.02	-13.44
		800 MHz to 1 GHz	-41.19	-41.03	-41.03	-41.05	-19.02	-22.01
		1 GHz to 3 GHz	-38.15	-38.35	-38.25	-38.15	-19.02	-19.13
		3 GHz to 8 GHz	-29.69	-30.11	-29.87	-29.84	-19.02	-10.67
	0	9 kHz to 150 kHz	-55.71	-56.56	-57.05	-55.42	-39.02	-16.40
		150 kHz to 30 MHz	-50.83	-51.70	-50.44	-49.98	-29.02	-20.96
		30 MHz to 700 MHz	-28.97	-32.22	-33.41	-33.29	-19.02	-9.95
		700 MHz to 727.9 MHz	-33.94	-34.30	-34.20	-34.03	-19.02	-14.92
		746.1 MHz to 750 MHz	-24.97	-26.36	-25.83	-25.07	-19.02	-5.95
		750 MHz to 800 MHz	-41.50	-41.73	-41.66	-41.47	-19.02	-22.45
		800 MHz to 1 GHz	-40.65	-40.99	-41.07	-40.94	-19.02	-21.63
		1 GHz to 3 GHz	-37.79	-35.15	-38.15	-37.92	-19.02	-16.13
	1	3 GHz to 8 GHz	-29.17	-29.32	-29.15	-29.32	-19.02	-10.13
		9 kHz to 150 kHz	-56.29	-57.22	-57.97	-56.86	-39.02	-17.27
		150 kHz to 30 MHz	-50.44	-49.44	-52.15	-51.46	-29.02	-20.42
		30 MHz to 700 MHz	-32.58	-32.48	-32.55	-32.63	-19.02	-13.46
		700 MHz to 727.9 MHz	-34.33	-34.07	-34.42	-34.36	-19.02	-15.05
		746.1 MHz to 750 MHz	-28.37	-28.11	-25.88	-27.42	-19.02	-6.86
		750 MHz to 800 MHz	-41.16	-41.34	-41.08	-41.34	-19.02	-22.06
		800 MHz to 1 GHz	-40.97	-41.09	-40.87	-41.13	-19.02	-21.85
	2	1 GHz to 3 GHz	-38.37	-38.53	-38.88	-38.46	-19.02	-19.35
		3 GHz to 8 GHz	-30.75	-30.83	-30.61	-30.59	-19.02	-11.57
		9 kHz to 150 kHz	-58.54	-58.16	-59.29	-58.09	-39.02	-19.07
		150 kHz to 30 MHz	-51.96	-52.28	-52.36	-52.75	-29.02	-22.94
		30 MHz to 700 MHz	-32.56	-32.29	-32.60	-32.57	-19.02	-13.27
		700 MHz to 727.9 MHz	-33.48	-33.37	-33.30	-33.78	-19.02	-14.28
		746.1 MHz to 750 MHz	-24.24	-24.51	-25.21	-24.24	-19.02	-5.22
		750 MHz to 800 MHz	-40.54	-40.93	-41.17	-40.97	-19.02	-21.52
	3	800 MHz to 1 GHz	-40.52	-40.67	-40.94	-40.86	-19.02	-21.50
		1 GHz to 3 GHz	-37.83	-37.86	-38.20	-38.04	-19.02	-18.81
		3 GHz to 8 GHz	-29.24	-29.55	-29.56	-29.17	-19.02	-10.15
		9 kHz to 150 kHz	-56.28	-56.68	-57.30	-56.66	-39.02	-17.26
		150 kHz to 30 MHz	-50.92	-49.73	-52.05	-49.90	-29.02	-20.71
		30 MHz to 700 MHz	-32.70	-32.66	-32.75	-32.90	-19.02	-13.64
		700 MHz to 727.9 MHz	-33.95	-34.15	-33.92	-34.12	-19.02	-14.90
		746.1 MHz to 750 MHz	-26.83	-24.65	-25.55	-25.56	-19.02	-5.63
		750 MHz to 800 MHz	-41.09	-41.24	-41.42	-41.24	-19.02	-22.07
		800 MHz to 1 GHz	-41.00	-41.09	-40.83	-41.12	-19.02	-21.81
		1 GHz to 3 GHz	-38.51	-38.18	-38.38	-38.28	-19.02	-19.16
		3 GHz to 8 GHz	-29.75	-29.96	-30.01	-29.89	-19.02	-10.73

Table 8-74. Conducted Spurious Emission Summary Data (B85_1C_5M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 80 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			QPSK	16QAM	64QAM	256QAM		
Low	0	9 kHz to 150 kHz	-53.84	-51.97	-54.02	-52.27	-39.02	-12.95
		150 kHz to 30 MHz	-50.41	-51.23	-50.41	-51.53	-29.02	-21.39
		30 MHz to 700 MHz	-33.92	-33.70	-33.89	-33.63	-19.02	-14.61
		700 MHz to 727.9 MHz	-22.60	-20.72	-22.24	-20.92	-19.02	-1.70
		746.1 MHz to 800 MHz	-32.41	-32.66	-32.85	-32.82	-19.02	-13.39
		800 MHz to 1 GHz	-40.78	-40.62	-40.86	-40.94	-19.02	-21.60
		1 GHz to 3 GHz	-37.81	-34.93	-35.17	-37.21	-19.02	-15.91
		3 GHz to 8 GHz	-28.91	-29.11	-29.31	-29.19	-19.02	-9.89
	1	9 kHz to 150 kHz	-55.09	-53.16	-55.38	-52.96	-39.02	-13.94
		150 kHz to 30 MHz	-51.85	-51.45	-50.73	-51.59	-29.02	-21.71
		30 MHz to 700 MHz	-32.76	-31.82	-32.62	-32.98	-19.02	-12.80
		700 MHz to 727.9 MHz	-22.43	-21.28	-22.23	-21.15	-19.02	-2.13
		746.1 MHz to 800 MHz	-31.64	-31.62	-31.88	-32.31	-19.02	-12.60
		800 MHz to 1 GHz	-40.74	-40.90	-40.83	-40.84	-19.02	-21.72
		1 GHz to 3 GHz	-38.34	-38.61	-38.36	-38.51	-19.02	-19.32
		3 GHz to 8 GHz	-30.62	-30.65	-30.49	-30.58	-19.02	-11.47
	2	9 kHz to 150 kHz	-56.24	-54.68	-56.45	-53.78	-39.02	-14.76
		150 kHz to 30 MHz	-53.57	-53.21	-51.65	-53.39	-29.02	-22.63
		30 MHz to 700 MHz	-32.77	-32.91	-32.67	-32.33	-19.02	-13.31
		700 MHz to 727.9 MHz	-22.02	-21.58	-21.79	-22.76	-19.02	-2.56
		746.1 MHz to 800 MHz	-32.42	-31.26	-32.36	-32.46	-19.02	-12.24
		800 MHz to 1 GHz	-40.60	-40.57	-40.66	-40.66	-19.02	-21.55
		1 GHz to 3 GHz	-37.77	-37.66	-37.91	-37.75	-19.02	-18.64
		3 GHz to 8 GHz	-29.48	-29.35	-29.44	-29.51	-19.02	-10.33
	3	9 kHz to 150 kHz	-53.87	-51.89	-54.44	-52.25	-39.02	-12.87
		150 kHz to 30 MHz	-50.64	-52.21	-52.00	-51.84	-29.02	-21.62
		30 MHz to 700 MHz	-32.91	-33.08	-33.08	-33.10	-19.02	-13.89
		700 MHz to 727.9 MHz	-24.63	-21.76	-20.96	-20.54	-19.02	-1.52
		746.1 MHz to 800 MHz	-30.94	-31.77	-31.80	-30.90	-19.02	-11.88
		800 MHz to 1 GHz	-40.71	-40.90	-40.86	-40.84	-19.02	-21.69
		1 GHz to 3 GHz	-37.77	-37.93	-38.20	-38.11	-19.02	-18.75
		3 GHz to 8 GHz	-29.89	-29.82	-29.97	-29.76	-19.02	-10.74
Mid	0	9 kHz to 150 kHz	-53.85	-51.85	-54.28	-52.02	-39.02	-12.83
		150 kHz to 30 MHz	-50.82	-52.32	-51.69	-51.76	-29.02	-21.80
		30 MHz to 700 MHz	-34.05	-33.69	-33.85	-33.73	-19.02	-14.67
		700 MHz to 727.9 MHz	-28.22	-27.28	-26.60	-24.64	-19.02	-5.62
		746.1 MHz to 800 MHz	-28.59	-28.62	-27.84	-27.59	-19.02	-8.57
		800 MHz to 1 GHz	-40.69	-40.62	-40.71	-40.97	-19.02	-21.60
		1 GHz to 3 GHz	-31.72	-35.65	-35.54	-37.92	-19.02	-12.70
		3 GHz to 8 GHz	-29.21	-29.14	-29.23	-29.30	-19.02	-10.12
	1	9 kHz to 150 kHz	-54.65	-53.28	-55.59	-52.90	-39.02	-13.88
		150 kHz to 30 MHz	-50.09	-50.62	-51.55	-51.44	-29.02	-21.07
		30 MHz to 700 MHz	-32.88	-32.84	-32.83	-32.92	-19.02	-13.81
		700 MHz to 727.9 MHz	-26.38	-28.36	-28.30	-26.84	-19.02	-7.36
		746.1 MHz to 800 MHz	-29.96	-29.39	-28.69	-29.21	-19.02	-9.67
		800 MHz to 1 GHz	-40.69	-40.72	-40.85	-40.78	-19.02	-21.67
		1 GHz to 3 GHz	-38.46	-38.37	-38.57	-38.41	-19.02	-19.35
		3 GHz to 8 GHz	-30.66	-30.75	-30.59	-30.66	-19.02	-11.57
	2	9 kHz to 150 kHz	-55.81	-54.94	-56.96	-54.58	-39.02	-15.56
		150 kHz to 30 MHz	-51.67	-52.42	-53.29	-52.28	-29.02	-22.65
		30 MHz to 700 MHz	-32.96	-33.04	-33.71	-32.90	-19.02	-13.88
		700 MHz to 727.9 MHz	-26.43	-27.05	-26.64	-25.03	-19.02	-6.01
		746.1 MHz to 800 MHz	-26.76	-26.85	-26.38	-27.25	-19.02	-7.36
		800 MHz to 1 GHz	-40.58	-40.45	-40.61	-40.70	-19.02	-21.43
		1 GHz to 3 GHz	-37.99	-37.70	-37.45	-37.74	-19.02	-18.43
		3 GHz to 8 GHz	-29.28	-29.52	-29.57	-29.47	-19.02	-10.26

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 81 of 147

High	3	9 kHz to 150 kHz	-53.42	-52.02	-54.46	-51.80	-39.02	-12.78
		150 kHz to 30 MHz	-51.67	-51.89	-51.82	-51.82	-29.02	-22.65
		30 MHz to 700 MHz	-32.83	-32.84	-33.09	-32.80	-19.02	-13.78
		700 MHz to 727.9 MHz	-25.95	-28.35	-26.71	-26.09	-19.02	-6.93
		746.1 MHz to 800 MHz	-27.84	-27.68	-26.79	-28.38	-19.02	-7.77
		800 MHz to 1 GHz	-40.90	-40.86	-40.64	-40.76	-19.02	-21.62
		1 GHz to 3 GHz	-38.06	-38.11	-38.25	-37.83	-19.02	-18.81
		3 GHz to 8 GHz	-28.97	-29.66	-29.55	-29.90	-19.02	-9.95
	0	9 kHz to 150 kHz	-53.25	-52.53	-54.18	-52.65	-39.02	-13.51
		150 kHz to 30 MHz	-50.60	-52.78	-50.95	-52.13	-29.02	-21.58
		30 MHz to 700 MHz	-33.64	-33.57	-33.88	-33.74	-19.02	-14.55
		700 MHz to 727.9 MHz	-32.37	-32.38	-32.30	-32.65	-19.02	-13.28
		746.1 MHz to 750 MHz	-25.68	-22.50	-23.73	-23.15	-19.02	-3.48
		750 MHz to 800 MHz	-40.03	-40.01	-38.43	-40.33	-19.02	-19.41
		800 MHz to 1 GHz	-41.00	-40.82	-40.84	-40.76	-19.02	-21.74
		1 GHz to 3 GHz	-30.95	-31.74	-37.12	-37.97	-19.02	-11.93
		3 GHz to 8 GHz	-28.79	-29.31	-29.21	-28.91	-19.02	-9.77
	1	9 kHz to 150 kHz	-55.52	-53.78	-55.17	-53.53	-39.02	-14.51
		150 kHz to 30 MHz	-51.38	-50.60	-52.36	-51.61	-29.02	-21.58
		30 MHz to 700 MHz	-32.98	-32.86	-32.90	-32.54	-19.02	-13.52
		700 MHz to 727.9 MHz	-33.66	-33.64	-33.30	-33.33	-19.02	-14.28
		746.1 MHz to 750 MHz	-25.76	-25.45	-25.03	-23.82	-19.02	-4.80
		750 MHz to 800 MHz	-40.51	-39.71	-39.67	-40.41	-19.02	-20.65
		800 MHz to 1 GHz	-40.87	-40.83	-40.64	-40.96	-19.02	-21.62
		1 GHz to 3 GHz	-38.43	-38.36	-38.68	-38.22	-19.02	-19.20
		3 GHz to 8 GHz	-30.35	-30.43	-30.62	-30.65	-19.02	-11.33
	2	9 kHz to 150 kHz	-56.23	-55.29	-56.19	-54.64	-39.02	-15.62
		150 kHz to 30 MHz	-53.04	-52.02	-53.36	-52.98	-29.02	-23.00
		30 MHz to 700 MHz	-32.86	-33.53	-32.76	-33.71	-19.02	-13.74
		700 MHz to 727.9 MHz	-31.37	-31.99	-31.58	-32.02	-19.02	-12.35
		746.1 MHz to 750 MHz	-21.55	-23.29	-21.65	-21.69	-19.02	-2.53
		750 MHz to 800 MHz	-40.96	-38.26	-39.46	-39.76	-19.02	-19.24
		800 MHz to 1 GHz	-40.62	-40.61	-40.56	-40.49	-19.02	-21.47
		1 GHz to 3 GHz	-37.79	-37.84	-37.91	-37.94	-19.02	-18.77
		3 GHz to 8 GHz	-29.43	-29.38	-29.44	-29.24	-19.02	-10.22
	3	9 kHz to 150 kHz	-53.69	-51.77	-54.29	-53.26	-39.02	-12.75
		150 kHz to 30 MHz	-50.76	-50.64	-51.22	-51.31	-29.02	-21.62
		30 MHz to 700 MHz	-32.82	-33.14	-33.40	-33.09	-19.02	-13.80
		700 MHz to 727.9 MHz	-32.79	-32.58	-32.35	-33.04	-19.02	-13.33
		746.1 MHz to 750 MHz	-23.92	-22.58	-23.26	-21.72	-19.02	-2.70
		750 MHz to 800 MHz	-39.73	-38.89	-39.28	-39.83	-19.02	-19.87
		800 MHz to 1 GHz	-40.66	-40.82	-40.76	-40.84	-19.02	-21.64
		1 GHz to 3 GHz	-38.12	-37.86	-37.97	-38.12	-19.02	-18.84
		3 GHz to 8 GHz	-29.80	-30.00	-29.67	-29.76	-19.02	-10.65

Table 8-75. Conducted Spurious Emission Summary Data (B85_1C_10M)

FCC ID: A3LRF4435D-71A	MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)	Page 82 of 147

Channel	Port	Measurement Range	Level (dBm)				Limit (dBm)	Margin (dB)
			B85_2C_5 M+5M	B85_2NC 5M+5M	B85_2C_5 M+10M	B85_2NC 5M+10M		
Low	0	9 kHz to 150 kHz	-54.45		-55.18		-39.02	-15.43
		150 kHz to 30 MHz	-50.42		-52.65		-29.02	-21.40
		30 MHz to 700 MHz	-33.69		-33.38		-19.02	-14.36
		700 MHz to 727.9 MHz	-22.61		-22.82		-19.02	-3.59
		746.1 MHz to 800 MHz	-32.38		-28.15		-19.02	-9.13
		800 MHz to 1 GHz	-40.80		-40.66		-19.02	-21.64
		1 GHz to 3 GHz	-37.60		-37.82		-19.02	-18.58
		3 GHz to 8 GHz	-29.08		-29.12		-19.02	-10.06
	1	9 kHz to 150 kHz	-55.61		-55.02		-39.02	-16.00
		150 kHz to 30 MHz	-52.12		-51.18		-29.02	-22.16
		30 MHz to 700 MHz	-32.70		-32.53		-19.02	-13.51
		700 MHz to 727.9 MHz	-21.89		-22.79		-19.02	-2.87
		746.1 MHz to 800 MHz	-31.71		-29.05		-19.02	-10.03
		800 MHz to 1 GHz	-40.75		-40.76		-19.02	-21.73
		1 GHz to 3 GHz	-38.49		-38.35		-19.02	-19.33
		3 GHz to 8 GHz	-30.43		-30.65		-19.02	-11.41
	2	9 kHz to 150 kHz	-56.35		-56.89		-39.02	-17.33
		150 kHz to 30 MHz	-53.06		-51.87		-29.02	-22.85
		30 MHz to 700 MHz	-32.54		-32.53		-19.02	-13.51
		700 MHz to 727.9 MHz	-20.69		-22.49		-19.02	-1.67
		746.1 MHz to 800 MHz	-31.28		-27.18		-19.02	-8.16
		800 MHz to 1 GHz	-40.51		-40.44		-19.02	-21.42
		1 GHz to 3 GHz	-37.70		-37.62		-19.02	-18.60
		3 GHz to 8 GHz	-29.27		-29.46		-19.02	-10.25
	3	9 kHz to 150 kHz	-54.67		-54.53		-39.02	-15.51
		150 kHz to 30 MHz	-51.01		-51.65		-29.02	-21.99
		30 MHz to 700 MHz	-32.98		-32.97		-19.02	-13.95
		700 MHz to 727.9 MHz	-20.54		-21.62		-19.02	-1.52
		746.1 MHz to 800 MHz	-30.91		-27.69		-19.02	-8.67
		800 MHz to 1 GHz	-40.73		-40.99		-19.02	-21.71
		1 GHz to 3 GHz	-37.96		-37.73		-19.02	-18.71
		3 GHz to 8 GHz	-29.75		-29.73		-19.02	-10.71
Mid	0	9 kHz to 150 kHz	-52.79	-54.75	-54.52	-54.04	-39.02	-13.77
		150 kHz to 30 MHz	-51.90	-51.77	-51.71	-50.95	-29.02	-21.93
		30 MHz to 700 MHz	-33.11	-33.66	-33.58	-33.47	-19.02	-14.09
		700 MHz to 727.9 MHz	-23.68	-24.25	-22.81	-22.72	-19.02	-3.70
		746.1 MHz to 800 MHz	-26.77	-22.71	-24.07	-23.77	-19.02	-3.69
		800 MHz to 1 GHz	-40.66	-40.60	-40.85	-40.72	-19.02	-21.58
		1 GHz to 3 GHz	-37.74	-37.61	-37.98	-37.77	-19.02	-18.59
		3 GHz to 8 GHz	-29.18	-29.26	-29.08	-29.22	-19.02	-10.06
	1	9 kHz to 150 kHz	-54.06	-55.28	-55.37	-54.96	-39.02	-15.04
		150 kHz to 30 MHz	-51.18	-51.45	-49.72	-51.07	-29.02	-20.70
		30 MHz to 700 MHz	-32.46	-32.73	-32.72	-32.38	-19.02	-13.36
		700 MHz to 727.9 MHz	-25.99	-21.98	-22.23	-21.83	-19.02	-2.81
		746.1 MHz to 800 MHz	-28.32	-21.38	-26.03	-23.00	-19.02	-2.36
		800 MHz to 1 GHz	-40.91	-40.83	-40.72	-40.91	-19.02	-21.70
		1 GHz to 3 GHz	-38.27	-24.70	-38.61	-38.51	-19.02	-5.68
		3 GHz to 8 GHz	-30.67	-30.60	-30.58	-30.73	-19.02	-11.56
	2	9 kHz to 150 kHz	-55.24	-56.33	-56.72	-56.39	-39.02	-16.22
		150 kHz to 30 MHz	-51.86	-54.42	-54.06	-52.33	-29.02	-22.84
		30 MHz to 700 MHz	-32.68	-32.56	-32.57	-32.61	-19.02	-13.54
		700 MHz to 727.9 MHz	-24.43	-22.45	-23.41	-22.36	-19.02	-3.34
		746.1 MHz to 800 MHz	-25.34	-22.35	-25.62	-23.98	-19.02	-3.33
		800 MHz to 1 GHz	-40.47	-40.55	-40.56	-40.35	-19.02	-21.33
		1 GHz to 3 GHz	-37.84	-37.81	-37.75	-37.86	-19.02	-18.73

FCC ID: A3LRF4435D-71A		MEASUREMENT REPORT (Class II Permissive Change)		Approved by: Technical Manager
Test Report S/N: 8K24091001-00.A3L	Test Dates: 10/01/2024 - 11/29/2024	EUT Type: RRU(RF4435d)		Page 83 of 147