

# Antenna Specifications

Model: C50

## 1 、 Bluetooth&2.4G WIFI VSWR& Passive Data






Passive Test For WIFI2.4										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHIS (%)	DHIS (%)	Max (dB)	Min (dB)	Attenut Hor	Attenut Ver
2400	30.31	-5.18	-1.79	-3.94	14.91	15.401	-1.79	-13.92	52.57	52.52
2410	31.72	-4.99	-1.66	-3.81	15.8	15.899	-1.66	-13.98	52.61	52.56
2420	32.81	-4.84	-1.46	-3.61	16.206	16.602	-1.46	-13.79	52.49	52.49
2430	35.39	-4.51	-1.23	-3.43	18.872	16.516	-0.93	-13.79	52.55	52.52
2440	36.78	-4.34	-1.29	-3.48	19.347	17.436	-0.98	-14.65	52.69	52.57
2450	37.67	-4. 24	-1.20	-3.36	19.064	18.606	-0.91	-13.45	52. 92	52.78
2460	36.18	-4. 41	-1.25	-3.40	17.672	18.511	-1.05	-12.76	52.79	52.62
2470	35.64	-4.48	-1.27	-3.42	18.945	16.698	-1.27	-14.43	52.83	52.65
2480	35.39	-4.51	-1.33	-3.52	18.872	16.516	-0.93	-13.79	52.81	52.65
2490	35.19	-4.54	-1.32	-3.47	18.847	16.343	-1.32	-13.96	53	52.81
2500	33.3	-4.78	-1.43	-3.58	17.382	15.914	-1.43	-14.8	53.02	52.84

#### 2 Test Condition


#### 2.1 Test Environment (Condition/Method)

- ① Voltage Standing Wave Ratio(VSWR)
- Step 1. Set the frequency range after connect 50cm cable to Network analyzer.
- Step 2. Connect Calibration Kit to Network analyzer and calibrate.
- Step 3. Fix the cable and keep separation distance over 30cm for reducing effect by Network analyzer.
- Step 4. Fix insulator over 5cm on the bottom of measuring antenna.
- Step 5. Measure VSWR with setting marker of desired frequency.



#### 2 Radiation & Gain

- Step 1. Calibrate the Chamber system using Horn antenna, and set up the software to control the Chamber system at the same time.
- Step 2. Keep the measuring antenna to holder.
- Step 3. Measure Gain & efficiency.





3 Antenna description

Type: PIFA


## 4 List of Measuring Equipment

## **Multi-Probe OTA Measurement System**





**DUT** setup photo of free space OTA testing





### 5 Manufacturer

Name Address	shenzhen Fu Bang Wireless Technical Limitied Company 3th Floor, Building T1, Lianjian Industrial Park,Huaxing Road, longhuadalang District,Shenzhen				
Tel	13691727201				
E-mail	eting2007@163.com				
Equipment	GTS2800				