



Profile: 1992128R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.924	30.434	-29.076	74.000	14.490	PK
2	*	17265.000	50.262	29.662	-23.738	74.000	20.600	PK

Profile: 1992128R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.468	28.978	-30.532	74.000	14.490	PK
2	*	17265.000	49.395	28.795	-24.605	74.000	20.600	PK

Profile: 1992128R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.111	30.066	-28.889	74.000	15.045	PK
2	*	17385.000	49.487	29.571	-24.513	74.000	19.916	PK

Profile: 1992128R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.721	30.676	-28.279	74.000	15.045	PK
2	*	17385.000	48.472	28.556	-25.528	74.000	19.916	PK

Profile: 1992128R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.584	31.826	-30.416	74.000	11.757	PK
2	*	15540.000	47.848	30.377	-26.152	74.000	17.471	PK

Profile: 1992128R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.853	33.095	-29.147	74.000	11.757	PK
2	*	15540.000	48.517	31.046	-25.483	74.000	17.471	PK

Profile: 1992128R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.891	30.540	-31.109	74.000	12.351	PK
2	*	15660.000	47.174	29.647	-26.826	74.000	17.527	PK

Profile: 1992128R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.096	29.745	-31.904	74.000	12.351	PK
2	*	15660.000	47.582	30.055	-26.418	74.000	17.527	PK

Profile: 1992128R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.322	30.255	-31.678	74.000	12.068	PK
2	*	15720.000	47.819	29.668	-26.181	74.000	18.152	PK

Profile: 1992128R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.403	30.336	-31.597	74.000	12.068	PK
2	*	15720.000	48.416	30.265	-25.584	74.000	18.152	PK

Profile: 1992128R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.708	28.777	-31.292	74.000	13.931	PK
2	*	17235.000	48.978	28.697	-25.022	74.000	20.281	PK

Profile: 1992128R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.837	30.906	-29.163	74.000	13.931	PK
2	*	17235.000	49.472	29.191	-24.528	74.000	20.281	PK

Profile: 1992128R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.886	30.672	-29.114	74.000	14.214	PK
2	*	17355.000	47.127	27.364	-26.873	74.000	19.762	PK

Profile: 1992128R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.553	30.339	-29.447	74.000	14.214	PK
2	*	17355.000	47.406	27.643	-26.594	74.000	19.762	PK

Profile: 1992128R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.027	30.450	-28.973	74.000	14.577	PK
2	*	17475.000	49.842	29.933	-24.158	74.000	19.909	PK

Profile: 1992128R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.764	29.187	-30.236	74.000	14.577	PK
2	*	17475.000	50.037	30.128	-23.963	74.000	19.909	PK

Profile: 1992128R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.877	32.094	-30.123	74.000	11.783	PK
2	*	15570.000	49.842	31.830	-24.158	74.000	18.012	PK

Profile: 1992128R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.734	30.951	-31.266	74.000	11.783	PK
2	*	15570.000	48.777	30.765	-25.223	74.000	18.012	PK

Profile: 1992128R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.355	30.498	-31.645	74.000	11.857	PK
2	*	15690.000	48.651	30.297	-25.349	74.000	18.354	PK

Profile: 1992128R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.745	29.888	-32.255	74.000	11.857	PK
2	*	15690.000	48.086	29.732	-25.914	74.000	18.354	PK

Profile: 1992128R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.895	29.405	-30.105	74.000	14.490	PK
2	*	17265.000	50.002	29.402	-23.998	74.000	20.600	PK

Profile: 1992128R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.473	29.983	-29.527	74.000	14.490	PK
2	*	17265.000	49.797	29.197	-24.203	74.000	20.600	PK

Profile: 1992128R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.657	30.612	-28.343	74.000	15.045	PK
2	*	17385.000	49.517	29.601	-24.483	74.000	19.916	PK

Profile: 1992128R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.033	30.988	-27.967	74.000	15.045	PK
2	*	17385.000	48.053	28.137	-25.947	74.000	19.916	PK

Profile: 1992128R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.547	30.768	-31.453	74.000	11.780	PK
2	*	15630.000	48.396	30.534	-25.604	74.000	17.862	PK

Profile: 1992128R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.848	31.069	-31.152	74.000	11.780	PK
2	*	15630.000	47.477	29.615	-26.523	74.000	17.862	PK

Profile: 1992128R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.509	29.099	-30.491	74.000	14.409	PK
2	*	17325.000	46.633	26.068	-27.367	74.000	20.565	PK

Profile: 1992128R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.747	30.337	-29.253	74.000	14.409	PK
2	*	17325.000	48.267	27.702	-25.733	74.000	20.565	PK

Profile: 1992128R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.725	30.967	-31.275	74.000	11.757	PK
2	*	15540.000	47.888	30.417	-26.112	74.000	17.471	PK

Profile: 1992128R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.512	31.754	-30.488	74.000	11.757	PK
2	*	15540.000	48.666	31.195	-25.334	74.000	17.471	PK

Profile: 1992128R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.209	29.858	-31.791	74.000	12.351	PK
2	*	15660.000	47.066	29.539	-26.934	74.000	17.527	PK

Profile: 1992128R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.326	29.975	-31.674	74.000	12.351	PK
2	*	15660.000	47.029	29.502	-26.971	74.000	17.527	PK

Profile: 1992128R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.230	30.163	-31.770	74.000	12.068	PK
2	*	15720.000	47.839	29.688	-26.161	74.000	18.152	PK

Profile: 1992128R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.717	30.650	-31.283	74.000	12.068	PK
2	*	15720.000	49.954	31.803	-24.046	74.000	18.152	PK

Profile: 1992128R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.918	29.987	-30.082	74.000	13.931	PK
2	*	17235.000	51.640	31.359	-22.360	74.000	20.281	PK

Profile: 1992128R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.465	29.534	-30.535	74.000	13.931	PK
2	*	17235.000	50.902	30.621	-23.098	74.000	20.281	PK

Profile: 1992128R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.433	30.219	-29.567	74.000	14.214	PK
2	*	17355.000	47.334	27.571	-26.666	74.000	19.762	PK

Profile: 1992128R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.253	30.039	-29.747	74.000	14.214	PK
2	*	17355.000	47.720	27.957	-26.280	74.000	19.762	PK

Profile: 1992128R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.102	29.525	-29.898	74.000	14.577	PK
2	*	17475.000	50.351	30.442	-23.649	74.000	19.909	PK

Profile: 1992128R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.156	30.579	-28.844	74.000	14.577	PK
2	*	17475.000	51.085	31.176	-22.915	74.000	19.909	PK

Profile: 1992128R	Page No.: 149
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.588	30.805	-31.412	74.000	11.783	PK
2	*	15570.000	49.655	31.643	-24.345	74.000	18.012	PK

Profile: 1992128R	Page No.: 150
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.809	31.026	-31.191	74.000	11.783	PK
2	*	15570.000	49.094	31.082	-24.906	74.000	18.012	PK

Profile: 1992128R	Page No.: 151
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.243	30.386	-31.757	74.000	11.857	PK
2	*	15690.000	48.603	30.249	-25.397	74.000	18.354	PK

Profile: 1992128R	Page No.: 152
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.697	29.840	-32.303	74.000	11.857	PK
2	*	15690.000	49.683	31.329	-24.317	74.000	18.354	PK

Profile: 1992128R	Page No.: 153
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.902	29.412	-30.098	74.000	14.490	PK
2	*	17265.000	49.501	28.901	-24.499	74.000	20.600	PK

Profile: 1992128R	Page No.: 154
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.845	30.355	-29.155	74.000	14.490	PK
2	*	17265.000	49.656	29.056	-24.344	74.000	20.600	PK

Profile: 1992128R	Page No.: 155
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.353	31.308	-27.647	74.000	15.045	PK
2	*	17385.000	50.620	30.704	-23.380	74.000	19.916	PK

Profile: 1992128R	Page No.: 156
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.751	29.706	-29.249	74.000	15.045	PK
2	*	17385.000	49.393	29.477	-24.607	74.000	19.916	PK

Profile: 1992128R	Page No.: 157
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.156	31.377	-30.844	74.000	11.780	PK
2	*	15630.000	47.141	29.279	-26.859	74.000	17.862	PK

Profile: 1992128R	Page No.: 158
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.917	30.138	-32.083	74.000	11.780	PK
2	*	15630.000	48.442	30.580	-25.558	74.000	17.862	PK

Profile: 1992128R	Page No.: 159
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.587	30.177	-29.413	74.000	14.409	PK
2	*	17325.000	47.638	27.073	-26.362	74.000	20.565	PK


Profile: 1992128R	Page No.: 160
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.341	28.931	-30.659	74.000	14.409	PK
2	*	17325.000	48.443	27.878	-25.557	74.000	20.565	PK


Beamforming:

Profile: 1992128R	Page No.: 69
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.428	31.670	-30.572	74.000	11.757	PK
2	*	15540.000	48.655	31.184	-25.345	74.000	17.471	PK

Profile: 1992128R	Page No.: 70
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.315	30.557	-31.685	74.000	11.757	PK
2	*	15540.000	49.048	31.577	-24.952	74.000	17.471	PK

Profile: 1992128R	Page No.: 71
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.130	30.779	-30.870	74.000	12.351	PK
2	*	15660.000	48.068	30.541	-25.932	74.000	17.527	PK

Profile: 1992128R	Page No.: 72
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.631	30.280	-31.369	74.000	12.351	PK
2	*	15660.000	48.651	31.124	-25.349	74.000	17.527	PK

Profile: 1992128R	Page No.: 73
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.608	31.541	-30.392	74.000	12.068	PK
2	*	15720.000	48.089	29.938	-25.911	74.000	18.152	PK

Profile: 1992128R	Page No.: 74
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.805	30.738	-31.195	74.000	12.068	PK
2	*	15720.000	48.352	30.201	-25.648	74.000	18.152	PK

Profile: 1992128R	Page No.: 75
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.633	31.702	-28.367	74.000	13.931	PK
2	*	17235.000	50.474	30.193	-23.526	74.000	20.281	PK

Profile: 1992128R	Page No.: 76
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.914	28.983	-31.086	74.000	13.931	PK
2	*	17235.000	50.233	29.952	-23.767	74.000	20.281	PK

Profile: 1992128R	Page No.: 77
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.810	29.596	-30.190	74.000	14.214	PK
2	*	17355.000	46.859	27.096	-27.141	74.000	19.762	PK

Profile: 1992128R	Page No.: 78
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.330	30.116	-29.670	74.000	14.214	PK
2	*	17355.000	49.449	29.686	-24.551	74.000	19.762	PK

Profile: 1992128R	Page No.: 79
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.550	29.973	-29.450	74.000	14.577	PK
2	*	17475.000	51.819	31.910	-22.181	74.000	19.909	PK

Profile: 1992128R	Page No.: 80
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.109	29.532	-29.891	74.000	14.577	PK
2	*	17475.000	49.960	30.051	-24.040	74.000	19.909	PK

Profile: 1992128R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.298	31.515	-30.702	74.000	11.783	PK
2	*	15570.000	48.317	30.305	-25.683	74.000	18.012	PK

Profile: 1992128R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.764	30.981	-31.236	74.000	11.783	PK
2	*	15570.000	49.504	31.492	-24.496	74.000	18.012	PK

Profile: 1992128R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.164	30.307	-31.836	74.000	11.857	PK
2	*	15690.000	48.752	30.398	-25.248	74.000	18.354	PK

Profile: 1992128R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.985	29.128	-33.015	74.000	11.857	PK
2	*	15690.000	48.931	30.577	-25.069	74.000	18.354	PK

Profile: 1992128R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.022	30.532	-28.978	74.000	14.490	PK
2	*	17265.000	49.765	29.165	-24.235	74.000	20.600	PK

Profile: 1992128R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.322	29.832	-29.678	74.000	14.490	PK
2	*	17265.000	50.332	29.732	-23.668	74.000	20.600	PK

Profile: 1992128R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.383	29.338	-29.617	74.000	15.045	PK
2	*	17385.000	48.981	29.065	-25.019	74.000	19.916	PK

Profile: 1992128R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.538	29.493	-29.462	74.000	15.045	PK
2	*	17385.000	48.272	28.356	-25.728	74.000	19.916	PK

Profile: 1992128R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.494	32.736	-29.506	74.000	11.757	PK
2	*	15540.000	49.432	31.961	-24.568	74.000	17.471	PK

Profile: 1992128R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.490	30.732	-31.510	74.000	11.757	PK
2	*	15540.000	49.763	32.292	-24.237	74.000	17.471	PK

Profile: 1992128R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.171	29.820	-31.829	74.000	12.351	PK
2	*	15660.000	47.213	29.686	-26.787	74.000	17.527	PK

Profile: 1992128R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.515	30.164	-31.485	74.000	12.351	PK
2	*	15660.000	47.814	30.287	-26.186	74.000	17.527	PK

Profile: 1992128R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.382	31.315	-30.618	74.000	12.068	PK
2	*	15720.000	48.042	29.891	-25.958	74.000	18.152	PK

Profile: 1992128R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.963	30.896	-31.037	74.000	12.068	PK
2	*	15720.000	48.872	30.721	-25.128	74.000	18.152	PK

Profile: 1992128R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.368	31.437	-28.632	74.000	13.931	PK
2	*	17235.000	49.927	29.646	-24.073	74.000	20.281	PK

Profile: 1992128R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.716	29.785	-30.284	74.000	13.931	PK
2	*	17235.000	49.771	29.490	-24.229	74.000	20.281	PK

Profile: 1992128R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.065	28.851	-30.935	74.000	14.214	PK
2	*	17355.000	46.970	27.207	-27.030	74.000	19.762	PK

Profile: 1992128R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.964	29.750	-30.036	74.000	14.214	PK
2	*	17355.000	46.505	26.742	-27.495	74.000	19.762	PK

Profile: 1992128R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.174	30.597	-28.826	74.000	14.577	PK
2	*	17475.000	50.505	30.596	-23.495	74.000	19.909	PK

Profile: 1992128R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.566	29.989	-29.434	74.000	14.577	PK
2	*	17475.000	49.546	29.637	-24.454	74.000	19.909	PK

Profile: 1992128R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.374	30.591	-31.626	74.000	11.783	PK
2	*	15570.000	48.675	30.663	-25.325	74.000	18.012	PK

Profile: 1992128R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.083	31.300	-30.917	74.000	11.783	PK
2	*	15570.000	48.284	30.272	-25.716	74.000	18.012	PK

Profile: 1992128R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.958	30.101	-32.042	74.000	11.857	PK
2	*	15690.000	47.862	29.508	-26.138	74.000	18.354	PK

Profile: 1992128R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.343	31.486	-30.657	74.000	11.857	PK
2	*	15690.000	49.278	30.924	-24.722	74.000	18.354	PK

Profile: 1992128R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.362	29.872	-29.638	74.000	14.490	PK
2	*	17265.000	49.972	29.372	-24.028	74.000	20.600	PK

Profile: 1992128R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	11510.000	44.997	30.507	-29.003	74.000	14.490	PK
2		17265.000	-872.410	-893.010	-946.410	74.000	20.600	PK

Profile: 1992128R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.544	29.499	-29.456	74.000	15.045	PK
2	*	17385.000	48.258	28.342	-25.742	74.000	19.916	PK

Profile: 1992128R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.108	31.063	-27.892	74.000	15.045	PK
2	*	17385.000	48.186	28.270	-25.814	74.000	19.916	PK

Profile: 1992128R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.550	31.771	-30.450	74.000	11.780	PK
2	*	15630.000	48.211	30.349	-25.789	74.000	17.862	PK

Profile: 1992128R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.595	30.816	-31.405	74.000	11.780	PK
2	*	15630.000	48.204	30.342	-25.796	74.000	17.862	PK

Profile: 1992128R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.054	29.644	-29.946	74.000	14.409	PK
2	*	17325.000	48.386	27.821	-25.614	74.000	20.565	PK

Profile: 1992128R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.076	29.666	-29.924	74.000	14.409	PK
2	*	17325.000	48.119	27.554	-25.881	74.000	20.565	PK

Profile: 1992128R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.272	31.514	-30.728	74.000	11.757	PK
2	*	15540.000	48.542	31.071	-25.458	74.000	17.471	PK

Profile: 1992128R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.735	30.977	-31.265	74.000	11.757	PK
2	*	15540.000	47.854	30.383	-26.146	74.000	17.471	PK

Profile: 1992128R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.057	30.706	-30.943	74.000	12.351	PK
2	*	15660.000	46.524	28.997	-27.476	74.000	17.527	PK

Profile: 1992128R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.931	29.580	-32.069	74.000	12.351	PK
2	*	15660.000	47.676	30.149	-26.324	74.000	17.527	PK

Profile: 1992128R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.212	30.145	-31.788	74.000	12.068	PK
2	*	15720.000	49.281	31.130	-24.719	74.000	18.152	PK

Profile: 1992128R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.661	30.594	-31.339	74.000	12.068	PK
2	*	15720.000	49.075	30.924	-24.925	74.000	18.152	PK

Profile: 1992128R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.621	28.690	-31.379	74.000	13.931	PK
2	*	17235.000	51.272	30.991	-22.728	74.000	20.281	PK

Profile: 1992128R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.856	29.925	-30.144	74.000	13.931	PK
2	*	17235.000	49.514	29.233	-24.486	74.000	20.281	PK

Profile: 1992128R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.267	29.053	-30.733	74.000	14.214	PK
2	*	17355.000	46.795	27.032	-27.205	74.000	19.762	PK

Profile: 1992128R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.543	29.329	-30.457	74.000	14.214	PK
2	*	17355.000	46.919	27.156	-27.081	74.000	19.762	PK

Profile: 1992128R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.250	29.673	-29.750	74.000	14.577	PK
2	*	17475.000	50.532	30.623	-23.468	74.000	19.909	PK

Profile: 1992128R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.867	30.290	-29.133	74.000	14.577	PK
2	*	17475.000	50.676	30.767	-23.324	74.000	19.909	PK

Profile: 1992128R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.385	30.602	-31.615	74.000	11.783	PK
2	*	15570.000	49.537	31.525	-24.463	74.000	18.012	PK

Profile: 1992128R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.549	30.766	-31.451	74.000	11.783	PK
2	*	15570.000	48.788	30.776	-25.212	74.000	18.012	PK

Profile: 1992128R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.359	30.502	-31.641	74.000	11.857	PK
2	*	15690.000	48.271	29.917	-25.729	74.000	18.354	PK

Profile: 1992128R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.353	30.496	-31.647	74.000	11.857	PK
2	*	15690.000	49.620	31.266	-24.380	74.000	18.354	PK

Profile: 1992128R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.320	29.830	-29.680	74.000	14.490	PK
2	*	17265.000	50.714	30.114	-23.286	74.000	20.600	PK

Profile: 1992128R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.448	29.958	-29.552	74.000	14.490	PK
2	*	17265.000	50.107	29.507	-23.893	74.000	20.600	PK

Profile: 1992128R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.815	29.770	-29.185	74.000	15.045	PK
2	*	17385.000	49.200	29.284	-24.800	74.000	19.916	PK

Profile: 1992128R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.950	29.905	-29.050	74.000	15.045	PK
2	*	17385.000	48.536	28.620	-25.464	74.000	19.916	PK

Profile: 1992128R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.888	30.109	-32.112	74.000	11.780	PK
2	*	15630.000	48.538	30.676	-25.462	74.000	17.862	PK

Profile: 1992128R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.413	30.634	-31.587	74.000	11.780	PK
2	*	15630.000	48.396	30.534	-25.604	74.000	17.862	PK

Profile: 1992128R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.451	30.041	-29.549	74.000	14.409	PK
2	*	17325.000	48.899	28.334	-25.101	74.000	20.565	PK

Profile: 1992128R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.033	29.623	-29.967	74.000	14.409	PK
2	*	17325.000	49.416	28.851	-24.584	74.000	20.565	PK

Radio 3:

5GHz Full Band


2*2 CDD:

Profile: 1992128R	Page No.: 81
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.836	31.078	-31.164	74.000	11.757	PK
2	*	15540.000	47.999	30.528	-26.001	74.000	17.471	PK

Profile: 1992128R	Page No.: 82
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.760	32.002	-30.240	74.000	11.757	PK
2	*	15540.000	48.999	31.528	-25.001	74.000	17.471	PK

Profile: 1992128R	Page No.: 83
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.793	29.442	-32.207	74.000	12.351	PK
2	*	15660.000	47.766	30.239	-26.234	74.000	17.527	PK

Profile: 1992128R	Page No.: 84
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.183	30.832	-30.817	74.000	12.351	PK
2	*	15660.000	46.919	29.392	-27.081	74.000	17.527	PK

Profile: 1992128R	Page No.: 85
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.237	32.170	-29.763	74.000	12.068	PK
2	*	15720.000	47.881	29.730	-26.119	74.000	18.152	PK

Profile: 1992128R	Page No.: 86
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.124	30.057	-31.876	74.000	12.068	PK
2	*	15720.000	48.426	30.275	-25.574	74.000	18.152	PK

Profile: 1992128R	Page No.: 87
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.014	30.083	-29.986	74.000	13.931	PK
2	*	17235.000	51.087	30.806	-22.913	74.000	20.281	PK

Profile: 1992128R	Page No.: 88
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.666	29.735	-30.334	74.000	13.931	PK
2	*	17235.000	51.430	31.149	-22.570	74.000	20.281	PK

Profile: 1992128R	Page No.: 89
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.115	29.901	-29.885	74.000	14.214	PK
2	*	17355.000	46.900	27.137	-27.100	74.000	19.762	PK

Profile: 1992128R	Page No.: 90
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.961	29.747	-30.039	74.000	14.214	PK
2	*	17355.000	48.866	29.103	-25.134	74.000	19.762	PK

Profile: 1992128R	Page No.: 91
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.885	30.308	-29.115	74.000	14.577	PK
2	*	17475.000	51.283	31.374	-22.717	74.000	19.909	PK

Profile: 1992128R	Page No.: 92
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.760	30.183	-29.240	74.000	14.577	PK
2	*	17475.000	50.358	30.449	-23.642	74.000	19.909	PK

Profile: 1992128R	Page No.: 93
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.913	31.155	-31.087	74.000	11.757	PK
2	*	15540.000	48.256	30.785	-25.744	74.000	17.471	PK

Profile: 1992128R	Page No.: 94
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.946	31.188	-31.054	74.000	11.757	PK
2	*	15540.000	47.483	30.012	-26.517	74.000	17.471	PK

Profile: 1992128R	Page No.: 95
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.069	30.718	-30.931	74.000	12.351	PK
2	*	15660.000	47.985	30.458	-26.015	74.000	17.527	PK

Profile: 1992128R	Page No.: 96
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.561	31.210	-30.439	74.000	12.351	PK
2	*	15660.000	48.938	31.411	-25.062	74.000	17.527	PK

Profile: 1992128R	Page No.: 97
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.189	30.122	-31.811	74.000	12.068	PK
2	*	15720.000	48.742	30.591	-25.258	74.000	18.152	PK

Profile: 1992128R	Page No.: 98
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.026	30.959	-30.974	74.000	12.068	PK
2	*	15720.000	49.578	31.427	-24.422	74.000	18.152	PK

Profile: 1992128R	Page No.: 99
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.891	28.960	-31.109	74.000	13.931	PK
2	*	17235.000	51.086	30.805	-22.914	74.000	20.281	PK

Profile: 1992128R	Page No.: 100
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.835	29.904	-30.165	74.000	13.931	PK
2	*	17235.000	50.055	29.774	-23.945	74.000	20.281	PK

Profile: 1992128R	Page No.: 101
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.070	30.856	-28.930	74.000	14.214	PK
2	*	17355.000	47.351	27.588	-26.649	74.000	19.762	PK

Profile: 1992128R	Page No.: 102
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.235	31.021	-28.765	74.000	14.214	PK
2	*	17355.000	48.086	28.323	-25.914	74.000	19.762	PK

Profile: 1992128R	Page No.: 103
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.408	30.831	-28.592	74.000	14.577	PK
2	*	17475.000	49.544	29.635	-24.456	74.000	19.909	PK

Profile: 1992128R	Page No.: 104
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.124	30.547	-28.876	74.000	14.577	PK
2	*	17475.000	50.385	30.476	-23.615	74.000	19.909	PK

Profile: 1992128R	Page No.: 105
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.536	31.753	-30.464	74.000	11.783	PK
2	*	15570.000	49.305	31.293	-24.695	74.000	18.012	PK

Profile: 1992128R	Page No.: 106
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.857	30.074	-32.143	74.000	11.783	PK
2	*	15570.000	48.388	30.376	-25.612	74.000	18.012	PK

Profile: 1992128R	Page No.: 107
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.516	29.659	-32.484	74.000	11.857	PK
2	*	15690.000	48.331	29.977	-25.669	74.000	18.354	PK

Profile: 1992128R	Page No.: 108
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.448	29.591	-32.552	74.000	11.857	PK
2	*	15690.000	48.993	30.639	-25.007	74.000	18.354	PK

Profile: 1992128R	Page No.: 109
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.395	30.905	-28.605	74.000	14.490	PK
2	*	17265.000	50.826	30.226	-23.174	74.000	20.600	PK

Profile: 1992128R	Page No.: 110
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.788	30.298	-29.212	74.000	14.490	PK
2	*	17265.000	50.662	30.062	-23.338	74.000	20.600	PK

Profile: 1992128R	Page No.: 111
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.595	29.550	-29.405	74.000	15.045	PK
2	*	17385.000	48.343	28.427	-25.657	74.000	19.916	PK

Profile: 1992128R	Page No.: 112
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.154	30.109	-28.846	74.000	15.045	PK
2	*	17385.000	49.603	29.687	-24.397	74.000	19.916	PK

Profile: 1992128R	Page No.: 113
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.959	32.201	-30.041	74.000	11.757	PK
2	*	15540.000	49.279	31.808	-24.721	74.000	17.471	PK

Profile: 1992128R	Page No.: 114
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.787	31.029	-31.213	74.000	11.757	PK
2	*	15540.000	49.251	31.780	-24.749	74.000	17.471	PK

Profile: 1992128R	Page No.: 115
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.834	30.483	-31.166	74.000	12.351	PK
2	*	15660.000	47.353	29.826	-26.647	74.000	17.527	PK

Profile: 1992128R	Page No.: 116
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.910	30.559	-31.090	74.000	12.351	PK
2	*	15660.000	47.505	29.978	-26.495	74.000	17.527	PK

Profile: 1992128R	Page No.: 117
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.034	30.967	-30.966	74.000	12.068	PK
2	*	15720.000	49.345	31.194	-24.655	74.000	18.152	PK

Profile: 1992128R	Page No.: 118
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.085	30.018	-31.915	74.000	12.068	PK
2	*	15720.000	48.978	30.827	-25.022	74.000	18.152	PK

Profile: 1992128R	Page No.: 119
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.550	29.619	-30.450	74.000	13.931	PK
2	*	17235.000	49.104	28.823	-24.896	74.000	20.281	PK

Profile: 1992128R	Page No.: 120
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.401	30.470	-29.599	74.000	13.931	PK
2	*	17235.000	50.272	29.991	-23.728	74.000	20.281	PK

Profile: 1992128R	Page No.: 121
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.195	29.981	-29.805	74.000	14.214	PK
2	*	17355.000	46.764	27.001	-27.236	74.000	19.762	PK

Profile: 1992128R	Page No.: 122
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.113	29.899	-29.887	74.000	14.214	PK
2	*	17355.000	47.465	27.702	-26.535	74.000	19.762	PK

Profile: 1992128R	Page No.: 123
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.501	28.924	-30.499	74.000	14.577	PK
2	*	17475.000	51.083	31.174	-22.917	74.000	19.909	PK

Profile: 1992128R	Page No.: 124
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.664	29.087	-30.336	74.000	14.577	PK
2	*	17475.000	50.074	30.165	-23.926	74.000	19.909	PK

Profile: 1992128R	Page No.: 125
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.865	31.082	-31.135	74.000	11.783	PK
2	*	15570.000	48.695	30.683	-25.305	74.000	18.012	PK

Profile: 1992128R	Page No.: 126
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.615	31.832	-30.385	74.000	11.783	PK
2	*	15570.000	47.585	29.573	-26.415	74.000	18.012	PK

Profile: 1992128R	Page No.: 127
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.632	28.775	-33.368	74.000	11.857	PK
2	*	15690.000	48.842	30.488	-25.158	74.000	18.354	PK

Profile: 1992128R	Page No.: 128
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.511	30.654	-31.489	74.000	11.857	PK
2	*	15690.000	48.898	30.544	-25.102	74.000	18.354	PK

Profile: 1992128R	Page No.: 129
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.689	29.199	-30.311	74.000	14.490	PK
2	*	17265.000	50.102	29.502	-23.898	74.000	20.600	PK

Profile: 1992128R	Page No.: 130
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.248	29.758	-29.752	74.000	14.490	PK
2	*	17265.000	49.141	28.541	-24.859	74.000	20.600	PK

Profile: 1992128R	Page No.: 131
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.416	29.371	-29.584	74.000	15.045	PK
2	*	17385.000	50.037	30.121	-23.963	74.000	19.916	PK

Profile: 1992128R	Page No.: 132
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac(40MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.476	29.431	-29.524	74.000	15.045	PK
2	*	17385.000	48.508	28.592	-25.492	74.000	19.916	PK

Profile: 1992128R	Page No.: 133
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.544	31.765	-30.456	74.000	11.780	PK
2	*	15630.000	49.766	31.904	-24.234	74.000	17.862	PK

Profile: 1992128R	Page No.: 134
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.138	30.359	-31.862	74.000	11.780	PK
2	*	15630.000	47.113	29.251	-26.887	74.000	17.862	PK

Profile: 1992128R	Page No.: 135
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.567	30.157	-29.433	74.000	14.409	PK
2	*	17325.000	47.804	27.239	-26.196	74.000	20.565	PK

Profile: 1992128R	Page No.: 136
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac(80MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.072	29.662	-29.928	74.000	14.409	PK
2	*	17325.000	48.102	27.537	-25.898	74.000	20.565	PK

Profile: 1992128R	Page No.: 137
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.954	32.196	-30.046	74.000	11.757	PK
2	*	15540.000	49.318	31.847	-24.682	74.000	17.471	PK

Profile: 1992128R	Page No.: 138
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.530	30.772	-31.470	74.000	11.757	PK
2	*	15540.000	48.540	31.069	-25.460	74.000	17.471	PK

Profile: 1992128R	Page No.: 139
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.187	30.836	-30.813	74.000	12.351	PK
2	*	15660.000	47.232	29.705	-26.768	74.000	17.527	PK

Profile: 1992128R	Page No.: 140
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.344	29.993	-31.656	74.000	12.351	PK
2	*	15660.000	47.796	30.269	-26.204	74.000	17.527	PK

Profile: 1992128R	Page No.: 141
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.364	30.297	-31.636	74.000	12.068	PK
2	*	15720.000	47.419	29.268	-26.581	74.000	18.152	PK

Profile: 1992128R	Page No.: 142
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.796	31.729	-30.204	74.000	12.068	PK
2	*	15720.000	49.283	31.132	-24.717	74.000	18.152	PK

Profile: 1992128R	Page No.: 143
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.670	30.739	-29.330	74.000	13.931	PK
2	*	17235.000	50.251	29.970	-23.749	74.000	20.281	PK

Profile: 1992128R	Page No.: 144
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.719	29.788	-30.281	74.000	13.931	PK
2	*	17235.000	50.400	30.119	-23.600	74.000	20.281	PK

Profile: 1992128R	Page No.: 145
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.938	29.724	-30.062	74.000	14.214	PK
2	*	17355.000	47.556	27.793	-26.444	74.000	19.762	PK

Profile: 1992128R	Page No.: 146
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.596	29.382	-30.404	74.000	14.214	PK
2	*	17355.000	47.623	27.860	-26.377	74.000	19.762	PK

Profile: 1992128R	Page No.: 147
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.709	29.132	-30.291	74.000	14.577	PK
2	*	17475.000	49.932	30.023	-24.068	74.000	19.909	PK

Profile: 1992128R	Page No.: 148
Engineer: YULIU	
Site: AC5	Time: 2019/11/20 - 01:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.773	32.196	-27.227	74.000	14.577	PK
2	*	17475.000	50.637	30.728	-23.363	74.000	19.909	PK