
ANNEX 1 TO TEST REPORT # EMCC-040197.1G, 2021-02-02

PHOTOGRAPHS OF TEST SETUP

EQUIPMENT UNDER TEST:

Trade Name:	Torque meter T40CB
Type, Serial Number(s):	T40CB S2, Rotor: 23444018, Stator: 233670005
Application:	Low Power Transceiver
FCC ID:	2ADAT-T40S2TOS6
ISED IC:	12438A-T40S2TOS6
Manufacturer:	Hottinger Brüel & Kjaer GmbH
Address:	Im Tiefen See 45 64293 Darmstadt Germany
Phone:	+49 6151 803 8790
E-Mail:	Gesa.Biegling@hbkworld.com

RELEVANT STANDARD(S) :	47 CFR § 15.203, § 15.207, § 15.209 RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5
-------------------------------	---

MEASUREMENT PROCEDURE:


☒ ANSI C63.10-2013

☒ SPR-002 Issue 1

ILLUSTRATION LIST ANNEX 1

Photograph A1-1: Conducted emissions	2
Photograph A1-2: Radiated emissions 9 kHz – 30 MHz at 3 m distance at SAC and Occupied Bandwidth	2
Photograph A1-3: Radiated emissions 30 MHz - 1 GHz at 3 m distance	3
Photograph A1-4: RF exposure, test distance 0 cm	3
Photograph A1-5: RF exposure, test distance 20 cm	4

Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5




Photograph A1-1: Conducted emissions




Photograph A1-2: Radiated emissions 9 kHz – 30 MHz at 3 m distance at SAC and Occupied Bandwidth

Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5




Photograph A1-3: Radiated emissions 30 MHz - 1 GHz at 3 m distance



Photograph A1-4: RF exposure, test distance 0 cm

Test on Hottinger Brüel & Kjaer GmbH T40CB S2 to 47 CFR § 15.203, § 15.207, § 15.209 and
RSS-Gen Issue 5, RSS-210 Issue 10 Amendment 1, RSS-102 Issue 5



Photograph A1-5: RF exposure, test distance 20 cm